

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	148					
4	Sub Centers (SC)- HWC	28					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	4					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW #	12,150		12,152			
11	Expected number of Delivery #	11,178		11,180			
		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	9,260	76.2	9,343	76.9	ANC Check up in first trimester	76.2
13	Mothers registered in the first trimester	7,011	75.7	7,184	76.9	At least 4ANC check up	74.7
14	Number of PW received 4 or more ANC check ups	6,179	66.7	6,294	67.4	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	7,406	80.0	7,282	77.9	100 IFA tablets consumed	52.8
16	PW who consumed 100 IFA tablets	6,470	69.9	5,960	63.8	Full ANC	39.0
17	Home Delivery against expected delivery *	63	32.7	46	0.4	Home Delivery	5.3
18	Institutional Delivery against expected delivery *	7,007	62.7	7,065	63.2	Institutional Delivery	94.7
19	Home Delivery against reported delivery **	63	0.9	46	0.6	Home Delivery by SBA(out of Total Deliveries)	2.4
20	Institutional Delivery against reported delivery **	7,007	99.1	7,065	99.4	PNC within 2days of delivery	74.2
21	Total reported Deliveries	7,070		7,111			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	46.0	25	54.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,473	91.6	5,829	82.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	11,046		11,048			
D) Child Immunization :		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	7,014	63.5	7,188	65.1	Breastfed within 1 hour of birth	66.5

26	Total Still Birth	146	2.1	113	1.6	BCG	98.9
27	PC of newborn weighted at birth to live birth	6,943	99.0	6,797	94.6	3 dose of DPT	93
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	552	8.0	621	9.1	Measles	93.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,943	84.7	4,766	66.3	Full Immunization	83
30	Children fully immunized	7,498	67.9	6,807	61.6		
31	Children who have received BCG	6,787	61.4	6,605	59.8		
32	Children who have received DPT1	7,744	70.1	7,405	67.0		
33	Children who have received DPT3	7,497	67.9	7,306	66.1		
34	Children who have received Measles	7,550	68.4	6,721	60.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,103		3,607			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	4	0	Total unmet need		21.7	
37	Number of Tubectomies performed	60	77	Spacing		8.9	
38	Number of IUD insertion	386	296	Women using any method		46.7	
39	Number of IUD removals	427	473	Women using modern method		45.9	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	512	407				
41	General OPD cases per 10,000 population ***	15241	13491				
42	Ayush OPD cases per 10,000 population ***	237	259				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	24	9				
44	Neonatal Deaths up to 4 weeks of birth	51	13				
45	<b>Total Neonatal Death</b>	75	22				
46	Deaths between (1 - 11) months	51	69				
47	<b>Total reported infant deaths</b>	126	91				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	1				
51	Due to Bleeding	1	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	10	13				
54	<b>Total reported maternal deaths</b>	11	15				

## East Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	48					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW #	5,739		5,754			
11	Expected number of Delivery #	5,280		5,294			
		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,193	90.5	5,064	88.0	ANC Check up in first trimester	69.1
13	Mothers registered in the first trimester	3,509	67.6	3,525	69.6	At least 4ANC check up	67.4
14	Number of PW received 4 or more ANC check ups	3,035	58.4	2,832	55.9	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	3,503	67.5	3,337	65.9	100 IFA tablets consumed	42.4
16	PW who consumed 100 IFA tablets	3,012	58.0	2,413	47.7	Full ANC	28.4
17	Home Delivery against expected delivery *	32	22.7	20	0.4	Home Delivery	6.7
18	Institutional Delivery against expected delivery *	5,158	97.7	5,147	97.2	Institutional Delivery	93.3
19	Home Delivery against reported delivery **	32	0.6	20	0.4	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Institutional Delivery against reported delivery **	5,158	99.4	5,147	99.6	PNC within 2days of delivery	70.2
21	Total reported Deliveries	5,190		5,167			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	34.4	12	60.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,483	67.1	2,958	57.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	5,217		5,231			
D) Child Immunization :		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,151	98.7	5,192	99.3	Breastfed within 1 hour of birth	61.3

26	Total Still Birth	84	1.6	82	1.6	BCG	98.9
27	PC of newborn weighted at birth to live birth	5,084	98.7	4,845	93.3	3 dose of DPT	89.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	458	9.0	521	10.8	Measles	90.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,098	79.6	2,896	55.8	Full Immunization	79.2
30	Children fully immunized	3,786	72.6	3,262	62.4		
31	Children who have received BCG	4,993	95.7	4,834	92.4		
32	Children who have received DPT1	4,131	79.2	3,645	69.7		
33	Children who have received DPT3	3,865	74.1	3,517	67.2		
34	Children who have received Measles	3,793	72.7	3,253	62.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,840		1,428			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	2	0	Total unmet need		26.1	
37	Number of Tubectomies performed	38	20	Spacing		10.4	
38	Number of IUD insertion	199	155	Women using any method		32.1	
39	Number of IUD removals	121	121	Women using modern method		32.1	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	520	273				
41	General OPD cases per 10,000 population ***	16626	10437				
42	Ayush OPD cases per 10,000 population ***	183	176				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	21	4				
44	Neonatal Deaths up to 4 weeks of birth	33	5				
45	<b>Total Neonatal Death</b>	54	9				
46	Deaths between (1 - 11) months	30	45				
47	<b>Total reported infant deaths</b>	84	54				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	1				
51	Due to Bleeding	1	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	6	9				
54	<b>Total reported maternal deaths</b>	7	11				

## North Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW #	830	825				
11	Expected number of Delivery #	764	759				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	631	76.0	606	73.5	ANC Check up in first trimester	80.9
13	Mothers registered in the first trimester	544	86.2	501	82.7	At least 4ANC check up	73.7
14	Number of PW received 4 or more ANC check ups	473	75.0	503	83.0	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	659	104.4	582	96.0	100 IFA tablets consumed	70.4
16	PW who consumed 100 IFA tablets	478	75.8	531	87.6	Full ANC	50.4
17	Home Delivery against expected delivery *	2	57.2	1	0.1	Home Delivery	5.1
18	Institutional Delivery against expected delivery *	226	29.6	166	21.9	Institutional Delivery	94.9
19	Home Delivery against reported delivery **	2	0.9	1	0.6	Home Delivery by SBA(out of Total Deliveries)	2.4
20	Institutional Delivery against reported delivery **	226	99.1	166	99.4	PNC within 2days of delivery	84.7
21	Total reported Deliveries	228		167			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	50.0	1	100.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	407	178.5	388	232.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	755		750			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	243	32.2	208	27.7	Breastfed within 1 hour of birth	60.2

26	Total Still Birth	9	3.7	1	0.5	BCG	100
27	PC of newborn weighted at birth to live birth	243	100.0	177	85.1	3 dose of DPT	98
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	21	8.6	8	4.5	Measles	100
29	PC of newborns breastfed within 1 hour to total reported live birth.	241	99.2	176	84.6	Full Immunization	89.9
30	Children fully immunized	525	69.5	608	81.1		
31	Children who have received BCG	240	31.8	190	25.3		
32	Children who have received DPT1	584	77.4	548	73.1		
33	Children who have received DPT3	545	72.2	551	73.5		
34	Children who have received Measles	568	75.2	610	81.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	329		280			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	0	0	Total unmet need		19.6	
37	Number of Tubectomies performed	0	0	Spacing		8.3	
38	Number of IUD insertion	15	10	Women using any method		50.2	
39	Number of IUD removals	28	34	Women using modern method		50.1	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	353	315				
41	General OPD cases per 10,000 population ***	15530	18615				
42	Ayush OPD cases per 10,000 population ***	215	148				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	1	1				
45	<b>Total Neonatal Death</b>	1	1				
46	Deaths between (1 - 11) months	2	0				
47	<b>Total reported infant deaths</b>	3	1				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	<b>Total reported maternal deaths</b>	0	0				

## South Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	39					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	3					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW #	2,906		2,905			
11	Expected number of Delivery #	2,674		2,672			
		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,705	58.7	1,849	63.7	ANC Check up in first trimester	89.5
13	Mothers registered in the first trimester	1,464	85.9	1,602	86.6	At least 4ANC check up	84.7
14	Number of PW received 4 or more ANC check ups	1,243	72.9	1,492	80.7	Neonatal tetanus received	100.0
15	PW who got TT 2 / Booster injection	1,564	91.7	1,640	88.7	100 IFA tablets consumed	62.9
16	PW who consumed 100 IFA tablets	1,500	88.0	1,450	78.4	Full ANC	49.5
17	Home Delivery against expected delivery *	22	27.5	16	0.6	Home Delivery	1.5
18	Institutional Delivery against expected delivery *	816	30.5	1,054	39.4	Institutional Delivery	98.5
19	Home Delivery against reported delivery **	22	2.6	16	1.5	Home Delivery by SBA(out of Total Deliveries)	1.5
20	Institutional Delivery against reported delivery **	816	97.4	1,054	98.5	PNC within 2days of delivery	82.7
21	Total reported Deliveries	838		1,070			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	63.6	6	37.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,369	163.4	1,414	132.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	2,642		2,640			
D) Child Immunization :		HMIS ( 2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	829	31.4	1,073	40.6	Breastfed within 1 hour of birth	75.4



26	Total Still Birth	16	1.9	17	1.6	BCG	100
27	PC of newborn weighted at birth to live birth	825	99.5	1,061	98.9	3 dose of DPT	97.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	38	4.6	48	4.5	Measles	100
29	PC of newborns breastfed within 1 hour to total reported live birth.	821	99.0	992	92.5	Full Immunization	92.3
30	Children fully immunized	1,580	59.8	1,493	56.5		
31	Children who have received BCG	739	28.0	875	33.1		
32	Children who have received DPT1	1,524	57.7	1,643	62.2		
33	Children who have received DPT3	1,534	58.1	1,669	63.2		
34	Children who have received Measles	1,576	59.6	1,488	56.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	764		727			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2	0	Total unmet need	19.1
37	Number of Tubectomies performed	21	57	Spacing	8.3
38	Number of IUD insertion	60	45	Women using any method	59.3
39	Number of IUD removals	112	142	Women using modern method	57.3
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	636	664		
41	General OPD cases per 10,000 population ***	15343	15908		
42	Ayush OPD cases per 10,000 population ***	269	369		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	1	1		
44	Neonatal Deaths up to 4 weeks of birth	11	1		
45	<b>Total Neonatal Death</b>	12	2		
46	Deaths between (1 - 11) months	2	4		
47	<b>Total reported infant deaths</b>	14	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	3		
54	<b>Total reported maternal deaths</b>	4	3		



## West Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	42					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW #	2,682		2,678			
11	Expected number of Delivery #	2,467		2,463			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,731	64.5	1,824	68.1	ANC Check up in first trimester	81.2
13	Mothers registered in the first trimester	1,494	86.3	1,556	85.3	At least 4ANC check up	84.9
14	Number of PW received 4 or more ANC check ups	1,428	82.5	1,467	80.4	Neonatal tetanus received	97.9
15	PW who got TT 2 / Booster injection	1,680	97.1	1,723	94.5	100 IFA tablets consumed	66.8
16	PW who consumed 100 IFA tablets	1,480	85.5	1,566	85.9	Full ANC	54.9
17	Home Delivery against expected delivery *	7	52.0	9	0.4	Home Delivery	5.4
18	Institutional Delivery against expected delivery *	807	32.7	698	28.3	Institutional Delivery	94.6
19	Home Delivery against reported delivery **	7	0.9	9	1.3	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	807	99.1	698	98.7	PNC within 2days of delivery	73.7
21	Total reported Deliveries	814		707			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	42.9	6	66.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,214	149.1	1,069	151.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	2,438		2,434			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	791	32.4	715	29.4	Breastfed within 1 hour of birth	73.2

26	Total Still Birth	37	4.7	13	1.8	BCG	97.1
27	PC of newborn weighted at birth to live birth	791	100.0	714	99.9	3 dose of DPT	94.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	35	4.4	44	6.2	Measles	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	783	99.0	702	98.2	Full Immunization	78.4
30	Children fully immunized	1,607	65.9	1,444	59.3		
31	Children who have received BCG	815	33.4	706	29.0		
32	Children who have received DPT1	1,505	61.7	1,569	64.5		
33	Children who have received DPT3	1,553	63.7	1,569	64.5		
34	Children who have received Measles	1,613	66.2	1,370	56.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,170		1,172			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	0	0	Total unmet need		14.9	
37	Number of Tubectomies performed	1	0	Spacing		6.1	
38	Number of IUD insertion	112	86	Women using any method		65.8	
39	Number of IUD removals	166	176	Women using modern method		64.3	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	406	445				
41	General OPD cases per 10,000 population ***	12034	15807				
42	Ayush OPD cases per 10,000 population ***	325	352				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	2	4				
44	Neonatal Deaths up to 4 weeks of birth	6	6				
45	<b>Total Neonatal Death</b>	8	10				
46	Deaths between (1 - 11) months	17	20				
47	<b>Total reported infant deaths</b>	25	30				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	1				
54	<b>Total reported maternal deaths</b>	0	1				

\* Against Expected Delivery for the 2018-19 & 2019-20

\*\* Against Reported Delivery for the 2018-19 & 2019-20

\*\*\* Against Estimated Population for 2018-19 & 2019-20