

Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	966					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	82					
6	Primary Health Centers (PHC)-HWC	31					
7	Community Health Centers (CHC)	22					
8	SDH	12					
9	DH	7					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	62,197		59,890			
11	Expected number of Delivery	57,674		55,534			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	72,180	116.1	67,065	107.8	ANC Check up in first trimester	66.4
13	Mothers registered in the first trimester	46,701	64.7	47,227	70.4	At least 4ANC check up	64.3
14	Number of PW received 4 or more ANC check ups	41,082	56.9	46,588	69.5	Neonatal tetanus received	93.0
15	PW who got TT 2 / Booster injection	52,897	73.3	51,405	76.6	100 IFA tablets consumed	13.4
16	PW who consumed 100 IFA tablets	41,187	57.1	31,354	46.8	Full ANC	7.6
17	Home Delivery against expected delivery *	3,326	5.8	3,254	5.9	Home Delivery	20.1
18	Institutional Delivery against expected delivery *	46,619	80.8	48,904	88.1	Institutional Delivery	79.9
19	Home Delivery against reported delivery **	3,326	6.7	3,254	6.2	Home Delivery by SBA(out of Total Deliveries)	1.2
20	Institutional Delivery against reported delivery **	46,619	93.3	48,904	93.8	PNC within 2days of delivery	62.1
21	Total reported Deliveries	49,945		52,158			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	1.1	13	0.4		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	32,294	64.7	34,417	66.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	56,543		54,445			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	49,514	87.6	51,339	94.3	Breastfed within 1 hour of birth	44.4
26	Total Still Birth	859	1.7	850	1.6	BCG	82.4

27	PC of newborn weighted at birth to live birth	48,974	98.9	50,529	98.4	3 dose of DPT	71.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,856	14.0	6,012	11.9	Measles	69.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	43,189	87.2	47,011	91.6	Full Immunization	54.5
30	Children fully immunized	47,675	84.3	48,546	89.2		
31	Children who have received BCG	48,383	89.1	50,390	92.6		
32	Children who have received DPT1	54,460	96.3	54,073	99.3		
33	Children who have received DPT3	49,953	88.3	50,905	93.5		
34	Children who have received Measles	48,489	85.8	49,098	90.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	37,855		43,572			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	54		40		Total unmet need	10.7
37	Number of Tubectomies performed	2,497		2,961		Spacing	4.1
38	Number of IUD insertion	469		494		Women using any method	64.1
39	Number of IUD removals	281		214		Women using modern method	42.8
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1065		1037			
41	General OPD cases per 10,000 population ***	10640		10521			
42	Ayush OPD cases per 10,000 population ***	736		714			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	184		190			
44	Neonatal Deaths up to 4 weeks of birth	328		377			
45	Total Neonatal Death	512		567			
46	Deaths between (1 - 11) months	316		415			
47	Total reported infant deaths	828		982			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		3			
49	Due to Obstructed/prolonged labour	1		1			
50	Due to Severe hypertension/fits	4		2			
51	Due to Bleeding	4		6			
52	Due to High fever	1		0			
53	Due to Other Causes (including causes not known)	38		35			
54	Total reported maternal deaths	48		47			

Dhalai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	121					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	10					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	6,821		6,620			
11	Expected number of Delivery	6,325		6,138			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,960	116.7	7,750	113.6	ANC Check up in first trimester	66.4
13	Mothers registered in the first trimester	5,196	65.3	4,736	61.1	At least 4ANC check up	66.4
14	Number of PW received 4 or more ANC check ups	3,393	42.6	4,360	56.3	Neonatal tetanus received	88.1
15	PW who got TT 2 / Booster injection	6,668	83.8	6,331	81.7	100 IFA tablets consumed	13.2
16	PW who consumed 100 IFA tablets	6,383	80.2	4,529	58.4	Full ANC	7.4
17	Home Delivery against expected delivery *	359	5.7	538	8.8	Home Delivery	23.8
18	Institutional Delivery against expected delivery *	5,266	83.3	5,117	83.4	Institutional Delivery	76.2
19	Home Delivery against reported delivery **	359	6.4	538	9.5	Home Delivery by SBA(out of Total Deliveries)	1.0
20	Institutional Delivery against reported delivery **	5,266	93.6	5,117	90.5	PNC within 2days of delivery	62.1
21	Total reported Deliveries	5,625		5,655			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	2.8	0	0.0		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	1,673	29.7	1,901	33.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,201		6,018			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,553	89.6	5,592	92.9	Breastfed within 1 hour of birth	51
26	Total Still Birth	87	1.6	83	1.4	BCG	62.1

27	PC of newborn weighted at birth to live birth	5,569	100.3	5,515	98.6	3 dose of DPT	69.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	696	12.5	610	11.1	Measles	62.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,116	92.1	5,331	95.3	Full Immunization	44.3
30	Children fully immunized	6,511	105.0	5,505	91.5		
31	Children who have received BCG	5,416	87.3	5,829	96.9		
32	Children who have received DPT1	6,702	108.1	6,773	112.5		
33	Children who have received DPT3	5,672	91.5	5,958	99.0		
34	Children who have received Measles	6,609	106.6	5,625	93.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,885		4,859			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	7
37	Number of Tubectomies performed	0	15	Spacing	3
38	Number of IUD insertion	91	95	Women using any method	67.1
39	Number of IUD removals	93	42	Women using modern method	44.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	1077	958		
41	General OPD cases per 10,000 population ***	8938	8983		
42	Ayush OPD cases per 10,000 population ***	424	417		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	15	15		
44	Neonatal Deaths up to 4 weeks of birth	14	29		
45	Total Neonatal Death	29	44		
46	Deaths between (1 - 11) months	54	65		
47	Total reported infant deaths	83	109		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	1	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	3		
54	Total reported maternal deaths	4	7		

Gomati Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	147					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	7,360		7,082			
11	Expected number of Delivery	6,825		6,567			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	6,885	93.5	6,806	92.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	5,667	82.3	5,555	81.6	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	4,010	58.2	4,149	61.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	6,164	89.5	6,083	89.4	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	5,099	74.1	3,771	55.4	Full ANC	NA
17	Home Delivery against expected delivery *	130	1.9	147	2.2	Home Delivery	NA
18	Institutional Delivery against expected delivery *	5,579	81.7	5,731	87.3	Institutional Delivery	NA
19	Home Delivery against reported delivery **	130	2.3	147	2.5	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	5,579	97.7	5,731	97.5	PNC within 2days of delivery	NA
21	Total reported Deliveries	5,709		5,878			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	2.3	1	0.7		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	4,278	74.9	4,008	68.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,691		6,438			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,810	86.8	5,820	90.4	Breastfed within 1 hour of birth	NA
26	Total Still Birth	77	1.3	94	1.5	BCG	NA

27	PC of newborn weighted at birth to live birth	5,742	98.8	5,813	99.9	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,047	18.2	561	9.7	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,571	95.9	5,801	99.7	Full Immunization	NA
30	Children fully immunized	5,337	79.8	5,585	86.7		
31	Children who have received BCG	5,798	91.0	6,079	94.4		
32	Children who have received DPT1	6,454	96.5	6,307	98.0		
33	Children who have received DPT3	5,954	89.0	5,992	93.1		
34	Children who have received Measles	5,399	80.7	5,602	87.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,268		4,485			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	37		15		Total unmet need	NA
37	Number of Tubectomies performed	354		210		Spacing	NA
38	Number of IUD insertion	34		19		Women using any method	NA
39	Number of IUD removals	7		11		Women using modern method	NA
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1016		1074			
41	General OPD cases per 10,000 population ***	9803		9776			
42	Ayush OPD cases per 10,000 population ***	600		550			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	30		29			
44	Neonatal Deaths up to 4 weeks of birth	34		19			
45	Total Neonatal Death	64		48			
46	Deaths between (1 - 11) months	18		23			
47	Total reported infant deaths	82		71			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		1			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		1			
51	Due to Bleeding	1		0			
52	Due to High fever	1		0			
53	Due to Other Causes (including causes not known)	3		5			
54	Total reported maternal deaths	5		7			

Khowai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	104					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	5,449		5,236			
11	Expected number of Delivery	5,053		4,855			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	4,758	87.3	4,600	84.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	3,325	69.9	3,214	69.9	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	2,948	62.0	2,842	61.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,140	87.0	3,997	86.9	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	3,081	64.8	1,628	35.4	Full ANC	NA
17	Home Delivery against expected delivery *	119	2.4	110	2.3	Home Delivery	NA
18	Institutional Delivery against expected delivery *	2,680	53.0	2,859	58.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	119	4.3	110	3.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	2,680	95.7	2,859	96.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	2,799		2,969			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	1.7	2	1.8		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	1,187	42.4	1,170	39.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,954		4,760			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	2,772	56.0	2,946	61.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	42	1.5	39	0.8	BCG	NA

27	PC of newborn weighted at birth to live birth	2,734	98.6	2,881	97.8	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	409	15.0	447	15.5	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,195	79.2	2,413	81.9	Full Immunization	NA
30	Children fully immunized	4,480	90.4	3,983	83.7		
31	Children who have received BCG	2,872	79.3	2,988	62.8		
32	Children who have received DPT1	4,246	85.7	4,184	87.9		
33	Children who have received DPT3	3,962	80.0	3,865	81.2		
34	Children who have received Measles	4,502	90.9	4,015	84.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,159		2,965			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	34		0		Spacing	NA
38	Number of IUD insertion	5		25		Women using any method	NA
39	Number of IUD removals	5		0		Women using modern method	NA
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1015		666			
41	General OPD cases per 10,000 population ***	7954		7405			
42	Ayush OPD cases per 10,000 population ***	619		1011			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	1		5			
44	Neonatal Deaths up to 4 weeks of birth	10		5			
45	Total Neonatal Death	11		10			
46	Deaths between (1 - 11) months	17		16			
47	Total reported infant deaths	28		26			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		1			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	13		1			
54	Total reported maternal deaths	13		2			

North Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	95					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	14					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	1					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	7,191		6,942			
11	Expected number of Delivery	6,668		6,437			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	9,148	127.2	8,547	118.8	ANC Check up in first trimester	64.0
13	Mothers registered in the first trimester	5,288	57.8	5,560	65.1	At least 4ANC check up	55.9
14	Number of PW received 4 or more ANC check ups	4,574	50.0	5,492	64.3	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	7,319	80.0	7,275	85.1	100 IFA tablets consumed	12.5
16	PW who consumed 100 IFA tablets	4,093	44.7	1,978	23.1	Full ANC	9.7
17	Home Delivery against expected delivery *	1,417	21.2	1,305	20.3	Home Delivery	35.2
18	Institutional Delivery against expected delivery *	4,368	65.5	4,111	63.9	Institutional Delivery	64.8
19	Home Delivery against reported delivery **	1,417	24.5	1,305	24.1	Home Delivery by SBA(out of Total Deliveries)	1.2
20	Institutional Delivery against reported delivery **	4,368	75.5	4,111	75.9	PNC within 2days of delivery	50.6
21	Total reported Deliveries	5,785		5,416			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	1.2	9	0.7		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	3,219	55.6	3,454	63.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,538		6,311			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,764	88.2	5,384	85.3	Breastfed within 1 hour of birth	52.9
26	Total Still Birth	58	1.0	41	0.6	BCG	79.6

27	PC of newborn weighted at birth to live birth	5,639	97.8	5,365	99.6	3 dose of DPT	66.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	476	8.4	434	8.1	Measles	63.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,624	97.6	5,342	99.2	Full Immunization	53.8
30	Children fully immunized	5,084	77.8	6,334	100.4		
31	Children who have received BCG	5,047	94.1	5,992	94.9		
32	Children who have received DPT1	7,263	111.1	7,439	117.9		
33	Children who have received DPT3	5,955	91.1	7,066	112.0		
34	Children who have received Measles	5,189	79.4	6,436	102.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,716		5,764			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.6
37	Number of Tubectomies performed	79	53	Spacing	3.4
38	Number of IUD insertion	4	30	Women using any method	65.2
39	Number of IUD removals	1	0	Women using modern method	39.5
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	903	929		
41	General OPD cases per 10,000 population ***	8828	8417		
42	Ayush OPD cases per 10,000 population ***	421	438		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	5	13		
44	Neonatal Deaths up to 4 weeks of birth	23	26		
45	Total Neonatal Death	28	39		
46	Deaths between (1 - 11) months	36	41		
47	Total reported infant deaths	64	80		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	3	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	4		
54	Total reported maternal deaths	7	5		

Sipahijala Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	146					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2018-19	2019-20				
10	Expected number of PW	8,060	7,744				
11	Expected number of Delivery	7,474	7,181				
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	8,399	104.2	8,310	103.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	6,197	73.8	6,249	75.2	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	4,350	51.8	4,727	56.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	7,235	86.1	7,109	85.5	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	6,124	72.9	5,368	64.6	Full ANC	NA
17	Home Delivery against expected delivery *	343	4.6	244	3.4	Home Delivery	NA
18	Institutional Delivery against expected delivery *	3,045	40.7	3,512	48.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	343	10.1	244	6.5	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	3,045	89.9	3,512	93.5	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,388		3,756			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	0.6	0	0.0		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	4,080	120.4	4,946	131.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,327		7,040			
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
25	Total reported live births	3,406	46.5	3,732	53.0	Breastfed within 1 hour of birth	NA
26	Total Still Birth	30	0.9	32	0.5	BCG	NA

27	PC of newborn weighted at birth to live birth	3,347	98.3	3,696	99.0	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	472	14.1	455	12.3	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,345	98.2	3,340	89.5	Full Immunization	NA
30	Children fully immunized	6,594	90.0	6,830	97.0		
31	Children who have received BCG	4,478	97.5	4,642	65.9		
32	Children who have received DPT1	7,464	101.9	7,263	103.2		
33	Children who have received DPT3	7,260	99.1	7,158	101.7		
34	Children who have received Measles	6,612	90.2	6,857	97.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	5,292		5,482			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	8		4		Total unmet need	NA
37	Number of Tubectomies performed	194		131		Spacing	NA
38	Number of IUD insertion	3		25		Women using any method	NA
39	Number of IUD removals	4		6		Women using modern method	NA
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	763		668			
41	General OPD cases per 10,000 population ***	9338		9356			
42	Ayush OPD cases per 10,000 population ***	1231		1115			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	4		6			
44	Neonatal Deaths up to 4 weeks of birth	11		16			
45	Total Neonatal Death	15		22			
46	Deaths between (1 - 11) months	11		11			
47	Total reported infant deaths	26		33			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		1			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		1			

South Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	110					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centers (PHC)-HWC	11					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	7,307		7,031			
11	Expected number of Delivery	6,776		6,520			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,559	103.4	7,006	95.9	ANC Check up in first trimester	67.0
13	Mothers registered in the first trimester	5,267	69.7	5,482	78.2	At least 4ANC check up	59.1
14	Number of PW received 4 or more ANC check ups	4,536	60.0	4,625	66.0	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	6,316	83.6	6,037	86.2	100 IFA tablets consumed	13.9
16	PW who consumed 100 IFA tablets	5,778	76.4	4,193	59.8	Full ANC	5.7
17	Home Delivery against expected delivery *	146	2.2	197	3.0	Home Delivery	21.2
18	Institutional Delivery against expected delivery *	4,511	66.6	4,307	66.1	Institutional Delivery	78.8
19	Home Delivery against reported delivery **	146	3.1	197	4.4	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Institutional Delivery against reported delivery **	4,511	96.9	4,307	95.6	PNC within 2days of delivery	59.3
21	Total reported Deliveries	4,657		4,504			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	3,419	73.4	3,471	77.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,643		6,392			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	4,666	70.2	4,480	70.1	Breastfed within 1 hour of birth	45.1
26	Total Still Birth	55	1.2	40	0.6	BCG	86.7

27	PC of newborn weighted at birth to live birth	4,601	98.6	4,455	99.4	3 dose of DPT	74.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	592	12.9	506	11.4	Measles	72.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,558	97.7	4,451	99.4	Full Immunization	54.7
30	Children fully immunized	5,149	77.5	5,875	91.9		
31	Children who have received BCG	4,746	93.6	4,861	76.0		
32	Children who have received DPT1	6,583	99.1	6,198	97.0		
33	Children who have received DPT3	6,252	94.1	5,919	92.6		
34	Children who have received Measles	5,314	80.0	5,886	92.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	5,405		6,042			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	9.7
37	Number of Tubectomies performed	84		86		Spacing	4.2
38	Number of IUD insertion	221		176		Women using any method	66.9
39	Number of IUD removals	80		71		Women using modern method	44.5
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1051		1058			
41	General OPD cases per 10,000 population ***	10009		10702			
42	Ayush OPD cases per 10,000 population ***	744		607			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	5		8			
44	Neonatal Deaths up to 4 weeks of birth	4		21			
45	Total Neonatal Death	9		29			
46	Deaths between (1 - 11) months	14		32			
47	Total reported infant deaths	23		61			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	1		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		2			
54	Total reported maternal deaths	1		2			

Unakoti Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	4,795		4,629			
11	Expected number of Delivery	4,446		4,292			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,030	104.9	5,236	109.2	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	2,918	58.0	3,432	65.5	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	2,860	56.9	3,377	64.5	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,127	82.0	4,300	82.1	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,456	48.8	3,057	58.4	Full ANC	NA
17	Home Delivery against expected delivery *	669	15.0	568	13.2	Home Delivery	NA
18	Institutional Delivery against expected delivery *	2,885	64.9	3,075	71.6	Institutional Delivery	NA
19	Home Delivery against reported delivery **	669	18.8	568	15.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	2,885	81.2	3,075	84.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,554		3,643			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	0.2		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	2,165	60.9	1,162	31.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,359		4,208			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	3,495	80.2	3,466	82.4	Breastfed within 1 hour of birth	NA
26	Total Still Birth	66	1.9	64	1.5	BCG	NA

27	PC of newborn weighted at birth to live birth	3,368	96.4	3,171	91.5	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	477	14.2	458	14.4	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,983	85.4	3,090	89.2	Full Immunization	NA
30	Children fully immunized	3,505	80.4	3,925	93.3		
31	Children who have received BCG	3,730	88.5	3,485	82.8		
32	Children who have received DPT1	4,340	99.6	4,562	108.4		
33	Children who have received DPT3	3,890	89.2	4,209	100.0		
34	Children who have received Measles	3,563	81.7	4,070	96.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,966		3,831			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	5	19	Total unmet need	NA
37	Number of Tubectomies performed	160	169	Spacing	NA
38	Number of IUD insertion	5	25	Women using any method	NA
39	Number of IUD removals	1	7	Women using modern method	NA
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	871	812		
41	General OPD cases per 10,000 population ***	8720	8746		
42	Ayush OPD cases per 10,000 population ***	1096	970		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	24	16		
44	Neonatal Deaths up to 4 weeks of birth	19	19		
45	Total Neonatal Death	43	35		
46	Deaths between (1 - 11) months	37	56		
47	Total reported infant deaths	80	91		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	5		
54	Total reported maternal deaths	6	6		

West Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	173					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	13					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	15,272		14,673			
11	Expected number of Delivery	14,161		13,606			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	22,441	146.9	18,810	123.2	ANC Check up in first trimester	67.2
13	Mothers registered in the first trimester	12,843	57.2	12,999	69.1	At least 4ANC check up	69.8
14	Number of PW received 4 or more ANC check ups	14,411	64.2	17,016	90.5	Neonatal tetanus received	96.0
15	PW who got TT 2 / Booster injection	10,928	48.7	10,273	54.6	100 IFA tablets consumed	13.7
16	PW who consumed 100 IFA tablets	8,173	36.4	6,830	36.3	Full ANC	7.5
17	Home Delivery against expected delivery *	143	1.0	145	1.1	Home Delivery	10.9
18	Institutional Delivery against expected delivery *	18,285	129.1	20,192	148.4	Institutional Delivery	89.1
19	Home Delivery against reported delivery **	143	0.8	145	0.7	Home Delivery by SBA(out of Total Deliveries)	1.0
20	Institutional Delivery against reported delivery **	18,285	99.2	20,192	99.3	PNC within 2days of delivery	68.3
21	Total reported Deliveries	18,428		20,337			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.7	0	0.0		
23	PC of woman getting post partumcheck up between 48 hours and 14 days to total reported deliveries	12,273	66.6	14,305	70.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	13,884		13,339			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	18,048	130.0	19,919	149.3	Breastfed within 1 hour of birth	39
26	Total Still Birth	444	2.5	457	3.4	BCG	86

27	PC of newborn weighted at birth to live birth	17,974	99.6	19,633	98.6	3 dose of DPT	72.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,687	14.9	2,541	12.9	Measles	72.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,797	76.4	17,243	86.6	Full Immunization	56.7
30	Children fully immunized	11,015	79.3	10,509	78.8		
31	Children who have received BCG	16,296	79.5	16,514	123.8		
32	Children who have received DPT1	11,408	82.2	11,347	85.1		
33	Children who have received DPT3	11,008	79.3	10,738	80.5		
34	Children who have received Measles	11,301	81.4	10,607	79.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	9,164		10,144			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4		2		Total unmet need	12.5
37	Number of Tubectomies performed	1,592		2,297		Spacing	4.5
38	Number of IUD insertion	106		99		Women using any method	61.9
39	Number of IUD removals	90		77		Women using modern method	42.9
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1401		1488			
41	General OPD cases per 10,000 population ***	15165		14722			
42	Ayush OPD cases per 10,000 population ***	751		707			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	100		98			
44	Neonatal Deaths up to 4 weeks of birth	213		242			
45	Total Neonatal Death	313		340			
46	Deaths between (1 - 11) months	129		171			
47	Total reported infant deaths	442		511			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		2			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	12		15			
54	Total reported maternal deaths	12		17			

* Against Expected Delivery for the 2018-19 & 2019-20

** Against Reported Delivery for the 2018-19 & 2019-20

*** Against Estimated Population for 2018-19 & 2019-20