

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,382,611					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	307					
4	Sub Centres (SC)- HWC	78					
5	Primary Health Centers(PHC)	105					
6	Primary Health Centres (PHC)-HWC	42					
7	Community Health Centers (CHC)	63					
8	SDH	0					
9	DH	17					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	34,184		34,303			
11	Expected number of Delivery	31,697		31,808			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	30,160	88.2	6,371	18.6	ANC Check up in first trimester	37.0
13	Mothers registered in the first trimester	11,143	36.9	2,475	38.8	At least 4ANC check up	26.8
14	Mothers who had at least 4 Ante-Natal care check ups	10,900	36.1	1,425	22.4	Neonatal tetanus received	64.1
15	PW who got TT 2 / Booster injection	17,402	57.7	4,030	63.3	100 IFA tablets consumed	8.3
16	PW who consumed 100 IFA tablets	17,649	58.5	3,419	53.7	Full ANC	3.6
17	Home Delivery against expected delivery *	2,054	6.5	287	0.9	Home Delivery	47.7
18	Institutional Delivery against expected delivery *	18,276	57.7	2,805	8.8	Institutional Delivery	52.3
19	Home Delivery against reported delivery **	2,054	10.1	287	9.3	Home Delivery by SBA(out of Total Deliveries)	2.1
20	Institutional Delivery against reported delivery **	18,276	89.9	2,805	90.7	PNC within 2days of delivery	28.9
21	Total reported Deliveries	20,330		3,092			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	752	36.6	133	46.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,272	21.0	729	23.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	31,076		31,185			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	20,239	65.1	3,089	9.9	Breastfeed within 1 hour of birth	58.7
26	Total Still Birth	252	0.8	44	0.1	BCG	70.9
27	Newborn weighted at birth to live	19,557	96.6	2,730	88.4	3 dose of DPT	52.3

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,295	6.6	161	0.0	Measles	54.6
29	Newborns breastfed within 1 hour to total reported live birth.	16,938	83.7	2,367	76.6	Full Immunization	38.2
30	Fully immunized	18,412	59.2	3,846	12.3		
31	Children who have received BCG	20,580	66.2	3,461	11.1		
32	Children who have received DPT1	21,973	70.7	4,162	13.3		
33	Children who have received DPT3	19,526	62.8	4,238	13.6		
34	Children who have received Measles	18,912	60.9	4,000	12.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,985		1,028			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	3	0		Total unmet need	21.6	
37	Number of Tubectomies performed	1,109	97		Spacing	12.7	
38	Number of IUD insertion	2,115	288		Women using any method	31.7	
39	Number of IUD removals	1,361	221		Women using modern method	26.6	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	431	54				
41	General OPD cases per 10,000 population ***	8974	1091				
42	Ayush OPD cases per 10,000 population ***	924	128				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	39	5				
44	Neonatal Deaths up to 4 weeks of birth	25	2				
45	Total Neonatal Death	64	7				
46	Deaths between (1 - 11) months	27	1				
47	Total reported infant deaths	91	8				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	1	0				
49	Due to Obstructed/prolonged labour	1	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	3	2				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	8	1				
54	Total reported maternal deaths	13	3				

Anjaw Factsheet

Anjaw Factsheet								
Key Indicators								
A) Demographic Indicators (Census 2011)								
1	Population 2011	21,089						
2	Sex Ratio	805						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	9						
4	Sub Centres (SC)- HWC	0						
5	Primary Health Centers(PHC)	7						
6	Primary Health Centres (PHC)-HWC	0						
7	Community Health Centers (CHC)	5						
8	SDH	0						
9	DH	1						
C) Maternal Health:			2019-20		2020-21			
10	Expected number of PW	475			471			
11	Expected number of Delivery	441			437			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	414	87.1	132	28.0	ANC Check up in first trimester	28.8	
13	Mothers registered in the first trimester	100	24.2	52	39.4	At least 4ANC check up	20.2	
14	Mothers who had at least 4 Ante-Natal care check ups	60	14.5	12	9.1	Neonatal tetanus received	73.5	
15	PW who got TT 2 / Booster injection	255	61.6	77	58.3	100 IFA tablets consumed	4.5	
16	PW who consumed 100 IFA tablets	346	83.6	118	89.4	Full ANC	2.0	
17	Home Delivery against expected delivery *	24	5.4	4	0.9	Home Delivery	48.6	
18	Institutional Delivery against expected delivery *	105	23.8	18	4.1	Institutional Delivery	51.4	
19	Home Delivery against reported delivery **	24	18.6	4	18.2	Home Delivery by SBA(out of Total Deliveries)	6.8	
20	Institutional Delivery against reported delivery **	105	81.4	18	81.8	PNC within 2days of delivery	21.3	
21	Total reported Deliveries	129			22			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	2	50.0			
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	52	40.3	4	18.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	432			429			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	128	29.6	21	4.9	Breastfeed within 1 hour of birth	53.9	
26	Total Still Birth	3	0.7	1	0.2	BCG	75.4	
27	Newborn weighted at birth to live	127	99.2	21	100.0	3 dose of DPT	52.8	

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	6.3	3	0.0	Measles	56.8
29	Newborns breastfed within 1 hour to total reported live birth.	127	99.2	21	100.0	Full Immunization	35.8
30	Fully immunized	245	56.7	59	13.8		
31	Children who have received BCG	196	45.4	30	7.0		
32	Children who have received DPT1	362	83.8	74	17.3		
33	Children who have received DPT3	345	79.8	91	21.2		
34	Children who have received Measles	269	62.2	64	14.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	515		80			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	25.1	
37	Number of Tubectomies performed	19	0		Spacing	14.7	
38	Number of IUD insertion	4	4		Women using any method	24.5	
39	Number of IUD removals	10	1		Women using modern method	23.7	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	221	36				
41	General OPD cases per 10,000 population ***	7817	1971				
42	Ayush OPD cases per 10,000 population ***	2671	398				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	1	0				
45	Total Neonatal Death	1	0				
46	Deaths between (1 - 11) months	1	0				
47	Total reported infant deaths	2	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	35					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	3,441		3,426			
11	Expected number of Delivery	3,190		3,177			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	3,051	88.7	758	22.1	ANC Check up in first trimester	48.2
13	Mothers registered in the first trimester	1,059	34.7	223	29.4	At least 4ANC check up	38.9
14	Mothers who had at least 4 Ante-Natal care check ups	1,052	34.5	182	24.0	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	2,596	85.1	549	72.4	100 IFA tablets consumed	11.1
16	PW who consumed 100 IFA tablets	1,337	43.8	371	48.9	Full ANC	7.2
17	Home Delivery against expected delivery *	396	12.4	55	1.7	Home Delivery	48.5
18	Institutional Delivery against expected delivery *	1,403	44.0	225	7.1	Institutional Delivery	51.5
19	Home Delivery against reported delivery **	396	22.0	55	19.6	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	1,403	78.0	225	80.4	PNC within 2days of delivery	44.9
21	Total reported Deliveries	1,799		280			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	106	26.8	25	45.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	521	29.0	60	21.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	3,128		3,114			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,794	57.4	279	9.0	Breastfeed within 1 hour of birth	68.6
26	Total Still Birth	6	0.2	1	0.0	BCG	93.8
27	Newborn weighted at birth to live	1,780	99.2	276	98.9	3 dose of DPT	83.7

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	104	5.8	11	0.0	Measles	83.7
29	Newborns breastfed within 1 hour to total reported live birth.	1,775	98.9	279	100.0	Full Immunization	79.5
30	Fully immunized	2,047	65.4	395	12.7		
31	Children who have received BCG	2,292	73.3	483	15.5		
32	Children who have received DPT1	2,558	81.8	571	18.3		
33	Children who have received DPT3	2,072	66.2	470	15.1		
34	Children who have received Measles	2,065	66.0	397	12.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	248		34			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	10.7
37	Number of Tubectomies performed	0	0	Spacing	5.6
38	Number of IUD insertion	70	4	Women using any method	62.6
39	Number of IUD removals	35	6	Women using modern method	47.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	254	41		
41	General OPD cases per 10,000 population ***	4919	583		
42	Ayush OPD cases per 10,000 population ***	1431	203		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal deaths within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	173		171			
11	Expected number of Delivery	161		159			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	121	69.7	38	22.2	ANC Check up in first trimester	44.7
13	Mothers registered in the first trimester	58	47.9	21	55.3	At least 4ANC check up	20.3
14	Mothers who had at least 4 Ante-Natal care check ups	31	25.6	2	5.3	Neonatal tetanus received	58.7
15	PW who got TT 2 / Booster injection	70	57.9	20	52.6	100 IFA tablets consumed	24.0
16	PW who consumed 100 IFA tablets	98	81.0	32	84.2	Full ANC	7.3
17	Home Delivery against expected delivery *	6	3.7	0	0.0	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	32	19.9	4	2.5	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	6	15.8	0	0.0	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	32	84.2	4	100.0	PNC within 2days of delivery	35.3
21	Total reported Deliveries	38		4			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	83.3	0	-		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	35	92.1	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	158		156			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	36	22.8	6	3.9	Breastfeed within 1 hour of birth	66.1
26	Total Still Birth	2	1.3	0	0.0	BCG	84.4
27	Newborn weighted at birth to live	35	97.2	0	0.0	3 dose of DPT	73.3

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles	70.4
29	Newborns breastfed within 1 hour to total reported live birth.	35	97.2	0	0.0	Full Immunization	40.8
30	Fully immunized	105	66.6	37	23.8		
31	Children who have received BCG	53	33.6	13	8.3		
32	Children who have received DPT1	64	40.6	9	5.8		
33	Children who have received DPT3	68	43.1	17	10.9		
34	Children who have received Measles	193	122.4	72	46.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	87		0			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	15.4	
37	Number of Tubectomies performed	0	0		Spacing	12.6	
38	Number of IUD insertion	0	0		Women using any method	44.4	
39	Number of IUD removals	0	0		Women using modern method	44.4	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	113	21				
41	General OPD cases per 10,000 population ***	10147	2375				
42	Ayush OPD cases per 10,000 population ***	368	16				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centres (SC)- HWC	5					
5	Primary Health Centers(PHC)	5					
6	Primary Health Centres (PHC)-HWC	6					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,121		2,151			
11	Expected number of Delivery	1,966		1,995			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,383	65.2	431	20.0	ANC Check up in first trimester	4.1
13	Mothers registered in the first trimester	948	68.5	304	70.5	At least 4ANC check up	0.8
14	Mothers who had at least 4 Ante-Natal care check ups	221	16.0	68	15.8	Neonatal tetanus received	33.4
15	PW who got TT 2 / Booster injection	705	51.0	371	86.1	100 IFA tablets consumed	1.8
16	PW who consumed 100 IFA tablets	626	45.3	402	93.3	Full ANC	0.0
17	Home Delivery against expected delivery *	36	1.8	5	0.3	Home Delivery	66.2
18	Institutional Delivery against expected delivery *	619	31.5	172	8.6	Institutional Delivery	33.8
19	Home Delivery against reported delivery **	36	5.5	5	2.8	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	619	94.5	172	97.2	PNC within 2days of delivery	6.1
21	Total reported Deliveries	655		177			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	50.0	3	60.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21	3.2	4	2.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,928		1,956			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	645	33.5	178	9.1	Breastfeed within 1 hour of birth	54.3
26	Total Still Birth	10	0.5	0	0.0	BCG	37.2
27	Newborn weighted at birth to live	592	91.8	176	98.9	3 dose of DPT	17.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.2	2	0.0	Measles	17.4
29	Newborns breastfed within 1 hour to total reported live birth.	605	93.8	178	100.0	Full Immunization	11.9
30	Fully immunized	598	31.0	175	8.9		
31	Children who have received BCG	635	32.9	203	10.4		
32	Children who have received DPT1	867	45.0	242	12.4		
33	Children who have received DPT3	655	34.0	209	10.7		
34	Children who have received Measles	605	31.4	181	9.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	373		87			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	30.7	
37	Number of Tubectomies performed	0	0		Spacing	18.2	
38	Number of IUD insertion	69	23		Women using any method	5.2	
39	Number of IUD removals	2	2		Women using modern method	5	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	154	36				
41	General OPD cases per 10,000 population ***	3960	1014				
42	Ayush OPD cases per 10,000 population ***	402	170				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	2	0				
45	Total Neonatal Death	2	0				
46	Deaths between (1 - 11) months	2	0				
47	Total reported infant deaths	4	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	99,019
2	Sex Ratio	962

B) Infrastructure Details (RHS 2018)

		Numbers
3	Sub Centers (SC)	1
4	Sub Centres (SC)- HWC	15
5	Primary Health Centers(PHC)	1
6	Primary Health Centres (PHC)-HWC	9
7	Community Health Centers (CHC)	2
8	SDH	0
9	DH	1

C) Maternal Health:

		2019-20		2020-21			
10	Expected number of PW	1,832		1,816			
11	Expected number of Delivery	1,699		1,684			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,204	120.3	500	27.5	ANC Check up in first trimester	38.4
13	Mothers registered in the first trimester	1,142	51.8	257	51.4	At least 4ANC check up	35.0
14	Mothers who had at least 4 Ante-Natal care check ups	682	30.9	100	20.0	Neonatal tetanus received	76.3
15	PW who got TT 2 / Booster injection	1,525	69.2	383	76.6	100 IFA tablets consumed	6.8
16	PW who consumed 100 IFA tablets	1,285	58.3	329	65.8	Full ANC	4.6
17	Home Delivery against expected delivery *	68	4.0	13	0.8	Home Delivery	31.4
18	Institutional Delivery against expected delivery *	2,166	127.5	350	20.8	Institutional Delivery	68.6
19	Home Delivery against reported delivery **	68	3.0	13	3.6	Home Delivery by SBA(out of Total Deliveries)	3.3
20	Institutional Delivery against reported delivery **	2,166	97.0	350	96.4	PNC within 2days of delivery	31.0
21	Total reported Deliveries	2,234		363			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	54.4	12	92.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	351	15.7	38	10.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

24	Expected number of Live Birth	1,665		1,651			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	2,204	132.3	363	22.0	Breastfeed within 1 hour of birth	41
26	Total Still Birth	38	2.3	3	0.2	BCG	83.6
27	Newborn weighted at birth to live	2,203	100.0	362	99.7	3 dose of DPT	57.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	147	6.7	14	0.0	Measles	78.8
29	Newborns breastfed within 1 hour to total reported live birth.	2,055	93.2	361	99.4	Full Immunization	45.5
30	Fully immunized	1,306	78.4	279	16.9		
31	Children who have received BCG	2,236	134.3	368	22.3		
32	Children who have received DPT1	1,650	99.1	279	16.9		
33	Children who have received DPT3	1,550	93.1	350	21.2		
34	Children who have received Measles	1,331	79.9	281	17.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	174		44			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	2	0		Total unmet need	19.6	
37	Number of Tubectomies performed	173	12		Spacing	14.8	
38	Number of IUD insertion	170	17		Women using any method	32.5	
39	Number of IUD removals	97	6		Women using modern method	31.2	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	1231	172				
41	General OPD cases per 10,000 population ***	15611	2200				
42	Ayush OPD cases per 10,000 population ***	542	75				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	21	2				
44	Neonatal Deaths up to 4 weeks of birth	13	2				
45	Total Neonatal Death	34	4				
46	Deaths between (1 - 11) months	3	0				
47	Total reported infant deaths	37	4				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	3	0				
54	Total reported maternal deaths	3	1				

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,182		2,372			
11	Expected number of Delivery	2,024		2,199			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	160	7.3	83	3.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	40	25.0	19	22.9	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	27	16.9	8	9.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	96	60.0	44	53.0	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	148	92.5	59	71.1	Full ANC	NA
17	Home Delivery against expected delivery *	28	1.4	5	0.2	Home Delivery	NA
18	Institutional Delivery against expected delivery *	30	1.5	4	0.2	Institutional Delivery	NA
19	Home Delivery against reported delivery **	28	48.3	5	55.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	30	51.7	4	44.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	58		9			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	96.4	3	60.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	1.7	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,984		2,156			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	57	2.9	7	0.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live	50	87.7	7	100.0	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	4.0	0	0.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	49	86.0	7	100.0	Full Immunization	NA
30	Fully immunized	118	5.9	28	1.3		
31	Children who have received BCG	52	2.6	9	0.4		
32	Children who have received DPT1	102	5.1	27	1.3		
33	Children who have received DPT3	107	5.4	22	1.0		
34	Children who have received Measles	116	5.8	31	1.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	48		13			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	9	4	Women using any method	NA		
39	Number of IUD removals	19	1	Women using modern method	NA		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	56	4				
41	General OPD cases per 10,000 population ***	638	154				
42	Ayush OPD cases per 10,000 population ***	25	13				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	3					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,120		2,304			
11	Expected number of Delivery	1,966		2,136			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	599	28.3	194	8.4	ANC Check up in first trimester	17.9
13	Mothers registered in the first trimester	349	58.3	144	74.2	At least 4ANC check up	7.9
14	Mothers who had at least 4 Ante-Natal care check ups	347	57.9	108	55.7	Neonatal tetanus received	38.6
15	PW who got TT 2 / Booster injection	276	46.1	63	32.5	100 IFA tablets consumed	2.6
16	PW who consumed 100 IFA tablets	593	99.0	188	96.9	Full ANC	0.4
17	Home Delivery against expected delivery *	58	3.0	16	0.7	Home Delivery	70.4
18	Institutional Delivery against expected delivery *	197	10.0	61	2.9	Institutional Delivery	29.6
19	Home Delivery against reported delivery **	58	22.7	16	20.8	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	197	77.3	61	79.2	PNC within 2days of delivery	17.0
21	Total reported Deliveries	255		77			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	82.8	16	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50	19.6	56	72.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,927		2,095			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	255	13.2	77	3.7	Breastfeed within 1 hour of birth	53.8
26	Total Still Birth	0	0.0	0	0.0	BCG	49.2
27	Newborn weighted at birth to live	249	97.6	77	100.0	3 dose of DPT	28.6

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.4	0	0.0	Measles	28.2
29	Newborns breastfed within 1 hour to total reported live birth.	249	97.6	77	100.0	Full Immunization	17.4
30	Fully immunized	400	20.8	101	4.8		
31	Children who have received BCG	449	23.3	80	3.8		
32	Children who have received DPT1	466	24.2	100	4.8		
33	Children who have received DPT3	426	22.1	100	4.8		
34	Children who have received Measles	401	20.8	101	4.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	749		57			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	21.3	
37	Number of Tubectomies performed	0	0		Spacing	14.1	
38	Number of IUD insertion	109	19		Women using any method	12.9	
39	Number of IUD removals	32	4		Women using modern method	11.9	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	154	20				
41	General OPD cases per 10,000 population ***	2306	368				
42	Ayush OPD cases per 10,000 population ***	25	0				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	1				
47	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	4					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,142		1,135			
11	Expected number of Delivery	1,059		1,052			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,123	98.4	383	33.7	ANC Check up in first trimester	62.9
13	Mothers registered in the first trimester	566	50.4	167	43.6	At least 4ANC check up	49.2
14	Mothers who had at least 4 Ante-Natal care check ups	1,013	90.2	109	28.5	Neonatal tetanus received	81.9
15	PW who got TT 2 / Booster injection	664	59.1	237	61.9	100 IFA tablets consumed	14.1
16	PW who consumed 100 IFA tablets	598	53.3	168	43.9	Full ANC	7.6
17	Home Delivery against expected delivery *	21	2.0	3	0.3	Home Delivery	53.0
18	Institutional Delivery against expected delivery *	1,026	96.9	244	23.2	Institutional Delivery	47.0
19	Home Delivery against reported delivery **	21	2.0	3	1.2	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	1,026	98.0	244	98.8	PNC within 2days of delivery	39.4
21	Total reported Deliveries	1,047		247			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	4.8	2	66.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	62	5.9	9	3.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,038		1,032			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,031	99.3	245	23.7	Breastfeed within 1 hour of birth	80.2
26	Total Still Birth	22	2.1	8	0.8	BCG	84.5
27	Newborn weighted at birth to live	1,022	99.1	242	98.8	3 dose of DPT	72.3

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	88	8.6	29	0.0	Measles	66
29	Newborns breastfed within 1 hour to total reported live birth.	956	92.7	176	71.8	Full Immunization	56.5
30	Fully immunized	874	84.2	243	23.6		
31	Children who have received BCG	1,113	107.2	253	24.5		
32	Children who have received DPT1	985	94.9	163	15.8		
33	Children who have received DPT3	943	90.9	195	18.9		
34	Children who have received Measles	878	84.6	243	23.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,030		51			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	10.6		
37	Number of Tubectomies performed	76	17	Spacing	4.3		
38	Number of IUD insertion	59	8	Women using any method	66		
39	Number of IUD removals	38	5	Women using modern method	51.8		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	648	117				
41	General OPD cases per 10,000 population ***	11203	1942				
42	Ayush OPD cases per 10,000 population ***	1072	112				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	1	0				
47	Total reported infant deaths	1	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	1	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	1	0				
54	Total reported maternal deaths	2	0				

Longding Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	53,014					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	6					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:			2019-20		2020-21		
10	Expected number of PW	1,258	1,244				
11	Expected number of Delivery	1,166	1,154				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	938	74.6	111	8.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	295	31.4	61	55.0	At least 4 ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	216	23.0	35	31.5	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	759	80.9	82	73.9	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	432	46.1	99	89.2	Full ANC	NA
17	Home Delivery against expected delivery *	334	28.6	10	0.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	285	24.4	33	2.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	334	54.0	10	23.3	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	285	46.0	33	76.7	PNC within 2days of delivery	NA
21	Total reported Deliveries	619		43			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	30.2	0	0.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	16.5	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,143		1,131			
D) Child Immunization :			HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)
		608	53.2	43	3.8	Breastfeed within 1 hour of birth	NA
25	Total reported live births	4	0.3	0	0.0	BCG	NA
26	Total Still Birth	548	90.1	43	100.0	3 dose of DPT	NA
27	Newborn weighted at birth to live						

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	2	0.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	605	99.5	43	100.0	Full Immunization	NA
30	Fully immunized	600	52.5	67	5.9		
31	Children who have received BCG	816	71.4	80	7.1		
32	Children who have received DPT1	835	73.0	101	8.9		
33	Children who have received DPT3	682	59.7	75	6.6		
34	Children who have received Measles	644	56.3	67	5.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	432		3			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	8	0	Women using any method	NA		
39	Number of IUD removals	4	0	Women using modern method	NA		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	75	0				
41	General OPD cases per 10,000 population ***	2967	15				
42	Ayush OPD cases per 10,000 population ***	1019	45				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	14					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	3					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,151		1,134			
11	Expected number of Delivery	1,068		1,051			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,008	87.6	346	30.5	ANC Check up in first trimester	27.7
13	Mothers registered in the first trimester	313	31.1	106	30.6	At least 4ANC check up	23.6
14	Mothers who had at least 4 Ante-Natal care check ups	512	50.8	40	11.6	Neonatal tetanus received	64.7
15	PW who got TT 2 / Booster injection	652	64.7	198	57.2	100 IFA tablets consumed	10.9
16	PW who consumed 100 IFA tablets	150	14.9	67	19.4	Full ANC	2.0
17	Home Delivery against expected delivery *	84	7.9	13	1.2	Home Delivery	41.0
18	Institutional Delivery against expected delivery *	489	45.8	70	6.7	Institutional Delivery	59.0
19	Home Delivery against reported delivery **	84	14.7	13	15.7	Home Delivery by SBA(out of Total Deliveries)	0.7
20	Institutional Delivery against reported delivery **	489	85.3	70	84.3	PNC within 2days of delivery	24.1
21	Total reported Deliveries	573		83			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	71	84.5	9	69.2		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	152	26.5	22	26.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,047		1,031			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	563	53.8	93	9.0	Breastfeed within 1 hour of birth	45.7
26	Total Still Birth	10	1.0	1	0.1	BCG	74.4
27	Newborn weighted at birth to live	563	100.0	83	89.2	3 dose of DPT	53

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	9.9	5	0.0	Measles	57.2
29	Newborns breastfed within 1 hour to total reported live birth.	556	98.8	83	89.2	Full Immunization	37.3
30	Fully immunized	861	82.3	185	17.9		
31	Children who have received BCG	714	68.2	136	13.2		
32	Children who have received DPT1	933	89.1	202	19.6		
33	Children who have received DPT3	833	79.6	202	19.6		
34	Children who have received Measles	872	83.3	187	18.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	216		35			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	17.2	
37	Number of Tubectomies performed	34	0		Spacing	10.3	
38	Number of IUD insertion	18	7		Women using any method	31	
39	Number of IUD removals	28	4		Women using modern method	28.2	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	315	35				
41	General OPD cases per 10,000 population ***	11352	1710				
42	Ayush OPD cases per 10,000 population ***	560	53				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	4	0				
44	Neonatal Deaths up to 4 weeks of birth	1	0				
45	Total Neonatal Death	5	0				
46	Deaths between (1 - 11) months	1	0				
47	Total reported infant deaths	6	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	1	0				
54	Total reported maternal deaths	1	0				

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,444		2,507			
11	Expected number of Delivery	2,266		2,325			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	905	37.0	268	10.7	ANC Check up in first trimester	33.6
13	Mothers registered in the first trimester	362	40.0	65	24.3	At least 4ANC check up	22.7
14	Mothers who had at least 4 Ante-Natal care check ups	270	29.8	26	9.7	Neonatal tetanus received	44.0
15	PW who got TT 2 / Booster injection	609	67.3	119	44.4	100 IFA tablets consumed	9.6
16	PW who consumed 100 IFA tablets	517	57.1	148	55.2	Full ANC	3.0
17	Home Delivery against expected delivery *	60	2.6	7	0.3	Home Delivery	39.5
18	Institutional Delivery against expected delivery *	382	16.9	69	3.0	Institutional Delivery	60.5
19	Home Delivery against reported delivery **	60	13.6	7	9.2	Home Delivery by SBA(out of Total Deliveries)	4.2
20	Institutional Delivery against reported delivery **	382	86.4	69	90.8	PNC within 2days of delivery	17.6
21	Total reported Deliveries	442		76			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	13.3	0	0.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	241	54.5	30	39.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,222		2,279			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	434	19.5	73	3.2	Breastfeed within 1 hour of birth	55.7
26	Total Still Birth	10	0.5	3	0.1	BCG	68.8
27	Newborn weighted at birth to live	426	98.2	71	97.3	3 dose of DPT	56.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	7.0	7	0.0	Measles	53
29	Newborns breastfed within 1 hour to total reported live birth.	368	84.8	66	90.4	Full Immunization	40.1
30	Fully immunized	693	31.2	182	8.0		
31	Children who have received BCG	502	22.6	116	5.1		
32	Children who have received DPT1	716	32.2	147	6.4		
33	Children who have received DPT3	754	33.9	182	8.0		
34	Children who have received Measles	697	31.4	186	8.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	365		34			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.8
37	Number of Tubectomies performed	0	0	Spacing	12.3
38	Number of IUD insertion	78	14	Women using any method	10.6
39	Number of IUD removals	93	10	Women using modern method	10
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	289	38		
41	General OPD cases per 10,000 population ***	4805	801		
42	Ayush OPD cases per 10,000 population ***	926	190		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal deaths within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	0					
4	Sub Centres (SC)- HWC	15					
5	Primary Health Centers(PHC)	0					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,201		2,188			
11	Expected number of Delivery	2,041		2,029			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,569	116.7	628	28.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,323	51.5	352	56.1	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	1,650	64.2	295	47.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	2,127	82.8	596	94.9	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,071	80.6	473	75.3	Full ANC	NA
17	Home Delivery against expected delivery *	451	22.1	50	2.5	Home Delivery	NA
18	Institutional Delivery against expected delivery *	1,286	63.0	233	11.5	Institutional Delivery	NA
19	Home Delivery against reported delivery **	451	26.0	50	17.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,286	74.0	233	82.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	1,737		283			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	6.2	4	8.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	436	25.1	47	16.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,001		1,989			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,756	87.8	286	14.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	30	1.5	3	0.2	BCG	NA
27	Newborn weighted at birth to live	1,648	93.8	261	91.3	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	82	5.0	24	0.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	1,662	94.6	276	96.5	Full Immunization	NA
30	Fully immunized	1,816	90.8	468	23.5		
31	Children who have received BCG	2,027	101.3	395	19.9		
32	Children who have received DPT1	2,197	109.8	472	23.7		
33	Children who have received DPT3	2,035	101.7	529	26.6		
34	Children who have received Measles	1,848	92.4	482	24.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	113		10			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	NA	
37	Number of Tubectomies performed	200	21		Spacing	NA	
38	Number of IUD insertion	216	68		Women using any method	NA	
39	Number of IUD removals	17	43		Women using modern method	NA	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	249	52				
41	General OPD cases per 10,000 population ***	7015	1021				
42	Ayush OPD cases per 10,000 population ***	993	147				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	2	0				
45	Total Neonatal Death	2	0				
46	Deaths between (1 - 11) months	4	0				
47	Total reported infant deaths	6	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	1				

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	8					
4	Sub Centres (SC)- HWC	26					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	12					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	5,038		5,148			
11	Expected number of Delivery	4,672		4,773			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,724	153.3	1,013	19.7	ANC Check up in first trimester	33.4
13	Mothers registered in the first trimester	1,043	13.5	156	15.4	At least 4ANC check up	26.2
14	Mothers who had at least 4 Ante-Natal care check ups	2,174	28.1	108	10.7	Neonatal tetanus received	74.1
15	PW who got TT 2 / Booster injection	2,409	31.2	303	29.9	100 IFA tablets consumed	11.8
16	PW who consumed 100 IFA tablets	3,253	42.1	240	23.7	Full ANC	2.3
17	Home Delivery against expected delivery *	39	0.8	9	0.2	Home Delivery	19.4
18	Institutional Delivery against expected delivery *	6,442	137.9	734	15.4	Institutional Delivery	80.6
19	Home Delivery against reported delivery **	39	0.6	9	1.2	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	6,442	99.4	734	98.8	PNC within 2days of delivery	35.9
21	Total reported Deliveries	6,481		743			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	74.4	6	66.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	502	7.7	112	15.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,580		4,680			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	6,500	141.9	743	15.9	Breastfeed within 1 hour of birth	37.4
26	Total Still Birth	61	1.3	12	0.3	BCG	80.1
27	Newborn weighted at birth to live	6,369	98.0	504	67.8	3 dose of DPT	59.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	443	7.0	45	0.0	Measles	56.9
29	Newborns breastfed within 1 hour to total reported live birth.	4,042	62.2	299	40.2	Full Immunization	34.9
30	Fully immunized	3,274	71.5	627	13.4		
31	Children who have received BCG	5,089	111.1	524	11.2		
32	Children who have received DPT1	4,075	89.0	791	16.9		
33	Children who have received DPT3	3,579	78.1	681	14.6		
34	Children who have received Measles	3,361	73.4	651	13.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	894		207			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	1	0		Total unmet need	32.6	
37	Number of Tubectomies performed	413	17		Spacing	20.4	
38	Number of IUD insertion	478	23		Women using any method	12.8	
39	Number of IUD removals	363	44		Women using modern method	12.6	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	1100	96				
41	General OPD cases per 10,000 population ***	22763	1612				
42	Ayush OPD cases per 10,000 population ***	1152	111				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	3	2				
44	Neonatal Deaths up to 4 weeks of birth	5	0				
45	Total Neonatal Death	8	2				
46	Deaths between (1 - 11) months	10	0				
47	Total reported infant deaths	18	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	1	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	3	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	2	1				
54	Total reported maternal deaths	6	1				

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	28					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	714		708			
11	Expected number of Delivery	662		656			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	324	45.4	92	13.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	80	24.7	32	34.8	At least 4 ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	57	17.6	11	12.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	148	45.7	48	52.2	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	132	40.7	55	59.8	Full ANC	NA
17	Home Delivery against expected delivery *	55	8.3	7	1.1	Home Delivery	NA
18	Institutional Delivery against expected delivery *	79	11.9	19	2.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	55	41.0	7	26.9	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	79	59.0	19	73.1	PNC within 2days of delivery	NA
21	Total reported Deliveries	134		26			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	92.7	6	85.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	3.7	2	7.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	649		644			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	133	20.5	26	4.0	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	1	0.2	0	0.0	BCG	NA
27	Newborn weighted at birth to live	132	99.2	26	100.0	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	2.3	0	0.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	132	99.2	26	100.0	Full Immunization	NA
30	Fully immunized	338	52.1	67	10.4		
31	Children who have received BCG	156	24.0	33	5.1		
32	Children who have received DPT1	308	47.4	67	10.4		
33	Children who have received DPT3	323	49.7	87	13.5		
34	Children who have received Measles	338	52.1	67	10.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	76		2			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	9	4	Women using any method	NA		
39	Number of IUD removals	9	1	Women using modern method	NA		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	277	45				
41	General OPD cases per 10,000 population ***	5443	1313				
42	Ayush OPD cases per 10,000 population ***	159	77				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Tawang Factsheet

Key Indicators								
A) Demographic Indicators (Census 2011)								
1	Population 2011	49,950						
2	Sex Ratio	701						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	0						
4	Sub Centres (SC)- HWC	12						
5	Primary Health Centers(PHC)	0						
6	Primary Health Centres (PHC)-HWC	6						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:			2019-20		2020-21			
10	Expected number of PW	1,258	1,265					
11	Expected number of Delivery	1,166	1,173					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	768	61.1	234	18.5	ANC Check up in first trimester	29.5	
13	Mothers registered in the first trimester	297	38.7	91	38.9	At least 4ANC check up	14.1	
14	Mothers who had at least 4 Ante-Natal care check ups	201	26.2	41	17.5	Neonatal tetanus received	39.4	
15	PW who got TT 2 / Booster injection	548	71.4	143	61.1	100 IFA tablets consumed	8.6	
16	PW who consumed 100 IFA tablets	253	32.9	131	56.0	Full ANC	2.6	
17	Home Delivery against expected delivery *	180	15.4	26	2.2	Home Delivery	69.7	
18	Institutional Delivery against expected delivery *	412	35.3	109	9.3	Institutional Delivery	30.3	
19	Home Delivery against reported delivery **	180	30.4	26	19.3	Home Delivery by SBA(out of Total Deliveries)	4.1	
20	Institutional Delivery against reported delivery **	412	69.6	109	80.7	PNC within 2days of delivery	9.6	
21	Total reported Deliveries	592		135				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	55.6	7	26.9			
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	212	35.8	70	51.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	1,144		1,150				
D) Child Immunization :			HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		571	49.9	132	11.5	Breastfeed within 1 hour of birth	48.7	
25	Total reported live births	16	1.4	3	0.3	BCG	65.3	
26	Total Still Birth	415	72.7	119	90.2	3 dose of DPT	38.8	
27	Newborn weighted at birth to live							

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.2	3	0.0	Measles	46.8
29	Newborns breastfed within 1 hour to total reported live birth.	471	82.5	99	75.0	Full Immunization	27.8
30	Fully immunized	643	56.2	208	18.1		
31	Children who have received BCG	676	59.1	178	15.5		
32	Children who have received DPT1	783	68.5	185	16.1		
33	Children who have received DPT3	702	61.4	207	18.0		
34	Children who have received Measles	652	57.0	207	18.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	475		101			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	31.8	
37	Number of Tubectomies performed	0	0		Spacing	16.9	
38	Number of IUD insertion	67	19		Women using any method	22.3	
39	Number of IUD removals	32	6		Women using modern method	21.9	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	218	50				
41	General OPD cases per 10,000 population ***	7834	1385				
42	Ayush OPD cases per 10,000 population ***	2515	472				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	1	1				
44	Neonatal Deaths up to 4 weeks of birth	1	0				
45	Total Neonatal Death	2	1				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	2	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	58,961					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	3					
4	Sub Centres (SC)- HWC	2					
5	Primary Health Centers(PHC)	4					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,215		1,202			
11	Expected number of Delivery	1,127		1,115			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,141	93.9	283	23.5	ANC Check up in first trimester	37.9
13	Mothers registered in the first trimester	611	53.5	122	43.1	At least 4ANC check up	29.8
14	Mothers who had at least 4 Ante-Natal care check ups	525	46.0	65	23.0	Neonatal tetanus received	65.9
15	PW who got TT 2 / Booster injection	877	76.9	232	82.0	100 IFA tablets consumed	9.3
16	PW who consumed 100 IFA tablets	656	57.5	240	84.8	Full ANC	5.2
17	Home Delivery against expected delivery *	157	13.9	41	3.7	Home Delivery	65.5
18	Institutional Delivery against expected delivery *	517	45.9	93	8.3	Institutional Delivery	34.5
19	Home Delivery against reported delivery **	157	23.3	41	30.6	Home Delivery by SBA(out of Total Deliveries)	0.3
20	Institutional Delivery against reported delivery **	517	76.7	93	69.4	PNC within 2days of delivery	35.3
21	Total reported Deliveries	674		134			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	39.5	17	41.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	525	77.9	111	82.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,105		1,093			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	669	60.6	127	11.6	Breastfeed within 1 hour of birth	73.9
26	Total Still Birth	5	0.5	2	0.2	BCG	63
27	Newborn weighted at birth to live	669	100.0	127	100.0	3 dose of DPT	63.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.6	2	0.0	Measles	63
29	Newborns breastfed within 1 hour to total reported live birth.	668	99.9	127	100.0	Full Immunization	45.3
30	Fully immunized	708	64.1	223	20.4		
31	Children who have received BCG	750	67.9	177	16.2		
32	Children who have received DPT1	943	85.4	207	18.9		
33	Children who have received DPT3	840	76.1	229	21.0		
34	Children who have received Measles	708	64.1	236	21.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	367		34			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	10.6	
37	Number of Tubectomies performed	41	0		Spacing	5	
38	Number of IUD insertion	58	5		Women using any method	57.8	
39	Number of IUD removals	47	9		Women using modern method	44	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	250	40				
41	General OPD cases per 10,000 population ***	5306	938				
42	Ayush OPD cases per 10,000 population ***	1490	216				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	2	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	2	0				
46	Deaths between (1 - 11) months	2	0				
47	Total reported infant deaths	4	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centres (SC)- HWC	3					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centres (PHC)-HWC	1					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	744		732			
11	Expected number of Delivery	690		679			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	560	75.2	173	23.6	ANC Check up in first trimester	41.6
13	Mothers registered in the first trimester	226	40.4	89	51.4	At least 4ANC check up	29.2
14	Mothers who had at least 4 Ante-Natal care check ups	200	35.7	24	13.9	Neonatal tetanus received	72.0
15	PW who got TT 2 / Booster injection	410	73.2	129	74.6	100 IFA tablets consumed	8.5
16	PW who consumed 100 IFA tablets	310	55.4	72	41.6	Full ANC	6.1
17	Home Delivery against expected delivery *	9	1.3	10	1.5	Home Delivery	33.6
18	Institutional Delivery against expected delivery *	265	38.4	68	10.0	Institutional Delivery	66.4
19	Home Delivery against reported delivery **	9	3.3	10	12.8	Home Delivery by SBA(out of Total Deliveries)	2.7
20	Institutional Delivery against reported delivery **	265	96.7	68	87.2	PNC within 2days of delivery	43.1
21	Total reported Deliveries	274		78			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	8	80.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	33.2	6	7.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	677		666			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	270	39.9	78	11.7	Breastfeed within 1 hour of birth	48.5
26	Total Still Birth	8	1.2	2	0.3	BCG	*
27	Newborn weighted at birth to live	269	99.6	77	98.7	3 dose of DPT	*

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	2.2	1	0.0	Measles	*
29	Newborns breastfed within 1 hour to total reported live birth.	269	99.6	60	76.9	Full Immunization	*
30	Fully immunized	397	58.7	135	20.3		
31	Children who have received BCG	257	38.0	88	13.2		
32	Children who have received DPT1	452	66.8	107	16.1		
33	Children who have received DPT3	442	65.3	110	16.5		
34	Children who have received Measles	398	58.8	136	20.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	460		82			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	13.3
37	Number of Tubectomies performed	25	2	Spacing	8.2
38	Number of IUD insertion	100	11	Women using any method	38.9
39	Number of IUD removals	69	11	Women using modern method	38.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	481	127		
41	General OPD cases per 10,000 population ***	8783	1797		
42	Ayush OPD cases per 10,000 population ***	1327	314		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	32					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,488		2,556			
11	Expected number of Delivery	2,307		2,370			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,638	65.8	35	1.4	ANC Check up in first trimester	22.1
13	Mothers registered in the first trimester	577	35.2	10	28.6	At least 4ANC check up	15.1
14	Mothers who had at least 4 Ante-Natal care check ups	262	16.0	1	2.9	Neonatal tetanus received	60.0
15	PW who got TT 2 / Booster injection	583	35.6	52	148.6	100 IFA tablets consumed	1.7
16	PW who consumed 100 IFA tablets	856	52.3	28	80.0	Full ANC	0.0
17	Home Delivery against expected delivery *	6	0.3	3	0.1	Home Delivery	55.3
18	Institutional Delivery against expected delivery *	751	32.5	60	2.5	Institutional Delivery	44.7
19	Home Delivery against reported delivery **	6	0.8	3	4.8	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	751	99.2	60	95.2	PNC within 2days of delivery	16.8
21	Total reported Deliveries	757		63			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	66.7	3	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13	1.7	5	7.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,262		2,324			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	748	33.1	63	2.7	Breastfeed within 1 hour of birth	61
26	Total Still Birth	15	0.7	3	0.1	BCG	60.4
27	Newborn weighted at birth to live	652	87.2	14	22.2	3 dose of DPT	31.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	174	26.7	4	0.0	Measles	41.9
29	Newborns breastfed within 1 hour to total reported live birth.	690	92.2	10	15.9	Full Immunization	21.9
30	Fully immunized	740	32.7	18	0.8		
31	Children who have received BCG	734	32.4	55	2.4		
32	Children who have received DPT1	1,019	45.0	47	2.0		
33	Children who have received DPT3	738	32.6	94	4.0		
34	Children who have received Measles	886	39.2	54	2.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	236		50			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	24.4		
37	Number of Tubectomies performed	0	0	Spacing	15.3		
38	Number of IUD insertion	78	7	Women using any method	18		
39	Number of IUD removals	76	9	Women using modern method	17.6		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	251	21				
41	General OPD cases per 10,000 population ***	2856	271				
42	Ayush OPD cases per 10,000 population ***	501	46				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	1	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	1	0				
46	Deaths between (1 - 11) months	2	0				
47	Total reported infant deaths	3	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	1	0				
54	Total reported maternal deaths	1	0				

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	22					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	5					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,928		1,918			
11	Expected number of Delivery	1,788		1,778			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,758	91.2	176	9.2	ANC Check up in first trimester	58.7
13	Mothers registered in the first trimester	1,219	69.3	74	42.0	At least 4ANC check up	33.3
14	Mothers who had at least 4 Ante-Natal care check ups	512	29.1	15	8.5	Neonatal tetanus received	53.2
15	PW who got TT 2 / Booster injection	1,141	64.9	56	31.8	100 IFA tablets consumed	6.8
16	PW who consumed 100 IFA tablets	1,205	68.5	23	13.1	Full ANC	4.2
17	Home Delivery against expected delivery *	14	0.8	2	0.1	Home Delivery	43.0
18	Institutional Delivery against expected delivery *	697	39.0	18	1.0	Institutional Delivery	57.0
19	Home Delivery against reported delivery **	14	2.0	2	10.0	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	697	98.0	18	90.0	PNC within 2days of delivery	22.9
21	Total reported Deliveries	711		20			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	100.0	2	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	376	52.9	1	5.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,753		1,743			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	705	40.2	20	1.1	Breastfeed within 1 hour of birth	67.9
26	Total Still Birth	5	0.3	0	0.0	BCG	67.7
27	Newborn weighted at birth to live	703	99.7	20	100.0	3 dose of DPT	43.6

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	52	7.4	0	0.0	Measles	47.8
29	Newborns breastfed within 1 hour to total reported live birth.	687	97.4	20	100.0	Full Immunization	25
30	Fully immunized	1,324	75.5	54	3.1		
31	Children who have received BCG	694	39.6	20	1.1		
32	Children who have received DPT1	1,157	66.0	77	4.4		
33	Children who have received DPT3	1,064	60.7	64	3.7		
34	Children who have received Measles	1,333	76.0	54	3.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	636		30			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR			NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need		35.7	
37	Number of Tubectomies performed	2	0	Spacing		18.6	
38	Number of IUD insertion	203	13	Women using any method		18.9	
39	Number of IUD removals	188	11	Women using modern method		18.5	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	241	6				
41	General OPD cases per 10,000 population ***	8872	282				
42	Ayush OPD cases per 10,000 population ***	576	5				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	1	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	1	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	1	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	14					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,097		2,067			
11	Expected number of Delivery	1,944		1,917			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,772	84.5	493	23.8	ANC Check up in first trimester	34.2
13	Mothers registered in the first trimester	535	30.2	130	26.4	At least 4ANC check up	18.0
14	Mothers who had at least 4 Ante-Natal care check ups	888	50.1	175	35.5	Neonatal tetanus received	51.3
15	PW who got TT 2 / Booster injection	952	53.7	328	66.5	100 IFA tablets consumed	1.3
16	PW who consumed 100 IFA tablets	2,783	157.1	176	35.7	Full ANC	1.3
17	Home Delivery against expected delivery *	28	1.4	8	0.4	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	1,093	56.2	221	11.5	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	28	2.5	8	3.5	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	1,093	97.5	221	96.5	PNC within 2days of delivery	24.6
21	Total reported Deliveries	1,121		229			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	67.9	8	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	524	46.7	152	66.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,906		1,879			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,132	59.4	229	12.2	Breastfeed within 1 hour of birth	66
26	Total Still Birth	6	0.3	2	0.1	BCG	74.4
27	Newborn weighted at birth to live	1,105	97.6	224	97.8	3 dose of DPT	44

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	63	5.7	9	0.0	Measles	70.8
29	Newborns breastfed within 1 hour to total reported live birth.	937	82.8	159	69.4	Full Immunization	34.4
30	Fully immunized	1,325	69.5	295	15.7		
31	Children who have received BCG	1,139	59.8	220	11.7		
32	Children who have received DPT1	1,501	78.8	294	15.6		
33	Children who have received DPT3	1,368	71.8	324	17.2		
34	Children who have received Measles	1,317	69.1	303	16.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	491		74			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
36	Number of Vasectomies performed	0	0		Total unmet need	27.6	
37	Number of Tubectomies performed	126	28		Spacing	17.5	
38	Number of IUD insertion	312	38		Women using any method	9.3	
39	Number of IUD removals	202	48		Women using modern method	9.3	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	231	29				
41	General OPD cases per 10,000 population ***	8908	1759				
42	Ayush OPD cases per 10,000 population ***	727	39				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				