

## Assam Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	31,169,272						
2	Sex Ratio	954						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	4,034						
4	Sub Centres (SC)- HWC	628						
5	Primary Health Centers (PHC)	704						
6	Primary Health Centres (PHC)-HWC	297						
7	Community Health Centers (CHC)	179						
8	SDH	14						
9	DH	25						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	832,318	842,417					
11	Expected number of Delivery	775,569	784,979					
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	685,229	82.3	197,807	23.5	ANC Check up in first trimester	55.1	
13	Mothers registered in the first trimester	603,179	88.0	172,590	87.3	At least 4ANC check up	46.5	
14	Mothers who had at least 4 Ante-Natal care check ups	584,592	85.3	106,937	54.1	Neonatal tetanus received	89.9	
15	PW who got TT 2 / Booster injection	630,473	92.0	161,780	81.8	100 IFA tablets consumed	32.0	
16	PW who consumed 100 IFA tablets	673,833	98.3	179,396	90.7	Full ANC	18.1	
17	Home Delivery against expected delivery *	53,589	6.9	12,360	1.6	Home Delivery	29.4	
18	Institutional Delivery against expected delivery *	554,567	71.5	96,399	12.3	Institutional Delivery	70.6	
19	Home Delivery against reported delivery **	53,589	8.8	12,360	11.4	Home Delivery by SBA(out of Total Deliveries)	3.9	
20	Institutional Delivery against reported delivery **	554,567	91.2	96,399	88.6	PNC within 2days of delivery	54.0	
21	Total reported Deliveries	608,156		108,759				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16,737	31.2	3,813	30.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	530,184	87.2	91,542	84.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).								
24	Expected number of Live Birth	756,653		765,833				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		

25	Total reported live births	600,797	79.4	107,395	14.0	Breastfed within 1 hour of birth	64.4
26	Total Still Birth	12,692	1.7	2,670	0.3	BCG	82.3
27	PC of newborn weighted at birth to live birth	591,026	98.4	105,922	98.6	3 dose of DPT	66.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	83,603	14.1	14,236	13.4	Measles	71.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	580,216	96.6	102,799	95.7	Full Immunization	47.1
30	Children fully immunized	598,636	79.1	130,798	17.1		
31	Children who have received BCG	666,512	88.1	120,667	15.8		
32	Children who have received DPT1	610,937	80.7	136,130	17.8		
33	Children who have received DPT3	596,848	78.9	128,398	16.8		
34	Children who have received Measles	598,620	79.1	130,772	17.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	103,732		12,019			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	2,262	0	Total unmet need	14.2		
37	Number of Tubectomies performed	32,653	2,418	Spacing	5.8		
38	Number of IUD insertion	64,160	3,761	Women using any method	52.4		
39	Number of IUD removals	15,880	2,105	Women using modern method	37		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR				
40	IPD cases per 10,000 population ***	471	60				
41	General OPD cases per 10,000 population ***	9,687	1,263				
42	Ayush OPD cases per 10,000 population ***	840	88				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
43	Neonatal death within 24 hours	1,916	354				
44	Neonatal Deaths up to 4 weeks of birth	7,137	1,216				
45	<b>Total Neonatal Death</b>	<b>9,053</b>	<b>1,570</b>				
46	Deaths between (1 - 11) months	3,365	532				
47	<b>Total reported infant deaths</b>	<b>12,418</b>	<b>2,102</b>				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR				
48	Due to Abortion	21	5				
49	Due to Obstructed/prolonged labour	29	2				
50	Due to Severe hypertension / fits	129	24				
51	Due to Bleeding	109	30				
52	Due to High fever	22	8				
53	Due to Other Causes (including causes not known)	699	147				
54	<b>Total reported maternal deaths</b>	<b>1,009</b>	<b>216</b>				

## Baksa Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	953,773					
2	Sex Ratio	967					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	136					
4	Sub Centres (SC)- HWC	21					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centres (PHC)-HWC	11					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	24,215		24,370			
11	Expected number of Delivery	22,564		22,708			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	16,257	67.1	4,638	19.0	ANC Check up in first trimester	60.6
13	Mothers registered in the first trimester	14,244	87.6	4,064	87.6	At least 4ANC check up	49.8
14	Mothers who had at least 4 Ante-Natal care check ups	13,198	81.2	2,414	52.0	Neonatal tetanus received	92.6
15	PW who got TT 2 / Booster injection	14,297	87.9	4,129	89.0	100 IFA tablets consumed	39.7
16	PW who consumed 100 IFA tablets	15,441	95.0	3,757	81.0	Full ANC	21.4
17	Home Delivery against expected delivery *	347	1.5	61	0.3	Home Delivery	12.2
18	Institutional Delivery against expected delivery *	7,980	35.4	1,540	6.8	Institutional Delivery	87.8
19	Home Delivery against reported delivery **	347	4.2	61	3.8	Home Delivery by SBA(out of Total Deliveries)	1.5
20	Institutional Delivery against reported delivery **	7,980	95.8	1,540	96.2	PNC within 2days of delivery	70.1
21	Total reported Deliveries	8,327		1,601			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	260		50		82.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,418	161.1	2,513	157.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	22,013		22,154			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	8,222		1,587		Breastfed within 1 hour of birth	
		37.3		7.2		74.3	

26	Total Still Birth	158	0.7	40	0.2	BCG	91.6
27	PC of newborn weighted at birth to live birth	8,213	99.9	1,563	98.5	3 dose of DPT	82.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	971	11.8	162	10.4	Measles	81.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,211	99.9	1,566	98.7	Full Immunization	59.1
30	Children fully immunized	14,548	66.1	3,217	14.5		
31	Children who have received BCG	13,620	61.9	2,669	12.0		
32	Children who have received DPT1	14,362	65.2	3,074	13.9		
33	Children who have received DPT3	14,383	65.3	3,082	13.9		
34	Children who have received Measles	14,499	65.9	3,225	14.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,140		281			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	75	0	Total unmet need	12.4
37	Number of Tubectomies performed	424	13	Spacing	6.8
38	Number of IUD insertion	1,640	72	Women using any method	58.1
39	Number of IUD removals	650	113	Women using modern method	38.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	181	20		
41	General OPD cases per 10,000 population ***	5,782	751		
42	Ayush OPD cases per 10,000 population ***	2,167	223		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	17	1		
44	Neonatal Deaths up to 4 weeks of birth	63	11		
45	<b>Total Neonatal Death</b>	<b>80</b>	<b>12</b>		
46	Deaths between (1 - 11) months	92	14		
47	<b>Total reported infant deaths</b>	<b>172</b>	<b>26</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	4		
54	<b>Total reported maternal deaths</b>	<b>10</b>	<b>5</b>		

## Barpeta Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,190					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	231					
4	Sub Centres (SC)- HWC	33					
5	Primary Health Centers (PHC)	33					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	11					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	46,786		47,561			
11	Expected number of Delivery	43,596		44,319			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	42,427	90.7	13,213	27.8	ANC Check up in first trimester	64.3
13	Mothers registered in the first trimester	37,576	88.6	12,039	91.1	At least 4ANC check up	47.5
14	Mothers who had at least 4 Ante-Natal care check ups	37,968	89.5	6,630	50.2	Neonatal tetanus received	86.8
15	PW who got TT 2 / Booster injection	37,060	87.4	10,177	77.0	100 IFA tablets consumed	18.6
16	PW who consumed 100 IFA tablets	44,064	103.9	11,741	88.9	Full ANC	10.2
17	Home Delivery against expected delivery *	5,501	12.6	933	2.1	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	32,920	75.5	5,967	13.5	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	5,501	14.3	933	13.5	Home Delivery by SBA(out of Total Deliveries)	12.3
20	Institutional Delivery against reported delivery **	32,920	85.7	5,967	86.5	PNC within 2days of delivery	36.6
21	Total reported Deliveries	38,421		6,900			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,301		508		54.4	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32,971		85.8		6,572 95.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	42,532		43,238			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	37,875		89.0		6,781 15.7	
						Breastfed within 1 hour of birth 68	

26	Total Still Birth	935	2.2	171	0.4	BCG	67.4
27	PC of newborn weighted at birth to live birth	37,077	97.9	6,770	99.8	3 dose of DPT	54.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,954	16.1	903	13.3	Measles	66
29	PC of newborns breastfed within 1 hour to total reported live birth.	37,476	98.9	6,703	98.8	Full Immunization	34.1
30	Children fully immunized	36,307	85.4	8,053	18.6		
31	Children who have received BCG	43,819	103.0	8,047	18.6		
32	Children who have received DPT1	37,531	88.2	7,729	17.9		
33	Children who have received DPT3	36,641	86.1	7,089	16.4		
34	Children who have received Measles	36,238	85.2	8,051	18.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,385		255			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	354	0	Total unmet need	10.1
37	Number of Tubectomies performed	1,677	254	Spacing	4.7
38	Number of IUD insertion	3,605	246	Women using any method	56.7
39	Number of IUD removals	474	47	Women using modern method	40.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	351	47		
41	General OPD cases per 10,000 population ***	6,742	758		
42	Ayush OPD cases per 10,000 population ***	1,330	119		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	97	16		
44	Neonatal Deaths up to 4 weeks of birth	650	146		
45	<b>Total Neonatal Death</b>	<b>747</b>	<b>162</b>		
46	Deaths between (1 - 11) months	120	9		
47	<b>Total reported infant deaths</b>	<b>867</b>	<b>171</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	17	6		
51	Due to Bleeding	6	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	39	12		
54	<b>Total reported maternal deaths</b>	<b>63</b>	<b>22</b>		

## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	732,639					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	85					
4	Sub Centres (SC)- HWC	23					
5	Primary Health Centers (PHC)	16					
6	Primary Health Centres (PHC)-HWC	13					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	20,120		20,417			
11	Expected number of Delivery	18,748		19,025			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	14,969	74.4	4,229	20.7	ANC Check up in first trimester	54.6
13	Mothers registered in the first trimester	13,463	89.9	3,708	87.7	At least 4ANC check up	24.2
14	Mothers who had at least 4 Ante-Natal care check ups	12,004	80.2	1,856	43.9	Neonatal tetanus received	87.9
15	PW who got TT 2 / Booster injection	13,735	91.8	2,536	60.0	100 IFA tablets consumed	35.5
16	PW who consumed 100 IFA tablets	14,807	98.9	3,727	88.1	Full ANC	12.5
17	Home Delivery against expected delivery *	704	3.8	152	0.8	Home Delivery	33.0
18	Institutional Delivery against expected delivery *	13,586	72.5	1,887	9.9	Institutional Delivery	67.0
19	Home Delivery against reported delivery **	704	4.9	152	7.5	Home Delivery by SBA(out of Total Deliveries)	3.7
20	Institutional Delivery against reported delivery **	13,586	95.1	1,887	92.5	PNC within 2days of delivery	47.5
21	Total reported Deliveries	14,290		2,039			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	152	21.6	15	9.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,845	61.9	1,004	49.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	18,291		18,561			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	14,116	77.2	2,023	10.9	Breastfed within 1 hour of birth	70

26	Total Still Birth	270	1.5	41	0.2	BCG	84.7
27	PC of newborn weighted at birth to live birth	14,102	99.9	1,939	95.8	3 dose of DPT	70.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,677	11.9	263	13.6	Measles	79.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,960	98.9	1,949	96.3	Full Immunization	42.4
30	Children fully immunized	13,240	72.4	2,253	12.1		
31	Children who have received BCG	13,781	75.3	1,980	10.7		
32	Children who have received DPT1	13,882	75.9	2,521	13.6		
33	Children who have received DPT3	13,309	72.8	2,091	11.3		
34	Children who have received Measles	13,302	72.7	2,256	12.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	580		41			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	6	0	Total unmet need	9.9
37	Number of Tubectomies performed	739	39	Spacing	4.5
38	Number of IUD insertion	3,373	112	Women using any method	59.4
39	Number of IUD removals	400	17	Women using modern method	38.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	262	26		
41	General OPD cases per 10,000 population ***	8,844	398		
42	Ayush OPD cases per 10,000 population ***	621	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	33	1		
44	Neonatal Deaths up to 4 weeks of birth	157	15		
45	<b>Total Neonatal Death</b>	<b>190</b>	<b>16</b>		
46	Deaths between (1 - 11) months	65	6		
47	<b>Total reported infant deaths</b>	<b>255</b>	<b>22</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	6	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	1		
54	<b>Total reported maternal deaths</b>	<b>16</b>	<b>3</b>		



## Cachar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,319					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	255					
4	Sub Centres (SC)- HWC	15					
5	Primary Health Centers (PHC)	20					
6	Primary Health Centres (PHC)-HWC	12					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	47,513		48,243			
11	Expected number of Delivery	44,274		44,953			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	40,421	85.1	11,634	24.1	ANC Check up in first trimester	37.6
13	Mothers registered in the first trimester	35,932	88.9	10,205	87.7	At least 4ANC check up	51.3
14	Mothers who had at least 4 Ante-Natal care check ups	35,492	87.8	6,923	59.5	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	39,124	96.8	8,588	73.8	100 IFA tablets consumed	18.9
16	PW who consumed 100 IFA tablets	40,197	99.4	10,218	87.8	Full ANC	12.3
17	Home Delivery against expected delivery *	1,227	2.8	312	0.7	Home Delivery	28.7
18	Institutional Delivery against expected delivery *	44,137	99.7	7,826	17.4	Institutional Delivery	71.3
19	Home Delivery against reported delivery **	1,227	2.7	312	3.8	Home Delivery by SBA(out of Total Deliveries)	5.2
20	Institutional Delivery against reported delivery **	44,137	97.3	7,826	96.2	PNC within 2days of delivery	63.3
21	Total reported Deliveries	45,364		8,138			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	677		55.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,458		56.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	43,194		43,857			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	44,317		102.6		Breastfed within 1 hour of birth	
				7,951		18.1	
						31.5	

26	Total Still Birth	1,427	3.3	255	0.6	BCG	82.2
27	PC of newborn weighted at birth to live birth	44,317	100.0	7,950	100.0	3 dose of DPT	71.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,511	16.9	1,010	12.7	Measles	68.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	44,146	99.6	7,921	99.6	Full Immunization	45.4
30	Children fully immunized	39,759	92.0	7,684	17.5		
31	Children who have received BCG	50,363	116.6	8,737	19.9		
32	Children who have received DPT1	41,118	95.2	8,922	20.3		
33	Children who have received DPT3	39,906	92.4	7,841	17.9		
34	Children who have received Measles	39,906	92.4	7,699	17.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,284		667			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	249	0	Total unmet need	12.9
37	Number of Tubectomies performed	3,116	203	Spacing	8
38	Number of IUD insertion	2,329	122	Women using any method	54.4
39	Number of IUD removals	215	24	Women using modern method	29.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	581	103		
41	General OPD cases per 10,000 population ***	10,809	1,510		
42	Ayush OPD cases per 10,000 population ***	51	6		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	241	25		
44	Neonatal Deaths up to 4 weeks of birth	286	29		
45	<b>Total Neonatal Death</b>	<b>527</b>	<b>54</b>		
46	Deaths between (1 - 11) months	155	32		
47	<b>Total reported infant deaths</b>	<b>682</b>	<b>86</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	5	0		
50	Due to Severe hypertension / fits	12	3		
51	Due to Bleeding	4	4		
52	Due to High fever	9	6		
53	Due to Other Causes (including causes not known)	108	13		
54	<b>Total reported maternal deaths</b>	<b>138</b>	<b>26</b>		

## Chirang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	481,818					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	78					
4	Sub Centres (SC)- HWC	9					
5	Primary Health Centers (PHC)	19					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	12,298		12,378			
11	Expected number of Delivery	11,459		11,534			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	9,556	77.7	2,883	23.3	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	7,877	82.4	2,278	79.0	At least 4ANC check up	41.2
14	Mothers who had at least 4 Ante-Natal care check ups	7,112	74.4	1,193	41.4	Neonatal tetanus received	86.3
15	PW who got TT 2 / Booster injection	8,763	91.7	2,393	83.0	100 IFA tablets consumed	34.3
16	PW who consumed 100 IFA tablets	8,421	88.1	1,945	67.5	Full ANC	10.9
17	Home Delivery against expected delivery *	1,359	11.9	303	2.6	Home Delivery	40.6
18	Institutional Delivery against expected delivery *	6,112	53.3	1,067	9.3	Institutional Delivery	59.4
19	Home Delivery against reported delivery **	1,359	18.2	303	22.1	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	6,112	81.8	1,067	77.9	PNC within 2days of delivery	36.6
21	Total reported Deliveries	7,471		1,370			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125		17			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,057		1,081			
		94.5		78.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	11,180		11,252			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	7,372		1,359		Breastfed within 1 hour of birth	
		65.9		12.1		77.4	

26	Total Still Birth	155	1.4	17	0.2	BCG	77.7
27	PC of newborn weighted at birth to live birth	7,360	99.8	1,359	100.0	3 dose of DPT	60.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	939	12.8	170	12.5	Measles	68.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,310	99.2	1,359	100.0	Full Immunization	40.4
30	Children fully immunized	7,934	71.0	1,779	15.8		
31	Children who have received BCG	8,674	77.6	1,589	14.1		
32	Children who have received DPT1	8,358	74.8	2,166	19.2		
33	Children who have received DPT3	8,045	72.0	1,787	15.9		
34	Children who have received Measles	7,943	71.0	1,794	15.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,214		265			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2	0	Total unmet need	7.9
37	Number of Tubectomies performed	98	7	Spacing	3.1
38	Number of IUD insertion	1,539	129	Women using any method	62.6
39	Number of IUD removals	574	141	Women using modern method	30.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	341	52		
41	General OPD cases per 10,000 population ***	8,770	998		
42	Ayush OPD cases per 10,000 population ***	755	107		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	24	3		
44	Neonatal Deaths up to 4 weeks of birth	34	15		
45	<b>Total Neonatal Death</b>	<b>58</b>	<b>18</b>		
46	Deaths between (1 - 11) months	97	17		
47	<b>Total reported infant deaths</b>	<b>155</b>	<b>35</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	10	2		
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>3</b>		

## Darrang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	908,090					
2	Sex Ratio	923					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	138					
4	Sub Centres (SC)- HWC	21					
5	Primary Health Centers (PHC)	29					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	25,272		25,644			
11	Expected number of Delivery	23,549		23,895			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	22,207	87.9	6,357	24.8	ANC Check up in first trimester	61.5
13	Mothers registered in the first trimester	21,360	96.2	6,187	97.3	At least 4ANC check up	39.9
14	Mothers who had at least 4 Ante-Natal care check ups	20,668	93.1	4,080	64.2	Neonatal tetanus received	95.7
15	PW who got TT 2 / Booster injection	20,640	92.9	5,592	88.0	100 IFA tablets consumed	25.1
16	PW who consumed 100 IFA tablets	22,508	101.4	4,873	76.7	Full ANC	11.7
17	Home Delivery against expected delivery *	539	2.3	64	0.3	Home Delivery	33.9
18	Institutional Delivery against expected delivery *	18,456	78.4	3,614	15.1	Institutional Delivery	66.1
19	Home Delivery against reported delivery **	539	2.8	64	1.7	Home Delivery by SBA(out of Total Deliveries)	3.1
20	Institutional Delivery against reported delivery **	18,456	97.2	3,614	98.3	PNC within 2days of delivery	40.8
21	Total reported Deliveries	18,995		3,678			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	287		62		96.9	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,842		109.7		3,864 105.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	22,975		23,312			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	18,835		82.0		3,652 15.7	
						Breastfed within 1 hour of birth 69.1	

26	Total Still Birth	290	1.3	57	0.2	BCG	81.2
27	PC of newborn weighted at birth to live birth	18,705	99.3	3,608	98.8	3 dose of DPT	63.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,014	10.8	406	11.3	Measles	61.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,454	98.0	3,576	97.9	Full Immunization	40.6
30	Children fully immunized	19,834	86.3	4,869	20.9		
31	Children who have received BCG	20,571	89.5	3,952	17.0		
32	Children who have received DPT1	20,221	88.0	4,754	20.4		
33	Children who have received DPT3	20,249	88.1	4,736	20.3		
34	Children who have received Measles	19,926	86.7	4,938	21.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,876		626			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	26	0	Total unmet need	6.3
37	Number of Tubectomies performed	828	59	Spacing	3.1
38	Number of IUD insertion	3,207	87	Women using any method	65.7
39	Number of IUD removals	785	84	Women using modern method	44.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	628	82		
41	General OPD cases per 10,000 population ***	11,797	1,161		
42	Ayush OPD cases per 10,000 population ***	831	62		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	57	16		
44	Neonatal Deaths up to 4 weeks of birth	139	45		
45	<b>Total Neonatal Death</b>	<b>196</b>	<b>61</b>		
46	Deaths between (1 - 11) months	59	12		
47	<b>Total reported infant deaths</b>	<b>255</b>	<b>73</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	6	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	2		
54	<b>Total reported maternal deaths</b>	<b>21</b>	<b>3</b>		

## Dhemaji Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	688,077					
2	Sex Ratio	949					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	78					
4	Sub Centres (SC)- HWC	20					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	18,791		19,082			
11	Expected number of Delivery	17,510		17,781			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	14,553	77.4	4,309	22.6	ANC Check up in first trimester	58.6
13	Mothers registered in the first trimester	13,634	93.7	3,953	91.7	At least 4ANC check up	49.1
14	Mothers who had at least 4 Ante-Natal care check ups	12,563	86.3	2,502	58.1	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	12,976	89.2	3,948	91.6	100 IFA tablets consumed	34.9
16	PW who consumed 100 IFA tablets	14,772	101.5	4,139	96.1	Full ANC	22.5
17	Home Delivery against expected delivery *	43	0.2	11	0.1	Home Delivery	23.9
18	Institutional Delivery against expected delivery *	14,505	82.8	2,603	14.6	Institutional Delivery	76.1
19	Home Delivery against reported delivery **	43	0.3	11	0.4	Home Delivery by SBA(out of Total Deliveries)	3.9
20	Institutional Delivery against reported delivery **	14,505	99.7	2,603	99.6	PNC within 2days of delivery	65.9
21	Total reported Deliveries	14,548		2,614			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	55.8	5	45.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,708	94.2	2,523	96.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	17,083		17,348			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	14,398	84.3	2,521	14.5	Breastfed within 1 hour of birth	67.9

26	Total Still Birth	262	1.5	106	0.6	BCG	96.4
27	PC of newborn weighted at birth to live birth	13,996	97.2	2,356	93.5	3 dose of DPT	80.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,319	9.4	219	9.3	Measles	79.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,001	97.2	2,286	90.7	Full Immunization	47
30	Children fully immunized	12,668	74.2	3,095	17.8		
31	Children who have received BCG	13,859	81.1	2,661	15.3		
32	Children who have received DPT1	12,772	74.8	3,172	18.3		
33	Children who have received DPT3	12,705	74.4	3,181	18.3		
34	Children who have received Measles	12,601	73.8	3,055	17.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,922		518			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	61	0	Total unmet need	17.9
37	Number of Tubectomies performed	1,109	46	Spacing	7.2
38	Number of IUD insertion	2,475	200	Women using any method	54.8
39	Number of IUD removals	1,143	109	Women using modern method	34
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	270	40		
41	General OPD cases per 10,000 population ***	10,170	1,060		
42	Ayush OPD cases per 10,000 population ***	641	53		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	53	16		
44	Neonatal Deaths up to 4 weeks of birth	137	34		
45	<b>Total Neonatal Death</b>	<b>190</b>	<b>50</b>		
46	Deaths between (1 - 11) months	83	6		
47	<b>Total reported infant deaths</b>	<b>273</b>	<b>56</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	4	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	2		
54	<b>Total reported maternal deaths</b>	<b>14</b>	<b>2</b>		



## Dhubri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,948,632					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	184					
4	Sub Centres (SC)- HWC	47					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centres (PHC)-HWC	19					
7	Community Health Centers (CHC)	6					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	55,126		56,204			
11	Expected number of Delivery	51,367		52,372			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	57,127	103.6	17,675	31.4	ANC Check up in first trimester	36.3
13	Mothers registered in the first trimester	49,538	86.7	14,538	82.3	At least 4ANC check up	26.0
14	Mothers who had at least 4 Ante-Natal care check ups	50,960	89.2	8,999	50.9	Neonatal tetanus received	71.4
15	PW who got TT 2 / Booster injection	57,861	101.3	14,347	81.2	100 IFA tablets consumed	13.0
16	PW who consumed 100 IFA tablets	56,234	98.4	15,955	90.3	Full ANC	5.5
17	Home Delivery against expected delivery *	18,317	35.7	3,948	7.5	Home Delivery	56.4
18	Institutional Delivery against expected delivery *	28,829	56.1	4,882	9.3	Institutional Delivery	43.6
19	Home Delivery against reported delivery **	18,317	38.9	3,948	44.7	Home Delivery by SBA(out of Total Deliveries)	12.3
20	Institutional Delivery against reported delivery **	28,829	61.1	4,882	55.3	PNC within 2days of delivery	22.1
21	Total reported Deliveries	47,146		8,830			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,924		897			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,508		6,839			
			71.1		77.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	50,114		51,095			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	46,474		8,685		Breastfed within 1 hour of birth	61.6

26	Total Still Birth	1,038	2.1	203	0.4	BCG	62.8
27	PC of newborn weighted at birth to live birth	46,475	100.0	8,672	99.9	3 dose of DPT	30.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,371	13.7	1,155	13.3	Measles	38.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	46,211	99.4	8,626	99.3	Full Immunization	20.1
30	Children fully immunized	47,411	94.6	9,948	19.5		
31	Children who have received BCG	51,200	102.2	9,954	19.5		
32	Children who have received DPT1	48,558	96.9	10,616	20.8		
33	Children who have received DPT3	47,288	94.4	8,911	17.4		
34	Children who have received Measles	47,449	94.7	9,962	19.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,734		791			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	22	0	Total unmet need	21.9
37	Number of Tubectomies performed	676	48	Spacing	4.9
38	Number of IUD insertion	5,579	405	Women using any method	34.2
39	Number of IUD removals	499	52	Women using modern method	28.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	345	37		
41	General OPD cases per 10,000 population ***	6,842	672		
42	Ayush OPD cases per 10,000 population ***	1,152	97		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	199	51		
44	Neonatal Deaths up to 4 weeks of birth	667	147		
45	<b>Total Neonatal Death</b>	<b>866</b>	<b>198</b>		
46	Deaths between (1 - 11) months	217	39		
47	<b>Total reported infant deaths</b>	<b>1,083</b>	<b>237</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	5	0		
50	Due to Severe hypertension / fits	4	0		
51	Due to Bleeding	11	2		
52	Due to High fever	2	1		
53	Due to Other Causes (including causes not known)	71	11		
54	<b>Total reported maternal deaths</b>	<b>94</b>	<b>14</b>		

## Dibrugarh Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,327,748					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	214					
4	Sub Centres (SC)- HWC	20					
5	Primary Health Centers (PHC)	21					
6	Primary Health Centres (PHC)-HWC	9					
7	Community Health Centers (CHC)	9					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	34,038		34,285			
11	Expected number of Delivery	31,717		31,948			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,867	70.1	6,642	19.4	ANC Check up in first trimester	71.3
13	Mothers registered in the first trimester	21,298	89.2	5,800	87.3	At least 4ANC check up	67.6
14	Mothers who had at least 4 Ante-Natal care check ups	19,939	83.5	3,493	52.6	Neonatal tetanus received	92.8
15	PW who got TT 2 / Booster injection	21,597	90.5	5,639	84.9	100 IFA tablets consumed	55.2
16	PW who consumed 100 IFA tablets	23,776	99.6	6,349	95.6	Full ANC	39.3
17	Home Delivery against expected delivery *	47	0.1	12	0.0	Home Delivery	11.5
18	Institutional Delivery against expected delivery *	25,266	79.7	4,259	13.3	Institutional Delivery	88.5
19	Home Delivery against reported delivery **	47	0.2	12	0.3	Home Delivery by SBA(out of Total Deliveries)	1.5
20	Institutional Delivery against reported delivery **	25,266	99.8	4,259	99.7	PNC within 2days of delivery	71.1
21	Total reported Deliveries	25,313		4,271			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5		4		33.3	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,210		107.5		4,202 98.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	30,944		31,168			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	24,912		80.5		4,176 13.4	
						Breastfed within 1 hour of birth 66.9	

26	Total Still Birth	640	2.1	148	0.5	BCG	100
27	PC of newborn weighted at birth to live birth	24,854	99.8	4,171	99.9	3 dose of DPT	82.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,469	22.0	899	21.6	Measles	92.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	24,528	98.5	4,044	96.8	Full Immunization	71.1
30	Children fully immunized	20,551	66.4	4,967	15.9		
31	Children who have received BCG	23,711	76.6	4,416	14.2		
32	Children who have received DPT1	20,525	66.3	4,931	15.8		
33	Children who have received DPT3	19,911	64.3	5,467	17.5		
34	Children who have received Measles	20,522	66.3	4,971	15.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,444		612			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	238	0	Total unmet need	13.7
37	Number of Tubectomies performed	2,399	60	Spacing	6.6
38	Number of IUD insertion	1,663	79	Women using any method	53.8
39	Number of IUD removals	704	83	Women using modern method	37.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	802	89		
41	General OPD cases per 10,000 population ***	19,459	2,881		
42	Ayush OPD cases per 10,000 population ***	461	63		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	73	19		
44	Neonatal Deaths up to 4 weeks of birth	361	58		
45	<b>Total Neonatal Death</b>	<b>434</b>	<b>77</b>		
46	Deaths between (1 - 11) months	117	16		
47	<b>Total reported infant deaths</b>	<b>551</b>	<b>93</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	6	2		
49	Due to Obstructed/prolonged labour	7	0		
50	Due to Severe hypertension / fits	17	3		
51	Due to Bleeding	3	0		
52	Due to High fever	6	0		
53	Due to Other Causes (including causes not known)	50	9		
54	<b>Total reported maternal deaths</b>	<b>89</b>	<b>14</b>		

## Goalpara Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,008,959					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	120					
4	Sub Centres (SC)- HWC	35					
5	Primary Health Centers (PHC)	19					
6	Primary Health Centres (PHC)-HWC	19					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	28,144		28,648			
11	Expected number of Delivery	26,225		26,695			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	26,194	93.1	7,873	27.5	ANC Check up in first trimester	57.5
13	Mothers registered in the first trimester	25,447	97.1	7,433	94.4	At least 4ANC check up	42.1
14	Mothers who had at least 4 Ante-Natal care check ups	22,713	86.7	4,232	53.8	Neonatal tetanus received	83.4
15	PW who got TT 2 / Booster injection	23,809	90.9	6,143	78.0	100 IFA tablets consumed	31.6
16	PW who consumed 100 IFA tablets	25,735	98.2	7,797	99.0	Full ANC	16.4
17	Home Delivery against expected delivery *	986	3.8	292	1.1	Home Delivery	28.8
18	Institutional Delivery against expected delivery *	24,764	94.4	4,462	16.7	Institutional Delivery	71.2
19	Home Delivery against reported delivery **	986	3.8	292	6.1	Home Delivery by SBA(out of Total Deliveries)	6.5
20	Institutional Delivery against reported delivery **	24,764	96.2	4,462	93.9	PNC within 2days of delivery	58.8
21	Total reported Deliveries	25,750		4,754			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	964		97.8		235 80.5	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,141		70.5		3,700 77.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	25,586		26,044			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	25,352		99.1		4,715 18.1 Breastfed within 1 hour of birth 80.5	

26	Total Still Birth	612	2.4	115	0.4	BCG	83
27	PC of newborn weighted at birth to live birth	25,353	100.0	4,680	99.3	3 dose of DPT	64.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,840	11.2	521	11.1	Measles	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	25,291	99.8	4,696	99.6	Full Immunization	43.7
30	Children fully immunized	22,142	86.5	4,614	17.7		
31	Children who have received BCG	26,377	103.1	5,324	20.4		
32	Children who have received DPT1	22,398	87.5	5,246	20.1		
33	Children who have received DPT3	22,042	86.1	4,156	16.0		
34	Children who have received Measles	22,147	86.6	4,614	17.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,962		309			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	54	0	Total unmet need	17.7
37	Number of Tubectomies performed	1,423	52	Spacing	8.3
38	Number of IUD insertion	2,718	161	Women using any method	43.7
39	Number of IUD removals	572	88	Women using modern method	33.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	654	83		
41	General OPD cases per 10,000 population ***	10,172	1,100		
42	Ayush OPD cases per 10,000 population ***	1,635	99		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	75	14		
44	Neonatal Deaths up to 4 weeks of birth	296	28		
45	<b>Total Neonatal Death</b>	<b>371</b>	<b>42</b>		
46	Deaths between (1 - 11) months	110	21		
47	<b>Total reported infant deaths</b>	<b>481</b>	<b>63</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	3	0		
51	Due to Bleeding	5	4		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	24	6		
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>10</b>		

## Golaghat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,058,674					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	133					
4	Sub Centres (SC)- HWC	11					
5	Primary Health Centers (PHC)	35					
6	Primary Health Centres (PHC)-HWC	6					
7	Community Health Centers (CHC)	4					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	27,345		27,539			
11	Expected number of Delivery	25,481		25,662			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	19,365	70.8	5,570	20.2	ANC Check up in first trimester	52.9
13	Mothers registered in the first trimester	17,045	88.0	4,986	89.5	At least 4ANC check up	62.5
14	Mothers who had at least 4 Ante-Natal care check ups	14,560	75.2	2,291	41.1	Neonatal tetanus received	94.2
15	PW who got TT 2 / Booster injection	17,126	88.4	4,633	83.2	100 IFA tablets consumed	44.6
16	PW who consumed 100 IFA tablets	16,673	86.1	4,351	78.1	Full ANC	30.5
17	Home Delivery against expected delivery *	168	0.7	40	0.2	Home Delivery	11.6
18	Institutional Delivery against expected delivery *	15,117	59.3	2,173	8.5	Institutional Delivery	88.4
19	Home Delivery against reported delivery **	168	1.1	40	1.8	Home Delivery by SBA(out of Total Deliveries)	1.5
20	Institutional Delivery against reported delivery **	15,117	98.9	2,173	98.2	PNC within 2days of delivery	78.3
21	Total reported Deliveries	15,285		2,213			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	41.1	10	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,449	88.0	1,989	89.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	24,859		25,036			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	15,396	61.9	2,424	9.7	Breastfed within 1 hour of birth	80.4

26	Total Still Birth	284	1.1	65	0.3	BCG	90.9
27	PC of newborn weighted at birth to live birth	15,037	97.7	2,426	100.1	3 dose of DPT	83.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,787	11.9	251	10.3	Measles	91
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,569	94.6	2,378	98.1	Full Immunization	67.9
30	Children fully immunized	15,904	64.0	3,875	15.5		
31	Children who have received BCG	14,670	59.0	2,753	11.0		
32	Children who have received DPT1	17,153	69.0	3,865	15.4		
33	Children who have received DPT3	16,316	65.6	3,679	14.7		
34	Children who have received Measles	15,941	64.1	3,870	15.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,458		127			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	73	0	Total unmet need	16.3
37	Number of Tubectomies performed	1,112	18	Spacing	6.6
38	Number of IUD insertion	1,143	67	Women using any method	46
39	Number of IUD removals	881	96	Women using modern method	32
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	592	45		
41	General OPD cases per 10,000 population ***	9,651	1,319		
42	Ayush OPD cases per 10,000 population ***	316	53		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	107	10		
44	Neonatal Deaths up to 4 weeks of birth	187	24		
45	<b>Total Neonatal Death</b>	<b>294</b>	<b>34</b>		
46	Deaths between (1 - 11) months	93	13		
47	<b>Total reported infant deaths</b>	<b>387</b>	<b>47</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	7	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	20	4		
54	<b>Total reported maternal deaths</b>	<b>28</b>	<b>5</b>		



## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,260					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	82					
4	Sub Centres (SC)- HWC	25					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centres (PHC)-HWC	3					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	18,218		18,521			
11	Expected number of Delivery	16,976		17,258			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	18,862	103.5	5,508	29.7	ANC Check up in first trimester	49.6
13	Mothers registered in the first trimester	16,648	88.3	4,882	88.6	At least 4ANC check up	34.5
14	Mothers who had at least 4 Ante-Natal care check ups	15,504	82.2	3,001	54.5	Neonatal tetanus received	96.6
15	PW who got TT 2 / Booster injection	17,190	91.1	4,143	75.2	100 IFA tablets consumed	24.3
16	PW who consumed 100 IFA tablets	18,566	98.4	5,478	99.5	Full ANC	9.7
17	Home Delivery against expected delivery *	1,281	7.5	338	2.0	Home Delivery	43.5
18	Institutional Delivery against expected delivery *	12,473	73.5	2,232	12.9	Institutional Delivery	56.5
19	Home Delivery against reported delivery **	1,281	9.3	338	13.2	Home Delivery by SBA(out of Total Deliveries)	0.5
20	Institutional Delivery against reported delivery **	12,473	90.7	2,232	86.8	PNC within 2days of delivery	39.3
21	Total reported Deliveries	13,754		2,570			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	631		190			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,378		2,281			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	16,562		16,838			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	13,507		2,500		Breastfed within 1 hour of birth	31.1

26	Total Still Birth	322	1.9	76	0.5	BCG	68.3
27	PC of newborn weighted at birth to live birth	13,503	100.0	2,500	100.0	3 dose of DPT	59.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,071	7.9	134	5.4	Measles	59.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,379	99.1	2,493	99.7	Full Immunization	39.2
30	Children fully immunized	16,146	97.5	3,299	19.6		
31	Children who have received BCG	16,196	97.8	3,196	19.0		
32	Children who have received DPT1	16,816	101.5	3,986	23.7		
33	Children who have received DPT3	16,329	98.6	3,396	20.2		
34	Children who have received Measles	16,160	97.6	3,299	19.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	7,239		889			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	83	0	Total unmet need	16.6
37	Number of Tubectomies performed	414	5	Spacing	4.4
38	Number of IUD insertion	4,702	201	Women using any method	54.2
39	Number of IUD removals	565	76	Women using modern method	34
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	582	51		
41	General OPD cases per 10,000 population ***	8,149	922		
42	Ayush OPD cases per 10,000 population ***	386	63		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	79	16		
44	Neonatal Deaths up to 4 weeks of birth	84	24		
45	<b>Total Neonatal Death</b>	<b>163</b>	<b>40</b>		
46	Deaths between (1 - 11) months	108	16		
47	<b>Total reported infant deaths</b>	<b>271</b>	<b>56</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	1	1		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	1		
54	<b>Total reported maternal deaths</b>	<b>8</b>	<b>2</b>		

## Jorhat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,091,295					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	110					
4	Sub Centres (SC)- HWC	35					
5	Primary Health Centers (PHC)	24					
6	Primary Health Centres (PHC)-HWC	18					
7	Community Health Centers (CHC)	6					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	27,410		27,532			
11	Expected number of Delivery	25,541		25,655			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	20,400	74.4	5,845	21.2	ANC Check up in first trimester	82.0
13	Mothers registered in the first trimester	19,269	94.5	5,515	94.4	At least 4ANC check up	75.8
14	Mothers who had at least 4 Ante-Natal care check ups	17,440	85.5	3,246	55.5	Neonatal tetanus received	95.2
15	PW who got TT 2 / Booster injection	18,901	92.7	5,269	90.1	100 IFA tablets consumed	63.3
16	PW who consumed 100 IFA tablets	19,935	97.7	5,699	97.5	Full ANC	48.0
17	Home Delivery against expected delivery *	69	0.3	9	0.0	Home Delivery	4.1
18	Institutional Delivery against expected delivery *	16,877	66.1	3,029	11.8	Institutional Delivery	95.9
19	Home Delivery against reported delivery **	69	0.4	9	0.3	Home Delivery by SBA(out of Total Deliveries)	1.2
20	Institutional Delivery against reported delivery **	16,877	99.6	3,029	99.7	PNC within 2days of delivery	77.1
21	Total reported Deliveries	16,946		3,038			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55		6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,121		136.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	24,918		25,029			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	16,827		67.5		Breastfed within 1 hour of birth	
				2,999		12.0	
						67.3	

26	Total Still Birth	312	1.3	59	0.2	BCG	92.2
27	PC of newborn weighted at birth to live birth	16,817	99.9	2,989	99.7	3 dose of DPT	84
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,301	13.7	702	23.5	Measles	91.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,493	98.0	2,995	99.9	Full Immunization	64.8
30	Children fully immunized	18,052	72.4	4,072	16.3		
31	Children who have received BCG	16,717	67.1	2,817	11.3		
32	Children who have received DPT1	18,105	72.7	4,160	16.6		
33	Children who have received DPT3	17,511	70.3	4,464	17.8		
34	Children who have received Measles	18,288	73.4	4,181	16.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,906		228			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	107	0	Total unmet need	11.4
37	Number of Tubectomies performed	1,170	139	Spacing	5.7
38	Number of IUD insertion	1,844	186	Women using any method	53
39	Number of IUD removals	331	53	Women using modern method	33.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	515	83		
41	General OPD cases per 10,000 population ***	14,567	2,216		
42	Ayush OPD cases per 10,000 population ***	191	4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	26	10		
44	Neonatal Deaths up to 4 weeks of birth	477	69		
45	<b>Total Neonatal Death</b>	<b>503</b>	<b>79</b>		
46	Deaths between (1 - 11) months	128	17		
47	<b>Total reported infant deaths</b>	<b>631</b>	<b>96</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	7	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	14	6		
54	<b>Total reported maternal deaths</b>	<b>22</b>	<b>7</b>		

## Kamrup M Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,260,419					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	48					
4	Sub Centres (SC)- HWC	3					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centres (PHC)-HWC	34					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	33,980		34,461			
11	Expected number of Delivery	31,663		32,111			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	24,094	70.9	5,062	14.7	ANC Check up in first trimester	65.3
13	Mothers registered in the first trimester	20,392	84.6	4,192	82.8	At least 4ANC check up	56.9
14	Mothers who had at least 4 Ante-Natal care check ups	29,130	120.9	4,696	92.8	Neonatal tetanus received	86.3
15	PW who got TT 2 / Booster injection	23,483	97.5	4,417	87.3	100 IFA tablets consumed	46.1
16	PW who consumed 100 IFA tablets	24,118	100.1	4,786	94.5	Full ANC	28.1
17	Home Delivery against expected delivery *	159	0.5	44	0.1	Home Delivery	6.7
18	Institutional Delivery against expected delivery *	36,150	114.2	5,341	16.6	Institutional Delivery	93.3
19	Home Delivery against reported delivery **	159	0.4	44	0.8	Home Delivery by SBA(out of Total Deliveries)	0.0
20	Institutional Delivery against reported delivery **	36,150	99.6	5,341	99.2	PNC within 2days of delivery	71.8
21	Total reported Deliveries	36,309		5,385			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57		35.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,162		50.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	30,891		31,328			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	35,745		115.7		Breastfed within 1 hour of birth	
				5,278		16.8	
						58.8	

26	Total Still Birth	1,052	3.4	130	0.4	BCG	93.7
27	PC of newborn weighted at birth to live birth	35,722	99.9	4,889	92.6	3 dose of DPT	85.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,532	21.1	971	19.9	Measles	91.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,063	98.1	4,754	90.1	Full Immunization	72.8
30	Children fully immunized	24,180	78.3	4,430	12.0		
31	Children who have received BCG	45,028	145.8	5,360	14.6		
32	Children who have received DPT1	22,931	74.2	3,172	8.6		
33	Children who have received DPT3	23,371	75.7	2,960	8.0		
34	Children who have received Measles	23,848	77.2	4,375	11.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,658		312			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	15	0	Total unmet need	17.8
37	Number of Tubectomies performed	3,263	456	Spacing	6.9
38	Number of IUD insertion	517	43	Women using any method	46.3
39	Number of IUD removals	842	29	Women using modern method	36
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	923	77		
41	General OPD cases per 10,000 population ***	11,902	863		
42	Ayush OPD cases per 10,000 population ***	1,387	116		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	167	21		
44	Neonatal Deaths up to 4 weeks of birth	1,253	144		
45	<b>Total Neonatal Death</b>	<b>1,420</b>	<b>165</b>		
46	Deaths between (1 - 11) months	237	25		
47	<b>Total reported infant deaths</b>	<b>1,657</b>	<b>190</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	7	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	27	1		
51	Due to Bleeding	9	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	60	10		
54	<b>Total reported maternal deaths</b>	<b>104</b>	<b>12</b>		

## Kamrup R Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,517,202					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	253					
4	Sub Centres (SC)- HWC	26					
5	Primary Health Centers (PHC)	55					
6	Primary Health Centres (PHC)-HWC	10					
7	Community Health Centers (CHC)	13					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	40,077		40,513			
11	Expected number of Delivery	37,344		37,750			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	31,960	79.7	9,715	24.0	ANC Check up in first trimester	49.0
13	Mothers registered in the first trimester	29,019	90.8	8,818	90.8	At least 4ANC check up	40.4
14	Mothers who had at least 4 Ante-Natal care check ups	26,456	82.8	5,276	54.3	Neonatal tetanus received	80.1
15	PW who got TT 2 / Booster injection	28,108	87.9	7,339	75.5	100 IFA tablets consumed	23.5
16	PW who consumed 100 IFA tablets	29,967	93.8	8,003	82.4	Full ANC	11.5
17	Home Delivery against expected delivery *	374	1.0	92	0.2	Home Delivery	16.2
18	Institutional Delivery against expected delivery *	20,382	54.6	4,217	11.2	Institutional Delivery	83.8
19	Home Delivery against reported delivery **	374	1.8	92	2.1	Home Delivery by SBA(out of Total Deliveries)	4.6
20	Institutional Delivery against reported delivery **	20,382	98.2	4,217	97.9	PNC within 2days of delivery	61.3
21	Total reported Deliveries	20,756		4,309			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	142		31		33.7	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,049		101.4		4,477 103.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	36,433		36,830			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	20,612		4,295		Breastfed within 1 hour of birth 60.7	

26	Total Still Birth	196	0.5	35	0.1	BCG	72.2
27	PC of newborn weighted at birth to live birth	20,544	99.7	4,295	100.0	3 dose of DPT	56.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,393	11.6	487	11.3	Measles	57.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	20,542	99.7	4,288	99.8	Full Immunization	35.7
30	Children fully immunized	27,619	75.8	6,719	28.2		
31	Children who have received BCG	22,330	61.3	4,324	18.1		
32	Children who have received DPT1	27,998	76.8	6,525	27.4		
33	Children who have received DPT3	27,771	76.2	6,053	25.4		
34	Children who have received Measles	27,618	75.8	6,723	28.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,226		592			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	132	0	Total unmet need	19.7
37	Number of Tubectomies performed	1,652	131	Spacing	5.9
38	Number of IUD insertion	2,907	225	Women using any method	35.9
39	Number of IUD removals	905	141	Women using modern method	29.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	185	28		
41	General OPD cases per 10,000 population ***	9,535	1,376		
42	Ayush OPD cases per 10,000 population ***	2,094	249		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	27	3		
44	Neonatal Deaths up to 4 weeks of birth	155	31		
45	<b>Total Neonatal Death</b>	<b>182</b>	<b>34</b>		
46	Deaths between (1 - 11) months	104	21		
47	<b>Total reported infant deaths</b>	<b>286</b>	<b>55</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	3	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	29	5		
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>6</b>		



## Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	965,280					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	124					
4	Sub Centres (SC)- HWC	30					
5	Primary Health Centers (PHC)	26					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	25,862		26,221			
11	Expected number of Delivery	24,099		24,433			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,519	90.9	6,655	25.4	ANC Check up in first trimester	47.4
13	Mothers registered in the first trimester	18,356	78.0	5,052	75.9	At least 4ANC check up	38.1
14	Mothers who had at least 4 Ante-Natal care check ups	15,901	67.6	3,027	45.5	Neonatal tetanus received	87.2
15	PW who got TT 2 / Booster injection	21,951	93.3	5,939	89.2	100 IFA tablets consumed	25.1
16	PW who consumed 100 IFA tablets	23,173	98.5	6,376	95.8	Full ANC	11.6
17	Home Delivery against expected delivery *	2,723	11.3	699	2.9	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	15,247	63.3	2,733	11.2	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	2,723	15.2	699	20.4	Home Delivery by SBA(out of Total Deliveries)	5.9
20	Institutional Delivery against reported delivery **	15,247	84.8	2,733	79.6	PNC within 2days of delivery	40.5
21	Total reported Deliveries	17,970		3,432			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	783	28.8	216	30.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,991	83.4	3,101	90.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	23,511		23,838			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	17,754	75.5	3,369	14.1	Breastfed within 1 hour of birth	79.7

26	Total Still Birth	293	1.2	59	0.2	BCG	68.5
27	PC of newborn weighted at birth to live birth	17,342	97.7	3,369	100.0	3 dose of DPT	46.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,149	6.6	176	5.2	Measles	53.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,471	98.4	3,298	97.9	Full Immunization	23.6
30	Children fully immunized	19,863	84.5	4,765	15.3		
31	Children who have received BCG	20,765	88.3	4,368	14.0		
32	Children who have received DPT1	20,264	86.2	5,034	16.1		
33	Children who have received DPT3	20,138	85.7	5,052	16.2		
34	Children who have received Measles	19,865	84.5	4,765	15.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,730		313			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	17	0	Total unmet need	13.6
37	Number of Tubectomies performed	237	1	Spacing	6.6
38	Number of IUD insertion	3,303	209	Women using any method	53.3
39	Number of IUD removals	587	118	Women using modern method	42.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	298	50		
41	General OPD cases per 10,000 population ***	5,225	873		
42	Ayush OPD cases per 10,000 population ***	659	99		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	56	9		
44	Neonatal Deaths up to 4 weeks of birth	66	19		
45	<b>Total Neonatal Death</b>	<b>122</b>	<b>28</b>		
46	Deaths between (1 - 11) months	86	15		
47	<b>Total reported infant deaths</b>	<b>208</b>	<b>43</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	3	2		
51	Due to Bleeding	1	1		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	20	5		
54	<b>Total reported maternal deaths</b>	<b>26</b>	<b>8</b>		

## Karimganj Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,217,002						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	185						
4	Sub Centres (SC)- HWC	37						
5	Primary Health Centers (PHC)	22						
6	Primary Health Centres (PHC)-HWC	8						
7	Community Health Centers (CHC)	7						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20	2020-21		NFSH-4 (2015-16)			
10	Expected number of PW	33,767	34,305					
11	Expected number of Delivery	31,465	31,966					
		HMIS (2018-19)	HMIS (2020-21) 1st QTR					
		Number	PC	Number	PC			
12	PW register for ANC	34,156	101.2	10,048	29.3	ANC Check up in first trimester	47.3	
13	Mothers registered in the first trimester	30,528	89.4	9,040	90.0	At least 4ANC check up	37.1	
14	Mothers who had at least 4 Ante-Natal care check ups	30,921	90.5	5,907	58.8	Neonatal tetanus received	96.9	
15	PW who got TT 2 / Booster injection	32,747	95.9	7,940	79.0	100 IFA tablets consumed	18.2	
16	PW who consumed 100 IFA tablets	34,102	99.8	10,039	99.9	Full ANC	5.2	
17	Home Delivery against expected delivery *	6,605	21.0	1,818	5.7	Home Delivery	52.0	
18	Institutional Delivery against expected delivery *	22,796	72.4	3,859	12.1	Institutional Delivery	48.0	
19	Home Delivery against reported delivery **	6,605	22.5	1,818	32.0	Home Delivery by SBA(out of Total Deliveries)	1.3	
20	Institutional Delivery against reported delivery **	22,796	77.5	3,859	68.0	PNC within 2days of delivery	36.1	
21	Total reported Deliveries	29,401		5,677				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,249	34.0	563	31.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,430	66.1	3,328	58.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).								
24	Expected number of Live Birth	30,697		31,186				
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)			
25	Total reported live births	28,796	93.8	5,521	17.7	Breastfed within 1 hour of birth	29.8	

26	Total Still Birth	771	2.5	181	0.6	BCG	80.5
27	PC of newborn weighted at birth to live birth	28,773	99.9	5,521	100.0	3 dose of DPT	72.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,691	12.8	537	9.7	Measles	66.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	28,064	97.5	5,284	95.7	Full Immunization	53.9
30	Children fully immunized	28,672	93.4	5,699	29.1		
31	Children who have received BCG	35,773	116.5	6,130	31.3		
32	Children who have received DPT1	30,032	97.8	6,201	31.6		
33	Children who have received DPT3	28,804	93.8	4,953	25.3		
34	Children who have received Measles	28,700	93.5	5,699	29.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	9,399		1,186			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	32	0	Total unmet need	14.6
37	Number of Tubectomies performed	1,352	98	Spacing	7.5
38	Number of IUD insertion	2,704	90	Women using any method	52.1
39	Number of IUD removals	528	36	Women using modern method	34.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	317	51		
41	General OPD cases per 10,000 population ***	7,357	698		
42	Ayush OPD cases per 10,000 population ***	245	36		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	96	18		
44	Neonatal Deaths up to 4 weeks of birth	378	49		
45	<b>Total Neonatal Death</b>	<b>474</b>	<b>67</b>		
46	Deaths between (1 - 11) months	423	44		
47	<b>Total reported infant deaths</b>	<b>897</b>	<b>111</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	3	0		
50	Due to Severe hypertension / fits	3	1		
51	Due to Bleeding	9	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	29	4		
54	<b>Total reported maternal deaths</b>	<b>44</b>	<b>6</b>		

## Kokrajhar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	886,999					
2	Sex Ratio	958					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	135					
4	Sub Centres (SC)- HWC	27					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	21,563		21,573			
11	Expected number of Delivery	20,093		20,102			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	18,652	86.5	5,572	25.8	ANC Check up in first trimester	46.7
13	Mothers registered in the first trimester	14,682	78.7	4,425	79.4	At least 4ANC check up	39.1
14	Mothers who had at least 4 Ante-Natal care check ups	13,521	72.5	2,467	44.3	Neonatal tetanus received	86.9
15	PW who got TT 2 / Booster injection	16,201	86.9	4,628	83.1	100 IFA tablets consumed	26.7
16	PW who consumed 100 IFA tablets	17,185	92.1	5,038	90.4	Full ANC	16.8
17	Home Delivery against expected delivery *	1,083	5.4	235	1.2	Home Delivery	33.3
18	Institutional Delivery against expected delivery *	15,142	75.4	2,726	13.6	Institutional Delivery	66.7
19	Home Delivery against reported delivery **	1,083	6.7	235	7.9	Home Delivery by SBA(out of Total Deliveries)	6.1
20	Institutional Delivery against reported delivery **	15,142	93.3	2,726	92.1	PNC within 2days of delivery	57.8
21	Total reported Deliveries	16,225		2,961			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176		48		20.4	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,193		2,140		72.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	19,603		19,611			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	16,192		2,919		Breastfed within 1 hour of birth 74.8	

26	Total Still Birth	296	1.5	55	0.3	BCG	82.1
27	PC of newborn weighted at birth to live birth	13,263	81.9	2,907	99.6	3 dose of DPT	67.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,483	11.2	254	8.7	Measles	66.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,417	95.2	2,902	99.4	Full Immunization	42.1
30	Children fully immunized	15,265	77.9	3,484	17.8		
31	Children who have received BCG	17,204	87.8	3,636	18.5		
32	Children who have received DPT1	15,959	81.4	3,897	19.9		
33	Children who have received DPT3	15,799	80.6	3,802	19.4		
34	Children who have received Measles	15,298	78.0	3,490	17.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,074		318			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	11	0	Total unmet need	11.6
37	Number of Tubectomies performed	462	46	Spacing	5.3
38	Number of IUD insertion	1,170	129	Women using any method	56.7
39	Number of IUD removals	884	129	Women using modern method	36
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	384	51		
41	General OPD cases per 10,000 population ***	6,008	910		
42	Ayush OPD cases per 10,000 population ***	1,349	199		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	75	17		
44	Neonatal Deaths up to 4 weeks of birth	242	41		
45	<b>Total Neonatal Death</b>	<b>317</b>	<b>58</b>		
46	Deaths between (1 - 11) months	221	42		
47	<b>Total reported infant deaths</b>	<b>538</b>	<b>100</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	0		
50	Due to Severe hypertension / fits	9	1		
51	Due to Bleeding	5	5		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	26	4		
54	<b>Total reported maternal deaths</b>	<b>43</b>	<b>10</b>		

## Lakhimpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,040,644					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	137					
4	Sub Centres (SC)- HWC	19					
5	Primary Health Centers (PHC)	17					
6	Primary Health Centres (PHC)-HWC	9					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	27,824		28,166			
11	Expected number of Delivery	25,927		26,245			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	21,510	77.3	6,350	22.5	ANC Check up in first trimester	68.8
13	Mothers registered in the first trimester	19,993	92.9	5,921	93.2	At least 4ANC check up	59.0
14	Mothers who had at least 4 Ante-Natal care check ups	18,521	86.1	3,444	54.2	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	19,977	92.9	5,552	87.4	100 IFA tablets consumed	43.9
16	PW who consumed 100 IFA tablets	19,829	92.2	5,373	84.6	Full ANC	27.1
17	Home Delivery against expected delivery *	146	0.6	51	0.2	Home Delivery	17.3
18	Institutional Delivery against expected delivery *	18,361	70.8	3,314	12.6	Institutional Delivery	82.7
19	Home Delivery against reported delivery **	146	0.8	51	1.5	Home Delivery by SBA(out of Total Deliveries)	3.0
20	Institutional Delivery against reported delivery **	18,361	99.2	3,314	98.5	PNC within 2days of delivery	67.8
21	Total reported Deliveries	18,507		3,365			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93		20		39.2	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,216		147.1		4,778 142.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	25,295		25,605			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	18,244		72.1		3,322 13.0	
						Breastfed within 1 hour of birth 75.6	

26	Total Still Birth	334	1.3	63	0.2	BCG	89.3
27	PC of newborn weighted at birth to live birth	18,059	99.0	3,286	98.9	3 dose of DPT	80.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,688	14.9	534	16.3	Measles	78.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,228	94.4	3,167	95.3	Full Immunization	54
30	Children fully immunized	20,273	80.1	4,756	18.6		
31	Children who have received BCG	18,546	73.3	3,047	11.9		
32	Children who have received DPT1	19,645	77.7	4,505	17.6		
33	Children who have received DPT3	19,558	77.3	4,751	18.6		
34	Children who have received Measles	20,268	80.1	4,735	18.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,628		711			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	59	0	Total unmet need	20.1
37	Number of Tubectomies performed	1,240	137	Spacing	9.2
38	Number of IUD insertion	1,424	136	Women using any method	49.1
39	Number of IUD removals	364	50	Women using modern method	36
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	511	66		
41	General OPD cases per 10,000 population ***	7,499	926		
42	Ayush OPD cases per 10,000 population ***	174	24		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	42	6		
44	Neonatal Deaths up to 4 weeks of birth	160	17		
45	<b>Total Neonatal Death</b>	<b>202</b>	<b>23</b>		
46	Deaths between (1 - 11) months	44	8		
47	<b>Total reported infant deaths</b>	<b>246</b>	<b>31</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	4	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	7	7		
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>7</b>		



## Marigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,853					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	104					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	30					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	26,863		27,362			
11	Expected number of Delivery	25,032		25,497			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,079	85.9	6,716	24.5	ANC Check up in first trimester	48.9
13	Mothers registered in the first trimester	19,958	86.5	5,630	83.8	At least 4ANC check up	43.1
14	Mothers who had at least 4 Ante-Natal care check ups	18,146	78.6	3,474	51.7	Neonatal tetanus received	94.2
15	PW who got TT 2 / Booster injection	21,446	92.9	5,012	74.6	100 IFA tablets consumed	37.9
16	PW who consumed 100 IFA tablets	22,977	99.6	6,712	99.9	Full ANC	22.6
17	Home Delivery against expected delivery *	1,836	7.3	446	1.7	Home Delivery	27.8
18	Institutional Delivery against expected delivery *	15,552	62.1	2,640	10.4	Institutional Delivery	72.2
19	Home Delivery against reported delivery **	1,836	10.6	446	14.5	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	15,552	89.4	2,640	85.5	PNC within 2days of delivery	53.9
21	Total reported Deliveries	17,388		3,086			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	774		179		40.1	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,921		2,114		68.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	24,421		24,875			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	17,207		3,265		13.1	
						Breastfed within 1 hour of birth	
						66.2	

26	Total Still Birth	266	1.1	44	0.2	BCG	92.2
27	PC of newborn weighted at birth to live birth	17,209	100.0	3,262	99.9	3 dose of DPT	67.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,414	14.0	623	19.1	Measles	79.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,350	95.0	2,805	85.9	Full Immunization	44.4
30	Children fully immunized	19,828	81.2	4,138	16.6		
31	Children who have received BCG	21,501	88.0	4,172	16.8		
32	Children who have received DPT1	20,548	84.1	4,650	18.7		
33	Children who have received DPT3	19,735	80.8	3,703	14.9		
34	Children who have received Measles	19,837	81.2	4,103	16.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,024		113			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	58	0	Total unmet need	14.1
37	Number of Tubectomies performed	545	0	Spacing	5.8
38	Number of IUD insertion	3,287	90	Women using any method	51.1
39	Number of IUD removals	405	27	Women using modern method	36.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	353	46		
41	General OPD cases per 10,000 population ***	8,856	949		
42	Ayush OPD cases per 10,000 population ***	481	64		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	12	5		
44	Neonatal Deaths up to 4 weeks of birth	175	37		
45	<b>Total Neonatal Death</b>	<b>187</b>	<b>42</b>		
46	Deaths between (1 - 11) months	88	14		
47	<b>Total reported infant deaths</b>	<b>275</b>	<b>56</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	6	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	3		
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>3</b>		

## Nagaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,826,006						
2	Sex Ratio	962						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	299						
4	Sub Centres (SC)- HWC	52						
5	Primary Health Centers (PHC)	58						
6	Primary Health Centres (PHC)-HWC	20						
7	Community Health Centers (CHC)	18						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	78,428			79,782			
11	Expected number of Delivery	73,081			74,343			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	69,047	88.0	18,454	23.1	ANC Check up in first trimester	55.1	
13	Mothers registered in the first trimester	56,756	82.2	15,463	83.8	At least 4ANC check up	46.2	
14	Mothers who had at least 4 Ante-Natal care check ups	57,141	82.8	10,575	57.3	Neonatal tetanus received	94.0	
15	PW who got TT 2 / Booster injection	61,735	89.4	14,606	79.1	100 IFA tablets consumed	31.2	
16	PW who consumed 100 IFA tablets	70,366	101.9	17,574	95.2	Full ANC	18.3	
17	Home Delivery against expected delivery *	4,439	6.1	1,145	1.5	Home Delivery	32.6	
18	Institutional Delivery against expected delivery *	58,407	79.9	10,392	14.0	Institutional Delivery	67.4	
19	Home Delivery against reported delivery **	4,439	7.1	1,145	9.9	Home Delivery by SBA(out of Total Deliveries)	1.4	
20	Institutional Delivery against reported delivery **	58,407	92.9	10,392	90.1	PNC within 2days of delivery	47.7	
21	Total reported Deliveries	62,846		11,537				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	575	13.0	237	20.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50,911	81.0	8,924	77.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).								
24	Expected number of Live Birth	71,298		72,529				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	61,959	86.9	11,321	15.6	Breastfed within 1 hour of birth	72.2	

26	Total Still Birth	1,267	1.8	369	0.5	BCG	80
27	PC of newborn weighted at birth to live birth	60,945	98.4	11,002	97.2	3 dose of DPT	55.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,734	12.7	1,481	13.5	Measles	68.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	57,142	92.2	10,659	94.2	Full Immunization	43.1
30	Children fully immunized	58,870	82.6	11,435	15.8		
31	Children who have received BCG	65,737	92.2	11,899	16.4		
32	Children who have received DPT1	59,059	82.8	12,731	17.6		
33	Children who have received DPT3	57,594	80.8	10,945	15.1		
34	Children who have received Measles	58,332	81.8	11,385	15.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,629		882			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	33	0	Total unmet need	16
37	Number of Tubectomies performed	2,127	214	Spacing	6.2
38	Number of IUD insertion	4,178	230	Women using any method	53.7
39	Number of IUD removals	735	92	Women using modern method	42.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	395	41		
41	General OPD cases per 10,000 population ***	7,843	971		
42	Ayush OPD cases per 10,000 population ***	648	50		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	84	21		
44	Neonatal Deaths up to 4 weeks of birth	385	79		
45	<b>Total Neonatal Death</b>	<b>469</b>	<b>100</b>		
46	Deaths between (1 - 11) months	234	40		
47	<b>Total reported infant deaths</b>	<b>703</b>	<b>140</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	2	1		
50	Due to Severe hypertension / fits	3	3		
51	Due to Bleeding	7	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	53	10		
54	<b>Total reported maternal deaths</b>	<b>66</b>	<b>14</b>		

## Nalbari Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	769,919					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	103					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	33					
6	Primary Health Centres (PHC)-HWC	11					
7	Community Health Centers (CHC)	11					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	19,756		19,893			
11	Expected number of Delivery	18,409		18,537			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	13,812	69.9	4,044	20.3	ANC Check up in first trimester	62.3
13	Mothers registered in the first trimester	12,931	93.6	3,770	93.2	At least 4ANC check up	49.2
14	Mothers who had at least 4 Ante-Natal care check ups	11,496	83.2	2,274	56.2	Neonatal tetanus received	94.6
15	PW who got TT 2 / Booster injection	12,759	92.4	3,573	88.4	100 IFA tablets consumed	33.8
16	PW who consumed 100 IFA tablets	13,776	99.7	4,035	99.8	Full ANC	17.1
17	Home Delivery against expected delivery *	314	1.7	81	0.4	Home Delivery	17.2
18	Institutional Delivery against expected delivery *	12,100	65.7	2,559	13.8	Institutional Delivery	82.8
19	Home Delivery against reported delivery **	314	2.5	81	3.1	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	12,100	97.5	2,559	96.9	PNC within 2days of delivery	50.5
21	Total reported Deliveries	12,414		2,640			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	298		81		100.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,505		141.0		3,647 138.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	17,960		18,085			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	12,428		2,662		Breastfed within 1 hour of birth 71.9	

26	Total Still Birth	114	0.6	35	0.2	BCG	89.4
27	PC of newborn weighted at birth to live birth	11,804	95.0	2,622	98.5	3 dose of DPT	83
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,657	14.0	384	14.6	Measles	79.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,075	97.2	2,585	97.1	Full Immunization	48.8
30	Children fully immunized	13,380	74.5	3,291	18.2		
31	Children who have received BCG	13,197	73.5	2,863	15.8		
32	Children who have received DPT1	14,078	78.4	3,518	19.5		
33	Children who have received DPT3	13,339	74.3	3,523	19.5		
34	Children who have received Measles	13,372	74.5	3,290	18.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,398		271			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	34	0	Total unmet need	7
37	Number of Tubectomies performed	1,154	131	Spacing	1.8
38	Number of IUD insertion	1,997	93	Women using any method	63.2
39	Number of IUD removals	407	94	Women using modern method	44.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	360	45		
41	General OPD cases per 10,000 population ***	10,968	1,371		
42	Ayush OPD cases per 10,000 population ***	2,512	321		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	50	8		
44	Neonatal Deaths up to 4 weeks of birth	102	27		
45	<b>Total Neonatal Death</b>	<b>152</b>	<b>35</b>		
46	Deaths between (1 - 11) months	71	18		
47	<b>Total reported infant deaths</b>	<b>223</b>	<b>53</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	3	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	0		
54	<b>Total reported maternal deaths</b>	<b>9</b>	<b>1</b>		

## North Cachar Hills (Dima Hasao ) Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	213,529						
2	Sex Ratio	931						
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	62						
4	Sub Centres (SC)- HWC	10						
5	Primary Health Centers (PHC)	8						
6	Primary Health Centres (PHC)-HWC	4						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>					
10	Expected number of PW	5,560	5,608					
11	Expected number of Delivery	5,181	5,226					
		<b>HMIS (2018-19)</b>	<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	4,623	83.2	1,239	22.1	ANC Check up in first trimester	44.8	
13	Mothers registered in the first trimester	3,341	72.3	862	69.6	At least 4ANC check up	35.1	
14	Mothers who had at least 4 Ante-Natal care check ups	2,681	58.0	508	41.0	Neonatal tetanus received	85.9	
15	PW who got TT 2 / Booster injection	3,718	80.4	937	75.6	100 IFA tablets consumed	34.8	
16	PW who consumed 100 IFA tablets	4,089	88.4	1,015	81.9	Full ANC	17.5	
17	Home Delivery against expected delivery *	1,287	24.8	330	6.3	Home Delivery	42.9	
18	Institutional Delivery against expected delivery *	2,600	50.2	492	9.4	Institutional Delivery	57.1	
19	Home Delivery against reported delivery **	1,287	33.1	330	40.1	Home Delivery by SBA(out of Total Deliveries)	3.4	
20	Institutional Delivery against reported delivery **	2,600	66.9	492	59.9	PNC within 2days of delivery	48.5	
21	Total reported Deliveries	3,887		822				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	513	39.9	112	33.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,456	37.5	305	37.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	5,054		5,098				
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>			

25	Total reported live births	3,843	76.0	804	15.8	Breastfed within 1 hour of birth	60.9
26	Total Still Birth	65	1.3	25	0.5	BCG	91.4
27	PC of newborn weighted at birth to live birth	3,825	99.5	791	98.4	3 dose of DPT	78
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	237	6.2	51	6.4	Measles	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,744	97.4	794	98.8	Full Immunization	59.8
30	Children fully immunized	3,539	70.0	820	16.1		
31	Children who have received BCG	3,909	77.3	858	16.8		
32	Children who have received DPT1	3,807	75.3	956	18.8		
33	Children who have received DPT3	3,627	71.8	969	19.0		
34	Children who have received Measles	3,526	69.8	820	16.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,691		284			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	1	0	Total unmet need	18.4
37	Number of Tubectomies performed	73	0	Spacing	5.8
38	Number of IUD insertion	396	34	Women using any method	48.7
39	Number of IUD removals	162	29	Women using modern method	29.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	600	73		
41	General OPD cases per 10,000 population ***	7,909	1,231		
42	Ayush OPD cases per 10,000 population ***	814	92		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	12	3		
44	Neonatal Deaths up to 4 weeks of birth	26	7		
45	<b>Total Neonatal Death</b>	<b>38</b>	<b>10</b>		
46	Deaths between (1 - 11) months	27	8		
47	<b>Total reported infant deaths</b>	<b>65</b>	<b>18</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	2		
54	<b>Total reported maternal deaths</b>	<b>5</b>	<b>2</b>		



## Sibsagar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,150,253					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	202					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	7					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	28,922		29,055			
11	Expected number of Delivery	26,950		27,074			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	20,010	69.2	5,536	19.1	ANC Check up in first trimester	66.9
13	Mothers registered in the first trimester	18,136	90.6	5,053	91.3	At least 4ANC check up	70.8
14	Mothers who had at least 4 Ante-Natal care check ups	16,015	80.0	2,690	48.6	Neonatal tetanus received	95.3
15	PW who got TT 2 / Booster injection	16,850	84.2	4,777	86.3	100 IFA tablets consumed	42.6
16	PW who consumed 100 IFA tablets	20,033	100.1	5,508	99.5	Full ANC	30.7
17	Home Delivery against expected delivery *	84	0.3	24	0.1	Home Delivery	12.9
18	Institutional Delivery against expected delivery *	13,562	50.3	2,253	8.3	Institutional Delivery	87.1
19	Home Delivery against reported delivery **	84	0.6	24	1.1	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	13,562	99.4	2,253	98.9	PNC within 2days of delivery	74.3
21	Total reported Deliveries	13,646		2,277			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	85.7	19	79.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,058	139.7	3,545	155.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	26,293		26,414			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	13,467	51.2	2,243	8.5	Breastfed within 1 hour of birth	62.7

26	Total Still Birth	223	0.8	43	0.2	BCG	100
27	PC of newborn weighted at birth to live birth	13,421	99.7	2,244	100.0	3 dose of DPT	84.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,539	18.9	354	15.8	Measles	88.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,180	97.9	2,202	98.2	Full Immunization	73
30	Children fully immunized	16,670	63.4	4,326	16.4		
31	Children who have received BCG	14,139	53.8	2,551	9.7		
32	Children who have received DPT1	17,292	65.8	4,086	15.5		
33	Children who have received DPT3	16,619	63.2	4,836	18.3		
34	Children who have received Measles	16,736	63.7	4,333	16.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,137		392			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	54	0	Total unmet need	16
37	Number of Tubectomies performed	763	37	Spacing	6
38	Number of IUD insertion	1,772	56	Women using any method	50
39	Number of IUD removals	447	71	Women using modern method	31.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	450	51		
41	General OPD cases per 10,000 population ***	13,728	1,999		
42	Ayush OPD cases per 10,000 population ***	373	51		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	38	1		
44	Neonatal Deaths up to 4 weeks of birth	65	7		
45	<b>Total Neonatal Death</b>	<b>103</b>	<b>8</b>		
46	Deaths between (1 - 11) months	20	8		
47	<b>Total reported infant deaths</b>	<b>123</b>	<b>16</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	0		
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>0</b>		

## Sonitpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,925,975					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	263					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	46					
6	Primary Health Centres (PHC)-HWC	10					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	50,814		51,366			
11	Expected number of Delivery	47,349		47,864			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	36,153	71.1	10,509	20.5	ANC Check up in first trimester	54.6
13	Mothers registered in the first trimester	32,484	89.9	9,092	86.5	At least 4ANC check up	42.0
14	Mothers who had at least 4 Ante-Natal care check ups	32,484	89.9	5,684	54.1	Neonatal tetanus received	97.1
15	PW who got TT 2 / Booster injection	33,300	92.1	9,318	88.7	100 IFA tablets consumed	39.7
16	PW who consumed 100 IFA tablets	34,633	95.8	9,191	87.5	Full ANC	18.1
17	Home Delivery against expected delivery *	2,879	6.1	629	1.3	Home Delivery	11.6
18	Institutional Delivery against expected delivery *	32,780	69.2	5,276	11.0	Institutional Delivery	88.4
19	Home Delivery against reported delivery **	2,879	8.1	629	10.7	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	32,780	91.9	5,276	89.3	PNC within 2days of delivery	55.5
21	Total reported Deliveries	35,659		5,905			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	115		19			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24,097		3,925			
			67.6		66.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	46,194		46,697			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	35,613		5,747		Breastfed within 1 hour of birth	67.1

26	Total Still Birth	755	1.6	171	0.4	BCG	82.6
27	PC of newborn weighted at birth to live birth	33,404	93.8	5,748	100.0	3 dose of DPT	65.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,961	14.9	794	13.8	Measles	70.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	29,281	82.2	4,975	86.6	Full Immunization	45.3
30	Children fully immunized	32,255	69.8	7,071	15.1		
31	Children who have received BCG	40,596	87.9	7,088	15.2		
32	Children who have received DPT1	32,578	70.5	7,312	15.7		
33	Children who have received DPT3	31,979	69.2	8,199	17.6		
34	Children who have received Measles	32,271	69.9	6,963	14.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,348		255			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	124	0	Total unmet need	8.6
37	Number of Tubectomies performed	2,168	87	Spacing	3.9
38	Number of IUD insertion	1,389	199	Women using any method	64.1
39	Number of IUD removals	406	54	Women using modern method	45.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	622	89		
41	General OPD cases per 10,000 population ***	11,385	1,500		
42	Ayush OPD cases per 10,000 population ***	513	64		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	88	32		
44	Neonatal Deaths up to 4 weeks of birth	450	80		
45	<b>Total Neonatal Death</b>	<b>538</b>	<b>112</b>		
46	Deaths between (1 - 11) months	195	37		
47	<b>Total reported infant deaths</b>	<b>733</b>	<b>149</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	3	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	6	0		
51	Due to Bleeding	11	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	56	19		
54	<b>Total reported maternal deaths</b>	<b>77</b>	<b>22</b>		

## Tinsukia Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,316,948					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	146					
4	Sub Centres (SC)- HWC	20					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centres (PHC)-HWC	7					
7	Community Health Centers (CHC)	8					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	34,750		35,088			
11	Expected number of Delivery	32,381		32,696			
		HMIS (2018-19)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,947	68.9	7,458	21.3	ANC Check up in first trimester	64.1
13	Mothers registered in the first trimester	20,400	85.2	6,057	81.2	At least 4ANC check up	56.1
14	Mothers who had at least 4 Ante-Natal care check ups	20,704	86.5	4,070	54.6	Neonatal tetanus received	90.6
15	PW who got TT 2 / Booster injection	22,101	92.3	6,519	87.4	100 IFA tablets consumed	39.8
16	PW who consumed 100 IFA tablets	25,368	105.9	6,681	89.6	Full ANC	23.1
17	Home Delivery against expected delivery *	644	2.0	182	0.6	Home Delivery	23.4
18	Institutional Delivery against expected delivery *	22,819	70.5	3,758	11.5	Institutional Delivery	76.6
19	Home Delivery against reported delivery **	644	2.7	182	4.6	Home Delivery by SBA(out of Total Deliveries)	0.5
20	Institutional Delivery against reported delivery **	22,819	97.3	3,758	95.4	PNC within 2days of delivery	66.9
21	Total reported Deliveries	23,463		3,940			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	231		35.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,427		112.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
24	Expected number of Live Birth	31,591		31,898			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	23,374		74.0		Breastfed within 1 hour of birth	
				3,891		12.2	
						65.4	

26	Total Still Birth	222	0.7	80	0.3	BCG	89.4
27	PC of newborn weighted at birth to live birth	23,343	99.9	3,749	96.4	3 dose of DPT	83.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,557	15.2	617	16.5	Measles	89.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	22,950	98.2	3,294	84.7	Full Immunization	64
30	Children fully immunized	21,428	67.8	5,261	16.5		
31	Children who have received BCG	23,416	74.1	4,121	12.9		
32	Children who have received DPT1	22,120	70.0	5,141	16.1		
33	Children who have received DPT3	21,592	68.3	5,576	17.5		
34	Children who have received Measles	21,736	68.8	5,294	16.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,120		553			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	342	0	Total unmet need	11.8
37	Number of Tubectomies performed	2,412	137	Spacing	4.9
38	Number of IUD insertion	2,048	62	Women using any method	56.1
39	Number of IUD removals	657	142	Women using modern method	44.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	809	118		
41	General OPD cases per 10,000 population ***	13,625	3,069		
42	Ayush OPD cases per 10,000 population ***	164	19		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	54	4		
44	Neonatal Deaths up to 4 weeks of birth	84	21		
45	<b>Total Neonatal Death</b>	<b>138</b>	<b>25</b>		
46	Deaths between (1 - 11) months	79	17		
47	<b>Total reported infant deaths</b>	<b>217</b>	<b>42</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	1	0		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	12	3		
54	<b>Total reported maternal deaths</b>	<b>13</b>	<b>6</b>		

## Udalguri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	832,769					
2	Sex Ratio	966					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	129					
4	Sub Centres (SC)- HWC	17					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centres (PHC)-HWC	7					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	20,962		21,066			
11	Expected number of Delivery	19,532		19,630			
		<b>HMIS (2018-19)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	14,462	69.0	4,073	19.3	ANC Check up in first trimester	45.2
13	Mothers registered in the first trimester	12,872	89.0	3,627	89.0	At least 4ANC check up	37.0
14	Mothers who had at least 4 Ante-Natal care check ups	11,354	78.5	1,985	48.7	Neonatal tetanus received	94.4
15	PW who got TT 2 / Booster injection	13,018	90.0	3,686	90.5	100 IFA tablets consumed	29.9
16	PW who consumed 100 IFA tablets	13,088	90.5	3,036	74.5	Full ANC	13.3
17	Home Delivery against expected delivery *	428	2.2	109	0.6	Home Delivery	27.8
18	Institutional Delivery against expected delivery *	7,647	39.2	1,298	6.6	Institutional Delivery	72.2
19	Home Delivery against reported delivery **	428	5.3	109	7.7	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Institutional Delivery against reported delivery **	7,647	94.7	1,298	92.3	PNC within 2days of delivery	61.7
21	Total reported Deliveries	8,075		1,407			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	185		32		29.4	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,662		119.7		1,680 119.4	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	19,056		19,151			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 1st QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	7,960		41.8		1,385 7.2	
						Breastfed within 1 hour of birth 80.5	

26	Total Still Birth	133	0.7	27	0.1	BCG	90.6
27	PC of newborn weighted at birth to live birth	7,563	95.0	1,254	90.5	3 dose of DPT	79.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,344	17.8	178	14.2	Measles	82
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,680	96.5	1,200	86.6	Full Immunization	52.8
30	Children fully immunized	12,298	64.5	2,878	15.0		
31	Children who have received BCG	10,813	56.7	2,155	11.3		
32	Children who have received DPT1	12,827	67.3	3,260	17.0		
33	Children who have received DPT3	12,287	64.5	3,196	16.7		
34	Children who have received Measles	12,291	64.5	2,882	15.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,526		228			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.5
37	Number of Tubectomies performed	20	0	Spacing	3.7
38	Number of IUD insertion	1,251	98	Women using any method	63.9
39	Number of IUD removals	758	110	Women using modern method	46.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	222	31		
41	General OPD cases per 10,000 population ***	8,442	1,138		
42	Ayush OPD cases per 10,000 population ***	1,458	174		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	34	8		
44	Neonatal Deaths up to 4 weeks of birth	58	12		
45	<b>Total Neonatal Death</b>	<b>92</b>	<b>20</b>		
46	Deaths between (1 - 11) months	92	17		
47	<b>Total reported infant deaths</b>	<b>184</b>	<b>37</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	2	1		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	6	2		
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>3</b>		