

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,855,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	429					
4	Primary Health Centers (PHC)	91					
5	Community Health Centers (CHC)	23					
6	SDH	1					
7	DH	8					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	53,171		53,049			
9	Expected number of Delivery	48,917		48,805			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	55,346	104.1	12,417	23.4	ANC Check up in first trimester	77.0
11	Mothers registered in the first trimester	32,468	58.7	7,069	56.9	At least 4ANC check up	69.0
12	Mothers who had at least 4 Ante-Natal care check ups	30,525	55.2	3,784	30.5	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	32,899	59.4	6,222	50.1	100 IFA tablets consumed	39.2
14	PW who consumed 100 IFA tablets	27,286	49.3	4,310	34.7	Full ANC	33.9
15	Home Delivery against expected delivery *	6,122	12.5	1,411	2.9	Home Delivery	30.9
16	Institutional Delivery against expected delivery *	33,251	68.0	5,890	12.1	Institutional Delivery	69.1
17	Home Delivery against reported delivery **	6,122	15.5	1,411	19.3	Home Delivery by SBA(out of Total Deliveries)	8.0
18	Institutional Delivery against reported delivery **	33,251	84.5	5,890	80.7	PNC within 2days of delivery	64.6
19	Total reported Deliveries	39,373		7,301			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,500		772			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,063		2,757			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	48,337		48,227			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	39,462		7,307		Breastfed within 1 hour of	65.4

						birth	
24	Total Still Birth	159	0.3	27	0.1	BCG	91.2
25	PC of newborn weighted at birth to live birth	39,168	99.3	7,128	97.6	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,566	4.0	278	3.9	Measles	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,073	88.9	6,284	86.0	Full Immunization	65.9
28	Children fully immunized	37,816	78.2	7,534	15.6		
29	Children who have received BCG	38,560	79.8	7,525	15.6		
30	Children who have received DPT1	43,988	91.0	9,443	19.6		
31	Children who have received DPT3	39,512	81.7	7,534	15.6		
32	Children who have received Measles	38,821	80.3	7,483	15.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,107		1,143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	16	0	Total unmet need	30.1
35	Number of Tubectomies performed	567	126	Spacing	12.7
36	Number of IUD insertion	3,378	322	Women using any method	23.6
37	Number of IUD removals	1,792	231	Women using modern method	12.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
38	IPD cases per 10,000 population ***	422	32		
39	General OPD cases per 10,000 population ***	5714	551		
40	Ayush OPD cases per 10,000 population ***	340	30		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
41	Neonatal death within 24 hours	27	5		
42	Neonatal Deaths up to 4 weeks of birth	64	11		
43	Total Neonatal Death	91	16		
44	Deaths between (1 - 11) months	24	5		
45	Total reported infant deaths	115	21		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	6	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	27	3		
52	Total reported maternal deaths	35	4		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	4,307		4,283			
9	Expected number of Delivery	3,963		3,941			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	4,564	106.0	1,318	30.8	ANC Check up in first trimester	87.9
11	Mothers registered in the first trimester	3,484	76.3	981	74.4	At least 4ANC check up	87.0
12	Mothers who had at least 4 Ante-Natal care check ups	5,150	112.8	448	34.0	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	3,082	67.5	796	60.4	100 IFA tablets consumed	43.6
14	PW who consumed 100 IFA tablets	2,012	44.1	419	31.8	Full ANC	41.3
15	Home Delivery against expected delivery *	40	1.0	9	0.2	Home Delivery	13.5
16	Institutional Delivery against expected delivery *	799	20.2	160	4.1	Institutional Delivery	86.5
17	Home Delivery against reported delivery **	40	4.8	9	5.3	Home Delivery by SBA(out of Total Deliveries)	6.0
18	Institutional Delivery against reported delivery **	799	95.2	160	94.7	PNC within 2days of delivery	83.8
19	Total reported Deliveries	839		169			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	37.5	2	22.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	2.1	1	0.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,916		3,894			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	831	21.2	168	4.3	Breastfed within 1 hour of	71.4

						birth	
24	Total Still Birth	9	0.2	1	0.0	BCG	96.1
25	PC of newborn weighted at birth to live birth	827	99.5	168	100.0	3 dose of DPT	87.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	1	0.6	Measles	82.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	784	94.3	160	95.2	Full Immunization	77.2
28	Children fully immunized	3,526	90.1	760	19.5		
29	Children who have received BCG	3,023	77.2	607	15.6		
30	Children who have received DPT1	4,062	103.7	933	24.0		
31	Children who have received DPT3	3,517	89.8	822	21.1		
32	Children who have received Measles	3,536	90.3	760	19.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		173			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	10	0	Total unmet need 27.5
35	Number of Tubectomies performed	0	0	Spacing 11.5
36	Number of IUD insertion	243	21	Women using any method 32.7
37	Number of IUD removals	188	22	Women using modern method 17.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	237	20	
39	General OPD cases per 10,000 population ***	9008	1312	
40	Ayush OPD cases per 10,000 population ***	700	98	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	1	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	2,750		2,752			
9	Expected number of Delivery	2,530		2,532			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	2,046	74.4	612	22.2	ANC Check up in first trimester	71.5
11	Mothers registered in the first trimester	1,149	56.2	342	55.9	At least 4ANC check up	42.9
12	Mothers who had at least 4 Ante-Natal care check ups	893	43.6	206	33.7	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	1,370	67.0	363	59.3	100 IFA tablets consumed	25.7
14	PW who consumed 100 IFA tablets	1,095	53.5	241	39.4	Full ANC	16.1
15	Home Delivery against expected delivery *	350	13.8	101	4.0	Home Delivery	61.8
16	Institutional Delivery against expected delivery *	373	14.7	93	3.7	Institutional Delivery	38.2
17	Home Delivery against reported delivery **	350	48.4	101	52.1	Home Delivery by SBA(out of Total Deliveries)	23.5
18	Institutional Delivery against reported delivery **	373	51.6	93	47.9	PNC within 2days of delivery	39.3
19	Total reported Deliveries	723		194			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	312	89.1	81	80.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	196	27.1	102	52.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,500		2,502			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	738	29.5	195	7.8	Breastfed within 1 hour of	63.6

						birth	
24	Total Still Birth	1	0.0	0	0.0	BCG	86.2
25	PC of newborn weighted at birth to live birth	727	98.5	193	99.0	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.7	0	0.0	Measles	58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	719	97.4	191	97.9	Full Immunization	50.6
28	Children fully immunized	1,314	52.6	234	9.4		
29	Children who have received BCG	1,336	53.4	333	13.3		
30	Children who have received DPT1	1,475	59.0	353	14.1		
31	Children who have received DPT3	1,369	54.8	223	8.9		
32	Children who have received Measles	1,319	52.8	234	9.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	949		70			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	0	0	Total unmet need 29.7
35	Number of Tubectomies performed	8	0	Spacing 15.5
36	Number of IUD insertion	68	0	Women using any method 15.4
37	Number of IUD removals	24	5	Women using modern method 8.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	196	21	
39	General OPD cases per 10,000 population ***	3290	339	
40	Ayush OPD cases per 10,000 population ***	230	36	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	5,119		5,110			
9	Expected number of Delivery	4,710		4,701			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	5,279	103.1	1,456	28.5	ANC Check up in first trimester	68.4
11	Mothers registered in the first trimester	3,380	64.0	911	62.6	At least 4ANC check up	60.1
12	Mothers who had at least 4 Ante-Natal care check ups	1,524	28.9	244	16.8	Neonatal tetanus received	83.1
13	PW who got TT 2 / Booster injection	2,753	52.2	594	40.8	100 IFA tablets consumed	21.3
14	PW who consumed 100 IFA tablets	3,678	69.7	862	59.2	Full ANC	17.7
15	Home Delivery against expected delivery *	426	9.0	98	2.1	Home Delivery	36.8
16	Institutional Delivery against expected delivery *	3,737	79.3	652	13.9	Institutional Delivery	63.2
17	Home Delivery against reported delivery **	426	10.2	98	13.1	Home Delivery by SBA(out of Total Deliveries)	4.7
18	Institutional Delivery against reported delivery **	3,737	89.8	652	86.9	PNC within 2days of delivery	56.8
19	Total reported Deliveries	4,163		750			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97	22.8	24	24.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,276	78.7	295	39.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,654		4,645			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	4,165	89.5	749	16.1	Breastfed within 1 hour of	64.7

						birth	
24	Total Still Birth	38	0.8	4	0.1	BCG	84.1
25	PC of newborn weighted at birth to live birth	4,162	99.9	718	95.9	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	4.1	26	3.6	Measles	65.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,768	90.5	666	88.9	Full Immunization	52.2
28	Children fully immunized	3,241	69.6	1,058	22.8		
29	Children who have received BCG	3,959	85.1	982	21.1		
30	Children who have received DPT1	3,984	85.6	984	21.2		
31	Children who have received DPT3	3,276	70.4	700	15.1		
32	Children who have received Measles	3,467	74.5	830	17.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,311		298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	0	0	Total unmet need 23.4
35	Number of Tubectomies performed	12	12	Spacing 13.2
36	Number of IUD insertion	868	124	Women using any method 23.6
37	Number of IUD removals	480	88	Women using modern method 14.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	520	80	
39	General OPD cases per 10,000 population ***	6354	553	
40	Ayush OPD cases per 10,000 population ***	159	17	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	20	2	
42	Neonatal Deaths up to 4 weeks of birth	47	9	
43	Total Neonatal Death	67	11	
44	Deaths between (1 - 11) months	12	2	
45	Total reported infant deaths	79	13	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	8,228		8,177			
9	Expected number of Delivery	7,570		7,522			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	7,341	89.2	1,653	20.2	ANC Check up in first trimester	84.1
11	Mothers registered in the first trimester	4,529	61.7	1,013	61.3	At least 4ANC check up	82.1
12	Mothers who had at least 4 Ante-Natal care check ups	2,943	40.1	363	22.0	Neonatal tetanus received	93.1
13	PW who got TT 2 / Booster injection	4,818	65.6	553	33.5	100 IFA tablets consumed	45.1
14	PW who consumed 100 IFA tablets	3,099	42.2	497	30.1	Full ANC	43.7
15	Home Delivery against expected delivery *	80	1.1	9	0.1	Home Delivery	19.2
16	Institutional Delivery against expected delivery *	7,015	92.7	1,212	16.1	Institutional Delivery	80.8
17	Home Delivery against reported delivery **	80	1.1	9	0.7	Home Delivery by SBA(out of Total Deliveries)	5.3
18	Institutional Delivery against reported delivery **	7,015	98.9	1,212	99.3	PNC within 2days of delivery	72.8
19	Total reported Deliveries	7,095		1,221			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34		7		77.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,318	117.2	1,307	107.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,480		7,433			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	7,092	94.8	1,210	16.3	Breastfed within 1 hour of	69.6

						birth	
24	Total Still Birth	3	0.0	1	0.0	BCG	95.9
25	PC of newborn weighted at birth to live birth	7,080	99.8	1,208	99.8	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	0.4	15	1.2	Measles	81
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,063	99.6	790	65.3	Full Immunization	72.7
28	Children fully immunized	6,292	84.1	851	11.4		
29	Children who have received BCG	6,937	92.7	811	10.9		
30	Children who have received DPT1	7,547	100.9	1,191	16.0		
31	Children who have received DPT3	6,618	88.5	847	11.4		
32	Children who have received Measles	6,507	87.0	861	11.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	647		81			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	0	Total unmet need	27.3
35	Number of Tubectomies performed	120	14	Spacing	11.1
36	Number of IUD insertion	397	12	Women using any method	30.9
37	Number of IUD removals	295	19	Women using modern method	15.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
38	IPD cases per 10,000 population ***	89	10		
39	General OPD cases per 10,000 population ***	2688	328		
40	Ayush OPD cases per 10,000 population ***	312	29		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths up to 4 weeks of birth	6	0		
43	Total Neonatal Death	9	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	9	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	4	0		

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	9,432		9,384			
9	Expected number of Delivery	8,677		8,634			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	10,189	108.0	2,327	24.8	ANC Check up in first trimester	78.0
11	Mothers registered in the first trimester	7,608	74.7	1,567	67.3	At least 4ANC check up	78.8
12	Mothers who had at least 4 Ante-Natal care check ups	12,720	124.8	1,591	68.4	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	7,962	78.1	1,288	55.4	100 IFA tablets consumed	54.1
14	PW who consumed 100 IFA tablets	7,789	76.4	718	30.9	Full ANC	43.9
15	Home Delivery against expected delivery *	145	1.7	45	0.5	Home Delivery	8.6
16	Institutional Delivery against expected delivery *	14,502	167.1	2,317	26.8	Institutional Delivery	91.4
17	Home Delivery against reported delivery **	145	1.0	45	1.9	Home Delivery by SBA(out of Total Deliveries)	3.6
18	Institutional Delivery against reported delivery **	14,502	99.0	2,317	98.1	PNC within 2days of delivery	78.4
19	Total reported Deliveries	14,647		2,362			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105		32		71.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0		1		0.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	8,575		8,531			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	14,738		2,385		Breastfed within 1 hour of	59.7

						birth	
24	Total Still Birth	83	1.0	11	0.1	BCG	97.2
25	PC of newborn weighted at birth to live birth	14,731	100.0	2,373	99.5	3 dose of DPT	93.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,211	8.2	206	8.7	Measles	87.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,069	81.9	2,115	88.7	Full Immunization	82.8
28	Children fully immunized	8,040	93.8	1,477	17.3		
29	Children who have received BCG	7,127	83.1	1,350	15.8		
30	Children who have received DPT1	8,524	99.4	1,874	22.0		
31	Children who have received DPT3	8,079	94.2	1,557	18.3		
32	Children who have received Measles	8,089	94.3	1,476	17.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,137		189			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	4	0	Total unmet need	33.1
35	Number of Tubectomies performed	382	89	Spacing	11.4
36	Number of IUD insertion	516	32	Women using any method	20.4
37	Number of IUD removals	331	31	Women using modern method	10.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
38	IPD cases per 10,000 population ***	1591	79		
39	General OPD cases per 10,000 population ***	12655	953		
40	Ayush OPD cases per 10,000 population ***	602	42		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	5	1		
43	Total Neonatal Death	6	1		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	8	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	21	0		
52	Total reported maternal deaths	22	0		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	68					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	9,387		9,426			
9	Expected number of Delivery	8,636		8,672			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	11,087	118.1	1,751	18.6	ANC Check up in first trimester	67.2
11	Mothers registered in the first trimester	4,156	37.5	735	42.0	At least 4ANC check up	39.5
12	Mothers who had at least 4 Ante-Natal care check ups	4,095	36.9	628	35.9	Neonatal tetanus received	88.0
13	PW who got TT 2 / Booster injection	6,092	54.9	1,331	76.0	100 IFA tablets consumed	13.9
14	PW who consumed 100 IFA tablets	3,951	35.6	756	43.2	Full ANC	10.1
15	Home Delivery against expected delivery *	3,635	42.1	855	9.9	Home Delivery	61.8
16	Institutional Delivery against expected delivery *	2,293	26.6	495	5.7	Institutional Delivery	38.2
17	Home Delivery against reported delivery **	3,635	61.3	855	63.3	Home Delivery by SBA(out of Total Deliveries)	14.6
18	Institutional Delivery against reported delivery **	2,293	38.7	495	36.7	PNC within 2days of delivery	37.4
19	Total reported Deliveries	5,928		1,350			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,359	64.9	477	55.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,196	53.9	653	48.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	8,534		8,569			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	5,928	69.5	1,351	15.8	Breastfed within 1 hour of	61.4

						birth	
24	Total Still Birth	3	0.0	1	0.0	BCG	90.7
25	PC of newborn weighted at birth to live birth	5,822	98.2	1,244	92.1	3 dose of DPT	71.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	7	0.6	Measles	69.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,751	97.0	1,315	97.3	Full Immunization	58.7
28	Children fully immunized	6,179	72.4	1,348	15.7		
29	Children who have received BCG	6,950	81.4	1,605	18.7		
30	Children who have received DPT1	7,145	83.7	1,711	20.0		
31	Children who have received DPT3	6,664	78.1	1,512	17.6		
32	Children who have received Measles	6,543	76.7	1,506	17.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,464		177			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	2	0	Total unmet need	30.6
35	Number of Tubectomies performed	15	6	Spacing	13.7
36	Number of IUD insertion	319	30	Women using any method	17.5
37	Number of IUD removals	130	12	Women using modern method	11.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
38	IPD cases per 10,000 population ***	86	12		
39	General OPD cases per 10,000 population ***	2229	287		
40	Ayush OPD cases per 10,000 population ***	141	10		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
41	Neonatal death within 24 hours	1	2		
42	Neonatal Deaths up to 4 weeks of birth	2	0		
43	Total Neonatal Death	3	2		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	6	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	2		
52	Total reported maternal deaths	6	3		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	2,767		2,780			
9	Expected number of Delivery	2,546		2,557			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	2,298	83.0	386	13.9	ANC Check up in first trimester	52.5
11	Mothers registered in the first trimester	1,103	48.0	198	51.3	At least 4ANC check up	32.7
12	Mothers who had at least 4 Ante-Natal care check ups	1,072	46.6	57	14.8	Neonatal tetanus received	75.9
13	PW who got TT 2 / Booster injection	1,245	54.2	257	66.6	100 IFA tablets consumed	15.4
14	PW who consumed 100 IFA tablets	953	41.5	133	34.5	Full ANC	9.7
15	Home Delivery against expected delivery *	435	17.1	84	3.3	Home Delivery	66.7
16	Institutional Delivery against expected delivery *	781	30.7	187	7.3	Institutional Delivery	33.3
17	Home Delivery against reported delivery **	435	35.8	84	31.0	Home Delivery by SBA(out of Total Deliveries)	9.0
18	Institutional Delivery against reported delivery **	781	64.2	187	69.0	PNC within 2days of delivery	32.3
19	Total reported Deliveries	1,216		271			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	28.7	35	41.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	19.2	59	21.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,516		2,527			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	1,213	48.2	270	10.7	Breastfed within 1 hour of	69.6

						birth	
24	Total Still Birth	7	0.3	2	0.1	BCG	82
25	PC of newborn weighted at birth to live birth	1,138	93.8	265	98.1	3 dose of DPT	59.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	2.2	4	1.5	Measles	56.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,084	89.4	248	91.9	Full Immunization	44
28	Children fully immunized	1,510	60.0	267	10.6		
29	Children who have received BCG	1,543	61.3	328	13.0		
30	Children who have received DPT1	1,741	69.2	370	14.6		
31	Children who have received DPT3	1,671	66.4	257	10.2		
32	Children who have received Measles	1,526	60.7	267	10.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	457		41			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	0	0	Total unmet need 30.1
35	Number of Tubectomies performed	0	0	Spacing 15.4
36	Number of IUD insertion	499	68	Women using any method 16.2
37	Number of IUD removals	127	37	Women using modern method 9.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	93	21	
39	General OPD cases per 10,000 population ***	2488	269	
40	Ayush OPD cases per 10,000 population ***	81	7	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	0	1	
42	Neonatal Deaths up to 4 weeks of birth	1	1	
43	Total Neonatal Death	1	2	
44	Deaths between (1 - 11) months	2	1	
45	Total reported infant deaths	3	3	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	1	
52	Total reported maternal deaths	2	1	

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	422,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	7,667		7,625			
9	Expected number of Delivery	7,053		7,015			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	9,053	118.1	2,154	28.2	ANC Check up in first trimester	88.2
11	Mothers registered in the first trimester	5,809	64.2	1,069	49.6	At least 4ANC check up	79.7
12	Mothers who had at least 4 Ante-Natal care check ups	1,330	14.7	207	9.6	Neonatal tetanus received	91.4
13	PW who got TT 2 / Booster injection	4,499	49.7	786	36.5	100 IFA tablets consumed	48.3
14	PW who consumed 100 IFA tablets	4,063	44.9	597	27.7	Full ANC	43.2
15	Home Delivery against expected delivery *	375	5.3	71	1.0	Home Delivery	26.6
16	Institutional Delivery against expected delivery *	2,460	34.9	522	7.4	Institutional Delivery	73.4
17	Home Delivery against reported delivery **	375	13.2	71	12.0	Home Delivery by SBA(out of Total Deliveries)	10.9
18	Institutional Delivery against reported delivery **	2,460	86.8	522	88.0	PNC within 2days of delivery	68.8
19	Total reported Deliveries	2,835		593			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	162	43.2	47	66.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,383	48.8	217	36.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,970		6,932			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	2,842	40.8	594	8.6	Breastfed within 1 hour of	65.3

						birth	
24	Total Still Birth	1	0.0	0	0.0	BCG	90.8
25	PC of newborn weighted at birth to live birth	2,815	99.0	593	99.8	3 dose of DPT	77.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	1.5	7	1.2	Measles	74.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,056	72.3	476	80.1	Full Immunization	65.4
28	Children fully immunized	6,042	86.7	1,330	19.2		
29	Children who have received BCG	5,577	80.0	1,193	17.2		
30	Children who have received DPT1	7,503	107.7	1,690	24.4		
31	Children who have received DPT3	6,590	94.6	1,358	19.6		
32	Children who have received Measles	6,131	88.0	1,339	19.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	899		85			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	0	0	Total unmet need 33.1
35	Number of Tubectomies performed	21	5	Spacing 15.3
36	Number of IUD insertion	353	27	Women using any method 24
37	Number of IUD removals	126	14	Women using modern method 13.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	123	12	
39	General OPD cases per 10,000 population ***	5870	446	
40	Ayush OPD cases per 10,000 population ***	412	27	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths up to 4 weeks of birth	2	0	
43	Total Neonatal Death	3	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	3	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2019-20		2020-21			
8	Expected number of PW	3,745		3,779			
9	Expected number of Delivery	3,446		3,476			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	3,489	93.2	760	20.1	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,250	35.8	253	33.3	At least 4ANC check up	27.0
12	Mothers who had at least 4 Ante-Natal care check ups	798	22.9	40	5.3	Neonatal tetanus received	75.1
13	PW who got TT 2 / Booster injection	1,078	30.9	254	33.4	100 IFA tablets consumed	14.4
14	PW who consumed 100 IFA tablets	646	18.5	87	11.4	Full ANC	9.8
15	Home Delivery against expected delivery *	636	18.5	139	4.0	Home Delivery	66.3
16	Institutional Delivery against expected delivery *	1,291	37.5	252	7.2	Institutional Delivery	33.7
17	Home Delivery against reported delivery **	636	33.0	139	35.5	Home Delivery by SBA(out of Total Deliveries)	9.7
18	Institutional Delivery against reported delivery **	1,291	67.0	252	64.5	PNC within 2days of delivery	33.6
19	Total reported Deliveries	1,927		391			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	291	45.8	67	48.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	443	23.0	122	31.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,405		3,435			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	1,915	56.2	385	11.2	Breastfed within 1 hour of	70.7

						birth	
24	Total Still Birth	14	0.4	7	0.2	BCG	78.6
25	PC of newborn weighted at birth to live birth	1,866	97.4	366	95.1	3 dose of DPT	54.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	2.4	12	3.3	Measles	50.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,779	92.9	323	83.9	Full Immunization	42.4
28	Children fully immunized	1,672	49.1	209	6.1		
29	Children who have received BCG	2,108	61.9	316	9.2		
30	Children who have received DPT1	2,007	58.9	337	9.8		
31	Children who have received DPT3	1,728	50.8	258	7.5		
32	Children who have received Measles	1,703	50.0	210	6.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	185		29			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
34	Number of Vasectomies performed	0	0	Total unmet need 30.7
35	Number of Tubectomies performed	9	0	Spacing 11.7
36	Number of IUD insertion	115	8	Women using any method 12.7
37	Number of IUD removals	91	3	Women using modern method 6.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
38	IPD cases per 10,000 population ***	121	21	
39	General OPD cases per 10,000 population ***	2439	358	
40	Ayush OPD cases per 10,000 population ***	180	13	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths up to 4 weeks of birth	1	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	4	0	
45	Total reported infant deaths	6	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	0	