

## Meghalaya Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,966,889					
2	Sex Ratio	986					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	445					
4	Sub Centers (SC)- HWC	32					
5	Primary Health Centers (PHC)	110					
6	Primary Health Centers (PHC)-HWC	8					
7	Community Health Centers (CHC)	28					
8	SDH	0					
9	DH	11					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	92,846	92,499				
11	Expected number of Delivery	86,938	86,613				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	138,997	149.7	31,443	34.0	ANC Check up in first trimester	53.3
13	Mothers registered in the first trimester	48,374	34.8	11,871	37.8	At least 4ANC check up	50.0
14	Mothers who had at least 4 Ante-Natal care check ups	68,065	49.0	12,250	39.0	Neonatal tetanus received	79.3
15	PW who got TT 2 / Booster injection	71,848	51.7	19,250	61.2	100 IFA tablets consumed	36.2
16	PW who consumed 100 IFA tablets	59,213	42.6	14,882	47.3	Full ANC	23.5
17	Home Delivery against expected delivery *	36,483	42.0	8,852	10.2	Home Delivery	48.6
18	Institutional Delivery Against expected delivery *	54,008	62.1	10,791	12.5	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	36,483	40.3	8,852	45.1	Home Delivery by SBA(out of Total Deliveries)	2.6
20	Institutional Delivery against reported delivery **	54,008	59.7	10,791	54.9	PNC within 2days of delivery	47.5
21	Total reported Deliveries	90,491		19,643			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,364	3.7	325	3.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	39,377	43.5	9,618	49.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	84,405		84,090			
	D) Child Immunization :	HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
25	Total reported live births	89,378	105.9	19,306	23.0	Breastfed within 1 hour of birth	60.6

26	Total Still Birth	1,995	2.4	564	0.7	BCG	86
27	PC of newborn weighted at birth to live birth	85,982	96.2	18,286	94.7	3 dose of DPT	74
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,815	7.9	1,342	7.3	Measles	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	80,633	90.2	17,271	89.5	Full Immunization	61.5
30	Children fully immunized	74,872	88.7	18,256	21.7		
31	Children who have received BCG	90,495	107.2	18,937	22.5		
32	Children who have received DPT1	85,934	101.8	20,243	24.1		
33	Children who have received DPT3	76,759	90.9	19,249	22.9		
34	Children who have received Measles	75,833	89.8	18,372	21.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	73,900		17,593			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4	0	Total unmet need	21.2
37	Number of Tubectomies performed	2,620	354	Spacing	15.3
38	Number of IUD insertion	2,562	350	Women using any method	24.3
39	Number of IUD removals	2,483	362	Women using modern method	21.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	784	111		
41	General OPD cases per 10,000 population ***	11001	1984		
42	Ayush OPD cases per 10,000 population ***	826	102		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	404	100		
44	Neonatal Deaths up to 4 weeks of birth	881	260		
45	<b>Total Neonatal Death</b>	<b>1,285</b>	<b>360</b>		
46	Deaths between (1 - 11) months	1,239	312		
47	<b>Total reported infant deaths</b>	<b>2,524</b>	<b>672</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	3	1		
49	Due to Obstructed/prolonged labour	13	4		
50	Due to Severe hypertension/fits	10	3		
51	Due to Bleeding	37	8		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	110	38		
54	<b>Total reported maternal deaths</b>	<b>174</b>	<b>54</b>		

## East Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	31					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	5,076		5,047			
11	Expected number of Delivery	4,753		4,726			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,632	111.0	1,275	25.3	ANC Check up in first trimester	32.6
13	Mothers registered in the first trimester	1,671	29.7	385	30.2	At least 4ANC check up	29.6
14	Mothers who had at least 4 Ante-Natal care check ups	2,877	51.1	557	43.7	Neonatal tetanus received	57.3
15	PW who got TT 2 / Booster injection	3,725	66.1	961	75.4	100 IFA tablets consumed	19.6
16	PW who consumed 100 IFA tablets	3,283	58.3	751	58.9	Full ANC	8.6
17	Home Delivery against expected delivery *	2,750	57.9	660	14.0	Home Delivery	55.8
18	Institutional Delivery Against expected delivery *	1,778	37.4	456	9.6	Institutional Delivery	44.2
19	Home Delivery against reported delivery **	2,750	60.7	660	59.1	Home Delivery by SBA(out of Total Deliveries)	6.6
20	Institutional Delivery against reported delivery **	1,778	39.3	456	40.9	PNC within 2days of delivery	28.2
21	Total reported Deliveries	4,528		1,116			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	5.3	67	10.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,013	66.5	748	67.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,614		4,588			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	4,426	95.9	1,119	24.4	Breastfed within 1 hour of birth	50.6

26	Total Still Birth	108	2.3	27	0.6	BCG	61.2
27	PC of newborn weighted at birth to live birth	4,346	98.2	1,068	95.4	3 dose of DPT	54
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	240	5.5	47	4.4	Measles	46.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,318	97.6	1,069	95.5	Full Immunization	41.2
30	Children fully immunized	4,391	95.2	999	21.8		
31	Children who have received BCG	4,093	88.7	1,009	22.0		
32	Children who have received DPT1	4,412	95.6	1,091	23.8		
33	Children who have received DPT3	3,888	84.3	1,025	22.3		
34	Children who have received Measles	4,398	95.3	1,008	22.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,011		969			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.8
37	Number of Tubectomies performed	77	3	Spacing	13
38	Number of IUD insertion	293	49	Women using any method	12.8
39	Number of IUD removals	76	16	Women using modern method	12.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	327	61		
41	General OPD cases per 10,000 population ***	6000	899		
42	Ayush OPD cases per 10,000 population ***	493	49		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	11	1		
44	Neonatal Deaths up to 4 weeks of birth	29	10		
45	<b>Total Neonatal Death</b>	<b>40</b>	<b>11</b>		
46	Deaths between (1 - 11) months	32	19		
47	<b>Total reported infant deaths</b>	<b>72</b>	<b>30</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	2		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	4	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	2		
54	<b>Total reported maternal deaths</b>	<b>10</b>	<b>5</b>		

## East Jaintia Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	35					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	4,341	4,340				
11	Expected number of Delivery	4,065	4,064				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	4,624	106.5	1,257	29.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,511	32.7	431	34.3	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	1,259	27.2	272	21.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	3,584	77.5	999	79.5	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	1,599	34.6	464	36.9	Full ANC	NA
17	Home Delivery against expected delivery *	1,560	38.4	362	8.9	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	1,148	28.2	276	6.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	1,560	57.6	362	56.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,148	42.4	276	43.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	2,708		638			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	130	8.3	24	6.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,665	61.5	341	53.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	3,947		3,946			
	D) Child Immunization :	HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
25	Total reported live births	2,675	67.8	622	15.8	Breastfed within 1 hour of birth	NA

26	Total Still Birth	58	1.5	17	0.4	BCG	NA
27	PC of newborn weighted at birth to live birth	2,456	91.8	595	95.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	131	5.3	45	7.6	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,440	91.2	585	94.1	Full Immunization	NA
30	Children fully immunized	4,163	105.5	914	23.2		
31	Children who have received BCG	3,144	79.7	670	17.0		
32	Children who have received DPT1	4,456	112.9	970	24.6		
33	Children who have received DPT3	4,069	103.1	980	24.8		
34	Children who have received Measles	4,286	108.6	925	23.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,780		1,020			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	52	5	Women using any method	NA
39	Number of IUD removals	27	4	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	461	74		
41	General OPD cases per 10,000 population ***	8594	1518		
42	Ayush OPD cases per 10,000 population ***	824	205		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	20	2		
44	Neonatal Deaths up to 4 weeks of birth	16	7		
45	<b>Total Neonatal Death</b>	<b>36</b>	<b>9</b>		
46	Deaths between (1 - 11) months	36	8		
47	<b>Total reported infant deaths</b>	<b>72</b>	<b>17</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	0		
54	<b>Total reported maternal deaths</b>	<b>4</b>	<b>0</b>		

## East Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	825,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	72					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	25,353	25,182				
11	Expected number of Delivery	23,740	23,579				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	59,097	233.1	10,635	42.2	ANC Check up in first trimester	72.5
13	Mothers registered in the first trimester	19,530	33.0	3,919	36.9	At least 4ANC check up	72.8
14	Mothers who had at least 4 Ante-Natal care check ups	24,085	40.8	3,911	36.8	Neonatal tetanus received	84.3
15	PW who got TT 2 / Booster injection	15,247	25.8	4,062	38.2	100 IFA tablets consumed	56.4
16	PW who consumed 100 IFA tablets	17,426	29.5	3,348	31.5	Full ANC	41.5
17	Home Delivery against expected delivery *	6,031	25.4	1,551	6.6	Home Delivery	33.3
18	Institutional Delivery Against expected delivery *	21,329	89.8	4,119	17.5	Institutional Delivery	66.7
19	Home Delivery against reported delivery **	6,031	22.0	1,551	27.4	Home Delivery by SBA(out of Total Deliveries)	2.6
20	Institutional Delivery against reported delivery **	21,329	78.0	4,119	72.6	PNC within 2days of delivery	65.0
21	Total reported Deliveries	27,360		5,670			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	0.8	17	1.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,001	29.2	2,390	42.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	23,049		22,892			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	26,881	116.6	5,544	24.2	Breastfed within 1 hour of birth	52

26	Total Still Birth	669	2.9	178	0.8	BCG	92.2
27	PC of newborn weighted at birth to live birth	25,360	94.3	5,264	94.9	3 dose of DPT	76.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,665	10.5	533	10.1	Measles	78.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	20,931	77.9	4,364	78.7	Full Immunization	68.7
30	Children fully immunized	16,951	73.5	4,458	19.5		
31	Children who have received BCG	26,188	113.6	5,269	23.0		
32	Children who have received DPT1	19,778	85.8	4,616	20.2		
33	Children who have received DPT3	16,974	73.6	4,283	18.7		
34	Children who have received Measles	17,009	73.8	4,493	19.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	17,709		4,059			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4	0	Total unmet need	23.3
37	Number of Tubectomies performed	1,226	191	Spacing	17.1
38	Number of IUD insertion	720	81	Women using any method	24.9
39	Number of IUD removals	982	85	Women using modern method	20.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1410	189		
41	General OPD cases per 10,000 population ***	16797	2978		
42	Ayush OPD cases per 10,000 population ***	788	68		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	121	25		
44	Neonatal Deaths up to 4 weeks of birth	384	103		
45	<b>Total Neonatal Death</b>	<b>505</b>	<b>128</b>		
46	Deaths between (1 - 11) months	368	82		
47	<b>Total reported infant deaths</b>	<b>873</b>	<b>210</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	2	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	6	0		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	37	10		
54	<b>Total reported maternal deaths</b>	<b>48</b>	<b>12</b>		



## North Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	4,693		4,666			
11	Expected number of Delivery	4,394		4,369			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,364	114.3	1,275	27.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,912	35.6	499	39.1	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	2,993	55.8	614	48.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	3,918	73.0	1,059	83.1	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,470	46.0	621	48.7	Full ANC	NA
17	Home Delivery against expected delivery *	1,824	41.5	390	8.9	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	1,736	39.5	395	9.0	Institutional Delivery	NA
19	Home Delivery against reported delivery **	1,824	51.2	390	49.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,736	48.8	395	50.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,560		785			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	193	10.6	35	9.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,001	56.2	466	59.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,266		4,242			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	3,576	83.8	793	18.7	Breastfed within 1 hour of birth	NA

26	Total Still Birth	55	1.3	21	0.5	BCG	NA
27	PC of newborn weighted at birth to live birth	3,407	95.3	742	93.6	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	99	2.9	27	3.6	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,406	95.2	757	95.5	Full Immunization	NA
30	Children fully immunized	3,677	86.2	888	20.9		
31	Children who have received BCG	4,330	101.5	905	21.3		
32	Children who have received DPT1	4,548	106.6	1,021	24.1		
33	Children who have received DPT3	4,005	93.9	1,069	25.2		
34	Children who have received Measles	3,717	87.1	908	21.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,030		840			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	1	0	Spacing	NA
38	Number of IUD insertion	48	6	Women using any method	NA
39	Number of IUD removals	58	13	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	394	49		
41	General OPD cases per 10,000 population ***	6003	980		
42	Ayush OPD cases per 10,000 population ***	180	12		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	7	1		
44	Neonatal Deaths up to 4 weeks of birth	23	1		
45	<b>Total Neonatal Death</b>	<b>30</b>	<b>2</b>		
46	Deaths between (1 - 11) months	33	8		
47	<b>Total reported infant deaths</b>	<b>63</b>	<b>10</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	2		
54	<b>Total reported maternal deaths</b>	<b>3</b>	<b>4</b>		

## Ri Bhoi Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	32					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	8,468	8,487				
11	Expected number of Delivery	7,929	7,947				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	8,440	99.7	2,370	27.9	ANC Check up in first trimester	43.9
13	Mothers registered in the first trimester	4,031	47.8	1,122	47.3	At least 4ANC check up	40.6
14	Mothers who had at least 4 Ante-Natal care check ups	5,677	67.3	875	36.9	Neonatal tetanus received	76.0
15	PW who got TT 2 / Booster injection	5,996	71.0	1,697	71.6	100 IFA tablets consumed	33.5
16	PW who consumed 100 IFA tablets	3,945	46.7	1,000	42.2	Full ANC	18.6
17	Home Delivery against expected delivery *	3,172	40.0	812	10.2	Home Delivery	55.1
18	Institutional Delivery Against expected delivery *	3,105	39.2	679	8.5	Institutional Delivery	44.9
19	Home Delivery against reported delivery **	3,172	50.5	812	54.5	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	3,105	49.5	679	45.5	PNC within 2days of delivery	45.1
21	Total reported Deliveries	6,277		1,491			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	76	2.4	20	2.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,507	39.9	712	47.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,698		7,716			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	6,235	81.0	1,465	19.0	Breastfed within 1 hour of birth	76.1

26	Total Still Birth	92	1.2	33	0.4	BCG	84.4
27	PC of newborn weighted at birth to live birth	6,089	97.7	1,427	97.4	3 dose of DPT	71.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	275	4.5	72	5.0	Measles	73.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,981	95.9	1,405	95.9	Full Immunization	55.7
30	Children fully immunized	5,819	75.6	1,578	20.5		
31	Children who have received BCG	6,152	79.9	1,389	18.0		
32	Children who have received DPT1	7,159	93.0	1,769	22.9		
33	Children who have received DPT3	6,379	82.9	1,591	20.6		
34	Children who have received Measles	5,934	77.1	1,577	20.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,510		1,819			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	23.9
37	Number of Tubectomies performed	69	7	Spacing	18.2
38	Number of IUD insertion	288	47	Women using any method	23.7
39	Number of IUD removals	344	70	Women using modern method	22.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	577	74		
41	General OPD cases per 10,000 population ***	11518	2370		
42	Ayush OPD cases per 10,000 population ***	1352	130		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	27	17		
44	Neonatal Deaths up to 4 weeks of birth	36	12		
45	<b>Total Neonatal Death</b>	<b>63</b>	<b>29</b>		
46	Deaths between (1 - 11) months	73	14		
47	<b>Total reported infant deaths</b>	<b>136</b>	<b>43</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	10	1		
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>1</b>		

## South Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	4,506	4,496				
11	Expected number of Delivery	4,219	4,209				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	4,242	94.1	1,330	29.6	ANC Check up in first trimester	56.6
13	Mothers registered in the first trimester	1,307	30.8	471	35.4	At least 4ANC check up	51.7
14	Mothers who had at least 4 Ante-Natal care check ups	1,968	46.4	392	29.5	Neonatal tetanus received	93.6
15	PW who got TT 2 / Booster injection	2,319	54.7	903	67.9	100 IFA tablets consumed	48.8
16	PW who consumed 100 IFA tablets	3,549	83.7	1,055	79.3	Full ANC	23.4
17	Home Delivery against expected delivery *	1,907	45.2	442	10.5	Home Delivery	11.6
18	Institutional Delivery Against expected delivery *	911	21.6	189	4.5	Institutional Delivery	88.4
19	Home Delivery against reported delivery **	1,907	67.7	442	70.0	Home Delivery by SBA(out of Total Deliveries)	0.5
20	Institutional Delivery against reported delivery **	911	32.3	189	30.0	PNC within 2days of delivery	85.1
21	Total reported Deliveries	2,818		631			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	3.5	16	3.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,388	49.3	328	52.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,096		4,087			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	2,778	67.8	623	15.2	Breastfed within 1 hour of birth	38.3

26	Total Still Birth	52	1.3	11	0.3	BCG	91
27	PC of newborn weighted at birth to live birth	2,744	98.8	607	97.4	3 dose of DPT	93.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	149	5.4	33	5.4	Measles	85.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,742	98.7	611	98.1	Full Immunization	83
30	Children fully immunized	2,650	64.7	680	16.6		
31	Children who have received BCG	3,285	80.2	730	17.9		
32	Children who have received DPT1	3,663	89.4	891	21.8		
33	Children who have received DPT3	3,019	73.7	839	20.5		
34	Children who have received Measles	2,680	65.4	686	16.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,774		512			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	16.2
37	Number of Tubectomies performed	0	0	Spacing	11.7
38	Number of IUD insertion	12	1	Women using any method	21.8
39	Number of IUD removals	29	1	Women using modern method	21.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	251	41		
41	General OPD cases per 10,000 population ***	4937	859		
42	Ayush OPD cases per 10,000 population ***	373	52		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	6	2		
44	Neonatal Deaths up to 4 weeks of birth	21	8		
45	<b>Total Neonatal Death</b>	<b>27</b>	<b>10</b>		
46	Deaths between (1 - 11) months	71	23		
47	<b>Total reported infant deaths</b>	<b>98</b>	<b>33</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	3	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	3		
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>3</b>		

## South West Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	4,534	4,512				
11	Expected number of Delivery	4,245	4,225				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	4,831	106.6	1,381	30.6	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	2,642	54.7	823	59.6	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	4,331	89.7	840	60.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,453	92.2	1,030	74.6	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	3,191	66.1	1,356	98.2	Full ANC	NA
17	Home Delivery against expected delivery *	911	21.5	142	3.4	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	3,117	73.4	610	14.4	Institutional Delivery	NA
19	Home Delivery against reported delivery **	911	22.6	142	18.9	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	3,117	77.4	610	81.1	PNC within 2days of delivery	NA
21	Total reported Deliveries	4,028		752			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	4.3	6	4.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,160	53.6	505	67.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,122		4,102			
	D) Child Immunization :	HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)			
25	Total reported live births	3,979	96.5	735	17.9	Breastfed within 1 hour of birth	NA

26	Total Still Birth	57	1.4	23	0.6	BCG	NA
27	PC of newborn weighted at birth to live birth	3,965	99.6	726	98.8	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	402	10.1	56	7.7	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,964	99.6	726	98.8	Full Immunization	NA
30	Children fully immunized	4,609	111.8	968	23.6		
31	Children who have received BCG	4,233	102.7	716	17.5		
32	Children who have received DPT1	4,864	118.0	987	24.1		
33	Children who have received DPT3	4,764	115.6	1,304	31.8		
34	Children who have received Measles	4,710	114.3	976	23.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,409		849			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	76	2	Spacing	NA
38	Number of IUD insertion	327	45	Women using any method	NA
39	Number of IUD removals	177	49	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	575	77		
41	General OPD cases per 10,000 population ***	9894	1075		
42	Ayush OPD cases per 10,000 population ***	508	48		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	11	3		
44	Neonatal Deaths up to 4 weeks of birth	28	11		
45	<b>Total Neonatal Death</b>	<b>39</b>	<b>14</b>		
46	Deaths between (1 - 11) months	130	28		
47	<b>Total reported infant deaths</b>	<b>169</b>	<b>42</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	1		
54	<b>Total reported maternal deaths</b>	<b>4</b>	<b>3</b>		



## South West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	3,041	3,036				
11	Expected number of Delivery	2,847	2,843				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	4,044	133.0	1,276	42.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,002	24.8	342	26.8	At least 4ANC check up	NA
14	Mothers who had at least 4 Ante-Natal care check ups	2,108	52.1	492	38.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	2,616	64.7	748	58.6	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,816	69.6	849	66.5	Full ANC	NA
17	Home Delivery against expected delivery *	2,118	74.4	497	17.5	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	819	28.8	133	4.7	Institutional Delivery	NA
19	Home Delivery against reported delivery **	2,118	72.1	497	78.9	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	819	27.9	133	21.1	PNC within 2days of delivery	NA
21	Total reported Deliveries	2,937		630			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	0.4	6	1.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,388	47.3	271	43.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,764		2,760			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
25	Total reported live births	2,899	104.9	621	22.5	Breastfed within 1 hour of birth	NA

26	Total Still Birth	82	3.0	20	0.7	BCG	NA
27	PC of newborn weighted at birth to live birth	2,765	95.4	585	94.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	129	4.7	20	3.4	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,820	97.3	595	95.8	Full Immunization	NA
30	Children fully immunized	2,727	98.7	706	25.6		
31	Children who have received BCG	3,019	109.2	658	23.8		
32	Children who have received DPT1	3,375	122.1	856	31.0		
33	Children who have received DPT3	3,100	112.1	883	32.0		
34	Children who have received Measles	2,784	100.7	717	26.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,842		704			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	16	2	Women using any method	NA
39	Number of IUD removals	13	3	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	412	58		
41	General OPD cases per 10,000 population ***	6943	1584		
42	Ayush OPD cases per 10,000 population ***	963	173		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	20	4		
44	Neonatal Deaths up to 4 weeks of birth	50	9		
45	<b>Total Neonatal Death</b>	<b>70</b>	<b>13</b>		
46	Deaths between (1 - 11) months	83	20		
47	<b>Total reported infant deaths</b>	<b>153</b>	<b>33</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	2		
54	<b>Total reported maternal deaths</b>	<b>9</b>	<b>3</b>		

## West Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	64					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	15,380	15,306				
11	Expected number of Delivery	14,401	14,332				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	16,291	105.9	4,283	28.0	ANC Check up in first trimester	47.4
13	Mothers registered in the first trimester	5,783	35.5	1,616	37.7	At least 4ANC check up	37.2
14	Mothers who had at least 4 Ante-Natal care check ups	10,625	65.2	1,753	40.9	Neonatal tetanus received	86.8
15	PW who got TT 2 / Booster injection	11,644	71.5	2,999	70.0	100 IFA tablets consumed	13.9
16	PW who consumed 100 IFA tablets	13,026	80.0	3,256	76.0	Full ANC	5.4
17	Home Delivery against expected delivery *	6,235	43.3	1,468	10.2	Home Delivery	54.5
18	Institutional Delivery Against expected delivery *	8,552	59.4	1,454	10.1	Institutional Delivery	45.5
19	Home Delivery against reported delivery **	6,235	42.2	1,468	50.2	Home Delivery by SBA(out of Total Deliveries)	1.6
20	Institutional Delivery against reported delivery **	8,552	57.8	1,454	49.8	PNC within 2days of delivery	35.7
21	Total reported Deliveries	14,787		2,922			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	1.6	40	2.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,412	70.4	2,177	74.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	13,982		13,915			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	14,583	104.3	2,858	20.5	Breastfed within 1 hour of birth	67.4

26	Total Still Birth	342	2.4	97	0.7	BCG	87.4
27	PC of newborn weighted at birth to live birth	14,409	98.8	2,732	95.6	3 dose of DPT	70.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,462	10.1	266	9.7	Measles	61.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,287	98.0	2,830	99.0	Full Immunization	48
30	Children fully immunized	11,781	84.3	2,493	17.9		
31	Children who have received BCG	14,853	106.2	2,790	20.1		
32	Children who have received DPT1	13,200	94.4	2,817	20.2		
33	Children who have received DPT3	11,746	84.0	2,690	19.3		
34	Children who have received Measles	11,948	85.5	2,508	18.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10,324		2,394			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	14.2
37	Number of Tubectomies performed	558	74	Spacing	10.4
38	Number of IUD insertion	397	43	Women using any method	34
39	Number of IUD removals	537	61	Women using modern method	31.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	514	69		
41	General OPD cases per 10,000 population ***	7212	967		
42	Ayush OPD cases per 10,000 population ***	458	28		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	48	16		
44	Neonatal Deaths up to 4 weeks of birth	120	48		
45	<b>Total Neonatal Death</b>	<b>168</b>	<b>64</b>		
46	Deaths between (1 - 11) months	182	48		
47	<b>Total reported infant deaths</b>	<b>350</b>	<b>112</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	6	0		
50	Due to Severe hypertension/fits	3	0		
51	Due to Bleeding	10	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	29	11		
54	<b>Total reported maternal deaths</b>	<b>49</b>	<b>12</b>		

## West Jaintia Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	8,269	8,266				
11	Expected number of Delivery	7,743	7,740				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	12,971	156.9	2,806	33.9	ANC Check up in first trimester	63.3
13	Mothers registered in the first trimester	4,278	33.0	1,100	39.2	At least 4ANC check up	52.7
14	Mothers who had at least 4 Ante-Natal care check ups	3,196	24.6	803	28.6	Neonatal tetanus received	84.2
15	PW who got TT 2 / Booster injection	8,105	62.5	2,131	75.9	100 IFA tablets consumed	43.2
16	PW who consumed 100 IFA tablets	4,913	37.9	1,150	41.0	Full ANC	31.2
17	Home Delivery against expected delivery *	4,248	54.9	1,034	13.4	Home Delivery	55.7
18	Institutional Delivery Against expected delivery *	6,239	80.6	1,435	18.5	Institutional Delivery	44.3
19	Home Delivery against reported delivery **	4,248	40.5	1,034	41.9	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Institutional Delivery against reported delivery **	6,239	59.5	1,435	58.1	PNC within 2days of delivery	46.7
21	Total reported Deliveries	10,487		2,469			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	2.3	16	1.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,085	29.4	739	29.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,517		7,515			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	10,429	138.7	2,430	32.3	Breastfed within 1 hour of birth	66

26	Total Still Birth	270	3.6	72	1.0	BCG	91
27	PC of newborn weighted at birth to live birth	10,035	96.2	2,142	88.1	3 dose of DPT	79.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	777	7.7	157	7.3	Measles	76.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	9,362	89.8	1,934	79.6	Full Immunization	68.3
30	Children fully immunized	8,158	108.5	1,999	26.6		
31	Children who have received BCG	9,919	132.0	2,339	31.1		
32	Children who have received DPT1	9,236	122.9	2,452	32.6		
33	Children who have received DPT3	8,698	115.7	2,243	29.8		
34	Children who have received Measles	8,317	110.6	1,987	26.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	9,493		1,590			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.6
37	Number of Tubectomies performed	405	58	Spacing	18.1
38	Number of IUD insertion	188	34	Women using any method	20.9
39	Number of IUD removals	111	29	Women using modern method	19.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	902	157		
41	General OPD cases per 10,000 population ***	11623	2609		
42	Ayush OPD cases per 10,000 population ***	1009	199		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	67	15		
44	Neonatal Deaths up to 4 weeks of birth	97	33		
45	<b>Total Neonatal Death</b>	<b>164</b>	<b>48</b>		
46	Deaths between (1 - 11) months	124	26		
47	<b>Total reported infant deaths</b>	<b>288</b>	<b>74</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	3	0		
51	Due to Bleeding	2	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>2</b>		

## West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	9,236	9,223				
11	Expected number of Delivery	8,648	8,636				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	13,461	145.7	3,555	38.5	ANC Check up in first trimester	37.2
13	Mothers registered in the first trimester	4,707	35.0	1,163	32.7	At least 4ANC check up	44.3
14	Mothers who had at least 4 Ante-Natal care check ups	8,946	66.5	1,741	49.0	Neonatal tetanus received	73.6
15	PW who got TT 2 / Booster injection	10,241	76.1	2,661	74.9	100 IFA tablets consumed	32.2
16	PW who consumed 100 IFA tablets	2,995	22.2	1,032	29.0	Full ANC	20.6
17	Home Delivery against expected delivery *	5,727	66.2	1,494	17.3	Home Delivery	61.0
18	Institutional Delivery Against expected delivery *	5,274	61.0	1,045	12.1	Institutional Delivery	39.0
19	Home Delivery against reported delivery **	5,727	52.1	1,494	58.8	Home Delivery by SBA(out of Total Deliveries)	1.9
20	Institutional Delivery against reported delivery **	5,274	47.9	1,045	41.2	PNC within 2days of delivery	39.3
21	Total reported Deliveries	11,001		2,539			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	456	8.0	78	5.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,757	34.2	941	37.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	8,396		8,385			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
25	Total reported live births	10,917	130.0	2,496	29.8	Breastfed within 1 hour of birth	67.3

26	Total Still Birth	210	2.5	65	0.8	BCG	91.2
27	PC of newborn weighted at birth to live birth	10,406	95.3	2,398	96.1	3 dose of DPT	83.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	486	4.7	86	3.6	Measles	85.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	10,382	95.1	2,395	96.0	Full Immunization	74.2
30	Children fully immunized	9,946	118.5	2,573	30.7		
31	Children who have received BCG	11,279	134.3	2,462	29.4		
32	Children who have received DPT1	11,243	133.9	2,773	33.1		
33	Children who have received DPT3	10,117	120.5	2,342	27.9		
34	Children who have received Measles	10,050	119.7	2,587	30.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	8,018		2,837			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	24.7
37	Number of Tubectomies performed	208	19	Spacing	20.9
38	Number of IUD insertion	221	37	Women using any method	21.9
39	Number of IUD removals	129	31	Women using modern method	18.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	677	99		
41	General OPD cases per 10,000 population ***	11566	2479		
42	Ayush OPD cases per 10,000 population ***	1738	263		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	66	14		
44	Neonatal Deaths up to 4 weeks of birth	77	18		
45	<b>Total Neonatal Death</b>	<b>143</b>	<b>32</b>		
46	Deaths between (1 - 11) months	107	36		
47	<b>Total reported infant deaths</b>	<b>250</b>	<b>68</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	2	0		
51	Due to Bleeding	7	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	7	6		
54	<b>Total reported maternal deaths</b>	<b>16</b>	<b>9</b>		