

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	370					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	65					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	9					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	21,679		21,877			
11	Expected number of Delivery	19,944		20,127			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,614	108.9	5,962	27.3	ANC Check up in first trimester	65.7
13	Mothers registered in the first trimester	17,764	75.2	4,514	75.7	At least 4ANC check up	61.7
14	Mothers who had at least 4 Ante-Natal care check ups	13,490	57.1	2,929	49.1	Neonatal tetanus received	82.7
15	PW who got TT 2 / Booster injection	20,886	88.4	4,976	83.5	100 IFA tablets consumed	53.8
16	PW who consumed 100 IFA tablets	11,977	50.7	3,585	60.1	Full ANC	38.5
17	Home Delivery against expected delivery *	2,236	11.2	553	2.7	Home Delivery	19.9
18	Institutional Delivery Against expected delivery *	18,492	92.7	3,609	17.9	Institutional Delivery	80.1
19	Reported Home Delivery **	2,236	10.8	553	13.3	Home Delivery by SBA(out of Total Deliveries)	3.8
20	Reported institutional Delivery **	18,492	89.2	3,609	86.7	PNC within 2days of delivery	64.7
21	Total reported Deliveries	20,728		4,162			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	436	19.5	137	24.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,211	15.5	713	17.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth	19,708		19,888			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	20,577	104.4	4,084	20.5	Breastfed within 1 hour of birth	70.2

26	Total Still Birth	156	0.8	36	0.2	BCG	75.3
27	PC of newborn weighted at birth to live birth	19,821	96.3	3,944	96.6	3 dose of DPT	61.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,009	5.1	164	4.2	Measles	61.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,687	95.7	3,909	95.7	Full Immunization	50.5
30	Children fully immunized	17,870	90.7	4,458	22.4		
31	Children who have received BCG	20,503	104.0	3,870	19.5		
32	Children who have received DPT1	20,678	104.9	4,598	23.1		
33	Children who have received DPT3	20,136	102.2	3,800	19.1		
34	Children who have received Measles	17,940	91.0	4,453	22.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10,577		1,170			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.9
37	Number of Tubectomies performed	1,564	206	Spacing	12.4
38	Number of IUD insertion	1,554	214	Women using any method	35.3
39	Number of IUD removals	1,118	195	Women using modern method	35.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	689	115		
41	General OPD cases per 10,000 population ***	12043	1889		
42	Ayush OPD cases per 10,000 population ***	322	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	42	17		
44	Neonatal Deaths up to 4 weeks of birth	156	41		
45	Total Neonatal Death	198	58		
46	Deaths between (1 - 11) months	171	31		
47	Total reported infant deaths	369	89		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	3		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	9	2		
54	Total reported maternal deaths	14	5		

Aizawl East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	240,589						
2	Sex Ratio	1,009						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	57						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	9						
6	Primary Health Centers (PHC)-HWC	2						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	4,802	4,852					
11	Expected number of Delivery	4,418	4,464					
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	4,784	99.6	1,153	23.8	ANC Check up in first trimester	74.8	
13	Mothers registered in the first trimester	3,899	81.5	997	86.5	At least 4ANC check up	76.6	
14	Mothers who had at least 4 Ante-Natal care check ups	4,970	103.9	973	84.4	Neonatal tetanus received	89.1	
15	PW who got TT 2 / Booster injection	4,474	93.5	924	80.1	100 IFA tablets consumed	59.8	
16	PW who consumed 100 IFA tablets	3,196	66.8	899	78.0	Full ANC	47.8	
17	Home Delivery against expected delivery *	16	0.4	49	1.1	Home Delivery	3.8	
18	Institutional Delivery Against expected delivery *	2,903	65.7	707	15.8	Institutional Delivery	96.2	
19	Reported Home Delivery **	16	0.5	49	6.5	Home Delivery by SBA(out of Total Deliveries)	1.4	
20	Reported institutional Delivery **	2,903	99.5	707	93.5	PNC within 2days of delivery	75.5	
21	Total reported Deliveries	2,919		756				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	68.8	28	57.1			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	0.0	1	0.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	4,365		4,411				
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
25	Total reported live births	2,896	66.3	711	16.1	Breastfed within 1 hour of birth	68	

26	Total Still Birth	23	0.5	4	0.1	BCG	82.8
27	PC of newborn weighted at birth to live birth	2,729	94.2	710	99.9	3 dose of DPT	65
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	164	6.0	31	4.4	Measles	60.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,696	93.1	710	99.9	Full Immunization	55.3
30	Children fully immunized	4,371	100.1	1,054	23.9		
31	Children who have received BCG	3,090	70.8	668	15.1		
32	Children who have received DPT1	4,797	109.9	1,035	23.5		
33	Children who have received DPT3	4,630	106.1	839	19.0		
34	Children who have received Measles	4,371	100.1	1,063	24.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	792		142			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.5
37	Number of Tubectomies performed	0	2	Spacing	10.1
38	Number of IUD insertion	159	21	Women using any method	40.9
39	Number of IUD removals	130	15	Women using modern method	40.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	360	127		
41	General OPD cases per 10,000 population ***	4338	1062		
42	Ayush OPD cases per 10,000 population ***	161	50		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	2	0		
44	Neonatal Deaths up to 4 weeks of birth	19	8		
45	Total Neonatal Death	21	8		
46	Deaths between (1 - 11) months	20	5		
47	Total reported infant deaths	41	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Aizawl West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	159,720						
2	Sex Ratio	1,009						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	37						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	9						
6	Primary Health Centers (PHC)-HWC	2						
7	Community Health Centers (CHC)	0						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	3,188	3,221					
11	Expected number of Delivery	2,933	2,963					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	3,690	115.8	883	27.4	ANC Check up in first trimester	74.8	
13	Mothers registered in the first trimester	2,988	81.0	693	78.5	At least 4ANC check up	76.6	
14	Mothers who had at least 4 Ante-Natal care check ups	2,046	55.4	499	56.5	Neonatal tetanus received	89.1	
15	PW who got TT 2 / Booster injection	3,150	85.4	740	83.8	100 IFA tablets consumed	59.8	
16	PW who consumed 100 IFA tablets	961	26.0	422	47.8	Full ANC	47.8	
17	Home Delivery against expected delivery *	4	0.1	1	0.0	Home Delivery	3.8	
18	Institutional Delivery Against expected delivery *	6,583	224.5	762	25.7	Institutional Delivery	96.2	
19	Reported Home Delivery **	4	0.1	1	0.1	Home Delivery by SBA(out of Total Deliveries)	1.4	
20	Reported institutional Delivery **	6,583	99.9	762	99.9	PNC within 2days of delivery	75.5	
21	Total reported Deliveries	6,587		763				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	0	0.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	689	10.5	43	5.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	2,898		2,928				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
25	Total reported live births	6,547	225.9	753	25.7	Breastfed within 1 hour of birth	68	

26	Total Still Birth	40	1.4	10	0.3	BCG	82.8
27	PC of newborn weighted at birth to live birth	6,547	100.0	753	100.0	3 dose of DPT	65
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	382	5.8	41	5.4	Measles	60.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	6,520	99.6	753	100.0	Full Immunization	55.3
30	Children fully immunized	2,623	90.5	710	24.2		
31	Children who have received BCG	4,945	170.6	783	26.7		
32	Children who have received DPT1	2,846	98.2	704	24.0		
33	Children who have received DPT3	3,122	107.7	576	19.7		
34	Children who have received Measles	2,622	90.5	710	24.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,013		133			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.5
37	Number of Tubectomies performed	968	94	Spacing	10.1
38	Number of IUD insertion	520	39	Women using any method	40.9
39	Number of IUD removals	396	52	Women using modern method	40.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1656	133		
41	General OPD cases per 10,000 population ***	36417	3659		
42	Ayush OPD cases per 10,000 population ***	453	38		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	11	10		
44	Neonatal Deaths up to 4 weeks of birth	56	11		
45	Total Neonatal Death	67	21		
46	Deaths between (1 - 11) months	34	3		
47	Total reported infant deaths	101	24		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	Total reported maternal deaths	3	0		

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	125,745						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	59						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	11						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	2,361		2,368				
11	Expected number of Delivery	2,173		2,179				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	2,742	116.1	725	30.6	ANC Check up in first trimester	60.3	
13	Mothers registered in the first trimester	2,357	86.0	605	83.4	At least 4ANC check up	55.2	
14	Mothers who had at least 4 Ante-Natal care check ups	1,287	46.9	324	44.7	Neonatal tetanus received	86.0	
15	PW who got TT 2 / Booster injection	2,408	87.8	599	82.6	100 IFA tablets consumed	52.6	
16	PW who consumed 100 IFA tablets	1,327	48.4	432	59.6	Full ANC	32.2	
17	Home Delivery against expected delivery *	64	2.9	23	1.1	Home Delivery	19.4	
18	Institutional Delivery Against expected delivery *	1,848	85.1	531	24.4	Institutional Delivery	80.6	
19	Reported Home Delivery **	64	3.3	23	4.2	Home Delivery by SBA(out of Total Deliveries)	5.5	
20	Reported institutional Delivery **	1,848	96.7	531	95.8	PNC within 2days of delivery	65.4	
21	Total reported Deliveries	1,912		554				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	25.0	14	60.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	193	34.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	2,147		2,153				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
25	Total reported live births	1,897	88.4	550	25.5	Breastfed within 1 hour of birth	60	

26	Total Still Birth	16	0.7	4	0.2	BCG	72.3
27	PC of newborn weighted at birth to live birth	1,878	99.0	546	99.3	3 dose of DPT	59
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	6.3	36	6.6	Measles	64.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,749	92.2	502	91.3	Full Immunization	48.3
30	Children fully immunized	2,196	102.3	605	28.1		
31	Children who have received BCG	2,117	98.6	513	23.8		
32	Children who have received DPT1	2,338	108.9	636	29.5		
33	Children who have received DPT3	2,307	107.5	486	22.6		
34	Children who have received Measles	2,191	102.1	601	27.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,272		193			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	24.3
37	Number of Tubectomies performed	65	10	Spacing	15.7
38	Number of IUD insertion	259	45	Women using any method	32.5
39	Number of IUD removals	216	41	Women using modern method	32.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	576	131		
41	General OPD cases per 10,000 population ***	7468	1656		
42	Ayush OPD cases per 10,000 population ***	427	72		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	5	2		
44	Neonatal Deaths up to 4 weeks of birth	9	8		
45	Total Neonatal Death	14	10		
46	Deaths between (1 - 11) months	26	8		
47	Total reported infant deaths	40	18		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	1		
54	Total reported maternal deaths	3	2		

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	26					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,700		1,721			
11	Expected number of Delivery	1,564		1,583			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,918	112.8	515	29.9	ANC Check up in first trimester	67.5
13	Mothers registered in the first trimester	1,511	78.8	399	77.5	At least 4ANC check up	68.7
14	Mothers who had at least 4 Ante-Natal care check ups	1,079	56.3	234	45.4	Neonatal tetanus received	85.6
15	PW who got TT 2 / Booster injection	1,701	88.7	424	82.3	100 IFA tablets consumed	60.5
16	PW who consumed 100 IFA tablets	1,019	53.1	273	53.0	Full ANC	46.3
17	Home Delivery against expected delivery *	71	4.5	16	1.0	Home Delivery	12.3
18	Institutional Delivery Against expected delivery *	1,141	73.0	265	16.7	Institutional Delivery	87.7
19	Reported Home Delivery **	71	5.9	16	5.7	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Reported institutional Delivery **	1,141	94.1	265	94.3	PNC within 2days of delivery	68.0
21	Total reported Deliveries	1,212		281			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29		10		62.5	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	856		61		21.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth	1,545		1,564			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	1,208		274		Breastfed within 1 hour of birth 80.3	

26	Total Still Birth	10	0.6	3	0.2	BCG	64.6
27	PC of newborn weighted at birth to live birth	1,205	99.8	278	101.5	3 dose of DPT	60.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	86	7.1	9	3.2	Measles	56.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,202	99.5	278	101.5	Full Immunization	51.5
30	Children fully immunized	1,356	87.7	307	19.6		
31	Children who have received BCG	1,410	91.2	302	19.3		
32	Children who have received DPT1	1,536	99.4	368	23.5		
33	Children who have received DPT3	1,467	94.9	300	19.2		
34	Children who have received Measles	1,356	87.7	305	19.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,867		137			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.2
37	Number of Tubectomies performed	216	28	Spacing	12.5
38	Number of IUD insertion	50	10	Women using any method	33.8
39	Number of IUD removals	62	12	Women using modern method	33.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	619	123		
41	General OPD cases per 10,000 population ***	9298	1748		
42	Ayush OPD cases per 10,000 population ***	478	64		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	7	0		
44	Neonatal Deaths up to 4 weeks of birth	13	0		
45	Total Neonatal Death	20	0		
46	Deaths between (1 - 11) months	19	3		
47	Total reported infant deaths	39	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,543		2,595			
11	Expected number of Delivery	2,340		2,387			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,926	115.0	692	26.7	ANC Check up in first trimester	50.5
13	Mothers registered in the first trimester	1,450	49.6	378	54.6	At least 4ANC check up	38.3
14	Mothers who had at least 4 Ante-Natal care check ups	661	22.6	143	20.7	Neonatal tetanus received	57.4
15	PW who got TT 2 / Booster injection	2,240	76.6	468	67.6	100 IFA tablets consumed	42.8
16	PW who consumed 100 IFA tablets	1,589	54.3	382	55.2	Full ANC	25.3
17	Home Delivery against expected delivery *	886	37.9	205	8.6	Home Delivery	54.0
18	Institutional Delivery Against expected delivery *	1,208	51.6	260	10.9	Institutional Delivery	46.0
19	Reported Home Delivery **	886	42.3	205	44.1	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Reported institutional Delivery **	1,208	57.7	260	55.9	PNC within 2days of delivery	39.6
21	Total reported Deliveries	2,094		465			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	81	9.1	13	6.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	246	11.7	62	13.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth	2,312		2,359			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	2,067	89.4	459	19.5	Breastfed within 1 hour of birth	76.4

26	Total Still Birth	24	1.0	8	0.3	BCG	70.7
27	PC of newborn weighted at birth to live birth	1,710	82.7	366	79.7	3 dose of DPT	53.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.0	10	2.7	Measles	48.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,896	91.7	409	89.1	Full Immunization	42.2
30	Children fully immunized	1,698	73.4	399	16.9		
31	Children who have received BCG	2,525	109.2	426	18.1		
32	Children who have received DPT1	2,625	113.5	475	20.1		
33	Children who have received DPT3	2,358	102.0	376	15.9		
34	Children who have received Measles	1,767	76.4	406	17.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,384		196			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.1
37	Number of Tubectomies performed	53	4	Spacing	13.3
38	Number of IUD insertion	78	28	Women using any method	27.1
39	Number of IUD removals	60	20	Women using modern method	27.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	473	88		
41	General OPD cases per 10,000 population ***	7001	1324		
42	Ayush OPD cases per 10,000 population ***	46	23		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	16	2		
45	Total Neonatal Death	19	2		
46	Deaths between (1 - 11) months	23	8		
47	Total reported infant deaths	42	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	2	0		

Lunglei Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers (SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	2,937		2,933			
11	Expected number of Delivery	2,702		2,699			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,922	99.5	694	23.7	ANC Check up in first trimester	57.8
13	Mothers registered in the first trimester	2,039	69.8	489	70.5	At least 4ANC check up	49.7
14	Mothers who had at least 4 Ante-Natal care check ups	1,414	48.4	286	41.2	Neonatal tetanus received	79.5
15	PW who got TT 2 / Booster injection	2,991	102.4	819	118.0	100 IFA tablets consumed	40.5
16	PW who consumed 100 IFA tablets	1,451	49.7	469	67.6	Full ANC	26.3
17	Home Delivery against expected delivery *	490	18.1	91	3.4	Home Delivery	25.4
18	Institutional Delivery Against expected delivery *	2,150	79.6	480	17.8	Institutional Delivery	74.6
19	Reported Home Delivery **	490	18.6	91	15.9	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Reported institutional Delivery **	2,150	81.4	480	84.1	PNC within 2days of delivery	62.3
21	Total reported Deliveries	2,640		571			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	22.4	23	25.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	45.0	239	41.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth	2,670		2,667			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	2,623	98.2	568	21.3	Breastfed within 1 hour of birth	60.5

26	Total Still Birth	13	0.5	3	0.1	BCG	69.2
27	PC of newborn weighted at birth to live birth	2,508	95.6	553	97.4	3 dose of DPT	60.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	82	3.3	18	3.3	Measles	66.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,371	90.4	515	90.7	Full Immunization	46.4
30	Children fully immunized	2,253	84.4	549	20.6		
31	Children who have received BCG	2,631	98.5	463	17.4		
32	Children who have received DPT1	2,538	95.1	493	18.5		
33	Children who have received DPT3	2,486	93.1	433	16.2		
34	Children who have received Measles	2,255	84.5	533	20.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	729		59			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.3
37	Number of Tubectomies performed	120	24	Spacing	11.8
38	Number of IUD insertion	159	26	Women using any method	29
39	Number of IUD removals	85	15	Women using modern method	29
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	733	119		
41	General OPD cases per 10,000 population ***	12984	2368		
42	Ayush OPD cases per 10,000 population ***	443	53		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	7	1		
44	Neonatal Deaths up to 4 weeks of birth	21	7		
45	Total Neonatal Death	28	8		
46	Deaths between (1 - 11) months	15	3		
47	Total reported infant deaths	43	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	2		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	2	0		
54	Total reported maternal deaths	3	2		

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	86,364						
2	Sex Ratio	924						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	33						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	6						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	1,900	1,943					
11	Expected number of Delivery	1,748	1,787					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	1,970	103.7	574	29.5	ANC Check up in first trimester	60.6	
13	Mothers registered in the first trimester	1,338	67.9	402	70.0	At least 4ANC check up	45.3	
14	Mothers who had at least 4 Ante-Natal care check ups	906	46.0	211	36.8	Neonatal tetanus received	78.8	
15	PW who got TT 2 / Booster injection	1,645	83.5	419	73.0	100 IFA tablets consumed	51.3	
16	PW who consumed 100 IFA tablets	1,163	59.0	358	62.4	Full ANC	32.8	
17	Home Delivery against expected delivery *	445	25.5	115	6.4	Home Delivery	41.3	
18	Institutional Delivery Against expected delivery *	848	48.5	183	10.2	Institutional Delivery	58.7	
19	Reported Home Delivery **	445	34.4	115	38.6	Home Delivery by SBA(out of Total Deliveries)	10.1	
20	Reported institutional Delivery **	848	65.6	183	61.4	PNC within 2days of delivery	49.3	
21	Total reported Deliveries	1,293		298				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	22.5	37	32.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	188	14.5	46	15.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	1,727		1,766				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
25	Total reported live births	1,277	73.9	297	16.8	Breastfed within 1 hour of birth	85.7	

26	Total Still Birth	16	0.9	1	0.1	BCG	64.2
27	PC of newborn weighted at birth to live birth	1,182	92.6	267	89.9	3 dose of DPT	54.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	3.8	11	4.1	Measles	57.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,219	95.5	272	91.6	Full Immunization	40.4
30	Children fully immunized	1,359	78.7	312	17.7		
31	Children who have received BCG	1,602	92.8	236	13.4		
32	Children who have received DPT1	1,746	101.1	325	18.4		
33	Children who have received DPT3	1,570	90.9	296	16.8		
34	Children who have received Measles	1,364	79.0	313	17.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,322		142			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	23.6
37	Number of Tubectomies performed	20	9	Spacing	15.9
38	Number of IUD insertion	59	6	Women using any method	34.6
39	Number of IUD removals	41	10	Women using modern method	34.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	419	68		
41	General OPD cases per 10,000 population ***	7226	1634		
42	Ayush OPD cases per 10,000 population ***	162	25		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	4	3		
44	Neonatal Deaths up to 4 weeks of birth	3	1		
45	Total Neonatal Death	7	4		
46	Deaths between (1 - 11) months	9	1		
47	Total reported infant deaths	16	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		
54	Total reported maternal deaths	1	1		

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	56,574						
2	Sex Ratio	978						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	24						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	4						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	0						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	1,091	1,098					
11	Expected number of Delivery	1,004	1,010					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	1,481	135.7	391	35.6	ANC Check up in first trimester	63.3	
13	Mothers registered in the first trimester	1,209	81.6	297	76.0	At least 4ANC check up	48.6	
14	Mothers who had at least 4 Ante-Natal care check ups	697	47.1	139	35.5	Neonatal tetanus received	87.3	
15	PW who got TT 2 / Booster injection	1,265	85.4	322	82.4	100 IFA tablets consumed	54.7	
16	PW who consumed 100 IFA tablets	1,009	68.1	240	61.4	Full ANC	28.9	
17	Home Delivery against expected delivery *	245	24.4	46	4.6	Home Delivery	39.4	
18	Institutional Delivery Against expected delivery *	1,148	114.4	241	23.9	Institutional Delivery	60.6	
19	Reported Home Delivery **	245	17.6	46	16.0	Home Delivery by SBA(out of Total Deliveries)	11.1	
20	Reported institutional Delivery **	1,148	82.4	241	84.0	PNC within 2days of delivery	53.5	
21	Total reported Deliveries	1,393		287				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	29.8	7	15.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44	3.2	6	2.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	992		998				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
25	Total reported live births	1,388	139.9	287	28.8	Breastfed within 1 hour of birth	86.6	

26	Total Still Birth	10	1.0	1	0.1	BCG	78.6
27	PC of newborn weighted at birth to live birth	1,388	100.0	287	100.0	3 dose of DPT	68.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	43	3.1	4	1.4	Measles	74.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,364	98.3	287	100.0	Full Immunization	55
30	Children fully immunized	1,097	110.6	260	26.0		
31	Children who have received BCG	1,294	130.4	283	28.4		
32	Children who have received DPT1	1,234	124.4	303	30.4		
33	Children who have received DPT3	1,188	119.8	302	30.3		
34	Children who have received Measles	1,097	110.6	260	26.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	511		86			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.3
37	Number of Tubectomies performed	101	33	Spacing	18.1
38	Number of IUD insertion	217	30	Women using any method	33.9
39	Number of IUD removals	58	14	Women using modern method	33.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	550	92		
41	General OPD cases per 10,000 population ***	8288	1647		
42	Ayush OPD cases per 10,000 population ***	418	106		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	16	4		
45	Total Neonatal Death	16	4		
46	Deaths between (1 - 11) months	25	0		
47	Total reported infant deaths	41	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	64,937						
2	Sex Ratio	976						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	27						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	5						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	1,247	1,254					
11	Expected number of Delivery	1,147	1,153					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	1,181	94.7	335	26.7	ANC Check up in first trimester	67.1	
13	Mothers registered in the first trimester	973	82.4	254	75.8	At least 4ANC check up	69.3	
14	Mothers who had at least 4 Ante-Natal care check ups	430	36.4	120	35.8	Neonatal tetanus received	88.1	
15	PW who got TT 2 / Booster injection	1,012	85.7	261	77.9	100 IFA tablets consumed	63.3	
16	PW who consumed 100 IFA tablets	262	22.2	110	32.8	Full ANC	46.8	
17	Home Delivery against expected delivery *	15	1.3	7	0.6	Home Delivery	11.7	
18	Institutional Delivery Against expected delivery *	663	57.8	180	15.6	Institutional Delivery	88.3	
19	Reported Home Delivery **	15	2.2	7	3.7	Home Delivery by SBA(out of Total Deliveries)	6.1	
20	Reported institutional Delivery **	663	97.8	180	96.3	PNC within 2days of delivery	68.9	
21	Total reported Deliveries	678		187				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	100.0	5	71.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	62	33.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
24	Expected number of Live Birth	1,133		1,140				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
25	Total reported live births	674	59.5	185	16.2	Breastfed within 1 hour of birth	72.4	

26	Total Still Birth	4	0.4	2	0.2	BCG	81.4
27	PC of newborn weighted at birth to live birth	674	100.0	184	99.5	3 dose of DPT	71.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	3.0	4	2.2	Measles	73.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	670	99.4	183	98.9	Full Immunization	60.9
30	Children fully immunized	917	80.9	262	23.0		
31	Children who have received BCG	889	78.4	196	17.2		
32	Children who have received DPT1	1,018	89.8	259	22.7		
33	Children who have received DPT3	1,008	88.9	192	16.8		
34	Children who have received Measles	917	80.9	262	23.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	687		82			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.4
37	Number of Tubectomies performed	21	2	Spacing	12.7
38	Number of IUD insertion	53	9	Women using any method	40.9
39	Number of IUD removals	70	16	Women using modern method	40.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	620	114		
41	General OPD cases per 10,000 population ***	9631	1664		
42	Ayush OPD cases per 10,000 population ***	613	173		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	3	1		
44	Neonatal Deaths up to 4 weeks of birth	3	0		
45	Total Neonatal Death	6	1		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	6	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	0		