

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,978,502					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	397					
4	Sub Centers (SC)- HWC	56					
5	Primary Health Centers (PHC)	126					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	21					
8	SDH	0					
9	DH	11					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	37,433	37,433				
11	Expected number of Delivery	34,439	34,439				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	39,442	105.4	7,867	21.0	ANC Check up in first trimester	24.9
13	Mothers registered in the first trimester	10,777	27.3	2,176	27.7	At least 4ANC check up	15
14	Mothers who had at least 4 Ante-Natal care check ups	9,052	23.0	1,103	14.0	Neonatal tetanus received	63.9
15	PW who got TT 2 / Booster injection	15,984	40.5	3,111	39.5	100 IFA tablets consumed	4.4
16	PW who consumed 100 IFA tablets	9,070	23.0	2,831	36.0	Full ANC	2.4
17	Home Delivery against expected delivery *	3,668	10.7	859	2.5	Home Delivery	67.2
18	Institutional Delivery against expected delivery *	17,107	49.7	2,562	7.4	Institutional Delivery	32.8
19	Home Delivery against reported delivery **	3,668	17.7	859	25.1	Home Delivery by SBA(out of Total Deliveries)	8.9
20	Institutional Delivery against reported delivery **	17,107	82.3	2,562	60.3	PNC within 2days of delivery	22.3
21	Total reported Deliveries	20,775		3,421			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,014	54.9	530	61.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,300	40.0	1,580	46.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	34,030		34,030			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	20,574	60.5	3,574	10.5	Breastfed within 1 hour of birth	53.2
26	Total Still Birth	306	0.9	82	0.2	BCG	68.4
27	PC of newborn weighted at birth to live birth	20,227	98.3	3,235	90.5	3 dose of DPT	52
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	896	4.4	120	3.7	Measles	50.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,703	81.2	2,712	75.9	Full Immunization	35.7
30	Children fully immunized	16,291	47.9	3,084	9.1		
31	Children who have received BCG	22,701	66.7	4,146	12.2		
32	Children who have received DPT1	23,433	68.9	4,349	12.8		
33	Children who have received DPT3	20,710	60.9	3,637	10.7		
34	Children who have received Measles	17,806	52.3	3,297	9.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	16,986		3,141			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
36	Number of Vasectomies performed	3	1	Total unmet need 22.2
37	Number of Tubectomies performed	1,349	78	Spacing 11.2
38	Number of IUD insertion	3,846	342	Women using any method 26.7
39	Number of IUD removals	1,484	225	Women using modern method 21.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
40	IPD cases per 10,000 population ***	521	42	
41	General OPD cases per 10,000 population ***	6242	924	
42	Ayush OPD cases per 10,000 population ***	160	18	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
43	Neonatal death within 24 hours	38	8	
44	Neonatal Deaths up to 4 weeks of birth	72	13	
45	Total Neonatal Death	110	21	
46	Deaths between (1 - 11) months	64	9	
47	Total reported infant deaths	174	30	
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 1st QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	2	0	
50	Due to Severe hypertension/fits	5	1	
51	Due to Bleeding	7	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	7	1	
54	Total reported maternal deaths	22	3	

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	7,167	7,167				
11	Expected number of Delivery	6,594	6,594				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	20,265	282.8	3,299	46.0	ANC Check up in first trimester	34.6
13	Mothers registered in the first trimester	6,021	29.7	1,026	31.1	At least 4ANC check up	26.5
14	Mothers who had at least 4 Ante-Natal care check ups	3,912	19.3	627	19.0	Neonatal tetanus received	77
15	PW who got TT 2 / Booster injection	6,116	30.2	1,053	31.9	100 IFA tablets consumed	7.7
16	PW who consumed 100 IFA tablets	2,659	13.1	1,127	34.2	Full ANC	4.5
17	Home Delivery against expected delivery *	446	6.8	69	1.0	Home Delivery	44
18	Institutional Delivery against expected delivery *	7,468	113.3	927	14.1	Institutional Delivery	56
19	Home Delivery against reported delivery **	446	5.6	69	6.9	Home Delivery by SBA(out of Total Deliveries)	5.7
20	Institutional Delivery against reported delivery **	7,468	94.4	927	89.7	PNC within 2days of delivery	35.3
21	Total reported Deliveries	7,914		996			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	261	58.5	34	49.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,310	29.2	524	52.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	7,798	119.7	1,163	17.8	Breastfed within 1 hour of birth	45.9
26	Total Still Birth	167	2.6	49	0.8	BCG	63.1
27	PC of newborn weighted at birth to live birth	7,745	99.3	950	81.7	3 dose of DPT	54.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	503	6.5	73	7.7	Measles	47.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,640	72.3	704	60.5	Full Immunization	33.7
30	Children fully immunized	4,029	61.8	785	12.0		
31	Children who have received BCG	7,295	112.0	1,084	16.6		
32	Children who have received DPT1	7,583	116.4	1,027	15.8		
33	Children who have received DPT3	6,099	93.6	940	14.4		
34	Children who have received Measles	4,902	75.2	875	13.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,743		665			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)
36	Number of Vasectomies performed	3	1	Total unmet need 24.2
37	Number of Tubectomies performed	383	37	Spacing 9.7
38	Number of IUD insertion	339	35	Women using any method 27.5
39	Number of IUD removals	377	31	Women using modern method 21
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR	
40	IPD cases per 10,000 population ***	1657	115	
41	General OPD cases per 10,000 population ***	13435	1282	
42	Ayush OPD cases per 10,000 population ***	186	15	
G) Mortality Details				
I) Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	21	4	
44	Neonatal Deaths up to 4 weeks of birth	25	5	
45	Total Neonatal Death	46	9	
46	Deaths between (1 - 11) months	40	4	
47	Total reported infant deaths	86	13	
II) Maternal Mortality				
Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	1	1	
51	Due to Bleeding	2	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	Total reported maternal deaths	8	2	

Kiphrie Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12	2011-12				
10	Expected number of PW	1,400	1,400				
11	Expected number of Delivery	1,288	1,288				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	1,053	75.2	251	17.9	ANC Check up in first trimester	14.1
13	Mothers registered in the first trimester	291	27.6	69	27.5	At least 4ANC check up	2
14	Mothers who had at least 4 Ante-Natal care check ups	324	30.8	66	26.3	Neonatal tetanus received	53.6
15	PW who got TT 2 / Booster injection	739	70.2	173	68.9	100 IFA tablets consumed	1.4
16	PW who consumed 100 IFA tablets	327	31.1	88	35.1	Full ANC	0
17	Home Delivery against expected delivery *	188	14.6	34	2.6	Home Delivery	0
18	Institutional Delivery against expected delivery *	545	42.3	125	9.7	Institutional Delivery	24.7
19	Home Delivery against reported delivery **	188	25.6	34	21.4	Home Delivery by SBA(out of Total Deliveries)	5.5
20	Institutional Delivery against reported delivery **	545	74.4	125	62.2	PNC within 2days of delivery	13.9
21	Total reported Deliveries	733		159			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	30.9	7	20.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	460	62.8	53	33.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		

25	Total reported live births	727	57.1	157	12.3	Breastfed within 1 hour of birth	39.3
26	Total Still Birth	5	0.4	2	0.2	BCG	65.7
27	PC of newborn weighted at birth to live birth	723	99.4	157	100.0	3 dose of DPT	44.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.9	0	0.0	Measles	50.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	721	99.2	157	100.0	Full Immunization	36
30	Children fully immunized	792	62.2	107	8.4		
31	Children who have received BCG	961	75.5	225	17.7		
32	Children who have received DPT1	1,043	81.9	218	17.1		
33	Children who have received DPT3	980	77.0	171	13.4		
34	Children who have received Measles	840	66.0	167	13.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	845		175			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	17.7
37	Number of Tubectomies performed	38	0	Spacing	11.1
38	Number of IUD insertion	217	37	Women using any method	31.1
39	Number of IUD removals	88	22	Women using modern method	24.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	188	32		
41	General OPD cases per 10,000 population ***	5377	1076		
42	Ayush OPD cases per 10,000 population ***	181	20		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	6	1		
44	Neonatal Deaths up to 4 weeks of birth	5	0		
45	Total Neonatal Death	11	1		
46	Deaths between (1 - 11) months	5	2		
47	Total reported infant deaths	16	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	267,988				
2	Sex Ratio	927				
B) Infrastructure Details (RHS 2018)		Numbers				
3	Sub Centers (SC)	40				
4	Sub Centers (SC)- HWC	10				
5	Primary Health Centers (PHC)	14				
6	Primary Health Centers (PHC)-HWC	1				
7	Community Health Centers (CHC)	3				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2011-12	2011-12			
10	Expected number of PW	5,070	5,070			
11	Expected number of Delivery	4,665	4,665			
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC	
12	PW register for ANC	3,723	73.4	681	13.4	ANC Check up in first trimester 42.9
13	Mothers registered in the first trimester	867	23.3	110	16.2	At least 4ANC check up 30.5
14	Mothers who had at least 4 Ante-Natal care check ups	2,881	77.4	64	9.4	Neonatal tetanus received 80.9
15	PW who got TT 2 / Booster injection	1,408	37.8	203	29.8	100 IFA tablets consumed 8.6
16	PW who consumed 100 IFA tablets	1,210	32.5	244	35.8	Full ANC 6.4
17	Home Delivery against expected delivery *	137	2.9	28	0.6	Home Delivery 45.1
18	Institutional Delivery against expected delivery *	2,652	56.9	394	8.4	Institutional Delivery 54.9
19	Home Delivery against reported delivery **	137	4.9	28	6.6	Home Delivery by SBA(out of Total Deliveries) 9
20	Institutional Delivery against reported delivery **	2,652	95.1	394	78.3	PNC within 2days of delivery 34.9
21	Total reported Deliveries	2,789		422		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	57.7	18	64.3	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	903	32.4	68	16.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).						
24	Expected number of Live Birth	4,609		4,609		
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC	

25	Total reported live births	2,748	59.6	420	9.1	Breastfed within 1 hour of birth	50
26	Total Still Birth	41	0.9	2	0.0	BCG	93.9
27	PC of newborn weighted at birth to live birth	2,683	97.6	360	85.7	3 dose of DPT	77.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	235	8.8	23	6.4	Measles	71.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,488	54.1	109	26.0	Full Immunization	60.5
30	Children fully immunized	2,678	58.1	391	8.5		
31	Children who have received BCG	3,188	69.2	530	11.5		
32	Children who have received DPT1	3,015	65.4	560	12.1		
33	Children who have received DPT3	2,783	60.4	467	10.1		
34	Children who have received Measles	2,735	59.3	405	8.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,690		438			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.8
37	Number of Tubectomies performed	156	3	Spacing	10.7
38	Number of IUD insertion	910	33	Women using any method	33.8
39	Number of IUD removals	206	27	Women using modern method	25.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	407	28		
41	General OPD cases per 10,000 population ***	9231	948		
42	Ayush OPD cases per 10,000 population ***	118	11		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	2	0		
44	Neonatal Deaths up to 4 weeks of birth	23	3		
45	Total Neonatal Death	25	3		
46	Deaths between (1 - 11) months	10	0		
47	Total reported infant deaths	35	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	0		
54	Total reported maternal deaths	5	0		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	50,484						
2	Sex Ratio	903						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	8						
4	Sub Centers (SC)- HWC	3						
5	Primary Health Centers (PHC)	3						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	0						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2011-12		2011-12				
10	Expected number of PW	955	955					
11	Expected number of Delivery	879	879					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	685	71.7	177	18.5	ANC Check up in first trimester	6.8	
13	Mothers registered in the first trimester	194	28.3	52	29.4	At least 4ANC check up	1.5	
14	Mothers who had at least 4 Ante-Natal care check ups	133	19.4	35	19.8	Neonatal tetanus received	54.1	
15	PW who got TT 2 / Booster injection	300	43.8	98	55.4	100 IFA tablets consumed	0.4	
16	PW who consumed 100 IFA tablets	452	66.0	83	46.9	Full ANC	0	
17	Home Delivery against expected delivery *	129	14.7	27	3.1	Home Delivery	89.8	
18	Institutional Delivery against expected delivery *	365	41.5	83	9.4	Institutional Delivery	10.2	
19	Home Delivery against reported delivery **	129	26.1	27	24.5	Home Delivery by SBA(out of Total Deliveries)	7.7	
20	Institutional Delivery against reported delivery **	365	73.9	83	82.7	PNC within 2days of delivery	6	
21	Total reported Deliveries	494		110				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	75	58.1	12	44.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	373	75.5	61	55.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	868		868				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			

25	Total reported live births	496	57.1	111	12.8	Breastfed within 1 hour of birth	64.3
26	Total Still Birth	1	0.1	2	0.2	BCG	55.4
27	PC of newborn weighted at birth to live birth	477	96.2	98	88.3	3 dose of DPT	28.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.9	2	2.0	Measles	37.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	477	96.2	103	92.8	Full Immunization	10.8
30	Children fully immunized	511	58.8	107	12.3		
31	Children who have received BCG	462	53.2	117	13.5		
32	Children who have received DPT1	580	66.8	133	15.3		
33	Children who have received DPT3	573	66.0	153	17.6		
34	Children who have received Measles	514	59.2	106	12.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	449		102			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	16.8
37	Number of Tubectomies performed	8	22	Spacing	9.1
38	Number of IUD insertion	282	28	Women using any method	20.9
39	Number of IUD removals	71	19	Women using modern method	18.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	187	31		
41	General OPD cases per 10,000 population ***	5195	1323		
42	Ayush OPD cases per 10,000 population ***	145	5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12	2011-12				
10	Expected number of PW	3,682	3,682				
11	Expected number of Delivery	3,388	3,388				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	1,591	43.2	387	10.5	ANC Check up in first trimester	43.2
13	Mothers registered in the first trimester	646	40.6	173	44.7	At least 4ANC check up	35.8
14	Mothers who had at least 4 Ante-Natal care check ups	203	12.8	39	10.1	Neonatal tetanus received	84.3
15	PW who got TT 2 / Booster injection	713	44.8	152	39.3	100 IFA tablets consumed	7.5
16	PW who consumed 100 IFA tablets	225	14.1	82	21.2	Full ANC	4.3
17	Home Delivery against expected delivery *	163	4.8	60	1.8	Home Delivery	54.7
18	Institutional Delivery against expected delivery *	891	26.3	78	2.3	Institutional Delivery	45.3
19	Home Delivery against reported delivery **	163	15.5	60	43.5	Home Delivery by SBA(out of Total Deliveries)	33.4
20	Institutional Delivery against reported delivery **	891	84.5	78	72.4	PNC within 2days of delivery	36.9
21	Total reported Deliveries	1,054		138			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	89.6	59	98.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	886	84.1	80	58.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	3,347		3,347			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		

25	Total reported live births	1,044	31.2	137	4.1	Breastfed within 1 hour of birth	52.9
26	Total Still Birth	15	0.4	2	0.1	BCG	77.1
27	PC of newborn weighted at birth to live birth	1,045	100.1	136	99.3	3 dose of DPT	77.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	2.4	1	0.7	Measles	75.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,030	98.7	133	97.1	Full Immunization	51.9
30	Children fully immunized	1,103	32.9	267	8.0		
31	Children who have received BCG	1,151	34.4	218	6.5		
32	Children who have received DPT1	1,176	35.1	248	7.4		
33	Children who have received DPT3	1,076	32.1	236	7.1		
34	Children who have received Measles	1,121	33.5	270	8.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,151		272			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.1
37	Number of Tubectomies performed	182	2	Spacing	10
38	Number of IUD insertion	224	10	Women using any method	38.2
39	Number of IUD removals	108	10	Women using modern method	30.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	369	18		
41	General OPD cases per 10,000 population ***	5275	905		
42	Ayush OPD cases per 10,000 population ***	224	36		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	8	1		
45	Total Neonatal Death	8	1		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	10	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	1		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	250,260						
2	Sex Ratio	898						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	50						
4	Sub Centers (SC)- HWC	7						
5	Primary Health Centers (PHC)	15						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2011-12	2011-12					
10	Expected number of PW	4,735	4,735					
11	Expected number of Delivery	4,356	4,356					
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	4,123	87.1	1,126	23.8	ANC Check up in first trimester	9.1	
13	Mothers registered in the first trimester	806	19.5	194	17.2	At least 4ANC check up	3.4	
14	Mothers who had at least 4 Ante-Natal care check ups	365	8.9	44	3.9	Neonatal tetanus received	38.2	
15	PW who got TT 2 / Booster injection	2,139	51.9	502	44.6	100 IFA tablets consumed	0.7	
16	PW who consumed 100 IFA tablets	977	23.7	396	35.2	Full ANC	0.3	
17	Home Delivery against expected delivery *	1,078	24.7	253	5.8	Home Delivery	90.4	
18	Institutional Delivery against expected delivery *	1,436	33.0	214	4.9	Institutional Delivery	9.6	
19	Home Delivery against reported delivery **	1,078	42.9	253	54.2	Home Delivery by SBA(out of Total Deliveries)	4.6	
20	Institutional Delivery against reported delivery **	1,436	57.1	214	76.9	PNC within 2days of delivery	4.8	
21	Total reported Deliveries	2,514		467				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	27.9	120	47.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	773	30.7	159	34.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	4,304		4,304				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			

25	Total reported live births	2,504	58.2	484	11.2	Breastfed within 1 hour of birth	69.3
26	Total Still Birth	18	0.4	5	0.1	BCG	48.7
27	PC of newborn weighted at birth to live birth	2,454	98.0	484	100.0	3 dose of DPT	30.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	1.8	9	1.9	Measles	31.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,446	97.7	483	99.8	Full Immunization	19.9
30	Children fully immunized	2,216	51.5	357	8.3		
31	Children who have received BCG	3,026	70.3	598	13.9		
32	Children who have received DPT1	3,057	71.0	655	15.2		
33	Children who have received DPT3	2,818	65.5	501	11.6		
34	Children who have received Measles	2,253	52.3	362	8.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,306		353			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.3
37	Number of Tubectomies performed	124	7	Spacing	13.5
38	Number of IUD insertion	652	79	Women using any method	12.6
39	Number of IUD removals	230	39	Women using modern method	9.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	162	22		
41	General OPD cases per 10,000 population ***	2431	726		
42	Ayush OPD cases per 10,000 population ***	187	16		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	2	2		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	3	2		
46	Deaths between (1 - 11) months	4	3		
47	Total reported infant deaths	7	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	163,418						
2	Sex Ratio	951						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	44						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	23						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2011-12		2011-12				
10	Expected number of PW	3,092		3,092				
11	Expected number of Delivery	2,845		2,845				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	2,024	65.5	544	17.6	ANC Check up in first trimester	20.2	
13	Mothers registered in the first trimester	488	24.1	140	25.7	At least 4ANC check up	6.6	
14	Mothers who had at least 4 Ante-Natal care check ups	279	13.8	78	14.3	Neonatal tetanus received	60.8	
15	PW who got TT 2 / Booster injection	1,091	53.9	262	48.2	100 IFA tablets consumed	0.9	
16	PW who consumed 100 IFA tablets	1,180	58.3	324	59.6	Full ANC	0	
17	Home Delivery against expected delivery *	557	19.6	153	5.4	Home Delivery	81.3	
18	Institutional Delivery against expected delivery *	669	23.5	149	5.2	Institutional Delivery	18.7	
19	Home Delivery against reported delivery **	557	45.4	153	50.7	Home Delivery by SBA(out of Total Deliveries)	6.6	
20	Institutional Delivery against reported delivery **	669	54.6	149	55.2	PNC within 2days of delivery	11.5	
21	Total reported Deliveries	1,226		302				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	474	85.1	130	85.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	661	53.9	183	60.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	2,811		2,811				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			

25	Total reported live births	1,218	43.3	302	10.7	Breastfed within 1 hour of birth	44
26	Total Still Birth	9	0.3	1	0.0	BCG	74.5
27	PC of newborn weighted at birth to live birth	1,159	95.2	280	92.7	3 dose of DPT	53.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	0.7	9	3.2	Measles	47.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,185	97.3	281	93.0	Full Immunization	34.7
30	Children fully immunized	1,159	41.2	264	9.4		
31	Children who have received BCG	1,502	53.4	364	13.0		
32	Children who have received DPT1	1,600	56.9	392	13.9		
33	Children who have received DPT3	1,463	52.0	263	9.4		
34	Children who have received Measles	1,228	43.7	264	9.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,161		273			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.9
37	Number of Tubectomies performed	52	0	Spacing	7.3
38	Number of IUD insertion	332	35	Women using any method	26.2
39	Number of IUD removals	133	22	Women using modern method	22.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	301	45		
41	General OPD cases per 10,000 population ***	3743	1103		
42	Ayush OPD cases per 10,000 population ***	184	32		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	2	0		
44	Neonatal Deaths up to 4 weeks of birth	3	3		
45	Total Neonatal Death	5	3		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	5	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	3	0		

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	95,219				
2	Sex Ratio	917				
B) Infrastructure Details (RHS 2018)		Numbers				
3	Sub Centers (SC)	16				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers (PHC)	8				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	1				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2011-12	2011-12			
10	Expected number of PW	1,802	1,802			
11	Expected number of Delivery	1,657	1,657			
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC	
12	PW register for ANC	1,385	76.9	329	18.3	ANC Check up in first trimester 32.7
13	Mothers registered in the first trimester	284	20.5	90	27.4	At least 4ANC check up 13.2
14	Mothers who had at least 4 Ante-Natal care check ups	273	19.7	30	9.1	Neonatal tetanus received 76.7
15	PW who got TT 2 / Booster injection	901	65.1	177	53.8	100 IFA tablets consumed 7.5
16	PW who consumed 100 IFA tablets	590	42.6	86	26.1	Full ANC 4.1
17	Home Delivery against expected delivery *	180	10.9	46	2.8	Home Delivery 58.6
18	Institutional Delivery against expected delivery *	634	38.3	124	7.5	Institutional Delivery 41.4
19	Home Delivery against reported delivery **	180	22.1	46	27.1	Home Delivery by SBA(out of Total Deliveries) 15.7
20	Institutional Delivery against reported delivery **	634	77.9	124	95.8	PNC within 2days of delivery 30.5
21	Total reported Deliveries	814		170		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	52.2	17	37.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	240	29.5	64	37.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).						
24	Expected number of Live Birth	1,638		1,638		
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC	

25	Total reported live births	799	48.8	151	9.2	Breastfed within 1 hour of birth	46.3
26	Total Still Birth	17	1.0	7	0.4	BCG	81.1
27	PC of newborn weighted at birth to live birth	742	92.9	133	88.1	3 dose of DPT	57.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.6	2	1.5	Measles	51.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	665	83.2	135	89.4	Full Immunization	49.1
30	Children fully immunized	718	43.8	140	8.5		
31	Children who have received BCG	1,037	63.3	182	11.1		
32	Children who have received DPT1	1,151	70.3	207	12.6		
33	Children who have received DPT3	974	59.5	197	12.0		
34	Children who have received Measles	830	50.7	154	9.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	831		173			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.3
37	Number of Tubectomies performed	31	0	Spacing	13.9
38	Number of IUD insertion	108	18	Women using any method	31
39	Number of IUD removals	57	12	Women using modern method	26.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	148	31		
41	General OPD cases per 10,000 population ***	2876	692		
42	Ayush OPD cases per 10,000 population ***	255	33		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	38					
4	Sub Centers (SC)- HWC	11					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	3,720		3,720			
11	Expected number of Delivery	3,422		3,422			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,201	59.2	539	14.5	ANC Check up in first trimester	16.7
13	Mothers registered in the first trimester	354	16.1	67	12.4	At least 4ANC check up	4.8
14	Mothers who had at least 4 Ante-Natal care check ups	108	4.9	19	3.5	Neonatal tetanus received	56.3
15	PW who got TT 2 / Booster injection	1,161	52.7	258	47.9	100 IFA tablets consumed	2.5
16	PW who consumed 100 IFA tablets	628	28.5	135	25.0	Full ANC	0.3
17	Home Delivery against expected delivery *	420	12.3	100	2.9	Home Delivery	0
18	Institutional Delivery against expected delivery *	1,009	29.5	202	5.9	Institutional Delivery	25.1
19	Home Delivery against reported delivery **	420	29.4	100	33.1	Home Delivery by SBA(out of Total Deliveries)	9.6
20	Institutional Delivery against reported delivery **	1,009	70.6	202	98.6	PNC within 2days of delivery	20.4
21	Total reported Deliveries	1,429		302			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	319	76.0	84	84.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	483	33.8	125	41.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	1,439	42.6	301	8.9	Breastfed within 1 hour of birth	52.5
26	Total Still Birth	16	0.5	5	0.1	BCG	79.1
27	PC of newborn weighted at birth to live birth	1,419	98.6	296	98.3	3 dose of DPT	60.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	1.8	0	0.0	Measles	58.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,374	95.5	288	95.7	Full Immunization	44.9
30	Children fully immunized	1,598	47.3	307	9.1		
31	Children who have received BCG	2,051	60.7	429	12.7		
32	Children who have received DPT1	2,142	63.3	506	15.0		
33	Children who have received DPT3	1,982	58.6	326	9.6		
34	Children who have received Measles	1,685	49.8	323	9.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,002		336			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	26.4
37	Number of Tubectomies performed	134	4	Spacing	16.4
38	Number of IUD insertion	145	16	Women using any method	22
39	Number of IUD removals	92	14	Women using modern method	19.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	228	26		
41	General OPD cases per 10,000 population ***	2304	469		
42	Ayush OPD cases per 10,000 population ***	72	15		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	2	0		
45	Total Neonatal Death	2	0		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	166,343						
2	Sex Ratio	969						
B) Infrastructure Details (RHS 2018)		Numbers						
3	Sub Centers (SC)	37						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	12						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2011-12		2011-12				
10	Expected number of PW	3,147		3,147				
11	Expected number of Delivery	2,895		2,895				
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	1,226	39.0	251	8.0	ANC Check up in first trimester	28.9	
13	Mothers registered in the first trimester	539	44.0	123	49.0	At least 4ANC check up	25.8	
14	Mothers who had at least 4 Ante-Natal care check ups	388	31.6	36	14.3	Neonatal tetanus received	74.5	
15	PW who got TT 2 / Booster injection	1,010	82.4	124	49.4	100 IFA tablets consumed	9.9	
16	PW who consumed 100 IFA tablets	693	56.5	145	57.8	Full ANC	4.8	
17	Home Delivery against expected delivery *	149	5.1	36	1.2	Home Delivery	0	
18	Institutional Delivery against expected delivery *	765	26.4	114	3.9	Institutional Delivery	34	
19	Home Delivery against reported delivery **	149	16.3	36	24.0	Home Delivery by SBA(out of Total Deliveries)	27	
20	Institutional Delivery against reported delivery **	765	83.7	114	84.9	PNC within 2days of delivery	25.6	
21	Total reported Deliveries	914		150				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	28.2	6	16.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	837	91.6	112	74.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	2,861		2,861				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC			

25	Total reported live births	915	32.0	147	5.1	Breastfed within 1 hour of birth	66.6
26	Total Still Birth	4	0.1	3	0.1	BCG	50.1
27	PC of newborn weighted at birth to live birth	906	99.0	144	98.0	3 dose of DPT	47.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.2	0	0.0	Measles	54.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	906	99.0	144	98.0	Full Immunization	22.1
30	Children fully immunized	817	28.6	181	6.3		
31	Children who have received BCG	1,049	36.7	187	6.5		
32	Children who have received DPT1	995	34.8	180	6.3		
33	Children who have received DPT3	915	32.0	186	6.5		
34	Children who have received Measles	841	29.4	188	6.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	885		174			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	24
37	Number of Tubectomies performed	106	1	Spacing	16.2
38	Number of IUD insertion	363	8	Women using any method	30
39	Number of IUD removals	19	1	Women using modern method	21.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	140	9		
41	General OPD cases per 10,000 population ***	3339	732		
42	Ayush OPD cases per 10,000 population ***	113	7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	3	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12	2011-12				
10	Expected number of PW	2,663	2,663				
11	Expected number of Delivery	2,450	2,450				
		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	1,166	43.8	283	10.6	ANC Check up in first trimester	19.2
13	Mothers registered in the first trimester	287	24.6	132	46.6	At least 4ANC check up	5.9
14	Mothers who had at least 4 Ante-Natal care check ups	186	16.0	65	23.0	Neonatal tetanus received	57.5
15	PW who got TT 2 / Booster injection	406	34.8	109	38.5	100 IFA tablets consumed	0
16	PW who consumed 100 IFA tablets	129	11.1	121	42.8	Full ANC	0
17	Home Delivery against expected delivery *	221	9.0	53	2.2	Home Delivery	76.7
18	Institutional Delivery against expected delivery *	673	27.5	152	6.2	Institutional Delivery	23.3
19	Home Delivery against reported delivery **	221	24.7	53	25.9	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Institutional Delivery against reported delivery **	673	75.3	152	92.8	PNC within 2days of delivery	14.5
21	Total reported Deliveries	894		205			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	165	74.7	43	81.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	374	41.8	151	73.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		

25	Total reported live births	886	36.6	201	8.3	Breastfed within 1 hour of birth	58.2
26	Total Still Birth	13	0.5	4	0.2	BCG	71.4
27	PC of newborn weighted at birth to live birth	874	98.6	197	98.0	3 dose of DPT	39
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.1	1	0.5	Measles	48.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	771	87.0	175	87.1	Full Immunization	24.7
30	Children fully immunized	670	27.7	178	7.4		
31	Children who have received BCG	979	40.4	212	8.8		
32	Children who have received DPT1	1,091	45.1	223	9.2		
33	Children who have received DPT3	1,047	43.2	197	8.1		
34	Children who have received Measles	857	35.4	183	7.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	923		180			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	17.8
37	Number of Tubectomies performed	135	2	Spacing	7.8
38	Number of IUD insertion	274	43	Women using any method	32.5
39	Number of IUD removals	103	28	Women using modern method	28.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	194	19		
41	General OPD cases per 10,000 population ***	4242	881		
42	Ayush OPD cases per 10,000 population ***	119	15		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	5	1		
44	Neonatal Deaths up to 4 weeks of birth	2	1		
45	Total Neonatal Death	7	2		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	7	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	2	0		

