

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	148					
4	Sub Centers (SC)- HWC	28					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	4					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	12,152		12,227			
11	Expected number of Delivery #	11,180		11,249			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	9,343	76.9	2,707	22.1	ANC Check up in first trimester	76.2
13	Mothers registered in the first trimester	7,184	76.9	2,179	80.5	At least 4ANC check up	74.7
14	Number of PW received 4 or more ANC check ups	6,294	67.4	1,536	56.7	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	7,282	77.9	2,321	85.7	100 IFA tablets consumed	52.8
16	PW who consumed 100 IFA tablets	5,960	63.8	1,746	64.5	Full ANC	39.0
17	Home Delivery against expected delivery *	46	40.3	12	0.1	Home Delivery	5.3
18	Institutional Delivery against expected delivery *	7,065	63.2	1,673	14.9	Institutional Delivery	94.7
19	Home Delivery against reported delivery **	46	0.6	12	0.7	Home Delivery by SBA(out of Total Deliveries)	2.4
20	Institutional Delivery against reported delivery **	7,065	99.4	1,673	99.3	PNC within 2days of delivery	74.2
21	Total reported Deliveries	7,111		1,685			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	54.3	9	75.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,829	82.0	1,798	106.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth #	11,048		11,116			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	7,188	65.1	1,688	15.2	Breastfed within 1 hour of birth	66.5
26	Total Still Birth	113	1.6	41	2.4	BCG	98.9
27	PC of newborn weighted at birth to live birth	6,797	94.6	1,675	99.2	3 dose of DPT	93
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	621	9.1	119	7.1	Measles	93.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,766	66.3	965	57.2	Full Immunization	83
30	Children fully immunized	6,807	61.6	1,840	16.6		
31	Children who have received BCG	6,605	59.8	1,506	13.5		
32	Children who have received DPT1	7,405	67.0	1,668	15.0		
33	Children who have received DPT3	7,306	66.1	1,848	16.6		
34	Children who have received Measles	6,721	60.8	1,871	16.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,607		612			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	21.7
37	Number of Tubectomies performed	77	18	Spacing	8.9
38	Number of IUD insertion	296	62	Women using any method	46.7
39	Number of IUD removals	473	104	Women using modern method	45.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	407	75		
41	General OPD cases per 10,000 population ***	13491	2644		
42	Ayush OPD cases per 10,000 population ***	259	43		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	9	4		
44	Neonatal Deaths up to 4 weeks of birth	13	4		
45	<b>Total Neonatal Death</b>	22	8		
46	Deaths between (1 - 11) months	69	15		
47	<b>Total reported infant deaths</b>	91	23		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	2		
54	<b>Total reported maternal deaths</b>	15	3		

## East Sikkim Factsheet

Key Indicators							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	283,583					
2	Sex Ratio	872					
	<b>B) Infrastructure Details (RHS 2018)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	48					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	<b>C) Maternal Health:</b>	<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW #	5,754		5,803			
11	Expected number of Delivery #	5,294		5,339			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	5,064	88.0	1,324	22.8	ANC Check up in first trimester	69.1
13	Mothers registered in the first trimester	3,525	69.6	983	74.2	At least 4ANC check up	67.4
14	Number of PW received 4 or more ANC check ups	2,832	55.9	649	49.0	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	3,337	65.9	1,005	75.9	100 IFA tablets consumed	42.4
16	PW who consumed 100 IFA tablets	2,413	47.7	743	56.1	Full ANC	28.4
17	Home Delivery against expected delivery *	20	35.5	5	0.1	Home Delivery	6.7
18	Institutional Delivery against expected delivery *	5,147	97.2	1,151	21.6	Institutional Delivery	93.3
19	Home Delivery against reported delivery **	20	0.4	5	0.4	Home Delivery by SBA(out of Total Deliveries)	3.2
20	Institutional Delivery against reported delivery **	5,147	99.6	1,151	99.6	PNC within 2days of delivery	70.2
21	Total reported Deliveries	5,167		1,156			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	60.0	4	80.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,958	57.2	1,075	93.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth #	5,231		5,276			
	<b>D) Child Immunization :</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		

25	Total reported live births	5,192	99.3	1,151	21.8	Breastfed within 1 hour of birth	61.3
26	Total Still Birth	82	1.6	25	2.2	BCG	98.9
27	PC of newborn weighted at birth to live birth	4,845	93.3	1,147	99.7	3 dose of DPT	89.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	521	10.8	95	8.3	Measles	90.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,896	55.8	435	37.8	Full Immunization	79.2
30	Children fully immunized	3,262	62.4	813	15.4		
31	Children who have received BCG	4,834	92.4	1,045	19.8		
32	Children who have received DPT1	3,645	69.7	781	14.8		
33	Children who have received DPT3	3,517	67.2	858	16.3		
34	Children who have received Measles	3,253	62.2	843	16.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,428		225			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	26.1
37	Number of Tubectomies performed	20	7	Spacing	10.4
38	Number of IUD insertion	155	25	Women using any method	32.1
39	Number of IUD removals	121	23	Women using modern method	32.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	273	45		
41	General OPD cases per 10,000 population ***	10437	2171		
42	Ayush OPD cases per 10,000 population ***	176	35		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	4	0		
44	Neonatal Deaths up to 4 weeks of birth	5	1		
45	<b>Total Neonatal Death</b>	9	1		
46	Deaths between (1 - 11) months	45	6		
47	<b>Total reported infant deaths</b>	54	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	1		
54	<b>Total reported maternal deaths</b>	11	2		

## North Sikkim Factsheet

Key Indicators							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	43,709					
2	Sex Ratio	769					
	<b>B) Infrastructure Details (RHS 2018)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
	<b>C) Maternal Health:</b>	<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW #	825		825			
11	Expected number of Delivery #	759		759			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	606	73.5	218	26.4	ANC Check up in first trimester	80.9
13	Mothers registered in the first trimester	501	82.7	186	85.3	At least 4ANC check up	73.7
14	Number of PW received 4 or more ANC check ups	503	83.0	172	78.9	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	582	96.0	214	98.2	100 IFA tablets consumed	70.4
16	PW who consumed 100 IFA tablets	531	87.6	172	78.9	Full ANC	50.4
17	Home Delivery against expected delivery *	1	64.0	0	0.0	Home Delivery	5.1
18	Institutional Delivery against expected delivery *	166	21.9	33	4.3	Institutional Delivery	94.9
19	Home Delivery against reported delivery **	1	0.6	0	0.0	Home Delivery by SBA(out of Total Deliveries)	2.4
20	Institutional Delivery against reported delivery **	166	99.4	33	100.0	PNC within 2days of delivery	84.7
21	Total reported Deliveries	167		33			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	388	232.3	117	354.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth #	750		750			
	<b>D) Child Immunization :</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		

25	Total reported live births	208	27.7	46	6.1	Breastfed within 1 hour of birth	60.2
26	Total Still Birth	1	0.5	1	2.2	BCG	100
27	PC of newborn weighted at birth to live birth	177	85.1	46	100.0	3 dose of DPT	98
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.5	1	2.2	Measles	100
29	PC of newborns breastfed within 1 hour to total reported live birth.	176	84.6	46	100.0	Full Immunization	89.9
30	Children fully immunized	608	81.1	132	17.6		
31	Children who have received BCG	190	25.3	47	6.3		
32	Children who have received DPT1	548	73.1	138	18.4		
33	Children who have received DPT3	551	73.5	164	21.9		
34	Children who have received Measles	610	81.3	130	17.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	280		47			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.6
37	Number of Tubectomies performed	0	0	Spacing	8.3
38	Number of IUD insertion	10	7	Women using any method	50.2
39	Number of IUD removals	34	12	Women using modern method	50.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	315	75		
41	General OPD cases per 10,000 population ***	18615	3496		
42	Ayush OPD cases per 10,000 population ***	148	1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	<b>Total Neonatal Death</b>	1	0		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## South Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	39					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	3					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	2,905		2,920			
11	Expected number of Delivery #	2,672		2,687			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,849	63.7	597	20.4	ANC Check up in first trimester	89.5
13	Mothers registered in the first trimester	1,602	86.6	523	87.6	At least 4ANC check up	84.7
14	Number of PW received 4 or more ANC check ups	1,492	80.7	365	61.1	Neonatal tetanus received	100.0
15	PW who got TT 2 / Booster injection	1,640	88.7	557	93.3	100 IFA tablets consumed	62.9
16	PW who consumed 100 IFA tablets	1,450	78.4	407	68.2	Full ANC	49.5
17	Home Delivery against expected delivery *	16	29.6	5	0.2	Home Delivery	1.5
18	Institutional Delivery against expected delivery *	1,054	39.4	288	10.7	Institutional Delivery	98.5
19	Home Delivery against reported delivery **	16	1.5	5	1.7	Home Delivery by SBA(out of Total Deliveries)	1.5
20	Institutional Delivery against reported delivery **	1,054	98.5	288	98.3	PNC within 2days of delivery	82.7
21	Total reported Deliveries	1,070		293			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	37.5	4	80.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,414	132.1	353	120.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth #	2,640		2,655			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	1,073	40.6	293	11.0	Breastfed within 1 hour of birth	75.4
26	Total Still Birth	17	1.6	4	1.4	BCG	100
27	PC of newborn weighted at birth to live birth	1,061	98.9	287	98.0	3 dose of DPT	97.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	4.5	13	4.5	Measles	100
29	PC of newborns breastfed within 1 hour to total reported live birth.	992	92.5	290	99.0	Full Immunization	92.3
30	Children fully immunized	1,493	56.5	477	18.0		
31	Children who have received BCG	875	33.1	231	8.7		
32	Children who have received DPT1	1,643	62.2	380	14.3		
33	Children who have received DPT3	1,669	63.2	426	16.0		
34	Children who have received Measles	1,488	56.4	475	17.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	727		102			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.1
37	Number of Tubectomies performed	57	11	Spacing	8.3
38	Number of IUD insertion	45	5	Women using any method	59.3
39	Number of IUD removals	142	25	Women using modern method	57.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	664	120		
41	General OPD cases per 10,000 population ***	15908	3110		
42	Ayush OPD cases per 10,000 population ***	369	80		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	1	2		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	<b>Total Neonatal Death</b>	2	3		
46	Deaths between (1 - 11) months	4	1		
47	<b>Total reported infant deaths</b>	6	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	0		
54	<b>Total reported maternal deaths</b>	3	0		



## West Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	42					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	2,678		2,690			
11	Expected number of Delivery #	2,463		2,474			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,824	68.1	568	21.1	ANC Check up in first trimester	81.2
13	Mothers registered in the first trimester	1,556	85.3	487	85.7	At least 4ANC check up	84.9
14	Number of PW received 4 or more ANC check ups	1,467	80.4	350	61.6	Neonatal tetanus received	97.9
15	PW who got TT 2 / Booster injection	1,723	94.5	545	96.0	100 IFA tablets consumed	66.8
16	PW who consumed 100 IFA tablets	1,566	85.9	424	74.6	Full ANC	54.9
17	Home Delivery against expected delivery *	9	54.9	2	0.1	Home Delivery	5.4
18	Institutional Delivery against expected delivery *	698	28.3	201	8.1	Institutional Delivery	94.6
19	Home Delivery against reported delivery **	9	1.3	2	1.0	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	698	98.7	201	99.0	PNC within 2days of delivery	73.7
21	Total reported Deliveries	707		203			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	1	50.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,069	151.2	253	124.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
24	Expected number of Live Birth #	2,434		2,445			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	715	29.4	198	8.1	Breastfed within 1 hour of birth	73.2
26	Total Still Birth	13	1.8	11	5.6	BCG	97.1
27	PC of newborn weighted at birth to live birth	714	99.9	195	98.5	3 dose of DPT	94.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	6.2	10	5.1	Measles	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	702	98.2	194	98.0	Full Immunization	78.4
30	Children fully immunized	1,444	59.3	418	17.1		
31	Children who have received BCG	706	29.0	183	7.5		
32	Children who have received DPT1	1,569	64.5	369	15.1		
33	Children who have received DPT3	1,569	64.5	400	16.4		
34	Children who have received Measles	1,370	56.3	423	17.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,172		238			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	14.9
37	Number of Tubectomies performed	0	0	Spacing	6.1
38	Number of IUD insertion	86	25	Women using any method	65.8
39	Number of IUD removals	176	44	Women using modern method	64.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	445	89		
41	General OPD cases per 10,000 population ***	15807	2886		
42	Ayush OPD cases per 10,000 population ***	352	34		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	4	2		
44	Neonatal Deaths up to 4 weeks of birth	6	2		
45	<b>Total Neonatal Death</b>	10	4		
46	Deaths between (1 - 11) months	20	8		
47	<b>Total reported infant deaths</b>	30	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	1		
54	<b>Total reported maternal deaths</b>	1	1		

