

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers(SC)	966					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	82					
6	Primary Health Centers (PHC)-HWC	31					
7	Community Health Centers (CHC)	22					
8	SDH	12					
9	DH	7					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	59,890		60,773			
11	Expected number of Delivery	55,534		56,353			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	67,065	112.0	18,670	31.2	ANC Check up in first trimester	66.4
13	Mothers registered in the first trimester	47,227	70.4	12,861	68.9	At least 4ANC check up	64.3
14	Number of PW received 4 or more ANC check ups	46,588	69.5	9,510	50.9	Neonatal tetanus received	93.0
15	PW who got TT 2 / Booster injection	51,405	76.6	12,523	67.1	100 IFA tablets consumed	13.4
16	PW who consumed 100 IFA tablets	31,354	46.8	5,529	29.6	Full ANC	7.6
17	Home Delivery against expected delivery *	3,254	5.9	796	1.4	Home Delivery	20.1
18	Institutional Delivery against expected delivery *	48,904	88.1	10,794	19.2	Institutional Delivery	79.9
19	Home Delivery against reported delivery **	3,254	6.2	796	6.9	Home Delivery by SBA(out of Total Deliveries)	1.2
20	Institutional Delivery against reported delivery **	48,904	93.8	10,794	93.1	PNC within 2days of delivery	62.1
21	Total reported Deliveries	52,158		11,590			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	0.4	8	1.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,417	66.0	7,466	64.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	54,445		55,248			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	51,339	94.3	11,407	20.6	Breastfed within 1 hour of birth	44.4

26	Total Still Birth	850	1.7	233	0.4	BCG	82.4
27	PC of newborn weighted at birth to live birth	50,529	98.4	11,256	98.7	3 dose of DPT	71.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,012	11.9	1,572	14.0	Measles	69.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	47,011	91.6	10,375	91.0	Full Immunization	54.5
30	Children fully immunized	48,546	89.2	9,949	18.0		
31	Children who have received BCG	50,390	95.8	9,990	18.1		
32	Children who have received DPT1	54,073	99.3	12,180	22.0		
33	Children who have received DPT3	50,905	93.5	9,978	18.1		
34	Children who have received Measles	49,098	90.2	10,028	18.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	43,572		8,352			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	40	0	Total unmet need	10.7
37	Number of Tubectomies performed	2,961	398	Spacing	4.1
38	Number of IUD insertion	494	95	Women using any method	64.1
39	Number of IUD removals	214	48	Women using modern method	42.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1037	188		
41	General OPD cases per 10,000 population ***	10521	1625		
42	Ayush OPD cases per 10,000 population ***	714	109		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	190	45		
44	Neonatal Deaths up to 4 weeks of birth	377	88		
45	Total Neonatal Death	567	133		
46	Deaths between (1 - 11) months	415	70		
47	Total reported infant deaths	982	203		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	3	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	2	0		
51	Due to Bleeding	6	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	35	13		
54	Total reported maternal deaths	47	13		

Dhalai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers(SC)	121					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	10					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	6,620		6,771			
11	Expected number of Delivery	6,138		6,278			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,750	117.1	2,200	33.2	ANC Check up in first trimester	66.4
13	Mothers registered in the first trimester	4,736	61.1	1,299	59.0	At least 4ANC check up	66.4
14	Number of PW received 4 or more ANC check ups	4,360	56.3	934	42.5	Neonatal tetanus received	88.1
15	PW who got TT 2 / Booster injection	6,331	81.7	1,429	65.0	100 IFA tablets consumed	13.2
16	PW who consumed 100 IFA tablets	4,529	58.4	1,053	47.9	Full ANC	7.4
17	Home Delivery against expected delivery *	538	8.8	148	2.4	Home Delivery	23.8
18	Institutional Delivery against expected delivery *	5,117	83.4	1,036	16.5	Institutional Delivery	76.2
19	Home Delivery against reported delivery **	538	9.5	148	12.5	Home Delivery by SBA(out of Total Deliveries)	1.0
20	Institutional Delivery against reported delivery **	5,117	90.5	1,036	87.5	PNC within 2days of delivery	62.1
21	Total reported Deliveries	5,655		1,184			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	3	2.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,901	33.6	363	30.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,018		6,155			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,592	92.9	1,178	19.1	Breastfed within 1 hour of birth	51

26	Total Still Birth	83	1.5	19	0.3	BCG	62.1
27	PC of newborn weighted at birth to live birth	5,515	98.6	1,141	96.9	3 dose of DPT	69.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	610	11.1	138	12.1	Measles	62.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,331	95.3	1,124	95.4	Full Immunization	44.3
30	Children fully immunized	5,505	91.5	970	15.8		
31	Children who have received BCG	5,829	96.9	873	14.2		
32	Children who have received DPT1	6,773	112.5	1,292	21.0		
33	Children who have received DPT3	5,958	99.0	975	15.8		
34	Children who have received Measles	5,625	93.5	975	15.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,859		831			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	7
37	Number of Tubectomies performed	15	9	Spacing	3
38	Number of IUD insertion	95	9	Women using any method	67.1
39	Number of IUD removals	42	5	Women using modern method	44.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	958	122		
41	General OPD cases per 10,000 population ***	8983	1372		
42	Ayush OPD cases per 10,000 population ***	417	63		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	15	3		
44	Neonatal Deaths up to 4 weeks of birth	29	5		
45	Total Neonatal Death	44	8		
46	Deaths between (1 - 11) months	65	16		
47	Total reported infant deaths	109	24		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	0		
54	Total reported maternal deaths	7	0		

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers(SC)	147					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,082		7,181			
11	Expected number of Delivery	6,567		6,659			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	6,806	96.1	1,939	27.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	5,555	81.6	1,552	80.0	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	4,149	61.0	776	40.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	6,083	89.4	1,600	82.5	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	3,771	55.4	444	22.9	Full ANC	NA
17	Home Delivery against expected delivery *	147	2.2	23	0.3	Home Delivery	NA
18	Institutional Delivery against expected delivery *	5,731	87.3	1,253	18.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	147	2.5	23	1.8	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	5,731	97.5	1,253	98.2	PNC within 2days of delivery	NA
21	Total reported Deliveries	5,878		1,276			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.7	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,008	68.2	1,093	85.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,438		6,528			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,820	90.4	1,262	19.3	Breastfed within 1 hour of birth	NA

26	Total Still Birth	94	1.6	27	0.4	BCG	NA
27	PC of newborn weighted at birth to live birth	5,813	99.9	1,251	99.1	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	561	9.7	390	31.2	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,801	99.7	1,218	96.5	Full Immunization	NA
30	Children fully immunized	5,585	86.7	1,212	18.6		
31	Children who have received BCG	6,079	95.7	1,395	21.4		
32	Children who have received DPT1	6,307	98.0	1,440	22.1		
33	Children who have received DPT3	5,992	93.1	1,218	18.7		
34	Children who have received Measles	5,602	87.0	1,217	18.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,485		1,110			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	15	0	Total unmet need	NA
37	Number of Tubectomies performed	210	0	Spacing	NA
38	Number of IUD insertion	19	2	Women using any method	NA
39	Number of IUD removals	11	3	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1074	162		
41	General OPD cases per 10,000 population ***	9776	1308		
42	Ayush OPD cases per 10,000 population ***	550	72		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	29	3		
44	Neonatal Deaths up to 4 weeks of birth	19	9		
45	Total Neonatal Death	48	12		
46	Deaths between (1 - 11) months	23	4		
47	Total reported infant deaths	71	16		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	1		
54	Total reported maternal deaths	7	1		

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers(SC)	104					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	5,236		5,301			
11	Expected number of Delivery	4,855		4,915			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	4,600	87.9	1,267	24.2	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	3,214	69.9	863	68.1	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	2,842	61.8	606	47.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	3,997	86.9	964	76.1	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	1,628	35.4	96	7.6	Full ANC	NA
17	Home Delivery against expected delivery *	110	2.3	28	0.6	Home Delivery	NA
18	Institutional Delivery against expected delivery *	2,859	58.9	620	12.6	Institutional Delivery	NA
19	Home Delivery against reported delivery **	110	3.7	28	4.3	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	2,859	96.3	620	95.7	PNC within 2days of delivery	NA
21	Total reported Deliveries	2,969		648			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	1.8	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,170	39.4	290	44.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,760		4,819			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	2,946	61.9	621	12.9	Breastfed within 1 hour of birth	NA

26	Total Still Birth	39	1.3	16	0.3	BCG	NA
27	PC of newborn weighted at birth to live birth	2,881	97.8	613	98.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	447	15.5	116	18.9	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,413	81.9	533	85.8	Full Immunization	NA
30	Children fully immunized	3,983	83.7	759	15.7		
31	Children who have received BCG	2,988	83.9	585	12.1		
32	Children who have received DPT1	4,184	87.9	936	19.4		
33	Children who have received DPT3	3,865	81.2	759	15.7		
34	Children who have received Measles	4,015	84.4	776	16.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,965		404			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	25	4	Women using any method	NA
39	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	666	187		
41	General OPD cases per 10,000 population ***	7405	1240		
42	Ayush OPD cases per 10,000 population ***	1011	121		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	5	5		
44	Neonatal Deaths up to 4 weeks of birth	5	2		
45	Total Neonatal Death	10	7		
46	Deaths between (1 - 11) months	16	2		
47	Total reported infant deaths	26	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	2	0		

North Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers(SC)	95					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	14					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	1					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	6,942		7,062			
11	Expected number of Delivery	6,437		6,549			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	8,547	123.1	2,486	35.8	ANC Check up in first trimester	64.0
13	Mothers registered in the first trimester	5,560	65.1	1,680	67.6	At least 4ANC check up	55.9
14	Number of PW received 4 or more ANC check ups	5,492	64.3	1,181	47.5	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	7,275	85.1	1,751	70.4	100 IFA tablets consumed	12.5
16	PW who consumed 100 IFA tablets	1,978	23.1	565	22.7	Full ANC	9.7
17	Home Delivery against expected delivery *	1,305	20.3	283	4.3	Home Delivery	35.2
18	Institutional Delivery against expected delivery *	4,111	63.9	1,066	16.3	Institutional Delivery	64.8
19	Home Delivery against reported delivery **	1,305	24.1	283	21.0	Home Delivery by SBA(out of Total Deliveries)	1.2
20	Institutional Delivery against reported delivery **	4,111	75.9	1,066	79.0	PNC within 2days of delivery	50.6
21	Total reported Deliveries	5,416		1,349			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	0.7	5	1.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,454	63.8	810	60.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,311		6,420			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	5,384	85.3	1,327	20.7	Breastfed within 1 hour of birth	52.9

26	Total Still Birth	41	0.8	22	0.3	BCG	79.6
27	PC of newborn weighted at birth to live birth	5,365	99.6	1,330	100.2	3 dose of DPT	66.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	434	8.1	122	9.2	Measles	63.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,342	99.2	1,251	94.3	Full Immunization	53.8
30	Children fully immunized	6,334	100.4	1,285	20.0		
31	Children who have received BCG	5,992	113.8	1,045	16.3		
32	Children who have received DPT1	7,439	117.9	1,638	25.5		
33	Children who have received DPT3	7,066	112.0	1,142	17.8		
34	Children who have received Measles	6,436	102.0	1,292	20.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	5,764		924			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.6
37	Number of Tubectomies performed	53	0	Spacing	3.4
38	Number of IUD insertion	30	10	Women using any method	65.2
39	Number of IUD removals	0	1	Women using modern method	39.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	929	116		
41	General OPD cases per 10,000 population ***	8417	1027		
42	Ayush OPD cases per 10,000 population ***	438	49		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	13	3		
44	Neonatal Deaths up to 4 weeks of birth	26	7		
45	Total Neonatal Death	39	10		
46	Deaths between (1 - 11) months	41	9		
47	Total reported infant deaths	80	19		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	3		
54	Total reported maternal deaths	5	3		

Sipahijala Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers(SC)	146					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	7,744		7,840			
11	Expected number of Delivery	7,181		7,270			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	8,310	107.3	2,157	27.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	6,249	75.2	1,529	70.9	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	4,727	56.9	1,039	48.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	7,109	85.5	1,630	75.6	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	5,368	64.6	647	30.0	Full ANC	NA
17	Home Delivery against expected delivery *	244	3.4	72	1.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	3,512	48.9	888	12.2	Institutional Delivery	NA
19	Home Delivery against reported delivery **	244	6.5	72	7.5	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	3,512	93.5	888	92.5	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,756		960			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,946	131.7	1,088	113.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,040		7,128			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	3,732	53.0	953	13.4	Breastfed within 1 hour of birth	NA

26	Total Still Birth	32	0.9	8	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	3,696	99.0	946	99.3	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	455	12.3	124	13.1	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,340	89.5	934	98.0	Full Immunization	NA
30	Children fully immunized	6,830	97.0	1,480	20.8		
31	Children who have received BCG	4,642	102.5	894	12.5		
32	Children who have received DPT1	7,263	103.2	1,644	23.1		
33	Children who have received DPT3	7,158	101.7	1,362	19.1		
34	Children who have received Measles	6,857	97.4	1,476	20.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	5,482		1,036			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4	0	Total unmet need	NA
37	Number of Tubectomies performed	131	13	Spacing	NA
38	Number of IUD insertion	25	3	Women using any method	NA
39	Number of IUD removals	6	0	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	668	88		
41	General OPD cases per 10,000 population ***	9356	1312		
42	Ayush OPD cases per 10,000 population ***	1115	202		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	6	0		
44	Neonatal Deaths up to 4 weeks of birth	16	0		
45	Total Neonatal Death	22	0		
46	Deaths between (1 - 11) months	11	3		
47	Total reported infant deaths	33	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	0		

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers(SC)	110					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centers (PHC)-HWC	11					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,031		7,130			
11	Expected number of Delivery	6,520		6,611			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,006	99.6	1,967	28.0	ANC Check up in first trimester	67.0
13	Mothers registered in the first trimester	5,482	78.2	1,503	76.4	At least 4ANC check up	59.1
14	Number of PW received 4 or more ANC check ups	4,625	66.0	1,119	56.9	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	6,037	86.2	1,535	78.0	100 IFA tablets consumed	13.9
16	PW who consumed 100 IFA tablets	4,193	59.8	1,049	53.3	Full ANC	5.7
17	Home Delivery against expected delivery *	197	3.0	54	0.8	Home Delivery	21.2
18	Institutional Delivery against expected delivery *	4,307	66.1	1,036	15.7	Institutional Delivery	78.8
19	Home Delivery against reported delivery **	197	4.4	54	5.0	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Institutional Delivery against reported delivery **	4,307	95.6	1,036	95.0	PNC within 2days of delivery	59.3
21	Total reported Deliveries	4,504		1,090			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,471		77.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	6,392		6,482			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	4,480		70.1		Breastfed within 1 hour of birth	
				1,088		16.8	
						45.1	

26	Total Still Birth	40	0.9	9	0.1	BCG	86.7
27	PC of newborn weighted at birth to live birth	4,455	99.4	1,066	98.0	3 dose of DPT	74.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	506	11.4	107	10.0	Measles	72.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,451	99.4	1,062	97.6	Full Immunization	54.7
30	Children fully immunized	5,875	91.9	1,181	18.2		
31	Children who have received BCG	4,861	93.5	1,006	15.5		
32	Children who have received DPT1	6,198	97.0	1,458	22.5		
33	Children who have received DPT3	5,919	92.6	1,342	20.7		
34	Children who have received Measles	5,886	92.1	1,182	18.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	6,042		1,111			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	9.7
37	Number of Tubectomies performed	86	9	Spacing	4.2
38	Number of IUD insertion	176	45	Women using any method	66.9
39	Number of IUD removals	71	23	Women using modern method	44.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1058	136		
41	General OPD cases per 10,000 population ***	10702	1894		
42	Ayush OPD cases per 10,000 population ***	607	117		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	8	2		
44	Neonatal Deaths up to 4 weeks of birth	21	1		
45	Total Neonatal Death	29	3		
46	Deaths between (1 - 11) months	32	3		
47	Total reported infant deaths	61	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	1		
54	Total reported maternal deaths	2	1		

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers(SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,629		4,709			
11	Expected number of Delivery	4,292		4,367			
		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,236	113.1	1,452	31.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	3,432	65.5	1,033	71.1	At least 4ANC check up	NA
14	Number of PW received 4 or more ANC check ups	3,377	64.5	709	48.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,300	82.1	1,007	69.4	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	3,057	58.4	726	50.0	Full ANC	NA
17	Home Delivery against expected delivery *	568	13.2	136	3.1	Home Delivery	NA
18	Institutional Delivery against expected delivery *	3,075	71.6	778	17.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	568	15.6	136	14.9	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	3,075	84.4	778	85.1	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,643		914			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.2	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,162	31.9	214	23.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,208		4,281			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 1st QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	3,466	82.4	905	21.1	Breastfed within 1 hour of birth	NA

26	Total Still Birth	64	1.8	18	0.4	BCG	NA
27	PC of newborn weighted at birth to live birth	3,171	91.5	850	93.9	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	458	14.4	82	9.6	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,090	89.2	847	93.6	Full Immunization	NA
30	Children fully immunized	3,925	93.3	823	19.2		
31	Children who have received BCG	3,485	103.7	847	19.8		
32	Children who have received DPT1	4,562	108.4	1,058	24.7		
33	Children who have received DPT3	4,209	100.0	861	20.1		
34	Children who have received Measles	4,070	96.7	840	19.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,831		800			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	19	0	Total unmet need	NA
37	Number of Tubectomies performed	169	27	Spacing	NA
38	Number of IUD insertion	25	4	Women using any method	NA
39	Number of IUD removals	7	3	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	812	125		
41	General OPD cases per 10,000 population ***	8746	1338		
42	Ayush OPD cases per 10,000 population ***	970	138		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	16	2		
44	Neonatal Deaths up to 4 weeks of birth	19	10		
45	Total Neonatal Death	35	12		
46	Deaths between (1 - 11) months	56	10		
47	Total reported infant deaths	91	22		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	2		
54	Total reported maternal deaths	6	2		

West Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
	B) Infrastructure Details (RHS 2018)	Numbers					
3	Sub Centers(SC)	173					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	13					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	14,673		14,856			
11	Expected number of Delivery	13,606		13,776			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	18,810	128.2	5,202	35.5	ANC Check up in first trimester	67.2
13	Mothers registered in the first trimester	12,999	69.1	3,402	65.4	At least 4ANC check up	69.8
14	Number of PW received 4 or more ANC check ups	17,016	90.5	3,146	60.5	Neonatal tetanus received	96.0
15	PW who got TT 2 / Booster injection	10,273	54.6	2,607	50.1	100 IFA tablets consumed	13.7
16	PW who consumed 100 IFA tablets	6,830	36.3	949	18.2	Full ANC	7.5
17	Home Delivery against expected delivery *	145	1.1	52	0.4	Home Delivery	10.9
18	Institutional Delivery against expected delivery *	20,192	148.4	4,117	29.9	Institutional Delivery	89.1
19	Home Delivery against reported delivery **	145	0.7	52	1.2	Home Delivery by SBA(out of Total Deliveries)	1.0
20	Institutional Delivery against reported delivery **	20,192	99.3	4,117	98.8	PNC within 2days of delivery	68.3
21	Total reported Deliveries	20,337		4,169			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,305	70.3	2,753	66.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	13,339		13,506			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
25	Total reported live births	19,919	149.3	4,073	30.2	Breastfed within 1 hour of birth	39

26	Total Still Birth	457	2.3	114	0.8	BCG	86
27	PC of newborn weighted at birth to live birth	19,633	98.6	4,059	99.7	3 dose of DPT	72.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,541	12.9	493	12.1	Measles	72.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,243	86.6	3,406	83.6	Full Immunization	56.7
30	Children fully immunized	10,509	78.8	2,239	16.6		
31	Children who have received BCG	16,514	82.3	3,345	24.8		
32	Children who have received DPT1	11,347	85.1	2,714	20.1		
33	Children who have received DPT3	10,738	80.5	2,319	17.2		
34	Children who have received Measles	10,607	79.5	2,270	16.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10,144		2,136			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 1st QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2	0	Total unmet need	12.5
37	Number of Tubectomies performed	2,297	340	Spacing	4.5
38	Number of IUD insertion	99	18	Women using any method	61.9
39	Number of IUD removals	77	13	Women using modern method	42.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 1st QTR		
40	IPD cases per 10,000 population ***	1488	361		
41	General OPD cases per 10,000 population ***	14722	2433		
42	Ayush OPD cases per 10,000 population ***	707	108		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
43	Neonatal death within 24 hours	98	27		
44	Neonatal Deaths up to 4 weeks of birth	242	54		
45	Total Neonatal Death	340	81		
46	Deaths between (1 - 11) months	171	23		
47	Total reported infant deaths	511	104		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 1st QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	15	6		
54	Total reported maternal deaths	17	6		