

## ASSAM Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	31,205,576						
2	Sex Ratio	954						
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	4,034						
4	Sub Centres (SC)- HWC	628						
5	Primary Health Centers (PHC)	704						
6	Primary Health Centres (PHC)-HWC	297						
7	Community Health Centers (CHC)	179						
8	SDH	14						
9	DH	25						
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>					
10	Expected number of PW	832,318	842,417					
11	Expected number of Delivery	775,569	784,979					
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 ( 2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	685,229	82.3	658,707	78.2	ANC Check up in first trimester	63.8	
13	Mothers registered in the first trimester	603,179	88.0	578,713	87.9	At least 4ANC check up	50.7	
14	Mothers who had 4 or more ANC check ups	584,592	85.3	530,660	80.6	Neonatal tetanus received	94.5	
15	PW who got TT 2 / Booster injection	630,473	92.0	614,466	93.3	100 IFA tablets consumed	47.5	
16	PW who consumed 180 IFA tablets	673,833	98.3	627,106	95.2	Home Delivery	15.9	
17	Home Delivery against expected delivery *	53,589	6.9	61,127	7.8	Institutional Delivery	84.1	
18	Institutional Delivery against expected delivery *	554,567	71.5	519,522	66.2	Home Delivery by SBA	2.6	
19	Home Delivery against reported delivery **	53,589	8.8	61,127	10.5	PNC within 2days of delivery	65.3	
20	Institutional Delivery against reported delivery **	554,567	91.2	519,522	89.5			
21	Total reported Deliveries	608,156		580,649				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16,737	31.2	18,853	30.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	530,184	87.2	480,547	82.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	756,653		765,833				
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 ( 2019-20)</b>			
25	Total reported live births	600,797	79.4	572,187	74.7	Breastfed within 1 hour of birth	49.1	
26	Total Still Birth	12,692	1.7	12,444	1.6	BCG	92.5	

27	PC of newborn weighted at birth to live birth	591,026	98.4	563,651	98.5	3 dose of DPT	81.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	83,603	14.1	80,274	14.2	Measles First dose	82.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	580,216	96.6	553,829	96.8	3 doses of penta or hepatitis B vaccine	75.1
30	Children fully immunized	598,636	79.1	599,110	78.2	Full Immunization	66.4
31	Children who have received BCG	666,512	88.1	623,380	81.4		
32	Children who have received Pentavalent 1	610,937	80.7	605,825	79.1		
33	Children who have received Pentavalent 3	596,848	78.9	588,261	76.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	598,620	79.1	607,861	79.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	103,732		48,332			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2,262	562	Total unmet need	11
37	Number of Tubectomies performed	32,653	21,361	Spacing	4.1
38	Number of IUD insertion	64,160	46,259	Women using any method	60.8
39	Number of IUD removals	15,880	12,222	Women using modern method	45.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	463	297		
41	General OPD cases per 10,000 population ***	9,526	5,765		
42	Ayush OPD cases per 10,000 population ***	826	359		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	1,916	1,643		
44	Neonatal Deaths up to 4 weeks of birth	7,137	5,837		
45	<b>Total Neonatal Death</b>	<b>9,053</b>	<b>7,480</b>		
46	Deaths between (1 - 11) months	3,365	2,910		
47	<b>Total reported infant deaths</b>	<b>12,418</b>	<b>10,390</b>		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21)		
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		
48	Due to Abortion	21	22		
49	Due to Obstructed/prolonged labour	29	29		
50	Due to Severe hypertension / fits	129	144		
51	Due to Bleeding	109	108		
52	Due to High fever	22	30		
53	Due to Other Causes (including causes not known)	699	709		
54	<b>Total reported maternal deaths</b>	<b>1,009</b>	<b>1,042</b>		

## Baksa Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	950,075						
2	Sex Ratio	967						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	136						
4	Sub Centres (SC)- HWC	21						
5	Primary Health Centers (PHC)	25						
6	Primary Health Centres (PHC)-HWC	11						
7	Community Health Centers (CHC)	6						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20	2020-21		NFHS-5 (2019-20)			
10	Expected number of PW	24,215	24,370					
11	Expected number of Delivery	22,564	22,708					
		HMIS (2019-20)		HMIS (2020-21)				
		Number	PC	Number	PC			
12	PW register for ANC	16,257	67.1	15,653	64.2	ANC Check up in first trimester	61.1	
13	Mothers registered in the first trimester	14,244	87.6	13,792	88.1	At least 4ANC check up	56.0	
14	Mothers who had 4 or more ANC check ups	13,198	81.2	12,398	79.2	Neonatal tetanus received	95.0	
15	PW who got TT 2 / Booster injection	14,297	87.9	14,299	91.3	100 IFA tablets consumed	56.2	
16	PW who consumed 180 IFA tablets	15,441	95.0	14,460	92.4	Home Delivery	10.1	
17	Home Delivery against expected delivery *	347	1.5	386	1.7	Institutional Delivery	89.9	
18	Institutional Delivery against expected delivery *	7,980	35.4	7,329	32.3	Home Delivery by SBA	4.6	
19	Home Delivery against reported delivery **	347	4.2	386	5.0	PNC within 2days of delivery	65.0	
20	Institutional Delivery against reported delivery **	7,980	95.8	7,329	95.0			
21	Total reported Deliveries	8,327		7,715				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	260	74.9	295	76.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,418	161.1	12,765	165.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	22,013		22,154				
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21)		NFHS-5 (2019-20)			
25	Total reported live births	8,222	37.3	7,630	34.4	Breastfed within	34.9	

						1 hour of birth	
26	Total Still Birth	158	0.7	141	0.6	BCG	93.6
27	PC of newborn weighted at birth to live birth	8,213	99.9	7,561	99.1	3 dose of DPT	87.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	971	11.8	916	12.1	Measles First dose	91.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,211	99.9	7,618	99.8	3 doses of penta or hepatitis B vaccine	68.3
30	Children fully immunized	14,548	66.1	14,313	64.6	Full Immunization	70.5
31	Children who have received BCG	13,620	61.9	12,483	56.3		
32	Children who have received Pentavalent 1	14,362	65.2	14,508	65.5		
33	Children who have received Pentavalent 3	14,383	65.3	14,484	65.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	14,499	65.9	14,426	65.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,140		896			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	75	8	Total unmet need	12.5
37	Number of Tubectomies performed	424	527	Spacing	5.7
38	Number of IUD insertion	1,640	907	Women using any method	59.2
39	Number of IUD removals	650	455	Women using modern method	47.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	179	93		
41	General OPD cases per 10,000 population ***	5,718	3,438		
42	Ayush OPD cases per 10,000 population ***	2,143	950		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	17	15		
44	Neonatal Deaths up to 4 weeks of birth	63	64		
45	<b>Total Neonatal Death</b>	<b>80</b>	<b>79</b>		
46	Deaths between (1 - 11) months	92	99		
47	<b>Total reported infant deaths</b>	<b>172</b>	<b>178</b>		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	2	5		
51	Due to Bleeding	0	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	8		

54	<b>Total reported maternal deaths</b>	<b>10</b>	<b>17</b>	
----	---------------------------------------	-----------	-----------	--

## Barpeta Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>1,693,622</b>						
2	Sex Ratio	<b>951</b>						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	<b>231</b>						
4	Sub Centres (SC)- HWC	<b>33</b>						
5	Primary Health Centers (PHC)	<b>33</b>						
6	Primary Health Centres (PHC)-HWC	<b>15</b>						
7	Community Health Centers (CHC)	<b>11</b>						
8	SDH	<b>1</b>						
9	DH	<b>1</b>						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	46,786	47,561					
11	Expected number of Delivery	43,596	44,319					
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	42,427	90.7	41,428	87.1	ANC Check up in first trimester	62.2	
13	Mothers registered in the first trimester	37,576	88.6	37,842	91.3	At least 4ANC check up	43.6	
14	Mothers who had 4 or more ANC check ups	37,968	89.5	34,872	84.2	Neonatal tetanus received	94.9	
15	PW who got TT 2 / Booster injection	37,060	87.4	38,119	92.0	100 IFA tablets consumed	49.4	
16	PW who consumed 180 IFA tablets	44,064	103.9	39,062	94.3	Home Delivery	12.4	
17	Home Delivery against expected delivery *	5,501	12.6	5,684	12.8	Institutional Delivery	87.6	
18	Institutional Delivery against expected delivery *	32,920	75.5	33,240	75.0	Home Delivery by SBA	0.6	
19	Home Delivery against reported delivery **	5,501	14.3	5,684	14.6	PNC within 2days of delivery	70.5	
20	Institutional Delivery against reported delivery **	32,920	85.7	33,240	85.4			
21	Total reported Deliveries	38,421		38,924				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,301	60.0	3,221	56.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32,971	85.8	34,108	87.6			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	42,532		43,238			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	37,875	89.0	38,168	88.3	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	935	2.2	1,046	2.4	BCG	94.3
27	PC of newborn weighted at birth to live birth	37,077	97.9	38,160	100.0	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,954	16.1	5,210	13.7	Measles First dose	83.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	37,476	98.9	37,835	99.1	3 doses of penta or hepatitis B vaccine	67.8
30	Children fully immunized	36,307	85.4	36,466	84.3	Full Immunization	54.6
31	Children who have received BCG	43,819	103.0	41,199	95.3		
32	Children who have received Pentavalent 1	37,531	88.2	38,068	88.0		
33	Children who have received Pentavalent 3	36,641	86.1	37,118	85.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	36,238	85.2	37,132	85.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,385		795			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	354		2		Total unmet need	12.3
37	Number of Tubectomies performed	1,677		1,332		Spacing	3.9
38	Number of IUD insertion	3,605		2,947		Women using any method	57.3
39	Number of IUD removals	474		490		Women using modern method	47.4
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	343		279			
41	General OPD cases per 10,000 population ***	6,600		5,149			
42	Ayush OPD cases per 10,000 population ***	1,302		528			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	97		89			
44	Neonatal Deaths up to 4 weeks of birth	650		655			
45	<b>Total Neonatal Death</b>	<b>747</b>		<b>744</b>			
46	Deaths between (1 - 11) months	120		56			
47	<b>Total reported infant deaths</b>	<b>867</b>		<b>800</b>			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
48	Due to Abortion	1		3			
49	Due to Obstructed/prolonged labour	0		3			
50	Due to Severe hypertension / fits	17		26			
51	Due to Bleeding	6		6			

52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	39	57	
54	<b>Total reported maternal deaths</b>	<b>63</b>	<b>95</b>	

## Biswanath Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	612,491					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	16,175		16,351			
11	Expected number of Delivery	15,072		15,236			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	0	0.0	13,935	85.2	ANC Check up in first trimester	41.2
13	Mothers registered in the first trimester	0	-	12,557	90.1	At least 4ANC check up	46.5
14	Mothers who had 4 or more ANC check ups	0	-	11,466	82.3	Neonatal tetanus received	94.6
15	PW who got TT 2 / Booster injection	0	-	13,177	94.6	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	0	-	13,314	95.5	Home Delivery	15.7
17	Home Delivery against expected delivery *	0	0.0	436	2.9	Institutional Delivery	84.3
18	Institutional Delivery against expected delivery *	0	0.0	9,921	65.1	Home Delivery by SBA	0.6
19	Home Delivery against reported delivery **	0	-	436	4.2	PNC within 2days of delivery	56.5
20	Institutional Delivery against reported delivery **	0	-	9,921	95.8		
21	Total reported Deliveries	0		10,357			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	84	19.3		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	9,726	93.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	14,705		14,865			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	0	0.0	10,200	68.6	Breastfed within 1 hour of birth	62.7
26	Total Still Birth	0	0.0	188	1.3	BCG	88.3
27	PC of newborn weighted at birth to live birth	0	-	10,197	100.0	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	1,184	11.6	Measles First dose	87.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	10,165	99.7	3 doses of penta or hepatitis B vaccine	82.6
30	Children fully immunized	0	0.0	12,748	85.8	Full Immunization	66.2
31	Children who have received BCG	0	0.0	11,950	80.4		
32	Children who have received Pentavalent 1	0	0.0	12,770	85.9		
33	Children who have received Pentavalent 3	0	0.0	12,590	84.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	12,717	85.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		367			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		7		Total unmet need	5.3
37	Number of Tubectomies performed	0		296		Spacing	1.4
38	Number of IUD insertion	0		403		Women using any method	72.4
39	Number of IUD removals	0		116		Women using modern method	56.1
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	0		516			
41	General OPD cases per 10,000 population ***	0		10,729			
42	Ayush OPD cases per 10,000 population ***	0		157			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	0		54			
44	Neonatal Deaths up to 4 weeks of birth	0		92			
45	<b>Total Neonatal Death</b>	<b>0</b>		<b>146</b>			
46	Deaths between (1 - 11) months	0		108			
47	<b>Total reported infant deaths</b>	<b>0</b>		<b>254</b>			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			



48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	1	
50	Due to Severe hypertension / fits	0	6	
51	Due to Bleeding	0	3	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	30	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>41</b>	

## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	738,804					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	85					
4	Sub Centres (SC)- HWC	23					
5	Primary Health Centers (PHC)	16					
6	Primary Health Centres (PHC)-HWC	13					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	20,120	20,417				
11	Expected number of Delivery	18,748	19,025				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	14,969	74.4	14,974	73.3	ANC Check up in first trimester	65.1
13	Mothers registered in the first trimester	13,463	89.9	13,319	88.9	At least 4ANC check up	33.9
14	Mothers who had 4 or more ANC check ups	12,004	80.2	10,741	71.7	Neonatal tetanus received	91.8
15	PW who got TT 2 / Booster injection	13,735	91.8	12,964	86.6	100 IFA tablets consumed	46.7
16	PW who consumed 180 IFA tablets	14,807	98.9	14,452	96.5	Home Delivery	15.5
17	Home Delivery against expected delivery *	704	3.8	853	4.5	Institutional Delivery	84.5
18	Institutional Delivery against expected delivery *	13,586	72.5	13,177	69.3	Home Delivery by SBA	4.9
19	Home Delivery against reported delivery **	704	4.9	853	6.1	PNC within 2days of delivery	57.0
20	Institutional Delivery against reported delivery **	13,586	95.1	13,177	93.9		
21	Total reported Deliveries	14,290		14,030			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	152	21.6	208	24.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,845	61.9	12,305	87.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	18,291		18,561			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	14,116	77.2	13,997	75.4	Breastfed within 1 hour of birth	46.7
26	Total Still Birth	270	1.5	261	1.4	BCG	94.1
27	PC of newborn weighted at birth to live birth	14,102	99.9	13,463	96.2	3 dose of DPT	80.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,677	11.9	2,074	15.4	Measles First dose	84.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,960	98.9	13,461	96.2	3 doses of penta or hepatitis B vaccine	71.3
30	Children fully immunized	13,240	72.4	12,755	68.7	Full Immunization	67.9
31	Children who have received BCG	13,781	75.3	13,165	70.9		
32	Children who have received Pentavalent 1	13,882	75.9	13,742	74.0		
33	Children who have received Pentavalent 3	13,309	72.8	12,782	68.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	13,302	72.7	12,717	68.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	580		249			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	6		8		Total unmet need	16.1
37	Number of Tubectomies performed	739		439		Spacing	5.1
38	Number of IUD insertion	3,373		731		Women using any method	57.6
39	Number of IUD removals	400		177		Women using modern method	45.3
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	257		166			
41	General OPD cases per 10,000 population ***	8,674		3,444			
42	Ayush OPD cases per 10,000 population ***	609		216			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	33		27			
44	Neonatal Deaths up to 4 weeks of birth	157		90			
45	<b>Total Neonatal Death</b>	<b>190</b>		<b>117</b>			
46	Deaths between (1 - 11) months	65		45			
47	<b>Total reported infant deaths</b>	<b>255</b>		<b>162</b>			

II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS ( 2019-20)	HMIS ( 2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	6	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	16		
54	<b>Total reported maternal deaths</b>	<b>16</b>	<b>21</b>		

Cachar Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,617					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	255					
4	Sub Centres (SC)- HWC	15					
5	Primary Health Centers (PHC)	20					
6	Primary Health Centres (PHC)-HWC	12					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	47,513	48,243				
11	Expected number of Delivery	44,274	44,953				
		HMIS ( 2019-20)	HMIS ( 2020-21)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	40,421	85.1	38,935	80.7	ANC Check up in first trimester	52.0
13	Mothers registered in the first trimester	35,932	88.9	34,344	88.2	At least 4ANC check up	32.7
14	Mothers who had 4 or more ANC check ups	35,492	87.8	34,614	88.9	Neonatal tetanus received	90.0
15	PW who got TT 2 / Booster injection	39,124	96.8	38,150	98.0	100 IFA tablets consumed	35.6
16	PW who consumed 180 IFA tablets	40,197	99.4	36,286	93.2	Home Delivery	20.8
17	Home Delivery against expected delivery *	1,227	2.8	1,372	3.1	Institutional Delivery	79.2
18	Institutional Delivery against expected delivery *	44,137	99.7	40,084	89.2	Home Delivery by SBA	2.1
19	Home Delivery against reported delivery **	1,227	2.7	1,372	3.3	PNC within 2days of delivery	57.3

20	Institutional Delivery against reported delivery **	44,137	97.3	40,084	96.7		
21	Total reported Deliveries	45,364		41,456			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	677	55.2	732	53.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,458	56.1	23,704	57.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	43,194		43,857			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	44,317	102.6	40,329	92.0	Breastfed within 1 hour of birth	29.8
26	Total Still Birth	1,427	3.3	1,269	2.9	BCG	88.3
27	PC of newborn weighted at birth to live birth	44,317	100.0	40,132	99.5	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,511	16.9	6,140	15.3	Measles First dose	76.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	44,146	99.6	40,064	99.3	3 doses of penta or hepatitis B vaccine	63.8
30	Children fully immunized	39,759	92.0	40,254	91.8	Full Immunization	70.4
31	Children who have received BCG	50,363	116.6	44,933	102.5		
32	Children who have received Pentavalent 1	41,118	95.2	39,376	89.8		
33	Children who have received Pentavalent 3	39,906	92.4	39,060	89.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	39,906	92.4	40,224	91.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,284		3,032			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	249		72		Total unmet need	15.6
37	Number of Tubectomies performed	3,116		1,161		Spacing	6.9
38	Number of IUD insertion	2,329		1,715		Women using any method	48
39	Number of IUD removals	215		150		Women using modern method	38.2
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	569		460			
41	General OPD cases per 10,000 population ***	10,595		6,442			
42	Ayush OPD cases per 10,000 population ***	50		24			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	241		108			

44	Neonatal Deaths up to 4 weeks of birth	286	303	
45	<b>Total Neonatal Death</b>	<b>527</b>	<b>411</b>	
46	Deaths between (1 - 11) months	155	124	
47	<b>Total reported infant deaths</b>	<b>682</b>	<b>535</b>	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	5	7	
50	Due to Severe hypertension / fits	12	16	
51	Due to Bleeding	4	23	
52	Due to High fever	9	20	
53	Due to Other Causes (including causes not known)	108	69	
54	<b>Total reported maternal deaths</b>	<b>138</b>	<b>135</b>	

## Charaideo Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	458,615					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	11,523	11,576				
11	Expected number of Delivery	10,738	10,787				
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	0	0.0	7,746	66.9	ANC Check up in first trimester	74.1
13	Mothers registered in the first trimester	0	-	7,024	90.7	At least 4ANC check up	64.5
14	Mothers who had 4 or more ANC check ups	0	-	6,165	79.6	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	0	-	7,060	91.1	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	0	-	7,447	96.1	Home Delivery	11.8
17	Home Delivery against expected delivery *	0	0.0	45	0.4	Institutional Delivery	88.2

18	Institutional Delivery against expected delivery *	0	0.0	3,680	34.1	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	0	-	45	1.2	PNC within 2days of delivery	70.5
20	Institutional Delivery against reported delivery **	0	-	3,680	98.8		
21	Total reported Deliveries	0		3,725			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	28	62.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	5,016	134.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	10,476		10,524			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	0	0.0	3,741	35.5	Breastfed within 1 hour of birth	58.3
26	Total Still Birth	0	0.0	68	0.6	BCG	96.2
27	PC of newborn weighted at birth to live birth	0	-	3,709	99.1	3 dose of DPT	90.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	548	14.8	Measles First dose	90
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	3,730	99.7	3 doses of penta or hepatitis B vaccine	79.6
30	Children fully immunized	0	0.0	7,314	69.5	Full Immunization	74
31	Children who have received BCG	0	0.0	4,644	44.1		
32	Children who have received Pentavalent 1	0	0.0	7,411	70.4		
33	Children who have received Pentavalent 3	0	0.0	7,278	69.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	7,432	70.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		429			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		12		Total unmet need	8.3
37	Number of Tubectomies performed	0		455		Spacing	3.7
38	Number of IUD insertion	0		455		Women using any method	67
39	Number of IUD removals	0		90		Women using modern method	43.9
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	0		139			
41	General OPD cases per 10,000 population ***	0		9,538			
42	Ayush OPD cases per 10,000 population ***	0		51			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)	
43	Neonatal death within 24 hours	0	2	
44	Neonatal Deaths up to 4 weeks of birth	0	33	
45	<b>Total Neonatal Death</b>	<b>0</b>	<b>35</b>	
46	Deaths between (1 - 11) months	0	21	
47	<b>Total reported infant deaths</b>	<b>0</b>	<b>56</b>	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	1	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>	

## Chirang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	482,162					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	78					
4	Sub Centres (SC)- HWC	9					
5	Primary Health Centers (PHC)	19					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	12,298	12,378				
11	Expected number of Delivery	11,459	11,534				
		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,556	77.7	9,617	77.7	ANC Check up in first trimester	55.9
13	Mothers registered in the first trimester	7,877	82.4	7,628	79.3	At least 4ANC check up	56.5
14	Mothers who had 4 or more ANC check ups	7,112	74.4	6,543	68.0	Neonatal tetanus received	96.1
15	PW who got TT 2 / Booster injection	8,763	91.7	8,860	92.1	100 IFA tablets consumed	47.1

16	PW who consumed 180 IFA tablets	8,421	88.1	8,142	84.7	Home Delivery	16.3
17	Home Delivery against expected delivery *	1,359	11.9	1,692	14.7	Institutional Delivery	83.7
18	Institutional Delivery against expected delivery *	6,112	53.3	5,923	51.4	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	1,359	18.2	1,692	22.2	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	6,112	81.8	5,923	77.8		
21	Total reported Deliveries	7,471		7,615			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	9.2	91	5.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,057	94.5	4,734	62.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	11,180		11,252			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	7,372	65.9	7,520	66.8	Breastfed within 1 hour of birth	40.5
26	Total Still Birth	155	1.4	120	1.1	BCG	98.2
27	PC of newborn weighted at birth to live birth	7,360	99.8	7,519	100.0	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	939	12.8	988	13.1	Measles First dose	89.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,310	99.2	7,510	99.9	3 doses of penta or hepatitis B vaccine	84.5
30	Children fully immunized	7,934	71.0	8,360	74.3	Full Immunization	71.1
31	Children who have received BCG	8,674	77.6	8,288	73.7		
32	Children who have received Pentavalent 1	8,358	74.8	8,854	78.7		
33	Children who have received Pentavalent 3	8,045	72.0	8,362	74.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,943	71.0	8,389	74.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,214		807			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	2		0		Total unmet need	9.8
37	Number of Tubectomies performed	98		12		Spacing	3.7
38	Number of IUD insertion	1,539		696		Women using any method	65.8
39	Number of IUD removals	574		537		Women using modern method	55.6
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	338		277			



41	General OPD cases per 10,000 population ***	8,672	4,741	
42	Ayush OPD cases per 10,000 population ***	746	429	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
43	Neonatal death within 24 hours	24	22	
44	Neonatal Deaths up to 4 weeks of birth	34	57	
45	<b>Total Neonatal Death</b>	<b>58</b>	<b>79</b>	
46	Deaths between (1 - 11) months	97	90	
47	<b>Total reported infant deaths</b>	<b>155</b>	<b>169</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	10	11	
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>12</b>	

## Darrang Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>928,500</b>				
2	Sex Ratio	<b>923</b>				
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>				
3	Sub Centers (SC)	<b>138</b>				
4	Sub Centres (SC)- HWC	<b>21</b>				
5	Primary Health Centers (PHC)	<b>29</b>				
6	Primary Health Centres (PHC)-HWC	<b>4</b>				
7	Community Health Centers (CHC)	<b>7</b>				
8	SDH	<b>0</b>				
9	DH	<b>1</b>				
	<b>C) Maternal Health:</b>	<b>2019-20</b>	<b>2020-21</b>			
10	Expected number of PW	25,272	25,644			
11	Expected number of Delivery	23,549	23,895			
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
12	PW register for ANC	22,207	87.9	21,817	85.1	ANC Check up in first trimester 56.5
13	Mothers registered in the first trimester	21,360	96.2	21,194	97.1	At least 4ANC check up 37.5

14	Mothers who had 4 or more ANC check ups	20,668	93.1	19,743	90.5	Neonatal tetanus received	91.1
15	PW who got TT 2 / Booster injection	20,640	92.9	20,309	93.1	100 IFA tablets consumed	43.3
16	PW who consumed 180 IFA tablets	22,508	101.4	20,217	92.7	Home Delivery	15.6
17	Home Delivery against expected delivery *	539	2.3	352	1.5	Institutional Delivery	84.4
18	Institutional Delivery against expected delivery *	18,456	78.4	18,545	77.6	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	539	2.8	352	1.9	PNC within 2days of delivery	53.2
20	Institutional Delivery against reported delivery **	18,456	97.2	18,545	98.1		
21	Total reported Deliveries	18,995		18,897			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	287	53.2	335	95.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,842	109.7	22,820	120.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	22,975		23,312			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	18,835	82.0	18,742	80.4	Breastfed within 1 hour of birth	51.7
26	Total Still Birth	290	1.3	281	1.2	BCG	94.9
27	PC of newborn weighted at birth to live birth	18,705	99.3	18,675	99.6	3 dose of DPT	76.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,014	10.8	3,723	19.9	Measles First dose	82.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,454	98.0	18,398	98.2	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	19,834	86.3	19,908	85.4	Full Immunization	57.1
31	Children who have received BCG	20,571	89.5	19,625	84.2		
32	Children who have received Pentavalent 1	20,221	88.0	19,899	85.4		
33	Children who have received Pentavalent 3	20,249	88.1	19,847	85.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,926	86.7	19,880	85.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,876		1,421			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	26		12		Total unmet need	14.8
37	Number of Tubectomies performed	828		564		Spacing	5.8
38	Number of IUD insertion	3,207		1,673		Women using any method	46.8

39	Number of IUD removals	785	513	Women using modern method	36.5
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		
40	IPD cases per 10,000 population ***	616	383		
41	General OPD cases per 10,000 population ***	11,571	4,911		
42	Ayush OPD cases per 10,000 population ***	815	259		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		
43	Neonatal death within 24 hours	57	11		
44	Neonatal Deaths up to 4 weeks of birth	139	143		
45	<b>Total Neonatal Death</b>	<b>196</b>	<b>154</b>		
46	Deaths between (1 - 11) months	59	45		
47	<b>Total reported infant deaths</b>	<b>255</b>	<b>199</b>		
<b>II) Maternal Mortality</b>					
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	2		
51	Due to Bleeding	6	4		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	8		
54	<b>Total reported maternal deaths</b>	<b>21</b>	<b>15</b>		

## Dhemaji Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>686,133</b>				
2	Sex Ratio	<b>949</b>				
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	<b>78</b>				
4	Sub Centres (SC)- HWC	<b>20</b>				
5	Primary Health Centers (PHC)	<b>15</b>				
6	Primary Health Centres (PHC)-HWC	<b>8</b>				
7	Community Health Centers (CHC)	<b>4</b>				
8	SDH	<b>0</b>				
9	DH	<b>1</b>				
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>			
10	Expected number of PW	18,791	19,082			
11	Expected number of Delivery	17,510	17,781			
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>	<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	

12	PW register for ANC	14,553	77.4	14,315	75.0	ANC Check up in first trimester	76.2
13	Mothers registered in the first trimester	13,634	93.7	13,365	93.4	At least 4ANC check up	62.2
14	Mothers who had 4 or more ANC check ups	12,563	86.3	12,310	86.0	Neonatal tetanus received	96.5
15	PW who got TT 2 / Booster injection	12,976	89.2	13,291	92.8	100 IFA tablets consumed	45.3
16	PW who consumed 180 IFA tablets	14,772	101.5	14,241	99.5	Home Delivery	12.7
17	Home Delivery against expected delivery *	43	0.2	46	0.3	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	14,505	82.8	14,508	81.6	Home Delivery by SBA	4.2
19	Home Delivery against reported delivery **	43	0.3	46	0.3	PNC within 2days of delivery	72.8
20	Institutional Delivery against reported delivery **	14,505	99.7	14,508	99.7		
21	Total reported Deliveries	14,548		14,554			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	55.8	20	43.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,708	94.2	13,939	95.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	17,083		17,348			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	14,398	84.3	14,395	83.0	Breastfed within 1 hour of birth	45.5
26	Total Still Birth	262	1.5	247	1.4	BCG	96.7
27	PC of newborn weighted at birth to live birth	13,996	97.2	14,391	100.0	3 dose of DPT	94.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,319	9.4	1,533	10.7	Measles First dose	93.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,001	97.2	14,085	97.8	3 doses of penta or hepatitis B vaccine	90
30	Children fully immunized	12,668	74.2	12,840	74.0	Full Immunization	89.7
31	Children who have received BCG	13,859	81.1	14,108	81.3		
32	Children who have received Pentavalent 1	12,772	74.8	12,891	74.3		
33	Children who have received Pentavalent 3	12,705	74.4	12,816	73.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,601	73.8	12,855	74.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,922		1,542			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	61		4		Total unmet need	7.1

37	Number of Tubectomies performed	1,109	731	Spacing	3.5
38	Number of IUD insertion	2,475	1,552	Women using any method	72.6
39	Number of IUD removals	1,143	723	Women using modern method	45
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
40	IPD cases per 10,000 population ***	265	231		
41	General OPD cases per 10,000 population ***	9,967	5,193		
42	Ayush OPD cases per 10,000 population ***	629	291		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
43	Neonatal death within 24 hours	53	54		
44	Neonatal Deaths up to 4 weeks of birth	137	123		
45	<b>Total Neonatal Death</b>	<b>190</b>	<b>177</b>		
46	Deaths between (1 - 11) months	83	71		
47	<b>Total reported infant deaths</b>	<b>273</b>	<b>248</b>		
<b>II) Maternal Mortality</b>					
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	2		
50	Due to Severe hypertension / fits	2	2		
51	Due to Bleeding	4	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	10		
54	<b>Total reported maternal deaths</b>	<b>14</b>	<b>15</b>		

## Dhubri Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>1,394,144</b>	
2	Sex Ratio	<b>952</b>	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	<b>184</b>	
4	Sub Centres (SC)- HWC	<b>47</b>	
5	Primary Health Centers (PHC)	<b>25</b>	
6	Primary Health Centres (PHC)-HWC	<b>19</b>	
7	Community Health Centers (CHC)	<b>6</b>	
8	SDH	<b>2</b>	
9	DH	<b>1</b>	
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>
10	Expected number of PW	39,427	40,198
11	Expected number of Delivery	36,739	37,458

		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	57,127	144.9	44,289	110.2	ANC Check up in first trimester	49.9
13	Mothers registered in the first trimester	49,538	86.7	37,371	84.4	At least 4ANC check up	37.6
14	Mothers who had 4 or more ANC check ups	50,960	89.2	36,965	83.5	Neonatal tetanus received	97.0
15	PW who got TT 2 / Booster injection	57,861	101.3	45,582	102.9	100 IFA tablets consumed	47.6
16	PW who consumed 180 IFA tablets	56,234	98.4	43,262	97.7	Home Delivery	35.8
17	Home Delivery against expected delivery *	18,317	49.9	15,931	42.5	Institutional Delivery	64.2
18	Institutional Delivery against expected delivery *	28,829	78.5	22,114	59.0	Home Delivery by SBA	5.8
19	Home Delivery against reported delivery **	18,317	38.9	15,931	41.9	PNC within 2days of delivery	48.4
20	Institutional Delivery against reported delivery **	28,829	61.1	22,114	58.1		
21	Total reported Deliveries	47,146		38,045			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,924	21.4	4,196	26.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,508	71.1	26,499	69.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	35,843		36,544			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	46,474	129.7	37,490	102.6	Breastfed within 1 hour of birth	57.9
26	Total Still Birth	1,038	2.9	996	2.7	BCG	90.5
27	PC of newborn weighted at birth to live birth	46,475	100.0	37,485	100.0	3 dose of DPT	82.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,371	13.7	5,868	15.7	Measles First dose	84
29	PC of newborns breastfed within 1 hour to total reported live birth.	46,211	99.4	36,997	98.7	3 doses of penta or hepatitis B vaccine	81.4
30	Children fully immunized	47,411	132.3	36,645	100.3	Full Immunization	71.6
31	Children who have received BCG	51,200	142.8	39,552	108.2		
32	Children who have received Pentavalent 1	48,558	135.5	38,374	105.0		
33	Children who have received Pentavalent 3	47,288	131.9	36,121	98.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	47,449	132.4	37,332	102.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,734		3,365			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	22	1	Total unmet need	11.5
37	Number of Tubectomies performed	676	435	Spacing	4
38	Number of IUD insertion	5,579	5,464	Women using any method	64.1
39	Number of IUD removals	499	333	Women using modern method	53.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	471	238		
41	General OPD cases per 10,000 population ***	9,339	3,773		
42	Ayush OPD cases per 10,000 population ***	1,573	309		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	199	219		
44	Neonatal Deaths up to 4 weeks of birth	667	531		
45	<b>Total Neonatal Death</b>	<b>866</b>	<b>750</b>		
46	Deaths between (1 - 11) months	217	136		
47	<b>Total reported infant deaths</b>	<b>1,083</b>	<b>886</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	5	2		
50	Due to Severe hypertension / fits	4	7		
51	Due to Bleeding	11	4		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	71	44		
54	<b>Total reported maternal deaths</b>	<b>94</b>	<b>57</b>		

## Dibrugarh Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,326,335	
2	Sex Ratio	952	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	214	
4	Sub Centres (SC)- HWC	20	
5	Primary Health Centers (PHC)	21	
6	Primary Health Centres (PHC)-HWC	9	
7	Community Health Centers (CHC)	9	
8	SDH	0	
9	DH	0	

<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	34,038		34,285			
11	Expected number of Delivery	31,717		31,948			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	23,867	70.1	20,696	60.4	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	21,298	89.2	18,150	87.7	At least 4ANC check up	75.6
14	Mothers who had 4 or more ANC check ups	19,939	83.5	16,753	80.9	Neonatal tetanus received	94.1
15	PW who got TT 2 / Booster injection	21,597	90.5	19,268	93.1	100 IFA tablets consumed	58.9
16	PW who consumed 180 IFA tablets	23,776	99.6	20,664	99.8	Home Delivery	6.9
17	Home Delivery against expected delivery *	47	0.1	57	0.2	Institutional Delivery	93.1
18	Institutional Delivery against expected delivery *	25,266	79.7	23,252	72.8	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	47	0.2	57	0.2	PNC within 2days of delivery	82.1
20	Institutional Delivery against reported delivery **	25,266	99.8	23,252	99.8		
21	Total reported Deliveries	25,313		23,309			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	10.6	11	19.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,210	107.5	20,908	89.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	30,944		31,168			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	24,912	80.5	22,824	73.2	Breastfed within 1 hour of birth	52.6
26	Total Still Birth	640	2.1	638	2.0	BCG	97.8
27	PC of newborn weighted at birth to live birth	24,854	99.8	22,820	100.0	3 dose of DPT	93
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,469	22.0	5,005	21.9	Measles First dose	97.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	24,528	98.5	22,069	96.7	3 doses of penta or hepatitis B vaccine	93
30	Children fully immunized	20,551	66.4	20,747	66.6	Full Immunization	83.8
31	Children who have received BCG	23,711	76.6	22,961	73.7		
32	Children who have received Pentavalent 1	20,525	66.3	20,835	66.8		
33	Children who have received Pentavalent 3	19,911	64.3	20,584	66.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,522	66.3	20,751	66.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,444		2,186			



Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2019-20)	HMIS ( 2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	238	67	Total unmet need	8.7
37	Number of Tubectomies performed	2,399	1,719	Spacing	4.8
38	Number of IUD insertion	1,663	504	Women using any method	64.6
39	Number of IUD removals	704	460	Women using modern method	43.6
F) Service delivery		HMIS ( 2019-20)	HMIS ( 2020-21)		
40	IPD cases per 10,000 population ***	793	509		
41	General OPD cases per 10,000 population ***	19,227	12,668		
42	Ayush OPD cases per 10,000 population ***	455	232		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)		
43	Neonatal death within 24 hours	73	51		
44	Neonatal Deaths up to 4 weeks of birth	361	332		
45	<b>Total Neonatal Death</b>	<b>434</b>	<b>383</b>		
46	Deaths between (1 - 11) months	117	84		
47	<b>Total reported infant deaths</b>	<b>551</b>	<b>467</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)		
48	Due to Abortion	6	4		
49	Due to Obstructed/prolonged labour	7	1		
50	Due to Severe hypertension / fits	17	18		
51	Due to Bleeding	3	1		
52	Due to High fever	6	0		
53	Due to Other Causes (including causes not known)	50	67		
54	<b>Total reported maternal deaths</b>	<b>89</b>	<b>91</b>		

## Dima Hasao Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	214,102	
2	Sex Ratio	931	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	62	
4	Sub Centres (SC)- HWC	10	
5	Primary Health Centers (PHC)	8	
6	Primary Health Centres (PHC)-HWC	4	

7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	5,560		5,608			
11	Expected number of Delivery	5,181		5,226			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	4,623	83.2	4,442	79.2	ANC Check up in first trimester	58.9
13	Mothers registered in the first trimester	3,341	72.3	3,165	71.3	At least 4ANC check up	46.9
14	Mothers who had 4 or more ANC check ups	2,681	58.0	2,464	55.5	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	3,718	80.4	3,739	84.2	100 IFA tablets consumed	40.8
16	PW who consumed 180 IFA tablets	4,089	88.4	3,890	87.6	Home Delivery	10.5
17	Home Delivery against expected delivery *	1,287	24.8	1,335	25.5	Institutional Delivery	89.5
18	Institutional Delivery against expected delivery *	2,600	50.2	2,349	44.9	Home Delivery by SBA	1.8
19	Home Delivery against reported delivery **	1,287	33.1	1,335	36.2	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	2,600	66.9	2,349	63.8		
21	Total reported Deliveries	3,887		3,684			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	513	39.9	521	39.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,456	37.5	1,354	36.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	5,054		5,098			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	3,843	76.0	3,627	71.1	Breastfed within 1 hour of birth	58
26	Total Still Birth	65	1.3	78	1.5	BCG	91.3
27	PC of newborn weighted at birth to live birth	3,825	99.5	3,536	97.5	3 dose of DPT	71.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	237	6.2	202	5.7	Measles First dose	71.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,744	97.4	3,575	98.6	3 doses of penta or hepatitis B vaccine	69.9
30	Children fully immunized	3,539	70.0	3,621	71.0	Full Immunization	63.6
31	Children who have received BCG	3,909	77.3	3,727	73.1		
32	Children who have received Pentavalent 1	3,807	75.3	3,735	73.3		
33	Children who have received Pentavalent 3	3,627	71.8	3,625	71.1		

34	Children who have received Measles & Rubella (MR)- 1st Dose	3,526	69.8	3,636	71.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,691		1,843			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	1	1	Total unmet need	9.7		
37	Number of Tubectomies performed	73	4	Spacing	2.6		
38	Number of IUD insertion	396	260	Women using any method	65.5		
39	Number of IUD removals	162	179	Women using modern method	44.9		
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
40	IPD cases per 10,000 population ***	592	387				
41	General OPD cases per 10,000 population ***	7,803	5,290				
42	Ayush OPD cases per 10,000 population ***	803	401				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
43	Neonatal death within 24 hours	12	11				
44	Neonatal Deaths up to 4 weeks of birth	26	29				
45	<b>Total Neonatal Death</b>	<b>38</b>	<b>40</b>				
46	Deaths between (1 - 11) months	27	36				
47	<b>Total reported infant deaths</b>	<b>65</b>	<b>76</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	1	0				
50	Due to Severe hypertension / fits	0	0				
51	Due to Bleeding	0	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	4	5				
54	<b>Total reported maternal deaths</b>	<b>5</b>	<b>6</b>				

## Goalpara Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>1,008,183</b>	
2	Sex Ratio	<b>962</b>	
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>	
3	Sub Centers (SC)	<b>120</b>	

4	Sub Centres (SC)- HWC	35					
5	Primary Health Centers(PHC)	19					
6	Primary Health Centres (PHC)-HWC	19					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	28,144		28,648			
11	Expected number of Delivery	26,225		26,695			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	26,194	93.1	26,625	92.9	ANC Check up in first trimester	65.3
13	Mothers registered in the first trimester	25,447	97.1	25,011	93.9	At least 4ANC check up	44.1
14	Mothers who had 4 or more ANC check ups	22,713	86.7	20,882	78.4	Neonatal tetanus received	96.6
15	PW who got TT 2 / Booster injection	23,809	90.9	23,931	89.9	100 IFA tablets consumed	52.2
16	PW who consumed 180 IFA tablets	25,735	98.2	26,122	98.1	Home Delivery	7.7
17	Home Delivery against expected delivery *	986	3.8	1,189	4.5	Institutional Delivery	92.3
18	Institutional Delivery against expected delivery *	24,764	94.4	24,549	92.0	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	986	3.8	1,189	4.6	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	24,764	96.2	24,549	95.4		
21	Total reported Deliveries	25,750		25,738			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	964	97.8	1,001	84.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,141	70.5	19,379	75.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	25,586		26,044			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	25,352	99.1	25,402	97.5	Breastfed within 1 hour of birth	45.7
26	Total Still Birth	612	2.4	614	2.4	BCG	98.4
27	PC of newborn weighted at birth to live birth	25,353	100.0	25,176	99.1	3 dose of DPT	90.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,840	11.2	3,082	12.2	Measles First dose	90.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	25,291	99.8	25,221	99.3	3 doses of penta or hepatitis B vaccine	87.3
30	Children fully immunized	22,142	86.5	22,552	86.6	Full Immunization	70.3
31	Children who have received BCG	26,377	103.1	25,955	99.7		
32	Children who have received Pentavalent 1	22,398	87.5	23,578	90.5		

33	Children who have received Pentavalent 3	22,042	86.1	22,533	86.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	22,147	86.6	22,896	87.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,962		1,038			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	54	28	Total unmet need	7.4		
37	Number of Tubectomies performed	1,423	608	Spacing	2.2		
38	Number of IUD insertion	2,718	6,172	Women using any method	66.8		
39	Number of IUD removals	572	775	Women using modern method	55.1		
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
40	IPD cases per 10,000 population ***	640	431				
41	General OPD cases per 10,000 population ***	9,946	5,629				
42	Ayush OPD cases per 10,000 population ***	1,598	594				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
43	Neonatal death within 24 hours	75	76				
44	Neonatal Deaths up to 4 weeks of birth	296	152				
45	<b>Total Neonatal Death</b>	<b>371</b>	<b>228</b>				
46	Deaths between (1 - 11) months	110	88				
47	<b>Total reported infant deaths</b>	<b>481</b>	<b>316</b>				
<b>II) Maternal Mortality</b>							
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension / fits	3	6				
51	Due to Bleeding	5	5				
52	Due to High fever	1	0				
53	Due to Other Causes (including causes not known)	24	28				
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>39</b>				

## Golaghat Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>1,066,888</b>	
2	Sex Ratio	<b>961</b>	

B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	133					
4	Sub Centres (SC)- HWC	11					
5	Primary Health Centers(PHC)	35					
6	Primary Health Centres (PHC)-HWC	6					
7	Community Health Centers (CHC)	4					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	27,345		27,539			
11	Expected number of Delivery	25,481		25,662			
		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	19,365	70.8	18,484	67.1	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	17,045	88.0	16,738	90.6	At least 4ANC check up	65.7
14	Mothers who had 4 or more ANC check ups	14,560	75.2	14,047	76.0	Neonatal tetanus received	97.7
15	PW who got TT 2 / Booster injection	17,126	88.4	16,294	88.2	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	16,673	86.1	15,741	85.2	Home Delivery	9.6
17	Home Delivery against expected delivery *	168	0.7	149	0.6	Institutional Delivery	90.4
18	Institutional Delivery against expected delivery *	15,117	59.3	13,369	52.1	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	168	1.1	149	1.1	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	15,117	98.9	13,369	98.9		
21	Total reported Deliveries	15,285		13,518			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	41.1	48	32.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,449	88.0	11,268	83.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	24,859		25,036			
D) Child Immunization :		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
25	Total reported live births	15,396	61.9	13,340	53.3	Breastfed within 1 hour of birth	53.6
26	Total Still Birth	284	1.1	294	1.2	BCG	92.6
27	PC of newborn weighted at birth to live birth	15,037	97.7	13,306	99.7	3 dose of DPT	84.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,787	11.9	1,760	13.2	Measles First dose	87.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,569	94.6	12,277	92.0	3 doses of penta or hepatitis B vaccine	82.8
30	Children fully immunized	15,904	64.0	16,496	65.9	Full Immunization	72.4

31	Children who have received BCG	14,670	59.0	14,036	56.1		
32	Children who have received Pentavalent 1	17,153	69.0	17,298	69.1		
33	Children who have received Pentavalent 3	16,316	65.6	16,436	65.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	15,941	64.1	16,130	64.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,458		762			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	73	15	Total unmet need	10.9		
37	Number of Tubectomies performed	1,112	603	Spacing	4.7		
38	Number of IUD insertion	1,143	649	Women using any method	61.6		
39	Number of IUD removals	881	728	Women using modern method	35.7		
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
40	IPD cases per 10,000 population ***	585	188				
41	General OPD cases per 10,000 population ***	9,538	6,462				
42	Ayush OPD cases per 10,000 population ***	312	143				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
43	Neonatal death within 24 hours	107	62				
44	Neonatal Deaths up to 4 weeks of birth	187	176				
45	<b>Total Neonatal Death</b>	<b>294</b>	<b>238</b>				
46	Deaths between (1 - 11) months	93	118				
47	<b>Total reported infant deaths</b>	<b>387</b>	<b>356</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension / fits	7	4				
51	Due to Bleeding	1	3				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	20	26				
54	<b>Total reported maternal deaths</b>	<b>28</b>	<b>33</b>				

## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
-------	-----------------------------------------	--	--

1	Population 2011	659,296					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	82					
4	Sub Centres (SC)- HWC	25					
5	Primary Health Centers(PHC)	11					
6	Primary Health Centres (PHC)-HWC	3					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	18,218	18,521				
11	Expected number of Delivery	16,976	17,258				
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	18,862	103.5	19,116	103.2	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	16,648	88.3	16,837	88.1	At least 4ANC check up	43.1
14	Mothers who had 4 or more ANC check ups	15,504	82.2	16,107	84.3	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	17,190	91.1	17,660	92.4	100 IFA tablets consumed	29.0
16	PW who consumed 180 IFA tablets	18,566	98.4	18,832	98.5	Home Delivery	17.0
17	Home Delivery against expected delivery *	1,281	7.5	1,330	7.7	Institutional Delivery	83.0
18	Institutional Delivery against expected delivery *	12,473	73.5	12,184	70.6	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	1,281	9.3	1,330	9.8	PNC within 2days of delivery	68.8
20	Institutional Delivery against reported delivery **	12,473	90.7	12,184	90.2		
21	Total reported Deliveries	13,754		13,514			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	631	49.3	695	52.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,378	90.0	12,386	91.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	16,562		16,838			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
25	Total reported live births	13,507	81.6	13,238	78.6	Breastfed within 1 hour of birth	24.4
26	Total Still Birth	322	1.9	323	1.9	BCG	95.4
27	PC of newborn weighted at birth to live birth	13,503	100.0	13,238	100.0	3 dose of DPT	78.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,071	7.9	802	6.1	Measles First dose	85.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,379	99.1	12,744	96.3	3 doses of penta or hepatitis B	77.4



						vaccine	
30	Children fully immunized	16,146	97.5	16,391	97.3	Full Immunization	68.6
31	Children who have received BCG	16,196	97.8	16,966	100.8		
32	Children who have received Pentavalent 1	16,816	101.5	16,758	99.5		
33	Children who have received Pentavalent 3	16,329	98.6	16,439	97.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	16,160	97.6	16,391	97.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	7,239		3,810			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	83	17	Total unmet need	8.6
37	Number of Tubectomies performed	414	314	Spacing	4.2
38	Number of IUD insertion	4,702	4,257	Women using any method	66.8
39	Number of IUD removals	565	554	Women using modern method	49.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	569	290		
41	General OPD cases per 10,000 population ***	7,978	4,628		
42	Ayush OPD cases per 10,000 population ***	378	173		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	79	67		
44	Neonatal Deaths up to 4 weeks of birth	84	66		
45	<b>Total Neonatal Death</b>	<b>163</b>	<b>133</b>		
46	Deaths between (1 - 11) months	108	66		
47	<b>Total reported infant deaths</b>	<b>271</b>	<b>199</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	1	2		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	14		
54	<b>Total reported maternal deaths</b>	<b>8</b>	<b>16</b>		

Key Indicators							
SL No	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>931,218</b>					
2	Sex Ratio	<b>NA</b>					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>NA</b>					
4	Sub Centres (SC)- HWC	<b>NA</b>					
5	Primary Health Centers (PHC)	<b>NA</b>					
6	Primary Health Centres (PHC)-HWC	<b>NA</b>					
7	Community Health Centers (CHC)	<b>NA</b>					
8	SDH	<b>NA</b>					
9	DH	<b>NA</b>					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	25,864	26,310				
11	Expected number of Delivery	24,100	24,517				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	0	0.0	21,355	81.2	ANC Check up in first trimester	52.7
13	Mothers registered in the first trimester	0	-	18,778	87.9	At least 4ANC check up	51.3
14	Mothers who had 4 or more ANC check ups	0	-	17,591	82.4	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	0	-	20,569	96.3	100 IFA tablets consumed	50.5
16	PW who consumed 180 IFA tablets	0	-	20,942	98.1	Home Delivery	17.9
17	Home Delivery against expected delivery *	0	0.0	2,383	9.7	Institutional Delivery	82.1
18	Institutional Delivery against expected delivery *	0	0.0	14,197	57.9	Home Delivery by SBA	4.1
19	Home Delivery against reported delivery **	0	-	2,383	14.4	PNC within 2days of delivery	63.9
20	Institutional Delivery against reported delivery **	0	-	14,197	85.6		
21	Total reported Deliveries	0		16,580			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	46	1.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	15,552	93.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	23,513		23,919			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
25	Total reported live births	0	0.0	16,357	68.4	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	0	0.0	246	1.0	BCG	82.1
27	PC of newborn weighted at birth to live birth	0	-	16,343	99.9	3 dose of DPT	60.8

28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	1,597	9.8	Measles First dose	59.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	16,019	97.9	3 doses of penta or hepatitis B vaccine	55.6
30	Children fully immunized	0	0.0	19,349	80.9	Full Immunization	55.5
31	Children who have received BCG	0	0.0	19,984	83.5		
32	Children who have received Pentavalent 1	0	0.0	19,446	81.3		
33	Children who have received Pentavalent 3	0	0.0	18,492	77.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	19,477	81.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		1,937			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	13.2
37	Number of Tubectomies performed	0	107	Spacing	4.9
38	Number of IUD insertion	0	383	Women using any method	61.1
39	Number of IUD removals	0	39	Women using modern method	48.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	69		
41	General OPD cases per 10,000 population ***	0	2,812		
42	Ayush OPD cases per 10,000 population ***	0	27		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	16		
44	Neonatal Deaths up to 4 weeks of birth	0	47		
45	<b>Total Neonatal Death</b>	<b>0</b>	<b>63</b>		
46	Deaths between (1 - 11) months	0	38		
47	<b>Total reported infant deaths</b>	<b>0</b>	<b>101</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	2		
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>		

## Jorhat Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	924,952						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	110						
4	Sub Centres (SC)- HWC	35						
5	Primary Health Centers (PHC)	24						
6	Primary Health Centres (PHC)-HWC	18						
7	Community Health Centers (CHC)	6						
8	SDH	2						
9	DH	0						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	23,211	23,315					
11	Expected number of Delivery	21,629	21,725					
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	20,400	87.9	16,170	69.4	ANC Check up in first trimester	78.3	
13	Mothers registered in the first trimester	19,269	94.5	15,409	95.3	At least 4ANC check up	67.0	
14	Mothers who had 4 or more ANC check ups	17,440	85.5	13,236	81.9	Neonatal tetanus received	97.4	
15	PW who got TT 2 / Booster injection	18,901	92.7	15,037	93.0	100 IFA tablets consumed	52.1	
16	PW who consumed 180 IFA tablets	19,935	97.7	16,018	99.1	Home Delivery	3.5	
17	Home Delivery against expected delivery *	69	0.3	62	0.3	Institutional Delivery	96.5	
18	Institutional Delivery against expected delivery *	16,877	78.0	14,125	65.0	Home Delivery by SBA	0.4	
19	Home Delivery against reported delivery **	69	0.4	62	0.4	PNC within 2days of delivery	81.4	
20	Institutional Delivery against reported delivery **	16,877	99.6	14,125	99.6			
21	Total reported Deliveries	16,946		14,187				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	79.7	47	75.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,121	136.4	17,370	122.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	21,101		21,195				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)		
25	Total reported live births	16,827	79.7	13,958	65.9	Breastfed within 1 hour of birth	51.6	
26	Total Still Birth	312	1.5	276	1.3	BCG	100	

27	PC of newborn weighted at birth to live birth	16,817	99.9	13,925	99.8	3 dose of DPT	79.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,301	13.7	2,141	15.4	Measles First dose	83.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,493	98.0	13,927	99.8	3 doses of penta or hepatitis B vaccine	78.4
30	Children fully immunized	18,052	85.5	14,424	68.1	Full Immunization	69.2
31	Children who have received BCG	16,717	79.2	13,579	64.1		
32	Children who have received Pentavalent 1	18,105	85.8	14,404	68.0		
33	Children who have received Pentavalent 3	17,511	83.0	14,161	66.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	18,288	86.7	14,658	69.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,906		628			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	107	105	Total unmet need	10.4
37	Number of Tubectomies performed	1,170	1,288	Spacing	3.2
38	Number of IUD insertion	1,844	799	Women using any method	63.8
39	Number of IUD removals	331	152	Women using modern method	32.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	603	398		
41	General OPD cases per 10,000 population ***	17,045	8,490		
42	Ayush OPD cases per 10,000 population ***	224	23		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	26	34		
44	Neonatal Deaths up to 4 weeks of birth	477	343		
45	<b>Total Neonatal Death</b>	<b>503</b>	<b>377</b>		
46	Deaths between (1 - 11) months	128	107		
47	<b>Total reported infant deaths</b>	<b>631</b>	<b>484</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	7	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	14	28		
54	<b>Total reported maternal deaths</b>	<b>22</b>	<b>28</b>		

## Kamrup R Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,517,542						
2	Sex Ratio	946						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	253						
4	Sub Centres (SC)- HWC	26						
5	Primary Health Centers (PHC)	55						
6	Primary Health Centres (PHC)-HWC	10						
7	Community Health Centers (CHC)	13						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	40,077		40,513				
11	Expected number of Delivery	37,344		37,750				
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	24,094	60.1	30,779	76.0	ANC Check up in first trimester	57.0	
13	Mothers registered in the first trimester	20,392	84.6	28,073	91.2	At least 4ANC check up	46.9	
14	Mothers who had 4 or more ANC check ups	29,130	120.9	25,495	82.8	Neonatal tetanus received	85.9	
15	PW who got TT 2 / Booster injection	23,483	97.5	27,239	88.5	100 IFA tablets consumed	42.5	
16	PW who consumed 180 IFA tablets	24,118	100.1	28,751	93.4	Home Delivery	15.0	
17	Home Delivery against expected delivery *	159	0.4	443	1.2	Institutional Delivery	85.0	
18	Institutional Delivery against expected delivery *	36,150	96.8	21,326	56.5	Home Delivery by SBA	4.3	
19	Home Delivery against reported delivery **	159	0.4	443	2.0	PNC within 2days of delivery	61.4	
20	Institutional Delivery against reported delivery **	36,150	99.6	21,326	98.0			
21	Total reported Deliveries	36,309		21,769				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	35.8	182	41.1			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,162	50.0	21,730	99.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	36,433		36,830				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)		
25	Total reported live births	35,745	98.1	21,683	58.9	Breastfed within	45.5	

						1 hour of birth	
26	Total Still Birth	1,052	2.9	149	0.4	BCG	90.5
27	PC of newborn weighted at birth to live birth	35,722	99.9	21,645	99.8	3 dose of DPT	86.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,532	21.1	2,404	11.1	Measles First dose	83
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,063	98.1	21,631	99.8	3 doses of penta or hepatitis B vaccine	73.2
30	Children fully immunized	24,180	66.4	28,925	78.5	Full Immunization	63.6
31	Children who have received BCG	45,028	123.6	21,880	59.4		
32	Children who have received Pentavalent 1	22,931	62.9	28,956	78.6		
33	Children who have received Pentavalent 3	23,371	64.1	28,485	77.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	23,848	65.5	28,962	78.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,658		2,216			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	15	37	Total unmet need	17.6
37	Number of Tubectomies performed	3,263	924	Spacing	7.7
38	Number of IUD insertion	517	1,634	Women using any method	38.7
39	Number of IUD removals	842	708	Women using modern method	32.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	768	129		
41	General OPD cases per 10,000 population ***	9,904	5,526		
42	Ayush OPD cases per 10,000 population ***	1,154	959		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	167	24		
44	Neonatal Deaths up to 4 weeks of birth	1,253	143		
45	<b>Total Neonatal Death</b>	<b>1,420</b>	<b>167</b>		
46	Deaths between (1 - 11) months	237	86		
47	<b>Total reported infant deaths</b>	<b>1,657</b>	<b>253</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	7	1		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	27	0		
51	Due to Bleeding	9	2		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	60	20		

54	<b>Total reported maternal deaths</b>	<b>104</b>	<b>24</b>	
----	---------------------------------------	------------	-----------	--

## Kamrup M Factsheet

<b>Key Indicators</b>							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>1,253,938</b>					
2	Sex Ratio	<b>922</b>					
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	<b>48</b>					
4	Sub Centres (SC)- HWC	<b>3</b>					
5	Primary Health Centers (PHC)	<b>11</b>					
6	Primary Health Centres (PHC)-HWC	<b>34</b>					
7	Community Health Centers (CHC)	<b>3</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
	<b>C) Maternal Health:</b>	<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	33,980	34,461				
11	Expected number of Delivery	31,663	32,111				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	31,960	94.1	19,442	56.4	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	29,019	90.8	16,062	82.6	At least 4ANC check up	68.9
14	Mothers who had 4 or more ANC check ups	26,456	82.8	19,018	97.8	Neonatal tetanus received	96.3
15	PW who got TT 2 / Booster injection	28,108	87.9	17,623	90.6	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	29,967	93.8	18,456	94.9	Home Delivery	10.9
17	Home Delivery against expected delivery *	374	1.2	232	0.7	Institutional Delivery	89.1
18	Institutional Delivery against expected delivery *	20,382	64.4	28,851	89.8	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	374	1.8	232	0.8	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	20,382	98.2	28,851	99.2		
21	Total reported Deliveries	20,756		29,083			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	142	38.0	62	26.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,049	101.4	19,354	66.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							



24	Expected number of Live Birth	30,891		31,328			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	20,612	66.7	28,323	90.4	Breastfed within 1 hour of birth	53
26	Total Still Birth	196	0.6	792	2.5	BCG	90.6
27	PC of newborn weighted at birth to live birth	20,544	99.7	28,046	99.0	3 dose of DPT	77
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,393	11.6	6,536	23.3	Measles First dose	74.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	20,542	99.7	28,177	99.5	3 doses of penta or hepatitis B vaccine	71.2
30	Children fully immunized	27,619	89.4	20,280	64.7	Full Immunization	53.6
31	Children who have received BCG	22,330	72.3	33,149	105.8		
32	Children who have received Pentavalent 1	27,998	90.6	19,441	62.1		
33	Children who have received Pentavalent 3	27,771	89.9	19,714	62.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	27,618	89.4	20,073	64.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,226		753			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	132		3		Total unmet need	8.8
37	Number of Tubectomies performed	1,652		2,868		Spacing	2.5
38	Number of IUD insertion	2,907		119		Women using any method	56.8
39	Number of IUD removals	905		373		Women using modern method	41.5
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	214		618			
41	General OPD cases per 10,000 population ***	11,072		5,068			
42	Ayush OPD cases per 10,000 population ***	2,432		582			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	27		239			
44	Neonatal Deaths up to 4 weeks of birth	155		799			
45	<b>Total Neonatal Death</b>	<b>182</b>		<b>1,038</b>			
46	Deaths between (1 - 11) months	104		218			
47	<b>Total reported infant deaths</b>	<b>286</b>		<b>1,256</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
48	Due to Abortion	1		3			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension / fits	0		26			
51	Due to Bleeding	3		12			

52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	29	54	
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>95</b>	

## Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	660,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	124					
4	Sub Centres (SC)- HWC	30					
5	Primary Health Centers (PHC)	26					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	17,875		18,123			
11	Expected number of Delivery	16,656		16,887			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	23,519	131.6	15,337	84.6	ANC Check up in first trimester	64.8
13	Mothers registered in the first trimester	18,356	78.0	11,812	77.0	At least 4ANC check up	63.9
14	Mothers who had 4 or more ANC check ups	15,901	67.6	9,897	64.5	Neonatal tetanus received	90.9
15	PW who got TT 2 / Booster injection	21,951	93.3	14,257	93.0	100 IFA tablets consumed	35.3
16	PW who consumed 180 IFA tablets	23,173	98.5	15,137	98.7	Home Delivery	25.1
17	Home Delivery against expected delivery *	2,723	16.3	1,349	8.0	Institutional Delivery	74.9
18	Institutional Delivery against expected delivery *	15,247	91.5	9,858	58.4	Home Delivery by SBA	3.4
19	Home Delivery against reported delivery **	2,723	15.2	1,349	12.0	PNC within 2days of delivery	56.9
20	Institutional Delivery against reported delivery **	15,247	84.8	9,858	88.0		
21	Total reported Deliveries	17,970		11,207			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	783	28.8	549	40.7		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,991	83.4	11,509	102.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	16,250		16,475			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	17,754	109.3	11,106	67.4	Breastfed within 1 hour of birth	50.3
26	Total Still Birth	293	1.8	127	0.8	BCG	88.7
27	PC of newborn weighted at birth to live birth	17,342	97.7	11,089	99.8	3 dose of DPT	75.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,149	6.6	730	6.6	Measles First dose	76.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,471	98.4	11,015	99.2	3 doses of penta or hepatitis B vaccine	66.9
30	Children fully immunized	19,863	122.2	13,532	82.1	Full Immunization	64.3
31	Children who have received BCG	20,765	127.8	13,644	82.8		
32	Children who have received Pentavalent 1	20,264	124.7	13,385	81.2		
33	Children who have received Pentavalent 3	20,138	123.9	13,272	80.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,865	122.2	13,740	83.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,730		704			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	17		1		Total unmet need	9.3
37	Number of Tubectomies performed	237		70		Spacing	2.4
38	Number of IUD insertion	3,303		1,195		Women using any method	66.3
39	Number of IUD removals	587		324		Women using modern method	41.1
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	424		233			
41	General OPD cases per 10,000 population ***	7,421		3,825			
42	Ayush OPD cases per 10,000 population ***	935		216			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	56		34			
44	Neonatal Deaths up to 4 weeks of birth	66		57			
45	<b>Total Neonatal Death</b>	<b>122</b>		<b>91</b>			
46	Deaths between (1 - 11) months	86		43			
47	<b>Total reported infant deaths</b>	<b>208</b>		<b>134</b>			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	1	
50	Due to Severe hypertension / fits	3	4	
51	Due to Bleeding	1	1	
52	Due to High fever	2	0	
53	Due to Other Causes (including causes not known)	20	17	
54	<b>Total reported maternal deaths</b>	<b>26</b>	<b>23</b>	

## Karimganj Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)								
1	Population 2011	1,228,686							
2	Sex Ratio	961							
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>							
3	Sub Centers (SC)	185							
4	Sub Centres (SC)- HWC	37							
5	Primary Health Centers (PHC)	22							
6	Primary Health Centres (PHC)-HWC	8							
7	Community Health Centers (CHC)	7							
8	SDH	0							
9	DH	1							
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>						
10	Expected number of PW	33,767	34,305						
11	Expected number of Delivery	31,465	31,966						
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>				
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>				
12	PW register for ANC	34,156	101.2	34,335	100.1	ANC Check up in first trimester	54.8		
13	Mothers registered in the first trimester	30,528	89.4	31,120	90.6	At least 4ANC check up	42.8		
14	Mothers who had 4 or more ANC check ups	30,921	90.5	31,861	92.8	Neonatal tetanus received	94.2		
15	PW who got TT 2 / Booster injection	32,747	95.9	33,394	97.3	100 IFA tablets consumed	39.9		
16	PW who consumed 180 IFA tablets	34,102	99.8	34,315	99.9	Home Delivery	23.6		
17	Home Delivery against expected delivery *	6,605	21.0	7,247	22.7	Institutional Delivery	76.4		
18	Institutional Delivery against expected delivery *	22,796	72.4	20,850	65.2	Home Delivery by SBA	2.4		
19	Home Delivery against reported delivery **	6,605	22.5	7,247	25.8	PNC within 2days of delivery	63.9		
20	Institutional Delivery against reported delivery **	22,796	77.5	20,850	74.2				
21	Total reported Deliveries	29,401		28,097					

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,249	34.0	2,330	32.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,430	66.1	9,509	33.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	30,697		31,186			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	28,796	93.8	27,348	87.7	Breastfed within 1 hour of birth	40.3
26	Total Still Birth	771	2.5	864	2.8	BCG	95.5
27	PC of newborn weighted at birth to live birth	28,773	99.9	27,346	100.0	3 dose of DPT	84
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,691	12.8	2,651	9.7	Measles First dose	85.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	28,064	97.5	26,734	97.8	3 doses of penta or hepatitis B vaccine	80.2
30	Children fully immunized	28,672	93.4	29,668	95.1	Full Immunization	75.1
31	Children who have received BCG	35,773	116.5	34,534	110.7		
32	Children who have received Pentavalent 1	30,032	97.8	29,992	96.2		
33	Children who have received Pentavalent 3	28,804	93.8	28,744	92.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	28,700	93.5	29,687	95.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	9,399		6,226			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	32		36		Total unmet need	8.6
37	Number of Tubectomies performed	1,352		876		Spacing	4.2
38	Number of IUD insertion	2,704		2,366		Women using any method	64.3
39	Number of IUD removals	528		247		Women using modern method	54.9
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	311		258			
41	General OPD cases per 10,000 population ***	7,207		3,445			
42	Ayush OPD cases per 10,000 population ***	240		166			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	96		51			
44	Neonatal Deaths up to 4 weeks of birth	378		223			
45	<b>Total Neonatal Death</b>	<b>474</b>		<b>274</b>			
46	Deaths between (1 - 11) months	423		300			
47	<b>Total reported infant deaths</b>	<b>897</b>		<b>574</b>			

II) Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2019-20)		HMIS ( 2020-21)
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	3		1
50	Due to Severe hypertension / fits	3		1
51	Due to Bleeding	9		4
52	Due to High fever	0		3
53	Due to Other Causes (including causes not known)	29		21
54	<b>Total reported maternal deaths</b>	<b>44</b>		<b>30</b>

## Kokrajhar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	887,142					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	135					
4	Sub Centres (SC)- HWC	27					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	21,563		21,573			
11	Expected number of Delivery	20,093		20,102			
		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	18,652	86.5	17,824	82.6	ANC Check up in first trimester	67.0
13	Mothers registered in the first trimester	14,682	78.7	14,509	81.4	At least 4ANC check up	36.9
14	Mothers who had 4 or more ANC check ups	13,521	72.5	12,505	70.2	Neonatal tetanus received	95.8
15	PW who got TT 2 / Booster injection	16,201	86.9	16,682	93.6	100 IFA tablets consumed	61.1
16	PW who consumed 180 IFA tablets	17,185	92.1	17,204	96.5	Home Delivery	18.1
17	Home Delivery against expected delivery *	1,083	5.4	1,230	6.1	Institutional Delivery	81.9
18	Institutional Delivery against expected delivery *	15,142	75.4	14,119	70.2	Home Delivery by SBA	0.9
19	Home Delivery against reported delivery **	1,083	6.7	1,230	8.0	PNC within 2days of delivery	68.3

20	Institutional Delivery against reported delivery **	15,142	93.3	14,119	92.0		
21	Total reported Deliveries	16,225		15,349			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	16.3	210	17.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,193	62.8	11,505	75.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	19,603		19,611			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	16,192	82.6	15,295	78.0	Breastfed within 1 hour of birth	56.4
26	Total Still Birth	296	1.5	286	1.5	BCG	95.3
27	PC of newborn weighted at birth to live birth	13,263	81.9	13,697	89.6	3 dose of DPT	76.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,483	11.2	1,341	9.8	Measles First dose	79.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,417	95.2	15,199	99.4	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	15,265	77.9	15,452	78.8	Full Immunization	51.1
31	Children who have received BCG	17,204	87.8	16,519	84.2		
32	Children who have received Pentavalent 1	15,959	81.4	15,894	81.0		
33	Children who have received Pentavalent 3	15,799	80.6	15,253	77.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	15,298	78.0	15,472	78.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,074		1,380			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	11		0		Total unmet need	10
37	Number of Tubectomies performed	462		283		Spacing	3.7
38	Number of IUD insertion	1,170		710		Women using any method	72.3
39	Number of IUD removals	884		628		Women using modern method	58
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	382		255			
41	General OPD cases per 10,000 population ***	5,977		3,566			
42	Ayush OPD cases per 10,000 population ***	1,342		758			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
43	Neonatal death within 24 hours	75		50			

44	Neonatal Deaths up to 4 weeks of birth	242	183	
45	<b>Total Neonatal Death</b>	<b>317</b>	<b>233</b>	
46	Deaths between (1 - 11) months	221	229	
47	<b>Total reported infant deaths</b>	<b>538</b>	<b>462</b>	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	2	3	
50	Due to Severe hypertension / fits	9	4	
51	Due to Bleeding	5	13	
52	Due to High fever	1	1	
53	Due to Other Causes (including causes not known)	26	26	
54	<b>Total reported maternal deaths</b>	<b>43</b>	<b>48</b>	

## Lakhimpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>1,042,137</b>					
2	Sex Ratio	<b>965</b>					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>137</b>					
4	Sub Centres (SC)- HWC	<b>19</b>					
5	Primary Health Centers (PHC)	<b>17</b>					
6	Primary Health Centres (PHC)-HWC	<b>9</b>					
7	Community Health Centers (CHC)	<b>8</b>					
8	SDH	<b>1</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	27,824		28,166			
11	Expected number of Delivery	25,927		26,245			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	21,510	77.3	21,797	77.4	ANC Check up in first trimester	61.0
13	Mothers registered in the first trimester	19,993	92.9	20,451	93.8	At least 4ANC check up	51.7
14	Mothers who had 4 or more ANC check ups	18,521	86.1	17,020	78.1	Neonatal tetanus received	97.3
15	PW who got TT 2 / Booster injection	19,977	92.9	20,094	92.2	100 IFA tablets consumed	42.2
16	PW who consumed 180 IFA tablets	19,829	92.2	20,225	92.8	Home Delivery	3.8
17	Home Delivery against expected delivery *	146	0.6	190	0.7	Institutional Delivery	96.2



18	Institutional Delivery against expected delivery *	18,361	70.8	18,249	69.5	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	146	0.8	190	1.0	PNC within 2days of delivery	67.7
20	Institutional Delivery against reported delivery **	18,361	99.2	18,249	99.0		
21	Total reported Deliveries	18,507		18,439			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93	63.7	78	41.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,216	147.1	25,325	137.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	25,295		25,605			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	18,244	72.1	18,231	71.2	Breastfed within 1 hour of birth	59
26	Total Still Birth	334	1.3	306	1.2	BCG	94.5
27	PC of newborn weighted at birth to live birth	18,059	99.0	18,231	100.0	3 dose of DPT	87.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,688	14.9	2,623	14.4	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,228	94.4	17,892	98.1	3 doses of penta or hepatitis B vaccine	84.6
30	Children fully immunized	20,273	80.1	19,831	77.4	Full Immunization	69
31	Children who have received BCG	18,546	73.3	17,396	67.9		
32	Children who have received Pentavalent 1	19,645	77.7	19,847	77.5		
33	Children who have received Pentavalent 3	19,558	77.3	19,097	74.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,268	80.1	26,533	103.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,628		2,743			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	59		24		Total unmet need	9.8
37	Number of Tubectomies performed	1,240		1,171		Spacing	4.5
38	Number of IUD insertion	1,424		1,144		Women using any method	67.1
39	Number of IUD removals	364		435		Women using modern method	43.6
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	503		292			
41	General OPD cases per 10,000 population ***	7,374		5,214			
42	Ayush OPD cases per 10,000 population ***	171		79			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)	
43	Neonatal death within 24 hours	42	15	
44	Neonatal Deaths up to 4 weeks of birth	160	98	
45	<b>Total Neonatal Death</b>	<b>202</b>	<b>113</b>	
46	Deaths between (1 - 11) months	44	55	
47	<b>Total reported infant deaths</b>	<b>246</b>	<b>168</b>	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	4	0	
52	Due to High fever	0	1	
53	Due to Other Causes (including causes not known)	7	16	
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>18</b>	

## Majuli Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	167,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	4,198	4,217				
11	Expected number of Delivery	3,912	3,930				
		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	3,500	83.0	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	0	-	3,319	94.8	At least 4ANC check up	72.2
14	Mothers who had 4 or more ANC check ups	0	-	2,306	65.9	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	0	-	3,026	86.5	100 IFA tablets consumed	56.7

16	PW who consumed 180 IFA tablets	0	-	3,101	88.6	Home Delivery	9.7
17	Home Delivery against expected delivery *	0	0.0	17	0.4	Institutional Delivery	90.3
18	Institutional Delivery against expected delivery *	0	0.0	1,848	47.0	Home Delivery by SBA	3.2
19	Home Delivery against reported delivery **	0	-	17	0.9	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	0	-	1,848	99.1		
21	Total reported Deliveries	0		1,865			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	12	70.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	2,183	117.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	3,817		3,834			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	0	0.0	1,847	48.2	Breastfed within 1 hour of birth	51.1
26	Total Still Birth	0	0.0	25	0.7	BCG	95.2
27	PC of newborn weighted at birth to live birth	0	-	1,557	84.3	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	239	15.4	Measles First dose	90.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	1,676	90.7	3 doses of penta or hepatitis B vaccine	80.3
30	Children fully immunized	0	0.0	2,803	73.1	Full Immunization	78.6
31	Children who have received BCG	0	0.0	2,057	53.7		
32	Children who have received Pentavalent 1	0	0.0	2,817	73.5		
33	Children who have received Pentavalent 3	0	0.0	2,801	73.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	2,827	73.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		88			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		3		Total unmet need	11.6
37	Number of Tubectomies performed	0		177		Spacing	4.7
38	Number of IUD insertion	0		542		Women using any method	63.7
39	Number of IUD removals	0		63		Women using modern method	31.3
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>			
40	IPD cases per 10,000 population ***	0		186			

41	General OPD cases per 10,000 population ***	0	8,119	
42	Ayush OPD cases per 10,000 population ***	0	27	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
43	Neonatal death within 24 hours	0	11	
44	Neonatal Deaths up to 4 weeks of birth	0	32	
45	<b>Total Neonatal Death</b>	<b>0</b>	<b>43</b>	
46	Deaths between (1 - 11) months	0	16	
47	<b>Total reported infant deaths</b>	<b>0</b>	<b>59</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	2	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>4</b>	

## Morigaon Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>957,423</b>				
2	Sex Ratio	<b>974</b>				
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>				
3	Sub Centers (SC)	<b>104</b>				
4	Sub Centres (SC)- HWC	<b>18</b>				
5	Primary Health Centers (PHC)	<b>30</b>				
6	Primary Health Centres (PHC)-HWC	<b>5</b>				
7	Community Health Centers (CHC)	<b>5</b>				
8	SDH	<b>0</b>				
9	DH	<b>1</b>				
	<b>C) Maternal Health:</b>	<b>2019-20</b>	<b>2020-21</b>			
10	Expected number of PW	26,863	27,362			
11	Expected number of Delivery	25,032	25,497			
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
12	PW register for ANC	23,079	85.9	22,688	82.9	ANC Check up in first trimester 64.0
13	Mothers registered in the first trimester	19,958	86.5	18,927	83.4	At least 4ANC check up 42.0

14	Mothers who had 4 or more ANC check ups	18,146	78.6	16,850	74.3	Neonatal tetanus received	94.8
15	PW who got TT 2 / Booster injection	21,446	92.9	20,885	92.1	100 IFA tablets consumed	53.4
16	PW who consumed 180 IFA tablets	22,977	99.6	22,613	99.7	Home Delivery	11.7
17	Home Delivery against expected delivery *	1,836	7.3	2,405	9.4	Institutional Delivery	88.3
18	Institutional Delivery against expected delivery *	15,552	62.1	14,516	56.9	Home Delivery by SBA	1.7
19	Home Delivery against reported delivery **	1,836	10.6	2,405	14.2	PNC within 2days of delivery	67.9
20	Institutional Delivery against reported delivery **	15,552	89.4	14,516	85.8		
21	Total reported Deliveries	17,388		16,921			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	774	42.2	982	40.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,921	114.6	15,646	92.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	24,421		24,875			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	17,207	70.5	16,697	67.1	Breastfed within 1 hour of birth	62.2
26	Total Still Birth	266	1.1	234	0.9	BCG	91.3
27	PC of newborn weighted at birth to live birth	17,209	100.0	16,750	100.3	3 dose of DPT	87.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,414	14.0	2,774	16.6	Measles First dose	87
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,350	95.0	15,455	92.6	3 doses of penta or hepatitis B vaccine	83
30	Children fully immunized	19,828	81.2	19,845	79.8	Full Immunization	73.4
31	Children who have received BCG	21,501	88.0	19,847	79.8		
32	Children who have received Pentavalent 1	20,548	84.1	20,260	81.4		
33	Children who have received Pentavalent 3	19,735	80.8	19,167	77.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,837	81.2	19,890	80.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,024		715			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	58		17		Total unmet need	6.5
37	Number of Tubectomies performed	545		254		Spacing	1.9
38	Number of IUD insertion	3,287		2,715		Women using any method	70.6

39	Number of IUD removals	405	216	Women using modern method	56.7
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
40	IPD cases per 10,000 population ***	345	215		
41	General OPD cases per 10,000 population ***	8,653	5,631		
42	Ayush OPD cases per 10,000 population ***	470	182		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
43	Neonatal death within 24 hours	12	29		
44	Neonatal Deaths up to 4 weeks of birth	175	182		
45	<b>Total Neonatal Death</b>	<b>187</b>	<b>211</b>		
46	Deaths between (1 - 11) months	88	83		
47	<b>Total reported infant deaths</b>	<b>275</b>	<b>294</b>		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	6	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	13		
54	<b>Total reported maternal deaths</b>	<b>12</b>	<b>16</b>		

## Nagaon Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>1,892,550</b>				
2	Sex Ratio	<b>962</b>				
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	<b>299</b>				
4	Sub Centres (SC)- HWC	<b>52</b>				
5	Primary Health Centers (PHC)	<b>58</b>				
6	Primary Health Centres (PHC)-HWC	<b>20</b>				
7	Community Health Centers (CHC)	<b>18</b>				
8	SDH	<b>0</b>				
9	DH	<b>1</b>				
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>			
10	Expected number of PW	52,564	53,472			
11	Expected number of Delivery	48,980	49,826			
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	

12	PW register for ANC	69,047	131.4	42,460	79.4	ANC Check up in first trimester	73.1
13	Mothers registered in the first trimester	56,756	82.2	34,782	81.9	At least 4ANC check up	59.4
14	Mothers who had 4 or more ANC check ups	57,141	82.8	34,794	81.9	Neonatal tetanus received	97.1
15	PW who got TT 2 / Booster injection	61,735	89.4	38,582	90.9	100 IFA tablets consumed	46.5
16	PW who consumed 180 IFA tablets	70,366	101.9	37,603	88.6	Home Delivery	16.3
17	Home Delivery against expected delivery *	4,439	9.1	2,512	5.0	Institutional Delivery	83.7
18	Institutional Delivery against expected delivery *	58,407	119.2	39,458	79.2	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	4,439	7.1	2,512	6.0	PNC within 2days of delivery	62.0
20	Institutional Delivery against reported delivery **	58,407	92.9	39,458	94.0		
21	Total reported Deliveries	62,846		41,970			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	575	13.0	579	23.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50,911	81.0	26,929	64.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	47,786		48,611			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	61,959	129.7	41,440	85.2	Breastfed within 1 hour of birth	61.6
26	Total Still Birth	1,267	2.7	945	1.9	BCG	86.9
27	PC of newborn weighted at birth to live birth	60,945	98.4	40,814	98.5	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,734	12.7	5,198	12.7	Measles First dose	67.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	57,142	92.2	39,028	94.2	3 doses of penta or hepatitis B vaccine	64.6
30	Children fully immunized	58,870	123.2	37,974	78.1	Full Immunization	58.2
31	Children who have received BCG	65,737	137.6	38,934	80.1		
32	Children who have received Pentavalent 1	59,059	123.6	38,208	78.6		
33	Children who have received Pentavalent 3	57,594	120.5	37,219	76.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	58,332	122.1	37,947	78.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,629		1,907			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	33		0		Total unmet need	12.3

37	Number of Tubectomies performed	2,127	925	Spacing	3.1
38	Number of IUD insertion	4,178	1,567	Women using any method	58.6
39	Number of IUD removals	735	439	Women using modern method	46.8
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
40	IPD cases per 10,000 population ***	576	248		
41	General OPD cases per 10,000 population ***	11,449	4,991		
42	Ayush OPD cases per 10,000 population ***	945	258		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
43	Neonatal death within 24 hours	84	106		
44	Neonatal Deaths up to 4 weeks of birth	385	262		
45	<b>Total Neonatal Death</b>	<b>469</b>	<b>368</b>		
46	Deaths between (1 - 11) months	234	131		
47	<b>Total reported infant deaths</b>	<b>703</b>	<b>499</b>		
<b>II) Maternal Mortality</b>					
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	2	4		
50	Due to Severe hypertension / fits	3	6		
51	Due to Bleeding	7	6		
52	Due to High fever	0	2		
53	Due to Other Causes (including causes not known)	53	28		
54	<b>Total reported maternal deaths</b>	<b>66</b>	<b>46</b>		

## Nalbari Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>771,639</b>	
2	Sex Ratio	<b>945</b>	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	<b>103</b>	
4	Sub Centres (SC)- HWC	<b>18</b>	
5	Primary Health Centers (PHC)	<b>33</b>	
6	Primary Health Centres (PHC)-HWC	<b>11</b>	
7	Community Health Centers (CHC)	<b>11</b>	
8	SDH	<b>0</b>	
9	DH	<b>1</b>	
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>
10	Expected number of PW	19,756	19,893
11	Expected number of Delivery	18,409	18,537



		HMIS ( 2019-20)		HMIS ( 2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	13,812	69.9	12,983	65.3	ANC Check up in first trimester	70.7
13	Mothers registered in the first trimester	12,931	93.6	12,209	94.0	At least 4ANC check up	55.9
14	Mothers who had 4 or more ANC check ups	11,496	83.2	10,811	83.3	Neonatal tetanus received	92.8
15	PW who got TT 2 / Booster injection	12,759	92.4	12,303	94.8	100 IFA tablets consumed	38.6
16	PW who consumed 180 IFA tablets	13,776	99.7	12,906	99.4	Home Delivery	8.2
17	Home Delivery against expected delivery *	314	1.7	306	1.7	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	12,100	65.7	12,575	67.8	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	314	2.5	306	2.4	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	12,100	97.5	12,575	97.6		
21	Total reported Deliveries	12,414		12,881			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	298	94.9	300	98.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,505	141.0	13,694	106.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	17,960		18,085			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	12,428	69.2	12,948	71.6	Breastfed within 1 hour of birth	41.8
26	Total Still Birth	114	0.6	117	0.6	BCG	89.9
27	PC of newborn weighted at birth to live birth	11,804	95.0	12,790	98.8	3 dose of DPT	85.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,657	14.0	2,306	18.0	Measles First dose	87.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,075	97.2	12,622	97.5	3 doses of penta or hepatitis B vaccine	71.1
30	Children fully immunized	13,380	74.5	14,477	80.1	Full Immunization	65.5
31	Children who have received BCG	13,197	73.5	14,095	77.9		
32	Children who have received Pentavalent 1	14,078	78.4	14,613	80.8		
33	Children who have received Pentavalent 3	13,339	74.3	13,890	76.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	13,372	74.5	14,238	78.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,398		992			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	34	15	Total unmet need	13.2
37	Number of Tubectomies performed	1,154	909	Spacing	4.8
38	Number of IUD insertion	1,997	1,027	Women using any method	53.3
39	Number of IUD removals	407	428	Women using modern method	38.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	356	231		
41	General OPD cases per 10,000 population ***	10,841	5,907		
42	Ayush OPD cases per 10,000 population ***	2,482	1254		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	50	30		
44	Neonatal Deaths up to 4 weeks of birth	102	87		
45	<b>Total Neonatal Death</b>	<b>152</b>	<b>117</b>		
46	Deaths between (1 - 11) months	71	50		
47	<b>Total reported infant deaths</b>	<b>223</b>	<b>167</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	3	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	9		
54	<b>Total reported maternal deaths</b>	<b>9</b>	<b>11</b>		

## Sivasagar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	<b>692,435</b>	
2	Sex Ratio	<b>951</b>	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	<b>202</b>	
4	Sub Centres (SC)- HWC	<b>18</b>	
5	Primary Health Centers (PHC)	<b>38</b>	
6	Primary Health Centres (PHC)-HWC	<b>7</b>	
7	Community Health Centers (CHC)	<b>4</b>	
8	SDH	<b>2</b>	
9	DH	<b>1</b>	

<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	17,398		17,479			
11	Expected number of Delivery	16,212		16,287			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	20,010	115.0	9,817	56.2	ANC Check up in first trimester	85.1
13	Mothers registered in the first trimester	18,136	90.6	8,878	90.4	At least 4ANC check up	80.9
14	Mothers who had 4 or more ANC check ups	16,015	80.0	6,936	70.7	Neonatal tetanus received	96.5
15	PW who got TT 2 / Booster injection	16,850	84.2	9,030	92.0	100 IFA tablets consumed	53.7
16	PW who consumed 180 IFA tablets	20,033	100.1	9,322	95.0	Home Delivery	4.7
17	Home Delivery against expected delivery *	84	0.5	41	0.3	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	13,562	83.7	8,635	53.0	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	84	0.6	41	0.5	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	13,562	99.4	8,635	99.5		
21	Total reported Deliveries	13,646		8,676			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	85.7	36	87.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,058	139.7	9,660	111.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	15,817		15,890			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	13,467	85.1	8,584	54.0	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	223	1.4	131	0.8	BCG	95.7
27	PC of newborn weighted at birth to live birth	13,421	99.7	8,574	99.9	3 dose of DPT	90.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,539	18.9	1,554	18.1	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,180	97.9	8,495	99.0	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	16,670	105.4	10,279	64.7	Full Immunization	77.6
31	Children who have received BCG	14,139	89.4	8,832	55.6		
32	Children who have received Pentavalent 1	17,292	109.3	9,581	60.3		
33	Children who have received Pentavalent 3	16,619	105.1	9,647	60.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	16,736	105.8	10,292	64.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,137		883			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	54	0	Total unmet need	8.3
37	Number of Tubectomies performed	763	462	Spacing	3.2
38	Number of IUD insertion	1,772	260	Women using any method	67.3
39	Number of IUD removals	447	240	Women using modern method	39.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	742	318		
41	General OPD cases per 10,000 population ***	22,608	9,104		
42	Ayush OPD cases per 10,000 population ***	615	245		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	38	18		
44	Neonatal Deaths up to 4 weeks of birth	65	37		
45	<b>Total Neonatal Death</b>	<b>103</b>	<b>55</b>		
46	Deaths between (1 - 11) months	20	16		
47	<b>Total reported infant deaths</b>	<b>123</b>	<b>71</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	1	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	8		
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>10</b>		

## Sonitpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,311,619	
2	Sex Ratio	946	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	263	
4	Sub Centres (SC)- HWC	18	
5	Primary Health Centers (PHC)	46	
6	Primary Health Centres (PHC)-HWC	10	

7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	34,638		35,015			
11	Expected number of Delivery	32,277		32,628			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	36,153	104.4	21,250	60.7	ANC Check up in first trimester	48.8
13	Mothers registered in the first trimester	32,484	89.9	18,478	87.0	At least 4ANC check up	45.5
14	Mothers who had 4 or more ANC check ups	32,484	89.9	15,020	70.7	Neonatal tetanus received	99.2
15	PW who got TT 2 / Booster injection	33,300	92.1	19,871	93.5	100 IFA tablets consumed	56.4
16	PW who consumed 180 IFA tablets	34,633	95.8	19,542	92.0	Home Delivery	16.5
17	Home Delivery against expected delivery *	2,879	8.9	2,663	8.2	Institutional Delivery	83.5
18	Institutional Delivery against expected delivery *	32,780	101.6	21,470	65.8	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	2,879	8.1	2,663	11.0	PNC within 2days of delivery	63.5
20	Institutional Delivery against reported delivery **	32,780	91.9	21,470	89.0		
21	Total reported Deliveries	35,659		24,133			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	115		45		1.7	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24,097		9,262		38.4	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	31,489		31,832			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	35,613		23,857		Breastfed within 1 hour of birth	
26	Total Still Birth	755		605		BCG	
27	PC of newborn weighted at birth to live birth	33,404		20,616		3 dose of DPT	
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,961		3,725		Measles First dose	
29	PC of newborns breastfed within 1 hour to total reported live birth.	29,281		18,014		3 doses of penta or hepatitis B vaccine	
30	Children fully immunized	32,255		18,938		Full Immunization	
31	Children who have received BCG	40,596		25,966		70.9	
32	Children who have received Pentavalent 1	32,578		18,937			
33	Children who have received Pentavalent 3	31,979		18,379		57.7	

34	Children who have received Measles & Rubella (MR)- 1st Dose	32,271	102.5	18,926	59.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,348		248			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	124	0	Total unmet need	5.8		
37	Number of Tubectomies performed	2,168	605	Spacing	2		
38	Number of IUD insertion	1,389	297	Women using any method	74.4		
39	Number of IUD removals	406	211	Women using modern method	58.9		
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
40	IPD cases per 10,000 population ***	899	346				
41	General OPD cases per 10,000 population ***	16,444	5,893				
42	Ayush OPD cases per 10,000 population ***	741	195				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
43	Neonatal death within 24 hours	88	51				
44	Neonatal Deaths up to 4 weeks of birth	450	316				
45	<b>Total Neonatal Death</b>	<b>538</b>	<b>367</b>				
46	Deaths between (1 - 11) months	195	110				
47	<b>Total reported infant deaths</b>	<b>733</b>	<b>477</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>				
48	Due to Abortion	3	3				
49	Due to Obstructed/prolonged labour	1	1				
50	Due to Severe hypertension / fits	6	2				
51	Due to Bleeding	11	3				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	56	29				
54	<b>Total reported maternal deaths</b>	<b>77</b>	<b>38</b>				

## South Salmara Mancachar Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	555,114	
2	Sex Ratio	NA	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	NA	

4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	15,699		16,006			
11	Expected number of Delivery	14,628		14,915			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	0	0.0	12,541	78.4	ANC Check up in first trimester	60.1
13	Mothers registered in the first trimester	0	-	10,324	82.3	At least 4ANC check up	35.3
14	Mothers who had 4 or more ANC check ups	0	-	9,482	75.6	Neonatal tetanus received	93.0
15	PW who got TT 2 / Booster injection	0	-	12,024	95.9	100 IFA tablets consumed	47.4
16	PW who consumed 180 IFA tablets	0	-	13,279	105.9	Home Delivery	28.3
17	Home Delivery against expected delivery *	0	0.0	5,957	39.9	Institutional Delivery	71.7
18	Institutional Delivery against expected delivery *	0	0.0	4,920	33.0	Home Delivery by SBA	8.1
19	Home Delivery against reported delivery **	0	-	5,957	54.8	PNC within 2days of delivery	62.6
20	Institutional Delivery against reported delivery **	0	-	4,920	45.2		
21	Total reported Deliveries	0		10,877			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	960	16.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	8,795	80.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	14,272		14,551			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	0	0.0	10,718	73.7	Breastfed within 1 hour of birth	50.4
26	Total Still Birth	0	0.0	218	1.5	BCG	97
27	PC of newborn weighted at birth to live birth	0	-	10,718	100.0	3 dose of DPT	81.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	853	8.0	Measles First dose	85.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	10,663	99.5	3 doses of penta or hepatitis B vaccine	73.7
30	Children fully immunized	0	0.0	10,834	74.5	Full Immunization	65.8
31	Children who have received BCG	0	0.0	11,321	77.8		
32	Children who have received Pentavalent 1	0	0.0	10,788	74.1		

33	Children who have received Pentavalent 3	0	0.0	9,691	66.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	10,898	74.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		450			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	8
37	Number of Tubectomies performed	0		0		Spacing	1.7
38	Number of IUD insertion	0		313		Women using any method	71.5
39	Number of IUD removals	0		48		Women using modern method	60.8
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	0		16			
41	General OPD cases per 10,000 population ***	0		1,333			
42	Ayush OPD cases per 10,000 population ***	0		711			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	0		15			
44	Neonatal Deaths up to 4 weeks of birth	0		34			
45	<b>Total Neonatal Death</b>	<b>0</b>		<b>49</b>			
46	Deaths between (1 - 11) months	0		30			
47	<b>Total reported infant deaths</b>	<b>0</b>		<b>79</b>			
<b>II) Maternal Mortality</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		1			
50	Due to Severe hypertension / fits	0		1			
51	Due to Bleeding	0		1			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		8			
54	<b>Total reported maternal deaths</b>	<b>0</b>		<b>11</b>			

## Tinsukia Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>1,327,929</b>	
2	Sex Ratio	<b>948</b>	



<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>146</b>					
4	Sub Centres (SC)- HWC	<b>20</b>					
5	Primary Health Centers(PHC)	<b>15</b>					
6	Primary Health Centres (PHC)-HWC	<b>7</b>					
7	Community Health Centers (CHC)	<b>8</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	34,750		35,088			
11	Expected number of Delivery	32,381		32,696			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	23,947	68.9	23,070	65.7	ANC Check up in first trimester	70.7
13	Mothers registered in the first trimester	20,400	85.2	19,446	84.3	At least 4ANC check up	63.1
14	Mothers who had 4 or more ANC check ups	20,704	86.5	18,559	80.4	Neonatal tetanus received	93.9
15	PW who got TT 2 / Booster injection	22,101	92.3	21,216	92.0	100 IFA tablets consumed	43.8
16	PW who consumed 180 IFA tablets	25,368	105.9	22,447	97.3	Home Delivery	17.4
17	Home Delivery against expected delivery *	644	2.0	900	2.8	Institutional Delivery	82.6
18	Institutional Delivery against expected delivery *	22,819	70.5	20,313	62.1	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	644	2.7	900	4.2	PNC within 2days of delivery	73.6
20	Institutional Delivery against reported delivery **	22,819	97.3	20,313	95.8		
21	Total reported Deliveries	23,463		21,213			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	231	35.9	333	37.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,427	112.6	19,551	92.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	31,591		31,898			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	23,374	74.0	20,887	65.5	Breastfed within 1 hour of birth	51.6
26	Total Still Birth	222	0.7	306	1.0	BCG	97.2
27	PC of newborn weighted at birth to live birth	23,343	99.9	20,312	97.2	3 dose of DPT	92.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,557	15.2	3,512	17.3	Measles First dose	95.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	22,950	98.2	19,710	94.4	3 doses of penta or hepatitis B vaccine	90.2
30	Children fully immunized	21,428	67.8	21,503	67.4	Full Immunization	75

31	Children who have received BCG	23,416	74.1	21,443	67.2		
32	Children who have received Pentavalent 1	22,120	70.0	21,694	68.0		
33	Children who have received Pentavalent 3	21,592	68.3	21,131	66.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	21,736	68.8	21,700	68.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,120		2,631			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	342	67	Total unmet need	11
37	Number of Tubectomies performed	2,412	1,242	Spacing	4.4
38	Number of IUD insertion	2,048	823	Women using any method	59.2
39	Number of IUD removals	657	681	Women using modern method	36.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	797	521		
41	General OPD cases per 10,000 population ***	13,430	10,203		
42	Ayush OPD cases per 10,000 population ***	162	306		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	54	25		
44	Neonatal Deaths up to 4 weeks of birth	84	84		
45	<b>Total Neonatal Death</b>	<b>138</b>	<b>109</b>		
46	Deaths between (1 - 11) months	79	69		
47	<b>Total reported infant deaths</b>	<b>217</b>	<b>178</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	3		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	1	0		
52	Due to High fever	0	2		
53	Due to Other Causes (including causes not known)	12	13		
54	<b>Total reported maternal deaths</b>	<b>13</b>	<b>20</b>		

## Udalguri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
-------	-----------------------------------------	--	--

1	Population 2011	831,668					
2	Sex Ratio	966					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	129					
4	Sub Centres (SC)- HWC	17					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centres (PHC)-HWC	7					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	20,962	21,066				
11	Expected number of Delivery	19,532	19,630				
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	14,462	69.0	13,827	65.6	ANC Check up in first trimester	50.1
13	Mothers registered in the first trimester	12,872	89.0	12,313	89.1	At least 4ANC check up	49.8
14	Mothers who had 4 or more ANC check ups	11,354	78.5	8,890	64.3	Neonatal tetanus received	91.0
15	PW who got TT 2 / Booster injection	13,018	90.0	12,878	93.1	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	13,088	90.5	11,707	84.7	Home Delivery	13.8
17	Home Delivery against expected delivery *	428	2.2	563	2.9	Institutional Delivery	86.2
18	Institutional Delivery against expected delivery *	7,647	39.2	6,123	31.2	Home Delivery by SBA	1.9
19	Home Delivery against reported delivery **	428	5.3	563	8.4	PNC within 2days of delivery	53.1
20	Institutional Delivery against reported delivery **	7,647	94.7	6,123	91.6		
21	Total reported Deliveries	8,075		6,686			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	185	43.2	166	29.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,662	119.7	8,427	126.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	19,056		19,151			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
25	Total reported live births	7,960	41.8	6,745	35.2	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	133	0.7	138	0.7	BCG	78.6
27	PC of newborn weighted at birth to live birth	7,563	95.0	6,339	94.0	3 dose of DPT	68
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,344	17.8	876	13.8	Measles First dose	75.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,680	96.5	6,384	94.6	3 doses of penta or hepatitis B	65.7

						vaccine	
30	Children fully immunized	12,298	64.5	12,582	65.7	Full Immunization	38.3
31	Children who have received BCG	10,813	56.7	9,997	52.2		
32	Children who have received Pentavalent 1	12,827	67.3	12,589	65.7		
33	Children who have received Pentavalent 3	12,287	64.5	12,245	63.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,291	64.5	12,610	65.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,526		446			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	14.6
37	Number of Tubectomies performed	20	0	Spacing	6.4
38	Number of IUD insertion	1,251	1,142	Women using any method	50.2
39	Number of IUD removals	758	556	Women using modern method	36.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	220	124		
41	General OPD cases per 10,000 population ***	8,360	5,397		
42	Ayush OPD cases per 10,000 population ***	1,444	476		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	34	23		
44	Neonatal Deaths up to 4 weeks of birth	58	51		
45	<b>Total Neonatal Death</b>	<b>92</b>	<b>74</b>		
46	Deaths between (1 - 11) months	92	109		
47	<b>Total reported infant deaths</b>	<b>184</b>	<b>183</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	2	1		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	6	17		
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>18</b>		

Key Indicators							
SL No	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	295,358					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	7,988		8,098			
11	Expected number of Delivery	7,443		7,546			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	0	0.0	7,460	92.1	ANC Check up in first trimester	55.5
13	Mothers registered in the first trimester	0	-	5,486	73.5	At least 4ANC check up	46.7
14	Mothers who had 4 or more ANC check ups	0	-	4,319	57.9	Neonatal tetanus received	87.6
15	PW who got TT 2 / Booster injection	0	-	7,053	94.5	100 IFA tablets consumed	39.9
16	PW who consumed 180 IFA tablets	0	-	7,406	99.3	Home Delivery	27.5
17	Home Delivery against expected delivery *	0	0.0	1,770	23.5	Institutional Delivery	72.5
18	Institutional Delivery against expected delivery *	0	0.0	3,865	51.2	Home Delivery by SBA	12.0
19	Home Delivery against reported delivery **	0	-	1,770	31.4	PNC within 2days of delivery	55.7
20	Institutional Delivery against reported delivery **	0	-	3,865	68.6		
21	Total reported Deliveries	0		5,635			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	450	25.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	3,635	64.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,261		7,362			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
25	Total reported live births	0	0.0	5,520	75.0	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	0	0.0	115	1.6	BCG	92.7
27	PC of newborn weighted at birth to live birth	0	-	5,491	99.5	3 dose of DPT	70.3

28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	179	3.3	Measles First dose	66.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	5,439	98.5	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	0	0.0	7,004	95.1	Full Immunization	47.9
31	Children who have received BCG	0	0.0	6,611	89.8		
32	Children who have received Pentavalent 1	0	0.0	6,876	93.4		
33	Children who have received Pentavalent 3	0	0.0	6,798	92.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	7,023	95.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		843			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	7.1
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	0	838	Women using any method	69.9
39	Number of IUD removals	0	154	Women using modern method	43.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	139		
41	General OPD cases per 10,000 population ***	0	2,870		
42	Ayush OPD cases per 10,000 population ***	0	670		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	4		
44	Neonatal Deaths up to 4 weeks of birth	0	13		
45	<b>Total Neonatal Death</b>	<b>0</b>	<b>17</b>		
46	Deaths between (1 - 11) months	0	33		
47	<b>Total reported infant deaths</b>	<b>0</b>	<b>50</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	4		
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>5</b>		