

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,383,727					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	363					
5	Primary Health Centers (PHC)	124					
7	Community Health Centers (CHC)	60					
8	SDH	0					
9	DH	17					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	34,042		34,077			
11	Expected number of Delivery	31,566		31,598			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	28,196	82.8	31,636	92.8	ANC Check up in first trimester	37.0
13	Mothers registered in the first trimester	10,322	36.6	11,173	35.3	At least 4ANC check up	26.8
14	Mothers who had 4 or more ANC check ups	10,475	37.2	9,329	29.5	Neonatal tetanus received	64.1
15	PW who got TT 2 / Booster injection	16,446	58.3	17,990	56.9	100 IFA tablets consumed	8.3
16	PW who consumed 180 IFA tablets	16,268	57.7	17,189	54.3	Full ANC	3.6
17	Home Delivery against expected delivery *	1,809	5.7	1,754	5.6	Home Delivery	47.7
18	Institutional Delivery against expected delivery *	17,113	54.2	18,260	57.8	Institutional Delivery	52.3
19	Home Delivery against reported delivery **	1,809	9.6	1,754	8.8	Home Delivery by SBA(out of Total Deliveries)	2.1
20	Institutional Delivery against reported delivery **	17,113	90.4	18,260	91.2	PNC within 2days of delivery	28.9
21	Total reported Deliveries	18,922		20,014			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	716	39.6	800	45.6		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,848	20.3	7,071	35.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	30,948		30,979			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	18,788	60.7	19,861	64.1	Breastfeed within 1 hour of birth	58.7
26	Total Still Birth	237	0.8	231	0.7	BCG	70.9

27	Newborn weighted at birth to live birth	18,218	97.0	19,418	97.8	3 dose of DPT	52.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,088	6.0	926	4.8	Measles	54.6
29	Newborns breastfed within 1 hour to total reported live birth.	15,655	83.3	16,376	82.5	Full Immunization	38.2
30	Fully immunized	17,445	56.4	19,363	62.5		
31	Children who have received BCG	19,269	62.3	20,938	67.6		
32	Children who have received Pentavalent 1	20,623	66.6	21,814	70.4		
33	Children who have received Pentavalent 3	18,324	59.2	20,406	65.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,838	57.6	19,545	63.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,536		4,436			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2		0		Total unmet need	21.6
37	Number of Tubectomies performed	1,059		621		Spacing	12.7
38	Number of IUD insertion	2,000		1,839		Women using any method	31.7
39	Number of IUD removals	1,275		1,268		Women using modern method	26.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	409		297			
41	General OPD cases per 10,000 population ***	8445		5877			
42	Ayush OPD cases per 10,000 population ***	877		656			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	39		32			
44	Neonatal Deaths up to 4 weeks of birth	24		32			
45	Total Neonatal Death	63		64			
46	Deaths between (1 - 11) months	26		26			
47	Total reported infant deaths	89		90			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21)			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
48	Due to Abortion	1		0			
49	Due to Obstructed/prolonged labour	1		0			
50	Due to Severe hypertension/fits	0		1			
51	Due to Bleeding	3		6			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes	7		3			

	not known)			
54	Total reported maternal deaths	12	10	

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	8					
5	Primary Health Centers(PHC)	6					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	482		478			
11	Expected number of Delivery	447		443			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	414	85.9	382	79.9	ANC Check up in first trimester	28.8
13	Mothers registered in the first trimester	100	24.2	158	41.4	At least 4ANC check up	20.2
14	Mothers who had 4 or more ANC check ups	60	14.5	58	15.2	Neonatal tetanus received	73.5
15	PW who got TT 2 / Booster injection	255	61.6	251	65.7	100 IFA tablets consumed	4.5
16	PW who consumed 180 IFA tablets	346	83.6	312	81.7	Full ANC	2.0
17	Home Delivery against expected delivery *	24	5.4	24	5.4	Home Delivery	48.6
18	Institutional Delivery against expected delivery *	105	23.5	84	19.0	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	24	18.6	24	22.2	Home Delivery by SBA(out of Total Deliveries)	6.8
20	Institutional Delivery against reported delivery **	105	81.4	84	77.8	PNC within 2days of delivery	21.3
21	Total reported Deliveries	129		108			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	17	70.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	52	40.3	28	25.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	438		434			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	

25	Total reported live births	128	29.2	108	24.9	Breastfeed within 1 hour of birth	53.9
26	Total Still Birth	3	0.7	1	0.2	BCG	75.4
27	Newborn weighted at birth to live birth	127	99.2	105	97.2	3 dose of DPT	52.8
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	6.3	10	9.5	Measles	56.8
29	Newborns breastfed within 1 hour to total reported live birth.	127	99.2	106	98.1	Full Immunization	35.8
30	Fully immunized	244	55.7	274	63.1		
31	Children who have received BCG	196	44.7	167	38.4		
32	Children who have received Pentavalent 1	360	82.2	298	68.6		
33	Children who have received Pentavalent 3	348	79.4	339	78.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	268	61.2	290	66.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	515		302			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.1
37	Number of Tubectomies performed	19	0	Spacing	14.7
38	Number of IUD insertion	4	15	Women using any method	24.5
39	Number of IUD removals	10	10	Women using modern method	23.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	218	129		
41	General OPD cases per 10,000 population ***	7686	8016		
42	Ayush OPD cases per 10,000 population ***	2635	1750		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	1	1		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	2	1		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		

50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	148,226					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	18					
5	Primary Health Centers(PHC)	5					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	3,553		3,543			
11	Expected number of Delivery	3,295		3,286			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,914	82.0	3,120	88.0	ANC Check up in first trimester	48.2
13	Mothers registered in the first trimester	1,012	34.7	1,012	32.4	At least 4ANC check up	38.9
14	Mothers who had 4 or more ANC check ups	1,019	35.0	967	31.0	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	2,481	85.1	2,527	81.0	100 IFA tablets consumed	11.1
16	PW who consumed 180 IFA tablets	1,257	43.1	1,927	61.8	Full ANC	7.2
17	Home Delivery against expected delivery *	377	11.4	309	9.4	Home Delivery	48.5
18	Institutional Delivery against expected delivery *	1,340	40.7	1,272	38.7	Institutional Delivery	51.5
19	Home Delivery against reported delivery **	377	22.0	309	19.5	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	1,340	78.0	1,272	80.5	PNC within 2days of delivery	44.9
21	Total reported Deliveries	1,717		1,581			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	27.3	154	49.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	500	29.1	244	15.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	3,230		3,221			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	1,708	52.9	1,574	48.9	Breastfeed within 1 hour of birth	68.6
26	Total Still Birth	6	0.2	7	0.2	BCG	93.8
27	Newborn weighted at birth to live birth	1,692	99.1	1,571	99.8	3 dose of DPT	83.7
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	100	5.9	68	4.3	Measles	83.7
29	Newborns breastfed within 1 hour to total reported live birth.	1,687	98.8	1,562	99.2	Full Immunization	79.5
30	Fully immunized	1,976	61.2	2,391	74.2		
31	Children who have received BCG	2,196	68.0	2,506	77.8		
32	Children who have received Pentavalent 1	2,425	75.1	2,773	86.1		
33	Children who have received Pentavalent 3	1,975	61.1	2,516	78.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,994	61.7	2,410	74.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	240		121			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	10.7
37	Number of Tubectomies performed	0		0		Spacing	5.6
38	Number of IUD insertion	66		48		Women using any method	62.6
39	Number of IUD removals	30		57		Women using modern method	47.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	235		178			
41	General OPD cases per 10,000 population ***	4567		2309			
42	Ayush OPD cases per 10,000 population ***	1318		876			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	3		0			
44	Neonatal Deaths up to 4 weeks of birth	0		2			
45	Total Neonatal Death	3		2			
46	Deaths between (1 - 11) months	1		1			
47	Total reported infant deaths	4		3			
II) Maternal Mortality							

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	8,004					
2	Sex Ratio	808					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	5					
5	Primary Health Centers(PHC)	1					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20	2020-21				
10	Expected number of PW	175	173				
11	Expected number of Delivery	162	160				
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	106	60.5	134	77.5	ANC Check up in first trimester	44.7
13	Mothers registered in the first trimester	56	52.8	73	54.5	At least 4ANC check up	20.3
14	Mothers who had 4 or more ANC check ups	24	22.6	6	4.5	Neonatal tetanus received	58.7
15	PW who got TT 2 / Booster injection	62	58.5	69	51.5	100 IFA tablets consumed	24.0
16	PW who consumed 180 IFA tablets	90	84.9	99	73.9	Full ANC	7.3
17	Home Delivery against expected delivery *	6	3.7	6	3.7	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	29	17.9	28	17.5	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	6	17.1	6	17.6	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	29	82.9	28	82.4	PNC within 2days of delivery	35.3
21	Total reported Deliveries	35		34			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	83.3	6	100.0		

23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33	94.3	5	14.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	159		157			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	33	20.7	34	21.6	Breastfeed within 1 hour of birth	66.1
26	Total Still Birth	2	1.3	0	0.0	BCG	84.4
27	Newborn weighted at birth to live birth	33	100.0	19	55.9	3 dose of DPT	73.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles	70.4
29	Newborns breastfed within 1 hour to total reported live birth.	33	100.0	15	44.1	Full Immunization	40.8
30	Fully immunized	67	42.1	66	42.0		
31	Children who have received BCG	36	22.6	42	26.7		
32	Children who have received Pentavalent 1	70	44.0	60	38.2		
33	Children who have received Pentavalent 3	123	77.3	60	38.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	129	81.0	81	51.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	87		10			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	0		0		Spacing	12.6
38	Number of IUD insertion	0		0		Women using any method	44.4
39	Number of IUD removals	0		0		Women using modern method	44.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	105		179			
41	General OPD cases per 10,000 population ***	9604		8745			
42	Ayush OPD cases per 10,000 population ***	230		514			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			

47	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	25					
5	Primary Health Centers(PHC)	11					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,770	1,796				
11	Expected number of Delivery	1,641	1,665				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	1,291	72.9	1,316	73.3	ANC Check up in first trimester	4.1
13	Mothers registered in the first trimester	874	67.7	968	73.6	At least 4ANC check up	0.8
14	Mothers who had 4 or more ANC check ups	218	16.9	928	70.5	Neonatal tetanus received	33.4
15	PW who got TT 2 / Booster injection	651	50.4	1,592	121.0	100 IFA tablets consumed	1.8
16	PW who consumed 180 IFA tablets	543	42.1	1,314	99.8	Full ANC	0.0
17	Home Delivery against expected delivery *	36	2.2	33	2.0	Home Delivery	66.2
18	Institutional Delivery against expected delivery *	567	34.5	890	53.4	Institutional Delivery	33.8
19	Home Delivery against reported delivery **	36	6.0	33	3.6	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	567	94.0	890	96.4	PNC within 2days of delivery	6.1
21	Total reported Deliveries	603		923			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	50.0	23	69.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21	3.5	621	67.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,609		1,632			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	594	36.9	918	56.2	Breastfeed within 1 hour of birth	54.3
26	Total Still Birth	9	0.6	5	0.3	BCG	37.2
27	Newborn weighted at birth to live birth	541	91.1	918	100.0	3 dose of DPT	17.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	17	3.1	0	0.0	Measles	17.4
29	Newborns breastfed within 1 hour to total reported live birth.	554	93.3	918	100.0	Full Immunization	11.9
30	Fully immunized	564	35.0	936	57.3		
31	Children who have received BCG	584	36.3	972	59.5		
32	Children who have received Pentavalent 1	835	51.9	981	60.1		
33	Children who have received Pentavalent 3	628	39.0	936	57.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	569	35.4	936	57.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	351		109			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	30.7
37	Number of Tubectomies performed	0		0		Spacing	18.2
38	Number of IUD insertion	69		97		Women using any method	5.2
39	Number of IUD removals	2		38		Women using modern method	5
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	172		201			
41	General OPD cases per 10,000 population ***	4457		3601			
42	Ayush OPD cases per 10,000 population ***	461		411			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	2		0			

45	Total Neonatal Death	2	0	
46	Deaths between (1 - 11) months	2	1	
47	Total reported infant deaths	4	1	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	11					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,609	1,594				
11	Expected number of Delivery	1,492	1,479				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	2,052	127.6	1,616	101.4	ANC Check up in first trimester	38.4
13	Mothers registered in the first trimester	1,039	50.6	870	53.8	At least 4ANC check up	35.0
14	Mothers who had 4 or more ANC check ups	647	31.5	453	28.0	Neonatal tetanus received	76.3
15	PW who got TT 2 / Booster injection	1,442	70.3	1,277	79.0	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,171	57.1	1,068	66.1	Full ANC	4.6
17	Home Delivery against expected delivery *	72	4.8	91	6.2	Home Delivery	31.4
18	Institutional Delivery against expected delivery *	2,003	134.3	1,849	125.1	Institutional Delivery	68.6
19	Home Delivery against reported delivery **	72	3.5	91	4.7	Home Delivery by SBA(out of Total Deliveries)	3.3

20	Institutional Delivery against reported delivery **	2,003	96.5	1,849	95.3	PNC within 2days of delivery	31.0
21	Total reported Deliveries	2,075		1,940			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	48.6	88	96.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	321	15.5	1,876	96.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,462		1,450			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	2,042	139.6	1,905	131.4	Breastfeed within 1 hour of birth	41
26	Total Still Birth	32	2.2	35	2.4	BCG	83.6
27	Newborn weighted at birth to live birth	2,042	100.0	1,907	100.1	3 dose of DPT	57.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	139	6.8	124	6.5	Measles	78.8
29	Newborns breastfed within 1 hour to total reported live birth.	1,847	90.5	1,889	99.2	Full Immunization	45.5
30	Fully immunized	1,236	84.5	1,205	83.1		
31	Children who have received BCG	2,083	142.4	1,939	133.8		
32	Children who have received Pentavalent 1	1,535	105.0	1,353	93.3		
33	Children who have received Pentavalent 3	1,451	99.2	1,338	92.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,270	86.8	1,208	83.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	156		43			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2		0		Total unmet need	19.6
37	Number of Tubectomies performed	159		93		Spacing	14.8
38	Number of IUD insertion	159		113		Women using any method	32.5
39	Number of IUD removals	90		51		Women using modern method	31.2
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	1284		983			
41	General OPD cases per 10,000 population ***	16367		10244			
42	Ayush OPD cases per 10,000 population ***	585		318			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			

43	Neonatal deaths within 24 hours	21	13	
44	Neonatal Deaths up to 4 weeks of birth	12	13	
45	Total Neonatal Death	33	26	
46	Deaths between (1 - 11) months	2	10	
47	Total reported infant deaths	35	36	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	Total reported maternal deaths	3	2	

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	19,697				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	0				
5	Primary Health Centers (PHC)	0				
7	Community Health Centers (CHC)	0				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	610	626			
11	Expected number of Delivery	566	580			
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)		
		Number	PC	Number	PC	
12	PW register for ANC	0	0.0	325	51.9	ANC Check up in first trimester
13	Mothers registered in the first trimester	0	-	108	33.2	At least 4ANC check up
14	Mothers who had 4 or more ANC check ups	0	-	14	4.3	Neonatal tetanus received
15	PW who got TT 2 / Booster injection	0	-	151	46.5	100 IFA tablets consumed
16	PW who consumed 180 IFA tablets	0	-	197	60.6	Full ANC
17	Home Delivery against expected delivery *	0	0.0	16	2.8	Home Delivery
18	Institutional Delivery against expected delivery *	0	0.0	38	6.5	Institutional Delivery

19	Home Delivery against reported delivery **	0	-	16	29.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	38	70.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		54			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	4	25.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	16	29.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	555		569			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	54	9.5	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	50	92.6	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	2	4.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	49	90.7	Full Immunization	NA
30	Fully immunized	0	0.0	183	32.2		
31	Children who have received BCG	0	0.0	102	17.9		
32	Children who have received Pentavalent 1	0	0.0	220	38.7		
33	Children who have received Pentavalent 3	0	0.0	202	35.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	184	32.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		167			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	0		8		Women using any method	NA
39	Number of IUD removals	0		6		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	0		544			
41	General OPD cases per 10,000 population ***	0		4120			
42	Ayush OPD cases per 10,000	0		1584			

	population ***			
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal deaths within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	1	
45	Total Neonatal Death	0	1	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	1	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	46,704				
2	Sex Ratio	1,029				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	8				
5	Primary Health Centers (PHC)	4				
7	Community Health Centers (CHC)	1				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	1,156	1,157			
11	Expected number of Delivery	1,072	1,073			
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)		
		Number	PC	Number	PC	
12	PW register for ANC	138	11.9	385	33.3	ANC Check up in first trimester
13	Mothers registered in the first trimester	37	26.8	265	68.8	At least 4ANC check up
14	Mothers who had 4 or more ANC check ups	27	19.6	263	68.3	Neonatal tetanus received
15	PW who got TT 2 / Booster injection	82	59.4	140	36.4	100 IFA tablets consumed
16	PW who consumed 180 IFA tablets	126	91.3	369	95.8	Full ANC

17	Home Delivery against expected delivery *	26	2.4	47	4.4	Home Delivery	NA
18	Institutional Delivery against expected delivery *	24	2.2	97	9.0	Institutional Delivery	NA
19	Home Delivery against reported delivery **	26	52.0	47	32.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	24	48.0	97	67.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	50		144			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	96.2	43	91.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	2.0	102	70.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,051		1,052			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	49	4.7	143	13.6	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	45	91.8	151	105.6	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	8	5.3	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	44	89.8	151	105.6	Full Immunization	NA
30	Fully immunized	100	9.5	278	26.4		
31	Children who have received BCG	46	4.4	293	27.9		
32	Children who have received Pentavalent 1	85	8.1	301	28.6		
33	Children who have received Pentavalent 3	87	8.3	297	28.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	98	9.3	279	26.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	48		136			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	9		39		Women using any method	NA
39	Number of IUD removals	16		6		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	94		114			

41	General OPD cases per 10,000 population ***	1005	2274	
42	Ayush OPD cases per 10,000 population ***	40	363	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal deaths within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	20					
5	Primary Health Centers (PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,123	1,124				
11	Expected number of Delivery	1,041	1,042				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	547	48.7	690	61.4	ANC Check up in first trimester	17.9
13	Mothers registered in the first trimester	314	57.4	312	45.2	At least 4ANC check up	7.9
14	Mothers who had 4 or more ANC check ups	305	55.8	215	31.2	Neonatal tetanus received	38.6

15	PW who got TT 2 / Booster injection	251	45.9	274	39.7	100 IFA tablets consumed	2.6
16	PW who consumed 180 IFA tablets	541	98.9	659	95.5	Full ANC	0.4
17	Home Delivery against expected delivery *	45	4.3	48	4.6	Home Delivery	70.4
18	Institutional Delivery against expected delivery *	165	15.8	230	22.1	Institutional Delivery	29.6
19	Home Delivery against reported delivery **	45	21.4	48	17.3	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	165	78.6	230	82.7	PNC within 2days of delivery	17.0
21	Total reported Deliveries	210		278			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	77.8	36	75.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27	12.9	208	74.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,021		1,022			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	210	20.6	278	27.2	Breastfeed within 1 hour of birth	53.8
26	Total Still Birth	0	0.0	2	0.2	BCG	49.2
27	Newborn weighted at birth to live birth	204	97.1	277	99.6	3 dose of DPT	28.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.5	4	1.4	Measles	28.2
29	Newborns breastfed within 1 hour to total reported live birth.	204	97.1	277	99.6	Full Immunization	17.4
30	Fully immunized	359	35.2	391	38.3		
31	Children who have received BCG	394	38.6	349	34.2		
32	Children who have received Pentavalent 1	399	39.1	394	38.6		
33	Children who have received Pentavalent 3	365	35.8	391	38.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	360	35.3	390	38.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	699		361			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	21.3
37	Number of Tubectomies performed	0		0		Spacing	14.1
38	Number of IUD insertion	102		100		Women using any method	12.9

39	Number of IUD removals	31	44	Women using modern method	11.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	275	190		
41	General OPD cases per 10,000 population ***	3785	3023		
42	Ayush OPD cases per 10,000 population ***	47	3		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	0	3		
45	Total Neonatal Death	0	5		
46	Deaths between (1 - 11) months	0	2		
47	Total reported infant deaths	0	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		
Leparada Factsheet					
Key Indicators					
A) Demographic Indicators (Census 2011)					
1	Population 2011	20,152			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2019-20)		Numbers			
3	Sub Centers (SC)	0			
5	Primary Health Centers(PHC)	0			
7	Community Health Centers (CHC)	0			
8	SDH	0			
9	DH	0			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	436	430		
11	Expected number of Delivery	404	399		
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)	
		Number	PC	Number	PC
12	PW register for ANC	0	0.0	306	71.2
				ANC Check up in first trimester	NA

13	Mothers registered in the first trimester	0	-	136	44.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	90	29.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	148	48.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	74	24.2	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	15	3.8	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	121	30.4	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	15	11.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	121	89.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		136			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	8	53.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	4	2.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	396		391			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	135	34.5	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	127	94.1	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	5	3.9	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	133	98.5	Full Immunization	NA
30	Fully immunized	0	0.0	260	66.5		
31	Children who have received BCG	0	0.0	142	36.3		
32	Children who have received Pentavalent 1	0	0.0	242	61.9		
33	Children who have received Pentavalent 3	0	0.0	260	66.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	260	66.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		0			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA

37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	13	Women using any method	NA
39	Number of IUD removals	0	13	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	214		
41	General OPD cases per 10,000 population ***	0	7047		
42	Ayush OPD cases per 10,000 population ***	0	390		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		
Lohit Factsheet					
Key Indicators					
A) Demographic Indicators (Census 2011)					
1	Population 2011	49,776			
2	Sex Ratio	901			
B) Infrastructure Details (RHS 2019-20)		Numbers			
3	Sub Centers (SC)	20			
5	Primary Health Centers(PHC)	4			
7	Community Health Centers (CHC)	2			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	1,160	1,154		
11	Expected number of Delivery	1,076	1,070		
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)	
		Number	PC	Number	PC

12	PW register for ANC	1,023	88.2	1,214	105.2	ANC Check up in first trimester	62.9
13	Mothers registered in the first trimester	513	50.1	534	44.0	At least 4ANC check up	49.2
14	Mothers who had 4 or more ANC check ups	953	93.2	752	61.9	Neonatal tetanus received	81.9
15	PW who got TT 2 / Booster injection	619	60.5	711	58.6	100 IFA tablets consumed	14.1
16	PW who consumed 180 IFA tablets	512	50.0	659	54.3	Full ANC	7.6
17	Home Delivery against expected delivery *	19	1.8	19	1.8	Home Delivery	53.0
18	Institutional Delivery against expected delivery *	966	89.8	1,239	115.8	Institutional Delivery	47.0
19	Home Delivery against reported delivery **	19	1.9	19	1.5	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	966	98.1	1,239	98.5	PNC within 2days of delivery	39.4
21	Total reported Deliveries	985		1,258			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	5.3	13	68.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	62	6.3	42	3.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,055		1,049			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-4 (2015-16)	
25	Total reported live births	969	91.9	1,241	118.3	Breastfeed within 1 hour of birth	80.2
26	Total Still Birth	23	2.2	31	3.0	BCG	84.5
27	Newborn weighted at birth to live birth	960	99.1	1,242	100.1	3 dose of DPT	72.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	9.0	112	9.0	Measles	66
29	Newborns breastfed within 1 hour to total reported live birth.	908	93.7	915	73.7	Full Immunization	56.5
30	Fully immunized	807	76.5	807	76.9		
31	Children who have received BCG	1,048	99.3	1,285	122.5		
32	Children who have received Pentavalent 1	903	85.6	886	84.5		
33	Children who have received Pentavalent 3	856	81.1	805	76.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	811	76.9	800	76.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	942		169			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFHS-4 (2015-16)	
--------------------------	--	------------------------	--	------------------------	--	-------------------------	--

36	Number of Vasectomies performed	0	0	Total unmet need	10.6
37	Number of Tubectomies performed	67	80	Spacing	4.3
38	Number of IUD insertion	52	58	Women using any method	66
39	Number of IUD removals	34	30	Women using modern method	51.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	616	556		
41	General OPD cases per 10,000 population ***	10190	7977		
42	Ayush OPD cases per 10,000 population ***	980	560		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	1	3		
47	Total reported infant deaths	1	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	2	0		
Longding Factsheet					
Key Indicators					
A) Demographic Indicators (Census 2011)					
1	Population 2011	56,953			
2	Sex Ratio	931			
B)Infrastructure Details (RHS 2019-20)		Numbers			
3	Sub Centers (SC)	6			
5	Primary Health Centers(PHC)	1			
7	Community Health Centers (CHC)	3			
8	SDH	0			
9	DH	0			
C)Maternal Health:		2019-20	2020-21		
10	Expected number of PW	1,272	1,259		
11	Expected number of Delivery	1,180	1,167		

		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	892	70.1	1,019	80.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	283	31.7	511	50.1	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	200	22.4	180	17.7	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	705	79.0	833	81.7	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	403	45.2	651	63.9	Full ANC	NA
17	Home Delivery against expected delivery *	143	12.1	92	7.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	277	23.5	363	31.1	Institutional Delivery	NA
19	Home Delivery against reported delivery **	143	34.0	92	20.2	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	277	66.0	363	79.8	PNC within 2days of delivery	NA
21	Total reported Deliveries	420		455			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	96	67.1	33	35.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	24.3	40	8.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,157		1,144			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	409	35.4	455	39.8	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	4	0.3	2	0.2	BCG	NA
27	Newborn weighted at birth to live birth	353	86.3	434	95.4	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.3	7	1.6	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	412	100.7	451	99.1	Full Immunization	NA
30	Fully immunized	555	48.0	683	59.7		
31	Children who have received BCG	724	62.6	882	77.1		
32	Children who have received Pentavalent 1	758	65.5	1,043	91.1		
33	Children who have received Pentavalent 3	593	51.3	828	72.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	583	50.4	744	65.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	415		248			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	8	30	Women using any method	NA
39	Number of IUD removals	4	4	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	73	66		
41	General OPD cases per 10,000 population ***	2800	2740		
42	Ayush OPD cases per 10,000 population ***	940	564		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Lower Dibang Valley Factsheet

Key Indicators					
A) Demographic Indicators (Census 2011)					
1	Population 2011	54,080			
2	Sex Ratio	919			
B) Infrastructure Details (RHS 2019-20)		Numbers			
3	Sub Centers (SC)	14			
5	Primary Health Centers (PHC)	3			
7	Community Health Centers (CHC)	4			
8	SDH	0			
9	DH	1			

C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,159		1,142			
11	Expected number of Delivery	1,075		1,059			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,008	87.0	1,156	101.2	ANC Check up in first trimester	27.7
13	Mothers registered in the first trimester	313	31.1	302	26.1	At least 4ANC check up	23.6
14	Mothers who had 4 or more ANC check ups	512	50.8	217	18.8	Neonatal tetanus received	64.7
15	PW who got TT 2 / Booster injection	652	64.7	675	58.4	100 IFA tablets consumed	10.9
16	PW who consumed 180 IFA tablets	150	14.9	192	16.6	Full ANC	2.0
17	Home Delivery against expected delivery *	84	7.8	65	6.1	Home Delivery	41.0
18	Institutional Delivery against expected delivery *	489	45.5	346	32.7	Institutional Delivery	59.0
19	Home Delivery against reported delivery **	84	14.7	65	15.8	Home Delivery by SBA(out of Total Deliveries)	0.7
20	Institutional Delivery against reported delivery **	489	85.3	346	84.2	PNC within 2days of delivery	24.1
21	Total reported Deliveries	573		411			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	71	84.5	52	80.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	152	26.5	85	20.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,054		1,038			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	563	53.4	408	39.3	Breastfeed within 1 hour of birth	45.7
26	Total Still Birth	10	0.9	2	0.2	BCG	74.4
27	Newborn weighted at birth to live birth	563	100.0	406	99.5	3 dose of DPT	53
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	9.9	28	6.9	Measles	57.2
29	Newborns breastfed within 1 hour to total reported live birth.	556	98.8	409	100.2	Full Immunization	37.3
30	Fully immunized	861	81.7	726	69.9		
31	Children who have received BCG	714	67.7	712	68.6		
32	Children who have received Pentavalent 1	933	88.5	945	91.0		
33	Children who have received Pentavalent 3	833	79.0	821	79.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	872	82.7	732	70.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	216		129			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	17.2
37	Number of Tubectomies performed	34	25	Spacing	10.3
38	Number of IUD insertion	18	22	Women using any method	31
39	Number of IUD removals	28	18	Women using modern method	28.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	313	154		
41	General OPD cases per 10,000 population ***	11273	7730		
42	Ayush OPD cases per 10,000 population ***	556	253		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	4	0		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	Total Neonatal Death	5	1		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	6	1		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)				
1	Population 2011	22,630		
2	Sex Ratio	NA		
B) Infrastructure Details (RHS 2019-20)		Numbers		
3	Sub Centers (SC)	0		
5	Primary Health Centers (PHC)	0		
7	Community Health Centers (CHC)	0		

8	SDH	0					
9	DH	0					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	501		495			
11	Expected number of Delivery	464		459			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	253	51.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	115	45.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	44	17.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	184	72.7	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	523	206.7	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	11	2.4	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	98	21.3	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	11	10.1	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	98	89.9	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		109			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	9	81.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	41	37.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	455		450			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	110	24.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	2	0.4	BCG	NA
27	Newborn weighted at birth to live birth	0	-	99	90.0	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	12	12.1	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	99	90.0	Full Immunization	NA
30	Fully immunized	0	0.0	241	53.5		
31	Children who have received BCG	0	0.0	130	28.9		
32	Children who have received Pentavalent 1	0	0.0	248	55.1		
33	Children who have received Pentavalent 3	0	0.0	208	46.2		

34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	236	52.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		63			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	1	Spacing	NA
38	Number of IUD insertion	0	21	Women using any method	NA
39	Number of IUD removals	0	16	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	250		
41	General OPD cases per 10,000 population ***	0	4750		
42	Ayush OPD cases per 10,000 population ***	0	332		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	1		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)		
1	Population 2011	67,751
2	Sex Ratio	975
B) Infrastructure Details (RHS 2019-20)		Numbers

3	Sub Centers (SC)	35					
5	Primary Health Centers(PHC)	7					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,091		2,145			
11	Expected number of Delivery	1,939		1,989			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	843	40.3	670	31.2	ANC Check up in first trimester	33.6
13	Mothers registered in the first trimester	340	40.3	220	32.8	At least 4ANC check up	22.7
14	Mothers who had 4 or more ANC check ups	251	29.8	132	19.7	Neonatal tetanus received	44.0
15	PW who got TT 2 / Booster injection	575	68.2	408	60.9	100 IFA tablets consumed	9.6
16	PW who consumed 180 IFA tablets	483	57.3	265	39.6	Full ANC	3.0
17	Home Delivery against expected delivery *	55	2.8	30	1.5	Home Delivery	39.5
18	Institutional Delivery against expected delivery *	358	18.5	348	17.5	Institutional Delivery	60.5
19	Home Delivery against reported delivery **	55	13.3	30	7.9	Home Delivery by SBA(out of Total Deliveries)	4.2
20	Institutional Delivery against reported delivery **	358	86.7	348	92.1	PNC within 2days of delivery	17.6
21	Total reported Deliveries	413		378			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	12.7	5	16.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	209	50.6	204	54.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,901		1,950			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	383	20.1	372	19.1	Breastfeed within 1 hour of birth	55.7
26	Total Still Birth	8	0.4	6	0.3	BCG	68.8
27	Newborn weighted at birth to live birth	372	97.1	372	100.0	3 dose of DPT	56.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	6.2	22	5.9	Measles	53
29	Newborns breastfed within 1 hour to total reported live birth.	329	85.9	321	86.3	Full Immunization	40.1
30	Fully immunized	658	34.6	560	28.7		
31	Children who have received BCG	472	24.8	403	20.7		
32	Children who have received	702	36.9	522	26.8		

	Pentavalent 1						
33	Children who have received Pentavalent 3	713	37.5	540	27.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	663	34.9	563	28.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	351		169			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.8
37	Number of Tubectomies performed	0	4	Spacing	12.3
38	Number of IUD insertion	75	50	Women using any method	10.6
39	Number of IUD removals	88	37	Women using modern method	10

F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	330	127		
41	General OPD cases per 10,000 population ***	5326	3031		
42	Ayush OPD cases per 10,000 population ***	1060	389		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	1		
47	Total reported infant deaths	3	1		

II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	95,950			

2	Sex Ratio	901					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	17					
5	Primary Health Centers(PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,237		2,224			
11	Expected number of Delivery	2,074		2,062			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,514	112.4	2,203	99.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,289	51.3	1,292	58.6	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	1,637	65.1	1,467	66.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	2,100	83.5	1,967	89.3	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	2,023	80.5	1,783	80.9	Full ANC	NA
17	Home Delivery against expected delivery *	449	21.6	405	19.6	Home Delivery	NA
18	Institutional Delivery against expected delivery *	1,265	61.0	1,342	65.1	Institutional Delivery	NA
19	Home Delivery against reported delivery **	449	26.2	405	23.2	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,265	73.8	1,342	76.8	PNC within 2days of delivery	NA
21	Total reported Deliveries	1,714		1,747			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	6.2	55	13.6		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	436	25.4	431	24.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,033		2,022			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	1,732	85.2	1,742	86.2	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	30	1.5	30	1.5	BCG	NA
27	Newborn weighted at birth to live birth	1,634	94.3	1,421	81.6	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	82	5.0	105	7.4	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	1,649	95.2	1,657	95.1	Full Immunization	NA
30	Fully immunized	1,794	88.2	1,825	90.3		

31	Children who have received BCG	1,971	96.9	1,938	95.9		
32	Children who have received Pentavalent 1	2,164	106.4	2,007	99.3		
33	Children who have received Pentavalent 3	2,002	98.5	1,929	95.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,825	89.7	1,850	91.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	112		47			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	200	46	Spacing	NA
38	Number of IUD insertion	216	182	Women using any method	NA
39	Number of IUD removals	17	16	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	241	252		
41	General OPD cases per 10,000 population ***	6785	4744		
42	Ayush OPD cases per 10,000 population ***	972	509		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	4		
44	Neonatal Deaths up to 4 weeks of birth	2	1		
45	Total Neonatal Death	2	5		
46	Deaths between (1 - 11) months	4	5		
47	Total reported infant deaths	6	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	2		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
5	Primary Health Centers(PHC)	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	0					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	429		435			
11	Expected number of Delivery	398		404			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	102	23.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	31	30.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	16	15.7	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	59	57.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	55	53.9	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	5	1.2	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	15	3.7	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	5	25.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	15	75.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		20			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		5		100.0	
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0		3		15.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	390		396			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	20	5.1	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	22	110.0	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	3	13.6	Measles	NA

29	Newborns breastfed within 1 hour to total reported live birth.	0	-	17	85.0	Full Immunization	NA
30	Fully immunized	0	0.0	62	15.7		
31	Children who have received BCG	0	0.0	28	7.1		
32	Children who have received Pentavalent 1	0	0.0	77	19.5		
33	Children who have received Pentavalent 3	0	0.0	65	16.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	64	16.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		42			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	0	Women using any method	NA
39	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	12		
41	General OPD cases per 10,000 population ***	0	1818		
42	Ayush OPD cases per 10,000 population ***	0	74		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II) Maternal Mortality		HMIS (2019-20)	HMIS (2020-21)		
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	176,573					
2	Sex Ratio	950					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	34					
5	Primary Health Centers(PHC)	16					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	0					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,439		4,450			
11	Expected number of Delivery	4,116		4,127			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,016	158.1	8,567	192.5	ANC Check up in first trimester	33.4
13	Mothers registered in the first trimester	878	12.5	736	8.6	At least 4ANC check up	26.2
14	Mothers who had 4 or more ANC check ups	2,088	29.8	1,011	11.8	Neonatal tetanus received	74.1
15	PW who got TT 2 / Booster injection	2,217	31.6	2,001	23.4	100 IFA tablets consumed	11.8
16	PW who consumed 180 IFA tablets	2,811	40.1	2,050	23.9	Full ANC	2.3
17	Home Delivery against expected delivery *	32	0.8	38	0.9	Home Delivery	19.4
18	Institutional Delivery against expected delivery *	5,942	144.4	5,832	141.3	Institutional Delivery	80.6
19	Home Delivery against reported delivery **	32	0.5	38	0.6	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	5,942	99.5	5,832	99.4	PNC within 2days of delivery	35.9
21	Total reported Deliveries	5,974		5,870			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	71.9	26	68.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	255	4.3	1,169	19.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,035		4,046			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	5,988	148.4	5,858	144.8	Breastfeed within 1 hour of birth	37.4
26	Total Still Birth	54	1.3	64	1.6	BCG	80.1
27	Newborn weighted at birth to live birth	5,908	98.7	5,869	100.2	3 dose of DPT	59.4

28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	414	7.0	262	4.5	Measles	56.9
29	Newborns breastfed within 1 hour to total reported live birth.	3,686	61.6	3,455	59.0	Full Immunization	34.9
30	Fully immunized	3,081	76.3	3,033	75.0		
31	Children who have received BCG	4,655	115.4	4,209	104.0		
32	Children who have received Pentavalent 1	3,732	92.5	3,750	92.7		
33	Children who have received Pentavalent 3	3,280	81.3	3,318	82.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,155	78.2	3,040	75.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	811		526			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	32.6
37	Number of Tubectomies performed	395	147	Spacing	20.4
38	Number of IUD insertion	441	189	Women using any method	12.8
39	Number of IUD removals	338	218	Women using modern method	12.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	1168	664		
41	General OPD cases per 10,000 population ***	23973	13359		
42	Ayush OPD cases per 10,000 population ***	1228	1439		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	3	6		
44	Neonatal Deaths up to 4 weeks of birth	5	6		
45	Total Neonatal Death	8	12		
46	Deaths between (1 - 11) months	10	3		
47	Total reported infant deaths	18	15		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	3	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	2		
54	Total reported maternal deaths	5	2		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,310					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
5	Primary Health Centers (PHC)	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	288		284			
11	Expected number of Delivery	267		263			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	177	62.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	84	47.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	25	14.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	106	59.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	111	62.7	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	29	11.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	47	17.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	29	38.2	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	47	61.8	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		76			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		12		41.4	
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0		16		21.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	262		258			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	0		55		Breastfeed within 1 hour of birth	
		0.0		21.3		NA	

26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	54	98.2	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	1	1.9	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	55	100.0	Full Immunization	NA
30	Fully immunized	0	0.0	171	66.3		
31	Children who have received BCG	0	0.0	114	44.2		
32	Children who have received Pentavalent 1	0	0.0	199	77.1		
33	Children who have received Pentavalent 3	0	0.0	201	77.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	171	66.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		125			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	27	Women using any method	NA
39	Number of IUD removals	0	10	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	0	82		
41	General OPD cases per 10,000 population ***	0	6861		
42	Ayush OPD cases per 10,000 population ***	0	612		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	622		615			
11	Expected number of Delivery	577		571			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	316	50.8	300	48.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	78	24.7	89	29.7	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	57	18.0	49	16.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	145	45.9	173	57.7	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	128	40.5	226	75.3	Full ANC	NA
17	Home Delivery against expected delivery *	53	9.2	34	6.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	74	12.8	85	14.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	53	41.7	34	28.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	74	58.3	85	71.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	127		119			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	94.3	27	79.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	3.9	9	7.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	566		559			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	

25	Total reported live births	126	22.3	117	20.9	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	1	0.2	2	0.4	BCG	NA
27	Newborn weighted at birth to live birth	125	99.2	113	96.6	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	2.4	2	1.8	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	125	99.2	117	100.0	Full Immunization	NA
30	Fully immunized	333	58.9	255	45.6		
31	Children who have received BCG	151	26.7	144	25.7		
32	Children who have received Pentavalent 1	295	52.2	299	53.4		
33	Children who have received Pentavalent 3	317	56.1	300	53.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	333	58.9	255	45.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	76		21			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	9	10	Women using any method	NA
39	Number of IUD removals	7	1	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	317	254		
41	General OPD cases per 10,000 population ***	6165	5086		
42	Ayush OPD cases per 10,000 population ***	174	373		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		

51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	10					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,294		1,301			
11	Expected number of Delivery	1,200		1,207			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	759	58.7	807	62.0	ANC Check up in first trimester	29.5
13	Mothers registered in the first trimester	290	38.2	300	37.2	At least 4ANC check up	14.1
14	Mothers who had 4 or more ANC check ups	201	26.5	181	22.4	Neonatal tetanus received	39.4
15	PW who got TT 2 / Booster injection	542	71.4	533	66.0	100 IFA tablets consumed	8.6
16	PW who consumed 180 IFA tablets	253	33.3	687	85.1	Full ANC	2.6
17	Home Delivery against expected delivery *	177	14.8	154	12.8	Home Delivery	69.7
18	Institutional Delivery against expected delivery *	404	33.7	452	37.5	Institutional Delivery	30.3
19	Home Delivery against reported delivery **	177	30.5	154	25.4	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Institutional Delivery against reported delivery **	404	69.5	452	74.6	PNC within 2days of delivery	9.6
21	Total reported Deliveries	581		606			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	55.9	45	29.2		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	35.1	257	42.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,176		1,183			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	554	47.1	598	50.6	Breastfeed within 1 hour of birth	48.7
26	Total Still Birth	16	1.4	10	0.8	BCG	65.3
27	Newborn weighted at birth to live birth	401	72.4	560	93.6	3 dose of DPT	38.8
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.2	19	3.4	Measles	46.8
29	Newborns breastfed within 1 hour to total reported live birth.	455	82.1	436	72.9	Full Immunization	27.8
30	Fully immunized	628	53.4	731	61.8		
31	Children who have received BCG	640	54.4	704	59.5		
32	Children who have received Pentavalent 1	753	64.0	752	63.6		
33	Children who have received Pentavalent 3	682	58.0	758	64.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	633	53.8	739	62.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	456		405			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	31.8
37	Number of Tubectomies performed	0		7		Spacing	16.9
38	Number of IUD insertion	67		98		Women using any method	22.3
39	Number of IUD removals	31		24		Women using modern method	21.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	210		210			
41	General OPD cases per 10,000 population ***	7191		5285			
42	Ayush OPD cases per 10,000 population ***	2401		1154			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	1		3			
44	Neonatal Deaths up to 4 weeks of birth	1		3			
45	Total Neonatal Death	2		6			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	2		6			
II) Maternal Mortality		HMIS (2019-20)		HMIS (2020-21)			
Maternal Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	55,022					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	9					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,229		1,216			
11	Expected number of Delivery	1,140		1,128			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,105	89.9	1,104	90.8	ANC Check up in first trimester	37.9
13	Mothers registered in the first trimester	588	53.2	556	50.4	At least 4ANC check up	29.8
14	Mothers who had 4 or more ANC check ups	523	47.3	453	41.0	Neonatal tetanus received	65.9
15	PW who got TT 2 / Booster injection	838	75.8	969	87.8	100 IFA tablets consumed	9.3
16	PW who consumed 180 IFA tablets	646	58.5	940	85.1	Full ANC	5.2
17	Home Delivery against expected delivery *	155	13.6	213	18.9	Home Delivery	65.5
18	Institutional Delivery against expected delivery *	512	44.9	490	43.4	Institutional Delivery	34.5
19	Home Delivery against reported delivery **	155	23.2	213	30.3	Home Delivery by SBA(out of Total Deliveries)	0.3
20	Institutional Delivery against reported delivery **	512	76.8	490	69.7	PNC within 2days of delivery	35.3
21	Total reported Deliveries	667		703			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	40.0	86	40.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	523	78.4	572	81.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,117		1,106			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	662	59.2	696	63.0	Breastfeed within 1 hour of birth	73.9
26	Total Still Birth	5	0.4	8	0.7	BCG	63
27	Newborn weighted at birth to live birth	662	100.0	687	98.7	3 dose of DPT	63.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.7	11	1.6	Measles	63
29	Newborns breastfed within 1 hour to total reported live birth.	661	99.8	687	98.7	Full Immunization	45.3
30	Fully immunized	692	61.9	830	75.1		
31	Children who have received BCG	740	66.2	839	75.9		
32	Children who have received Pentavalent 1	916	82.0	935	84.6		
33	Children who have received Pentavalent 3	812	72.7	983	88.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	692	61.9	858	77.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	340		228			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	10.6
37	Number of Tubectomies performed	42		6		Spacing	5
38	Number of IUD insertion	57		56		Women using any method	57.8
39	Number of IUD removals	47		34		Women using modern method	44

F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	245		165			
41	General OPD cases per 10,000 population ***	5073		3829			
42	Ayush OPD cases per 10,000 population ***	1423		930			

G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	2		1			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	2		1			
46	Deaths between (1 - 11) months	2		0			
47	Total reported infant deaths	4		1			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	13					
5	Primary Health Centers(PHC)	2					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20	2020-21				
10	Expected number of PW	749	737				
11	Expected number of Delivery	694	683				
		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	515	68.8	562	76.3	ANC Check up in first trimester	41.6
13	Mothers registered in the first trimester	210	40.8	264	47.0	At least 4ANC check up	29.2
14	Mothers who had 4 or more ANC check ups	191	37.1	196	34.9	Neonatal tetanus received	72.0
15	PW who got TT 2 / Booster injection	373	72.4	402	71.5	100 IFA tablets consumed	8.5
16	PW who consumed 180 IFA tablets	287	55.7	405	72.1	Full ANC	6.1
17	Home Delivery against expected delivery *	9	1.3	25	3.7	Home Delivery	33.6
18	Institutional Delivery against expected delivery *	238	34.3	278	40.7	Institutional Delivery	66.4
19	Home Delivery against reported delivery **	9	3.6	25	8.3	Home Delivery by SBA(out of Total Deliveries)	2.7
20	Institutional Delivery against reported delivery **	238	96.4	278	91.7	PNC within 2days of delivery	43.1
21	Total reported Deliveries	247		303			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	15	60.0		

23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	36.8	230	75.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	681		670			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	243	35.7	303	45.2	Breastfeed within 1 hour of birth	48.5
26	Total Still Birth	8	1.2	1	0.1	BCG	*
27	Newborn weighted at birth to live birth	242	99.6	301	99.3	3 dose of DPT	*
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.1	3	1.0	Measles	*
29	Newborns breastfed within 1 hour to total reported live birth.	242	99.6	283	93.4	Full Immunization	*
30	Fully immunized	369	54.2	456	68.1		
31	Children who have received BCG	236	34.7	371	55.4		
32	Children who have received Pentavalent 1	411	60.4	443	66.2		
33	Children who have received Pentavalent 3	402	59.1	448	66.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	370	54.4	452	67.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	444		301			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	13.3
37	Number of Tubectomies performed	24		26		Spacing	8.2
38	Number of IUD insertion	95		52		Women using any method	38.9
39	Number of IUD removals	68		40		Women using modern method	38.2
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	451		432			
41	General OPD cases per 10,000 population ***	8128		7252			
42	Ayush OPD cases per 10,000 population ***	1206		1001			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			

47	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	31					
5	Primary Health Centers(PHC)	8					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20	2020-21				
10	Expected number of PW	2,475	2,543				
11	Expected number of Delivery	2,295	2,358				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	1,523	61.5	2,439	95.9	ANC Check up in first trimester	22.1
13	Mothers registered in the first trimester	510	33.5	932	38.2	At least 4ANC check up	15.1
14	Mothers who had 4 or more ANC check ups	262	17.2	338	13.9	Neonatal tetanus received	60.0
15	PW who got TT 2 / Booster injection	555	36.4	731	30.0	100 IFA tablets consumed	1.7
16	PW who consumed 180 IFA tablets	842	55.3	535	21.9	Full ANC	0.0
17	Home Delivery against expected delivery *	6	0.3	13	0.6	Home Delivery	55.3
18	Institutional Delivery against expected delivery *	699	30.5	984	41.7	Institutional Delivery	44.7
19	Home Delivery against reported delivery **	6	0.9	13	1.3	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	699	99.1	984	98.7	PNC within 2days of delivery	16.8
21	Total reported Deliveries	705		997			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	66.7	10	76.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13	1.8	434	43.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,250		2,312			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	696	30.9	977	42.3	Breastfeed within 1 hour of birth	61
26	Total Still Birth	15	0.7	19	0.8	BCG	60.4
27	Newborn weighted at birth to live birth	643	92.4	977	100.0	3 dose of DPT	31.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	4.7	56	5.7	Measles	41.9
29	Newborns breastfed within 1 hour to total reported live birth.	638	91.7	974	99.7	Full Immunization	21.9
30	Fully immunized	722	32.1	796	34.4		
31	Children who have received BCG	684	30.4	771	33.4		
32	Children who have received Pentavalent 1	912	40.5	874	37.8		
33	Children who have received Pentavalent 3	634	28.2	851	36.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	819	36.4	796	34.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	214		192			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	24.4
37	Number of Tubectomies performed	0		77		Spacing	15.3
38	Number of IUD insertion	92		178		Women using any method	18
39	Number of IUD removals	79		167		Women using modern method	17.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	240		145			
41	General OPD cases per 10,000 population ***	2640		2855			
42	Ayush OPD cases per 10,000 population ***	425		269			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal deaths within 24 hours	1		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			

45	Total Neonatal Death	1	0	
46	Deaths between (1 - 11) months	2	0	
47	Total reported infant deaths	3	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	1	0	

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	23					
5	Primary Health Centers(PHC)	5					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,960	1,949				
11	Expected number of Delivery	1,818	1,808				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	1,591	81.2	1,645	84.4	ANC Check up in first trimester	58.7
13	Mothers registered in the first trimester	1,087	68.3	1,074	65.3	At least 4ANC check up	33.3
14	Mothers who had 4 or more ANC check ups	471	29.6	707	43.0	Neonatal tetanus received	53.2
15	PW who got TT 2 / Booster injection	1,027	64.6	1,065	64.7	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,076	67.6	1,010	61.4	Full ANC	4.2
17	Home Delivery against expected delivery *	12	0.7	7	0.4	Home Delivery	43.0
18	Institutional Delivery against expected delivery *	638	35.1	683	37.8	Institutional Delivery	57.0
19	Home Delivery against reported delivery **	12	1.8	7	1.0	Home Delivery by SBA(out of Total Deliveries)	2.2

20	Institutional Delivery against reported delivery **	638	98.2	683	99.0	PNC within 2days of delivery	22.9
21	Total reported Deliveries	650		690			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	100.0	6	85.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	343	52.8	98	14.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,782		1,772			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	644	36.1	688	38.8	Breastfeed within 1 hour of birth	67.9
26	Total Still Birth	5	0.3	2	0.1	BCG	67.7
27	Newborn weighted at birth to live birth	642	99.7	677	98.4	3 dose of DPT	43.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	52	8.1	24	3.5	Measles	47.8
29	Newborns breastfed within 1 hour to total reported live birth.	626	97.2	677	98.4	Full Immunization	25
30	Fully immunized	1,155	64.8	1,360	76.7		
31	Children who have received BCG	631	35.4	865	48.8		
32	Children who have received Pentavalent 1	1,046	58.7	1,247	70.4		
33	Children who have received Pentavalent 3	962	54.0	1,115	62.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,164	65.3	1,364	77.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	584		334			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	35.7
37	Number of Tubectomies performed	2		12		Spacing	18.6
38	Number of IUD insertion	174		283		Women using any method	18.9
39	Number of IUD removals	163		243		Women using modern method	18.5
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	220		217			
41	General OPD cases per 10,000 population ***	7912		6998			
42	Ayush OPD cases per 10,000 population ***	407		277			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			

43	Neonatal deaths within 24 hours	1	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	1	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	1	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,516					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	19					
5	Primary Health Centers (PHC)	12					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,223	1,206				
11	Expected number of Delivery	1,134	1,118				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	1,629	133.2	1,144	94.9	ANC Check up in first trimester	34.2
13	Mothers registered in the first trimester	511	31.4	231	20.2	At least 4ANC check up	18.0
14	Mothers who had 4 or more ANC check ups	829	50.9	567	49.6	Neonatal tetanus received	51.3
15	PW who got TT 2 / Booster injection	874	53.7	744	65.0	100 IFA tablets consumed	1.3
16	PW who consumed 180 IFA tablets	2,580	158.4	1,078	94.2	Full ANC	1.3
17	Home Delivery against expected delivery *	29	2.6	25	2.2	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	1,018	89.8	1,049	93.8	Institutional Delivery	50.2

19	Home Delivery against reported delivery **	29	2.8	25	2.3	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	1,018	97.2	1,049	97.7	PNC within 2days of delivery	24.6
21	Total reported Deliveries	1,047		1,074			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	65.5	22	88.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	498	47.6	336	31.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,112		1,096			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
25	Total reported live births	1,055	94.9	1,072	97.8	Breastfeed within 1 hour of birth	66
26	Total Still Birth	6	0.5	2	0.2	BCG	74.4
27	Newborn weighted at birth to live birth	1,029	97.5	1,059	98.8	3 dose of DPT	44
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	55	5.3	38	3.6	Measles	70.8
29	Newborns breastfed within 1 hour to total reported live birth.	872	82.7	723	67.4	Full Immunization	34.4
30	Fully immunized	1,244	111.9	843	76.9		
31	Children who have received BCG	1,068	96.1	1,031	94.1		
32	Children who have received Pentavalent 1	1,389	125.0	965	88.0		
33	Children who have received Pentavalent 3	1,261	113.4	897	81.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,230	110.7	843	76.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	479		188			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	27.6
37	Number of Tubectomies performed	117		97		Spacing	17.5
38	Number of IUD insertion	287		150		Women using any method	9.3
39	Number of IUD removals	192		185		Women using modern method	9.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	374		96			
41	General OPD cases per 10,000 population ***	14346		6907			
42	Ayush OPD cases per 10,000 population ***	1205		234			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			

43	Neonatal deaths within 24 hours	0	1	
44	Neonatal Deaths up to 4 weeks of birth	0	1	
45	Total Neonatal Death	0	2	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	