

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,855,794						
2	Sex Ratio	987						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	429						
4	Sub Centers (SC)- HWC	61						
5	Primary Health Centers (PHC)	94						
6	Primary Health Centers (PHC)-HWC	5						
7	Community Health Centers (CHC)	23						
8	SDH	1						
9	DH	9						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	53,171	52,927					
11	Expected number of Delivery	48,917	48,693					
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC			
12	PW register for ANC	55,346	104.1	45,641	86.2	ANC Check up in first trimester	79.9	
13	Mothers registered in the first trimester	32,468	58.7	24,009	52.6	At least 4ANC check up	79.4	
14	Mothers who had 4 or more ANC check ups	30,525	55.2	16,922	37.1	Neonatal tetanus received	88.9	
15	PW who got TT 2 / Booster injection	32,899	59.4	24,152	52.9	100 IFA tablets consumed	52.3	
16	PW who consumed 180 IFA tablets	27,286	49.3	19,454	42.6	Home Delivery	20.1	
17	Home Delivery against expected delivery *	6,122	12.5	6,225	12.8	Institutional Delivery	79.9	
18	Institutional Delivery against expected delivery *	33,251	68.0	24,845	51.0	Home Delivery by SBA	5.8	
19	Home Delivery against reported delivery **	6,122	15.5	6,225	20.0	PNC within 2days of delivery	73.4	
20	Institutional Delivery against reported delivery **	33,251	84.5	24,845	80.0			
21	Total reported Deliveries	39,373		31,070				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,500	57.2	3,777	60.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,063	43.3	10,234	32.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	48,337		48,115				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC			
25	Total reported live births	39,462	81.6	31,125	64.7	Breastfed within 1 hour of birth	53.7	
26	Total Still Birth	159	0.3	107	0.2	BCG	95.4	

27	PC of newborn weighted at birth to live birth	39,168	99.3	30,485	97.9	3 dose of DPT	81.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,566	4.0	1,304	4.3	Measles First dose	76.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,073	88.9	27,688	89.0	3 doses of penta or hepatitis B vaccine	80
30	Children fully immunized	37,816	78.2	33,616	69.9	Full Immunization	68.8
31	Children who have received BCG	38,560	79.8	33,913	70.5		
32	Children who have received Pentavalent 1	43,988	91.0	39,646	82.4		
33	Children who have received Pentavalent 3	39,512	81.7	35,645	74.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	38,821	80.3	34,091	70.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	11,107		4,397			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	16	2	Total unmet need	12.2
37	Number of Tubectomies performed	567	454	Spacing	4.7
38	Number of IUD insertion	3,378	1,571	Women using any method	61.3
39	Number of IUD removals	1,792	1,258	Women using modern method	18.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	422	440		
41	General OPD cases per 10,000 population ***	5714	7958		
42	Ayush OPD cases per 10,000 population ***	340	505		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	27	25		
44	Neonatal Deaths up to 4 weeks of birth	64	53		
45	Total Neonatal Death	91	78		
46	Deaths between (1 - 11) months	24	34		
47	Total reported infant deaths	115	112		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	6	4		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	27	20		
54	Total reported maternal deaths	35	26		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	237,399						
2	Sex Ratio	1,000						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	35						
4	Sub Centers (SC)- HWC	13						
5	Primary Health Centers (PHC)	8						
6	Primary Health Centers (PHC)-HWC	1						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	4,307		4,478				
11	Expected number of Delivery	3,963		4,120				
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC			
12	PW register for ANC	4,564	106.0	3,910	87.3	ANC Check up in first trimester	84.2	
13	Mothers registered in the first trimester	3,484	76.3	2,845	72.8	At least 4ANC check up	77.4	
14	Mothers who had 4 or more ANC check ups	5,150	112.8	1,775	45.4	Neonatal tetanus received	88.8	
15	PW who got TT 2 / Booster injection	3,082	67.5	2,514	64.3	100 IFA tablets consumed	57.4	
16	PW who consumed 180 IFA tablets	2,012	44.1	1,880	48.1	Home Delivery	10.5	
17	Home Delivery against expected delivery *	40	1.0	67	1.6	Institutional Delivery	89.5	
18	Institutional Delivery against expected delivery *	799	20.2	391	9.5	Home Delivery by SBA	3.1	
19	Home Delivery against reported delivery **	40	4.8	67	14.6	PNC within 2days of delivery	79.0	
20	Institutional Delivery against reported delivery **	799	95.2	391	85.4			
21	Total reported Deliveries	839		458				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	37.5	30	44.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	2.1	7	1.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	3,916		4,071				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC			

25	Total reported live births	831	21.2	455	11.2	Breastfed within 1 hour of birth	48.1
26	Total Still Birth	9	0.2	2	0.0	BCG	96.1
27	PC of newborn weighted at birth to live birth	827	99.5	446	98.0	3 dose of DPT	77.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	9	2.0	Measles First dose	70.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	784	94.3	445	97.8	3 doses of penta or hepatitis B vaccine	81.5
30	Children fully immunized	3,526	90.1	3,342	82.1	Full Immunization	66.6
31	Children who have received BCG	3,023	77.2	2,555	62.8		
32	Children who have received Pentavalent 1	4,062	103.7	3,819	93.8		
33	Children who have received Pentavalent 3	3,517	89.8	3,417	83.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,536	90.3	3,339	82.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		579			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	10	0	Total unmet need	20
37	Number of Tubectomies performed	0	0	Spacing	5.7
38	Number of IUD insertion	243	83	Women using any method	46.3
39	Number of IUD removals	188	97	Women using modern method	21.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	237	41		
41	General OPD cases per 10,000 population ***	9008	4227		
42	Ayush OPD cases per 10,000 population ***	700	379		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	1	2		
47	Total reported infant deaths	1	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		

54	Total reported maternal deaths	0	1	
----	--------------------------------	---	---	--

Chandel Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	5					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,750		1,397			
11	Expected number of Delivery	2,530		1,285			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,046	74.4	1,320	94.5	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	1,149	56.2	743	56.3	At least 4ANC check up	66.6
14	Mothers who had 4 or more ANC check ups	893	43.6	422	32.0	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	1,370	67.0	580	43.9	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	1,095	53.5	626	47.4	Home Delivery	44.5
17	Home Delivery against expected delivery *	350	13.8	186	14.5	Institutional Delivery	55.5
18	Institutional Delivery against expected delivery *	373	14.7	323	25.1	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	350	48.4	186	36.5	PNC within 2days of delivery	55.0
20	Institutional Delivery against reported delivery **	373	51.6	323	63.5		
21	Total reported Deliveries	723		509			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	312	89.1	167	89.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	196	27.1	179	35.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,500		1,270			

D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	738	29.5	513	40.4	Breastfed within 1 hour of birth	55.1
26	Total Still Birth	1	0.0	1	0.1	BCG	96.5
27	PC of newborn weighted at birth to live birth	727	98.5	513	100.0	3 dose of DPT	76.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.7	1	0.2	Measles First dose	60.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	719	97.4	488	95.1	3 doses of penta or hepatitis B vaccine	76.2
30	Children fully immunized	1,314	52.6	604	47.6	Full Immunization	55.5
31	Children who have received BCG	1,336	53.4	706	55.6		
32	Children who have received Pentavalent 1	1,475	59.0	791	62.3		
33	Children who have received Pentavalent 3	1,369	54.8	717	56.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,319	52.8	598	47.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	949		142			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	11
37	Number of Tubectomies performed	8		1		Spacing	4.8
38	Number of IUD insertion	68		17		Women using any method	56.6
39	Number of IUD removals	24		8		Women using modern method	23.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	196		89			
41	General OPD cases per 10,000 population ***	3290		2060			
42	Ayush OPD cases per 10,000 population ***	230		43			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21)			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			

52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	5,119		4,349			
11	Expected number of Delivery	4,710		4,001			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,279	103.1	5,201	119.6	ANC Check up in first trimester	69.0
13	Mothers registered in the first trimester	3,380	64.0	3,086	59.3	At least 4ANC check up	61.3
14	Mothers who had 4 or more ANC check ups	1,524	28.9	793	15.2	Neonatal tetanus received	79.5
15	PW who got TT 2 / Booster injection	2,753	52.2	2,460	47.3	100 IFA tablets consumed	28.5
16	PW who consumed 180 IFA tablets	3,678	69.7	2,977	57.2	Home Delivery	27.1
17	Home Delivery against expected delivery *	426	9.0	374	9.3	Institutional Delivery	72.9
18	Institutional Delivery against expected delivery *	3,737	79.3	2,911	72.8	Home Delivery by SBA	7.1
19	Home Delivery against reported delivery **	426	10.2	374	11.4	PNC within 2days of delivery	58.2
20	Institutional Delivery against reported delivery **	3,737	89.8	2,911	88.6		
21	Total reported Deliveries	4,163		3,285			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97		63			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,276		1,219			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,654		3,954			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,165	89.5	3,262	82.5	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	38	0.8	23	0.6	BCG	88.9
27	PC of newborn weighted at birth to live birth	4,162	99.9	3,260	99.9	3 dose of DPT	76.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	4.1	129	4.0	Measles First dose	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,768	90.5	2,890	88.6	3 doses of penta or hepatitis B vaccine	68.2
30	Children fully immunized	3,241	69.6	2,862	72.4	Full Immunization	64.9
31	Children who have received BCG	3,959	85.1	3,332	84.3		
32	Children who have received Pentavalent 1	3,984	85.6	3,454	87.4		
33	Children who have received Pentavalent 3	3,276	70.4	2,826	71.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,467	74.5	2,525	63.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,311		1,431			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.7
37	Number of Tubectomies performed	12	30	Spacing	4.2
38	Number of IUD insertion	868	550	Women using any method	61.8
39	Number of IUD removals	480	431	Women using modern method	22.6

F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	520	352		
41	General OPD cases per 10,000 population ***	6354	3376		
42	Ayush OPD cases per 10,000 population ***	159	58		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	20	15		
44	Neonatal Deaths up to 4 weeks of birth	47	38		
45	Total Neonatal Death	67	53		
46	Deaths between (1 - 11) months	12	22		
47	Total reported infant deaths	79	75		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	8					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	8,228	8,735				
11	Expected number of Delivery	7,570	8,036				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	7,341	89.2	5,346	61.2	ANC Check up in first trimester	78.6
13	Mothers registered in the first trimester	4,529	61.7	2,969	55.5	At least 4ANC check up	87.1
14	Mothers who had 4 or more ANC check ups	2,943	40.1	1,879	35.1	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	4,818	65.6	2,304	43.1	100 IFA tablets consumed	55.8
16	PW who consumed 180 IFA tablets	3,099	42.2	2,585	48.4	Home Delivery	8.3
17	Home Delivery against expected delivery *	80	1.1	84	1.0	Institutional Delivery	91.7
18	Institutional Delivery against expected delivery *	7,015	92.7	3,934	49.0	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	80	1.1	84	2.1	PNC within 2days of delivery	85.4
20	Institutional Delivery against reported delivery **	7,015	98.9	3,934	97.9		
21	Total reported Deliveries	7,095		4,018			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	42.5	57	67.9		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,318	117.2	4,423	110.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,480		7,941			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,092	94.8	4,015	50.6	Breastfed within 1 hour of birth	47.4
26	Total Still Birth	3	0.0	3	0.0	BCG	100
27	PC of newborn weighted at birth to live birth	7,080	99.8	3,988	99.3	3 dose of DPT	83.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	0.4	15	0.4	Measles First dose	81.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,063	99.6	3,549	88.4	3 doses of penta or hepatitis B vaccine	81.9
30	Children fully immunized	6,292	84.1	5,086	64.1	Full Immunization	76.2
31	Children who have received BCG	6,937	92.7	5,020	63.2		
32	Children who have received Pentavalent 1	7,547	100.9	5,381	67.8		
33	Children who have received Pentavalent 3	6,618	88.5	4,666	58.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,507	87.0	5,146	64.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	647		149			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	16.7
37	Number of Tubectomies performed	120		23		Spacing	5.4
38	Number of IUD insertion	397		79		Women using any method	50.1
39	Number of IUD removals	295		104		Women using modern method	16.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	89		32			
41	General OPD cases per 10,000 population ***	2688		1494			
42	Ayush OPD cases per 10,000 population ***	312		142			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	3		0			
44	Neonatal Deaths up to 4 weeks of birth	6		0			
45	Total Neonatal Death	9		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	9		0			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	2	0	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	4	0	

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	9,432	9,920				
11	Expected number of Delivery	8,677	9,126				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	10,189	108.0	7,431	74.9	ANC Check up in first trimester	83.2
13	Mothers registered in the first trimester	7,608	74.7	4,918	66.2	At least 4ANC check up	93.4
14	Mothers who had 4 or more ANC check ups	12,720	124.8	5,940	79.9	Neonatal tetanus received	92.7
15	PW who got TT 2 / Booster injection	7,962	78.1	4,447	59.8	100 IFA tablets consumed	60.9
16	PW who consumed 180 IFA tablets	7,789	76.4	3,360	45.2	Home Delivery	4.3
17	Home Delivery against expected delivery *	145	1.7	229	2.5	Institutional Delivery	95.7
18	Institutional Delivery against expected delivery *	14,502	167.1	11,584	126.9	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	145	1.0	229	1.9	PNC within 2days of delivery	90.8
20	Institutional Delivery against reported delivery **	14,502	99.0	11,584	98.1		
21	Total reported Deliveries	14,647		11,813			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	72.4	169	73.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	11	0.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,575		9,018			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	14,738	171.9	11,890	131.8	Breastfed within 1 hour of birth	62.6
26	Total Still Birth	83	1.0	35	0.4	BCG	94.7
27	PC of newborn weighted at birth to live birth	14,731	100.0	11,756	98.9	3 dose of DPT	94.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,211	8.2	1,004	8.5	Measles First dose	88.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,069	81.9	10,355	87.1	3 doses of penta or hepatitis B vaccine	94.4
30	Children fully immunized	8,040	93.8	7,306	81.0	Full Immunization	74.1
31	Children who have received BCG	7,127	83.1	6,179	68.5		
32	Children who have received Pentavalent 1	8,524	99.4	7,981	88.5		
33	Children who have received Pentavalent 3	8,079	94.2	8,114	90.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	8,089	94.3	7,386	81.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,137		633			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	4		2		Total unmet need	12.5
37	Number of Tubectomies performed	382		365		Spacing	6.4
38	Number of IUD insertion	516		144		Women using any method	69.9
39	Number of IUD removals	331		187		Women using modern method	16.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	1591		349			
41	General OPD cases per 10,000 population ***	12655		4049			
42	Ayush OPD cases per 10,000 population ***	602		207			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	1		4			
44	Neonatal Deaths up to 4 weeks of birth	5		8			
45	Total Neonatal Death	6		12			
46	Deaths between (1 - 11) months	2		1			

47	Total reported infant deaths	8	13	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	21	11	
54	Total reported maternal deaths	22	12	

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	862				
11	Expected number of Delivery	NA	793				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	625	72.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	212	33.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	0	0.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	415	66.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	0	0.0	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	10	1.3	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	87	11.0	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	10	10.3	PNC within 2days of delivery	NA

20	Institutional Delivery against reported delivery **	NA	NA	87	89.7		
21	Total reported Deliveries	NA		97			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		784			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	95	12.1	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	86	90.5	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	11	12.8	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	86	90.5	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	261	33.3	Full Immunization	NA
31	Children who have received BCG	NA	NA	306	39.1		
32	Children who have received Pentavalent 1	NA	NA	488	62.3		
33	Children who have received Pentavalent 3	NA	NA	290	37.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	345	44.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		42			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		0		Women using any method	NA
39	Number of IUD removals	NA		0		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	NA		12			
41	General OPD cases per 10,000 population ***	NA		0			
42	Ayush OPD cases per 10,000 population ***	NA		0			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	NA		0			

44	Neonatal Deaths up to 4 weeks of birth	NA	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	NA	0	
47	Total reported infant deaths	0	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Kakching Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	18					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	2,691				
11	Expected number of Delivery	NA	2,476				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	2,792	103.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	930	33.3	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	269	9.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	684	24.5	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	780	27.9	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	106	4.3	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	207	8.4	Home Delivery by SBA	NA

19	Home Delivery against reported delivery **	NA	NA	106	33.9	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	207	66.1		
21	Total reported Deliveries	NA		313			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	50	47.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	108	34.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		2,447			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	317	13.0	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	314	99.1	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	16	5.1	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	313	98.7	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	1,726	70.5	Full Immunization	NA
31	Children who have received BCG	NA	NA	1,665	68.1		
32	Children who have received Pentavalent 1	NA	NA	2,093	85.5		
33	Children who have received Pentavalent 3	NA	NA	1,865	76.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,748	71.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		89			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		16		Women using any method	NA
39	Number of IUD removals	NA		19		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	NA		19			
41	General OPD cases per 10,000 population ***	NA		1709			
42	Ayush OPD cases per 10,000 population ***	NA		242			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal death within 24 hours	NA	0	
44	Neonatal Deaths up to 4 weeks of birth	NA	1	
45	Total Neonatal Death	0	1	
46	Deaths between (1 - 11) months	NA	1	
47	Total reported infant deaths	0	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	1	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	1	

Kamjong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	18					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	860				
11	Expected number of Delivery	NA	791				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	241	28.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	78	32.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	36	14.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	125	51.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	90	37.3	Home Delivery	NA

17	Home Delivery against expected delivery *	NA	NA	114	14.4	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	22	2.8	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	114	83.8	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	22	16.2		
21	Total reported Deliveries	NA		136			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	25	21.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	41	30.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		782			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	139	17.8	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	132	95.0	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	132	95.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	177	22.6	Full Immunization	NA
31	Children who have received BCG	NA	NA	199	25.4		
32	Children who have received Pentavalent 1	NA	NA	247	31.6		
33	Children who have received Pentavalent 3	NA	NA	206	26.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	190	24.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		37			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		1		Women using any method	NA
39	Number of IUD removals	NA		3		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	NA		2			

41	General OPD cases per 10,000 population ***	NA	562	
42	Ayush OPD cases per 10,000 population ***	NA	30	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal death within 24 hours	NA	1	
44	Neonatal Deaths up to 4 weeks of birth	NA	1	
45	Total Neonatal Death	0	2	
46	Deaths between (1 - 11) months	NA	0	
47	Total reported infant deaths	0	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Kangpokpi Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	18					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	NA	2,777				
11	Expected number of Delivery	NA	2,555				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)			
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	3,479	125.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	1,254	36.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	813	23.4	Neonatal tetanus received	NA

15	PW who got TT 2 / Booster injection	NA	NA	1,736	49.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	1,104	31.7	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	1,056	41.3	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	372	14.6	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	1,056	73.9	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	372	26.1		
21	Total reported Deliveries	NA		1,428			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	619	58.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	939	65.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		2,525			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	1,436	56.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	3	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	1,435	99.9	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	18	1.3	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,432	99.7	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	2,450	97.0	Full Immunization	NA
31	Children who have received BCG	NA	NA	2,519	99.8		
32	Children who have received Pentavalent 1	NA	NA	2,891	114.5		
33	Children who have received Pentavalent 3	NA	NA	2,607	103.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	2,453	97.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		713			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		4		Spacing	NA
38	Number of IUD insertion	NA		114		Women using any method	NA
39	Number of IUD removals	NA		58		Women using modern method	NA

F) Service delivery		HMIS (2019-20)	HMIS (2020-21)	
40	IPD cases per 10,000 population ***	NA	66	
41	General OPD cases per 10,000 population ***	NA	1874	
42	Ayush OPD cases per 10,000 population ***	NA	187	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal death within 24 hours	NA	1	
44	Neonatal Deaths up to 4 weeks of birth	NA	1	
45	Total Neonatal Death	0	2	
46	Deaths between (1 - 11) months	NA	3	
47	Total reported infant deaths	0	5	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	NA	1	
49	Due to Obstructed/prolonged labour	NA	1	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	2	
54	Total reported maternal deaths	0	4	

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	17					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	768				
11	Expected number of Delivery	NA	706				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	964	125.6	ANC Check up in first trimester	NA

13	Mothers registered in the first trimester	NA	NA	491	50.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	343	35.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	548	56.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	369	38.3	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	238	33.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	322	45.6	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	238	42.5	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	322	57.5		
21	Total reported Deliveries	NA		560			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	32	13.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	118	21.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		698			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	557	79.8	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	2	0.3	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	477	85.6	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	5	1.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	492	88.3	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	471	67.5	Full Immunization	NA
31	Children who have received BCG	NA	NA	609	87.3		
32	Children who have received Pentavalent 1	NA	NA	750	107.5		
33	Children who have received Pentavalent 3	NA	NA	627	89.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	489	70.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		101			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA

38	Number of IUD insertion	NA	112	Women using any method	NA
39	Number of IUD removals	NA	61	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	NA	112		
41	General OPD cases per 10,000 population ***	NA	3024		
42	Ayush OPD cases per 10,000 population ***	NA	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	NA	3		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	3		
46	Deaths between (1 - 11) months	NA	1		
47	Total reported infant deaths	0	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	1		
54	Total reported maternal deaths	0	1		

Pherzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	NA			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	18			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	5			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	0			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	NA	726		
11	Expected number of Delivery	NA	668		
		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)	

		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	526	72.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	247	47.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	155	29.5	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	231	43.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	530	100.8	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	45	6.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	91	13.6	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	45	33.1	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	91	66.9		
21	Total reported Deliveries	NA		136			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	28	62.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	57	41.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		660			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	132	20.0	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	4	0.6	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	125	94.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	7	5.6	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	125	94.7	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	143	21.7	Full Immunization	NA
31	Children who have received BCG	NA	NA	222	33.7		
32	Children who have received Pentavalent 1	NA	NA	288	43.7		
33	Children who have received Pentavalent 3	NA	NA	230	34.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	208	31.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		106			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	

36	Number of Vasectomies performed	NA	0	Total unmet need	NA
37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	0	Women using any method	NA
39	Number of IUD removals	NA	4	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	NA	115		
41	General OPD cases per 10,000 population ***	NA	2637		
42	Ayush OPD cases per 10,000 population ***	NA	114		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	NA	0		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	NA	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	0		
54	Total reported maternal deaths	0	0		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	479,148			
2	Sex Ratio	939			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	34			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	9,387	5,257		

11	Expected number of Delivery	8,636		4,836			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	11,087	118.1	5,199	98.9	ANC Check up in first trimester	73.9
13	Mothers registered in the first trimester	4,156	37.5	2,202	42.4	At least 4ANC check up	64.9
14	Mothers who had 4 or more ANC check ups	4,095	36.9	2,701	52.0	Neonatal tetanus received	85.2
15	PW who got TT 2 / Booster injection	6,092	54.9	3,905	75.1	100 IFA tablets consumed	28.4
16	PW who consumed 180 IFA tablets	3,951	35.6	2,205	42.4	Home Delivery	54.2
17	Home Delivery against expected delivery *	3,635	42.1	2,354	48.7	Institutional Delivery	45.8
18	Institutional Delivery against expected delivery *	2,293	26.6	1,678	34.7	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	3,635	61.3	2,354	58.4	PNC within 2days of delivery	37.0
20	Institutional Delivery against reported delivery **	2,293	38.7	1,678	41.6		
21	Total reported Deliveries	5,928		4,032			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,359	64.9	1,638	69.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,196	53.9	1,607	39.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,534		4,779			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,928	69.5	4,036	84.5	Breastfed within 1 hour of birth	57.6
26	Total Still Birth	3	0.0	3	0.1	BCG	87.2
27	PC of newborn weighted at birth to live birth	5,822	98.2	3,782	93.7	3 dose of DPT	77.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	29	0.8	Measles First dose	75.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,751	97.0	3,794	94.0	3 doses of penta or hepatitis B vaccine	77.2
30	Children fully immunized	6,179	72.4	3,271	68.4	Full Immunization	65
31	Children who have received BCG	6,950	81.4	4,193	87.7		
32	Children who have received Pentavalent 1	7,145	83.7	3,875	81.1		
33	Children who have received Pentavalent 3	6,664	78.1	3,729	78.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,543	76.7	3,599	75.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,464		126			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning					
		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	2	0	Total unmet need	8.5
37	Number of Tubectomies performed	15	18	Spacing	4.1
38	Number of IUD insertion	319	99	Women using any method	65.2
39	Number of IUD removals	130	49	Women using modern method	17.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	86	68		
41	General OPD cases per 10,000 population ***	2229	1397		
42	Ayush OPD cases per 10,000 population ***	141	32		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	2	1		
45	Total Neonatal Death	3	1		
46	Deaths between (1 - 11) months	3	1		
47	Total reported infant deaths	6	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	0		
54	Total reported maternal deaths	6	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	140,651	
2	Sex Ratio	953	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	13	
4	Sub Centers (SC)- HWC	3	
5	Primary Health Centers (PHC)	4	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	1	
8	SDH	0	

9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,767		1,136			
11	Expected number of Delivery	2,546		1,045			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,298	83.0	1,246	109.7	ANC Check up in first trimester	69.4
13	Mothers registered in the first trimester	1,103	48.0	499	40.0	At least 4ANC check up	56.4
14	Mothers who had 4 or more ANC check ups	1,072	46.6	360	28.9	Neonatal tetanus received	81.0
15	PW who got TT 2 / Booster injection	1,245	54.2	803	64.4	100 IFA tablets consumed	31.0
16	PW who consumed 180 IFA tablets	953	41.5	592	47.5	Home Delivery	42.3
17	Home Delivery against expected delivery *	435	17.1	245	23.4	Institutional Delivery	57.7
18	Institutional Delivery against expected delivery *	781	30.7	479	45.8	Home Delivery by SBA	11.9
19	Home Delivery against reported delivery **	435	35.8	245	33.8	PNC within 2days of delivery	52.7
20	Institutional Delivery against reported delivery **	781	64.2	479	66.2		
21	Total reported Deliveries	1,216		724			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	28.7	92	37.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	19.2	164	22.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,516		1,033			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,213	48.2	720	69.7	Breastfed within 1 hour of birth	62.9
26	Total Still Birth	7	0.3	5	0.5	BCG	91.2
27	PC of newborn weighted at birth to live birth	1,138	93.8	714	99.2	3 dose of DPT	78.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	2.2	11	1.5	Measles First dose	77.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,084	89.4	656	91.1	3 doses of penta or hepatitis B vaccine	73.4
30	Children fully immunized	1,510	60.0	808	78.2	Full Immunization	67.4
31	Children who have received BCG	1,543	61.3	876	84.8		
32	Children who have received Pentavalent 1	1,741	69.2	1,009	97.7		
33	Children who have received Pentavalent 3	1,671	66.4	842	81.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,526	60.7	813	78.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	457		75			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.4
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	499	241	Women using any method	65.2
39	Number of IUD removals	127	107	Women using modern method	22.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	93	136		
41	General OPD cases per 10,000 population ***	2488	1628		
42	Ayush OPD cases per 10,000 population ***	81	101		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	Total Neonatal Death	1	1		
46	Deaths between (1 - 11) months	2	1		
47	Total reported infant deaths	3	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	2		
54	Total reported maternal deaths	2	3		

Tengnoupal Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	12	
4	Sub Centers (SC)- HWC	1	
5	Primary Health Centers (PHC)	4	
6	Primary Health Centers (PHC)-HWC	0	

7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	NA		952			
11	Expected number of Delivery	NA		876			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	770	80.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	531	69.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	314	40.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	656	85.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	701	91.0	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	255	29.1	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	68	7.8	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	255	78.9	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	68	21.1		
21	Total reported Deliveries	NA		323			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	238	93.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	95	29.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		866			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	323	37.3	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	314	97.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	301	93.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	595	68.7	Full Immunization	NA
31	Children who have received BCG	NA	NA	613	70.8		
32	Children who have received Pentavalent 1	NA	NA	664	76.7		
33	Children who have received Pentavalent 3	NA	NA	571	66.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	603	69.7		

35	Diarrhoea and Dehydration cases reported in children below 5 years	NA	50		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA	0	Total unmet need	NA
37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	0	Women using any method	NA
39	Number of IUD removals	NA	10	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	NA	59		
41	General OPD cases per 10,000 population ***	NA	1114		
42	Ayush OPD cases per 10,000 population ***	NA	304		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	NA	0		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	NA	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	0		
54	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	422,168	
2	Sex Ratio	1,006	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	44	
4	Sub Centers (SC)- HWC	9	

5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,667		5,502			
11	Expected number of Delivery	7,053		5,062			
		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,053	118.1	3,592	65.3	ANC Check up in first trimester	90.6
13	Mothers registered in the first trimester	5,809	64.2	1,997	55.6	At least 4ANC check up	89.9
14	Mothers who had 4 or more ANC check ups	1,330	14.7	695	19.3	Neonatal tetanus received	92.9
15	PW who got TT 2 / Booster injection	4,499	49.7	1,790	49.8	100 IFA tablets consumed	68.5
16	PW who consumed 180 IFA tablets	4,063	44.9	1,393	38.8	Home Delivery	12.2
17	Home Delivery against expected delivery *	375	5.3	396	7.8	Institutional Delivery	87.8
18	Institutional Delivery against expected delivery *	2,460	34.9	1,175	23.2	Home Delivery by SBA	3.3
19	Home Delivery against reported delivery **	375	13.2	396	25.2	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	2,460	86.8	1,175	74.8		
21	Total reported Deliveries	2,835		1,571			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	162	43.2	330	83.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,383	48.8	799	50.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,970		5,002			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,842	40.8	1,578	31.5	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	1	0.0	0	0.0	BCG	98.7
27	PC of newborn weighted at birth to live birth	2,815	99.0	1,574	99.7	3 dose of DPT	84.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	1.5	20	1.3	Measles First dose	77.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,056	72.3	1,153	73.1	3 doses of penta or hepatitis B vaccine	83.2
30	Children fully immunized	6,042	86.7	3,559	71.2	Full Immunization	74.2
31	Children who have received BCG	5,577	80.0	3,226	64.5		
32	Children who have received Pentavalent 1	7,503	107.7	4,353	87.0		
33	Children who have received Pentavalent	6,590	94.6	3,671	73.4		

	3					
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,131	88.0	3,606	72.1	
35	Diarrhoea and Dehydration cases reported in children below 5 years	899		60		
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>						
E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFSH-5 (20119-20)		
36	Number of Vasectomies performed	0	0	Total unmet need	6	
37	Number of Tubectomies performed	21	4	Spacing	2.3	
38	Number of IUD insertion	353	58	Women using any method	72.2	
39	Number of IUD removals	126	69	Women using modern method	17.8	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)			
40	IPD cases per 10,000 population ***	123	33			
41	General OPD cases per 10,000 population ***	5870	1311			
42	Ayush OPD cases per 10,000 population ***	412	132			
G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			
43	Neonatal death within 24 hours	1	0			
44	Neonatal Deaths up to 4 weeks of birth	2	0			
45	Total Neonatal Death	3	0			
46	Deaths between (1 - 11) months	0	0			
47	Total reported infant deaths	3	0			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			
48	Due to Abortion	0	0			
49	Due to Obstructed/prolonged labour	0	0			
50	Due to Severe hypertension/fits	0	0			
51	Due to Bleeding	0	0			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	0	1			
54	Total reported maternal deaths	0	1			

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	183,998	
2	Sex Ratio	948	
B) Infrastructure Details (RHS 2018-19)		Numbers	

3	Sub Centers (SC)	23					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	3,745	2,517				
11	Expected number of Delivery	3,446	2,316				
		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	3,489	93.2	2,999	119.1	ANC Check up in first trimester	58.3
13	Mothers registered in the first trimester	1,250	35.8	1,007	33.6	At least 4ANC check up	38.8
14	Mothers who had 4 or more ANC check ups	798	22.9	427	14.2	Neonatal tetanus received	81.6
15	PW who got TT 2 / Booster injection	1,078	30.9	954	31.8	100 IFA tablets consumed	25.1
16	PW who consumed 180 IFA tablets	646	18.5	262	8.7	Home Delivery	55.4
17	Home Delivery against expected delivery *	636	18.5	466	20.1	Institutional Delivery	44.6
18	Institutional Delivery against expected delivery *	1,291	37.5	1,201	51.9	Home Delivery by SBA	9.9
19	Home Delivery against reported delivery **	636	33.0	466	28.0	PNC within 2days of delivery	44.9
20	Institutional Delivery against reported delivery **	1,291	67.0	1,201	72.0		
21	Total reported Deliveries	1,927		1,667			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	291	45.8	239	51.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	443	23.0	467	28.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,405		2,288			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
25	Total reported live births	1,915	56.2	1,657	72.4	Breastfed within 1 hour of birth	63.6
26	Total Still Birth	14	0.4	24	1.0	BCG	91.5
27	PC of newborn weighted at birth to live birth	1,866	97.4	1,569	94.7	3 dose of DPT	53.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	2.4	29	1.8	Measles First dose	53.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,779	92.9	1,477	89.1	3 doses of penta or hepatitis B vaccine	51.2
30	Children fully immunized	1,672	49.1	955	41.7	Full Immunization	39.4
31	Children who have received BCG	2,108	61.9	1,693	74.0		

32	Children who have received Pentavalent 1	2,007	58.9	1,562	68.3		
33	Children who have received Pentavalent 3	1,728	50.8	1,267	55.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,703	50.0	1,043	45.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	185		64			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	12.7
37	Number of Tubectomies performed	9		9		Spacing	5.2
38	Number of IUD insertion	115		57		Women using any method	56.9
39	Number of IUD removals	91		51		Women using modern method	12.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	121		131			
41	General OPD cases per 10,000 population ***	2439		2524			
42	Ayush OPD cases per 10,000 population ***	180		94			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	1		0			
44	Neonatal Deaths up to 4 weeks of birth	1		2			
45	Total Neonatal Death	2		2			
46	Deaths between (1 - 11) months	4		2			
47	Total reported infant deaths	6		4			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21)			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	1		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		2			
54	Total reported maternal deaths	1		2			