

## Meghalaya Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                 |                 |         |                  |                                  |      |  |
|---|--|-----------------|-----------------|---------|------------------|----------------------------------|------|--|
| 1   | Population 2011  | 2,966,889       |                 |         |                  |                                  |      |  |
| 2   | Sex Ratio  | 986             |                 |         |                  |                                  |      |  |
| B) Infrastructure Details (RHS 2018-19)   |  | Numbers         |                 |         |                  |                                  |      |  |
| 3   | Sub Centers (SC)   | 445             |                 |         |                  |                                  |      |  |
| 4   | Sub Centers (SC)- HWC  | 32              |                 |         |                  |                                  |      |  |
| 5   | Primary Health Centers (PHC)   | 110             |                 |         |                  |                                  |      |  |
| 6   | Primary Health Centers (PHC)-HWC   | 8               |                 |         |                  |                                  |      |  |
| 7   | Community Health Centers (CHC)   | 28              |                 |         |                  |                                  |      |  |
| 8   | SDH  | 0               |                 |         |                  |                                  |      |  |
| 9   | DH   | 11              |                 |         |                  |                                  |      |  |
| C) Maternal Health:   |  | 2019-20         | 2020-21         |         |                  |                                  |      |  |
| 10  | Expected number of PW  | 92,846          | 92,499          |         |                  |                                  |      |  |
| 11  | Expected number of Delivery  | 86,938          | 86,613          |         |                  |                                  |      |  |
|   |  | HMIS ( 2019-20) | HMIS ( 2020-21) |         | NFHS-5 (2019-20) |                                  |      |  |
|   |  | Number          | PC              | Number  | PC               |                                  |      |  |
| 12  | PW register for ANC  | 138,997         | 149.7           | 110,633 | 119.6            | ANC Check up in first trimester  | 53.9 |  |
| 13  | Mothers registered in the first trimester  | 48,374          | 34.8            | 44,449  | 40.2             | At least 4ANC check up           | 52.2 |  |
| 14  | Mothers who had 4 or more ANC check ups  | 68,065          | 49.0            | 62,006  | 56.0             | Neonatal tetanus received        | 82.1 |  |
| 15  | PW who got TT 2 / Booster injection  | 71,848          | 51.7            | 74,341  | 67.2             | 100 IFA tablets consumed         | 43.1 |  |
| 16  | PW who consumed 180 IFA tablets  | 59,213          | 42.6            | 64,785  | 58.6             | Home Delivery                    | 41.9 |  |
| 17  | Home Delivery against expected delivery *  | 36,483          | 42.0            | 34,116  | 39.4             | Institutional Delivery           | 58.1 |  |
| 18  | Institutional Delivery Against expected delivery *   | 54,008          | 62.1            | 50,009  | 57.7             | Home Delivery by SBA             | 6.6  |  |
| 19  | Home Delivery against reported delivery **   | 36,483          | 40.3            | 34,116  | 40.6             | PNC within 2days of delivery     | 43.9 |  |
| 20  | Institutional Delivery against reported delivery **  | 54,008          | 59.7            | 50,009  | 59.4             |                                  |      |  |
| 21  | Total reported Deliveries  | 90,491          |                 | 84,125  |                  |                                  |      |  |
| 22  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,364           | 3.7             | 1,641   | 4.8              |                                  |      |  |
| 23  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 39,377          | 43.5            | 42,844  | 50.9             |                                  |      |  |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                 |                 |         |                  |                                  |      |  |
| 24  | Expected number of Live Birth  | 84,405          |                 | 84,090  |                  |                                  |      |  |
| D) Child Immunization :   |  | HMIS ( 2019-20) | HMIS ( 2020-21) |         | NFHS-5 (2019-20) |                                  |      |  |
| 25  | Total reported live births   | 89,378          | 105.9           | 82,464  | 98.1             | Breastfed within 1 hour of birth | 78.8 |  |
| 26  | Total Still Birth  | 1,995           | 2.4             | 2,266   | 2.7              | BCG                              | 89.3 |  |

|    |  |        |       |        |      |   |      |
|----|--|--------|-------|--------|------|---|------|
| 27 | PC of newborn weighted at birth to live birth                              | 85,982 | 96.2  | 80,347 | 97.4 | 3 dose of DPT                           | 73.1 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 6,815  | 7.9   | 6,129  | 7.6  | Measles First dose                      | 72.5 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth.       | 80,633 | 90.2  | 74,540 | 90.4 | 3 doses of penta or hepatitis B vaccine | 65.7 |
| 30 | Children fully immunized   | 74,872 | 88.7  | 78,202 | 93.0 | Full Immunization                       | 63.8 |
| 31 | Children who have received BCG   | 90,495 | 107.2 | 80,597 | 95.8 |   |      |
| 32 | Children who have received Pentavalent 1                                   | 85,934 | 101.8 | 79,624 | 94.7 |   |      |
| 33 | Children who have received Pentavalent 3                                   | 76,759 | 90.9  | 76,512 | 91.0 |   |      |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose                | 75,833 | 89.8  | 78,626 | 93.5 |   |      |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years         | 68,462 |       | 54,380 |      |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning   |  | HMIS (2019-20) | HMIS (2020-21) | NFHS-5 (2019-20)          |      |
|----------------------|--|----------------|----------------|---------------------------|------|
| 36                   | Number of Vasectomies performed                  | 4              | 2              | Total unmet need          | 26.9 |
| 37                   | Number of Tubectomies performed                  | 2,620          | 2,181          | Spacing                   | 18.3 |
| 38                   | Number of IUD insertion                          | 2,562          | 2,046          | Women using any method    | 27.4 |
| 39                   | Number of IUD removals                           | 2,483          | 1,992          | Women using modern method | 22.5 |
| F) Service delivery  |  | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 40                   | IPD cases per 10,000 population ***              | 784            | 477            |                           |      |
| 41                   | General OPD cases per 10,000 population ***      | 11001          | 7617           |                           |      |
| 42                   | Ayush OPD cases per 10,000 population ***        | 826            | 536            |                           |      |
| G) Mortality Details |  |                |                |                           |      |
| I)                   | Infant Deaths (In Number)                        | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 43                   | Neonatal death within 24 hours                   | 404            | 426            |                           |      |
| 44                   | Neonatal Deaths up to 4 weeks of birth           | 881            | 991            |                           |      |
| 45                   | <b>Total Neonatal Death</b>                      | <b>1,285</b>   | <b>1,417</b>   |                           |      |
| 46                   | Deaths between (1 - 11) months                   | 1,239          | 1,638          |                           |      |
| 47                   | <b>Total reported infant deaths</b>              | <b>2,524</b>   | <b>3,055</b>   |                           |      |
| II)                  | Maternal Mortality                               |                |                |                           |      |
|                      | Maternal Deaths (In Number)                      | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 48                   | Due to Abortion                                  | 3              | 1              |                           |      |
| 49                   | Due to Obstructed/prolonged labour               | 13             | 18             |                           |      |
| 50                   | Due to Severe hypertension/fits                  | 10             | 16             |                           |      |
| 51                   | Due to Bleeding                                  | 37             | 38             |                           |      |
| 52                   | Due to High fever                                | 1              | 3              |                           |      |
| 53                   | Due to Other Causes (including causes not known) | 110            | 167            |                           |      |

|    |                                |     |     |  |
|----|--------------------------------|-----|-----|--|
| 54 | Total reported maternal deaths | 174 | 243 |  |
|----|--------------------------------|-----|-----|--|

## East Garo Hills Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                 |       |                 |       |                                 |      |
|--|--|-----------------|-------|-----------------|-------|---------------------------------|------|
| 1  | Population 2011  | 317,917         |       |                 |       |                                 |      |
| 2  | Sex Ratio  | 968             |       |                 |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19)  |  | Numbers         |       |                 |       |                                 |      |
| 3  | Sub Centers (SC)   | 31              |       |                 |       |                                 |      |
| 4  | Sub Centers (SC)- HWC  | 0               |       |                 |       |                                 |      |
| 5  | Primary Health Centers (PHC)   | 7               |       |                 |       |                                 |      |
| 6  | Primary Health Centers (PHC)-HWC   | 0               |       |                 |       |                                 |      |
| 7  | Community Health Centers (CHC)   | 1               |       |                 |       |                                 |      |
| 8  | SDH  | 0               |       |                 |       |                                 |      |
| 9  | DH   | 1               |       |                 |       |                                 |      |
| C) Maternal Health:  |  | 2019-20         |       | 2020-21         |       |                                 |      |
| 10   | Expected number of PW  | 5,076           |       | 5,047           |       |                                 |      |
| 11   | Expected number of Delivery  | 4,753           |       | 4,726           |       |                                 |      |
|  |  | HMIS ( 2019-20) |       | HMIS ( 2020-21) |       | NFHS-5 (2019-20)                |      |
|  |  | Number          | PC    | Number          | PC    |                                 |      |
| 12   | PW register for ANC  | 5,632           | 111.0 | 5,384           | 106.7 | ANC Check up in first trimester | 59.2 |
| 13   | Mothers registered in the first trimester  | 1,671           | 29.7  | 2,005           | 37.2  | At least 4ANC check up          | 25.5 |
| 14   | Mothers who had 4 or more ANC check ups  | 2,877           | 51.1  | 2,945           | 54.7  | Neonatal tetanus received       | 74.5 |
| 15   | PW who got TT 2 / Booster injection  | 3,725           | 66.1  | 3,941           | 73.2  | 100 IFA tablets consumed        | 28.8 |
| 16   | PW who consumed 180 IFA tablets  | 3,283           | 58.3  | 3,846           | 71.4  | Home Delivery                   | 26.2 |
| 17   | Home Delivery against expected delivery *  | 2,750           | 57.9  | 2,125           | 45.0  | Institutional Delivery          | 73.8 |
| 18   | Institutional Delivery Against expected delivery *   | 1,778           | 37.4  | 2,091           | 44.2  | Home Delivery by SBA            | 7.5  |
| 19   | Home Delivery against reported delivery **   | 2,750           | 60.7  | 2,125           | 50.4  | PNC within 2days of delivery    | 59.9 |
| 20   | Institutional Delivery against reported delivery **  | 1,778           | 39.3  | 2,091           | 49.6  |                                 |      |
| 21   | Total reported Deliveries  | 4,528           |       | 4,216           |       |                                 |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 146             | 5.3   | 548             | 25.8  |                                 |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,013           | 66.5  | 2,810           | 66.7  |                                 |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |       |                 |       |                                 |      |
| 24   | Expected number of Live Birth  | 4,614           |       | 4,588           |       |                                 |      |
| D) Child Immunization :  |  | HMIS ( 2019-20) |       | HMIS ( 2020-21) |       | NFHS-5 (2019-20)                |      |

|    |  |       |      |       |       |   |      |
|----|--|-------|------|-------|-------|---|------|
| 25 | Total reported live births   | 4,426 | 95.9 | 4,124 | 89.9  | Breastfed within 1 hour of birth        | 48.0 |
| 26 | Total Still Birth  | 108   | 2.3  | 101   | 2.2   | BCG                                     | 81.5 |
| 27 | PC of newborn weighted at birth to live birth                              | 4,346 | 98.2 | 4,062 | 98.5  | 3 dose of DPT                           | 83.3 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 240   | 5.5  | 257   | 6.3   | Measles First dose                      | 83.3 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth.       | 4,318 | 97.6 | 4,044 | 98.1  | 3 doses of penta or hepatitis B vaccine | 74.8 |
| 30 | Children fully immunized   | 4,391 | 95.2 | 4,626 | 100.8 | Full Immunization                       | 72.4 |
| 31 | Children who have received BCG   | 4,093 | 88.7 | 3,915 | 85.3  |   |      |
| 32 | Children who have received Pentavalent 1                                   | 4,412 | 95.6 | 4,214 | 91.8  |   |      |
| 33 | Children who have received Pentavalent 3                                   | 3,888 | 84.3 | 4,071 | 88.7  |   |      |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose                | 4,398 | 95.3 | 4,677 | 101.9 |   |      |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,089 |      | 705   |       |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning   |   | HMIS (2019-20) | HMIS (2020-21) | NFHS-5 (2019-20)          |      |
|----------------------|---|----------------|----------------|---------------------------|------|
| 36                   | Number of Vasectomies performed             | 0              | 0              | Total unmet need          | 21.0 |
| 37                   | Number of Tubectomies performed             | 77             | 25             | Spacing                   | 12.4 |
| 38                   | Number of IUD insertion                     | 293            | 228            | Women using any method    | 37.0 |
| 39                   | Number of IUD removals                      | 76             | 61             | Women using modern method | 35.8 |
| F) Service delivery  |   | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 40                   | IPD cases per 10,000 population ***         | 327            | 231            |                           |      |
| 41                   | General OPD cases per 10,000 population *** | 6000           | 3736           |                           |      |
| 42                   | Ayush OPD cases per 10,000 population ***   | 493            | 245            |                           |      |
| G) Mortality Details |   |                |                |                           |      |
| I)                   | Infant Deaths (In Number)                   | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 43                   | Neonatal death within 24 hours              | 11             | 2              |                           |      |
| 44                   | Neonatal Deaths up to 4 weeks of birth      | 29             | 36             |                           |      |
| 45                   | <b>Total Neonatal Death</b>                 | <b>40</b>      | <b>38</b>      |                           |      |
| 46                   | Deaths between (1 - 11) months              | 32             | 63             |                           |      |
| 47                   | <b>Total reported infant deaths</b>         | <b>72</b>      | <b>101</b>     |                           |      |
| II)                  | Maternal Mortality                          |                |                |                           |      |
|                      | Maternal Deaths (In Number)                 | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 48                   | Due to Abortion                             | 0              | 0              |                           |      |
| 49                   | Due to Obstructed/prolonged labour          | 2              | 4              |                           |      |
| 50                   | Due to Severe hypertension/fits             | 0              | 1              |                           |      |
| 51                   | Due to Bleeding                             | 4              | 4              |                           |      |

|    |  |           |           |  |
|----|--|-----------|-----------|--|
| 52 | Due to High fever                                | 0         | 0         |  |
| 53 | Due to Other Causes (including causes not known) | 4         | 4         |  |
| 54 | <b>Total reported maternal deaths</b>            | <b>10</b> | <b>13</b> |  |

## East Jaintia Hills Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |           |                       |           |                                 |      |  |
|--|--|-----------------------|-----------|-----------------------|-----------|---------------------------------|------|--|
| 1  | Population 2011  | <b>395,124</b>        |           |                       |           |                                 |      |  |
| 2  | Sex Ratio  | <b>1,008</b>          |           |                       |           |                                 |      |  |
| <b>B) Infrastructure Details (RHS 2018-19)</b> |  | <b>Numbers</b>        |           |                       |           |                                 |      |  |
| 3  | Sub Centers (SC)   | <b>35</b>             |           |                       |           |                                 |      |  |
| 4  | Sub Centers (SC)- HWC  | <b>0</b>              |           |                       |           |                                 |      |  |
| 5  | Primary Health Centers (PHC)   | <b>6</b>              |           |                       |           |                                 |      |  |
| 6  | Primary Health Centers (PHC)-HWC   | <b>0</b>              |           |                       |           |                                 |      |  |
| 7  | Community Health Centers (CHC)   | <b>2</b>              |           |                       |           |                                 |      |  |
| 8  | SDH  | <b>0</b>              |           |                       |           |                                 |      |  |
| 9  | DH   | <b>0</b>              |           |                       |           |                                 |      |  |
| <b>C) Maternal Health:</b>                     |  | <b>2019-20</b>        |           | <b>2020-21</b>        |           |                                 |      |  |
| 10   | Expected number of PW  | 4,341                 |           | 4,340                 |           |                                 |      |  |
| 11   | Expected number of Delivery  | 4,065                 |           | 4,064                 |           |                                 |      |  |
|  |  | <b>HMIS (2019-20)</b> |           | <b>HMIS (2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>         |      |  |
|  |  | <b>Number</b>         | <b>PC</b> | <b>Number</b>         | <b>PC</b> |                                 |      |  |
| 12   | PW register for ANC  | 4,624                 | 106.5     | 4,395                 | 101.3     | ANC Check up in first trimester | 55.5 |  |
| 13   | Mothers registered in the first trimester  | 1,511                 | 32.7      | 1,506                 | 34.3      | At least 4ANC check up          | 58.6 |  |
| 14   | Mothers who had 4 or more ANC check ups  | 1,259                 | 27.2      | 1,318                 | 30.0      | Neonatal tetanus received       | 87.7 |  |
| 15   | PW who got TT 2 / Booster injection  | 3,584                 | 77.5      | 3,654                 | 83.1      | 100 IFA tablets consumed        | 51.9 |  |
| 16   | PW who consumed 180 IFA tablets  | 1,599                 | 34.6      | 2,113                 | 48.1      | Home Delivery                   | 51.6 |  |
| 17   | Home Delivery against expected delivery *  | 1,560                 | 38.4      | 1,545                 | 38.0      | Institutional Delivery          | 48.4 |  |
| 18   | Institutional Delivery Against expected delivery *   | 1,148                 | 28.2      | 1,224                 | 30.1      | Home Delivery by SBA            | 6.8  |  |
| 19   | Home Delivery against reported delivery **   | 1,560                 | 57.6      | 1,545                 | 55.8      | PNC within 2days of delivery    | 49.1 |  |
| 20   | Institutional Delivery against reported delivery **  | 1,148                 | 42.4      | 1,224                 | 44.2      |                                 |      |  |
| 21   | Total reported Deliveries  | 2,708                 |           | 2,769                 |           |                                 |      |  |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 130                   | 8.3       | 84                    | 5.4       |                                 |      |  |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,665                 | 61.5      | 1,629                 | 58.8      |                                 |      |  |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 24   | Expected number of Live Birth  | 3,947                  |       | 3,946                  |       |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 2,675                  | 67.8  | 2,740                  | 69.4  | Breastfed within 1 hour of birth        | 85.3 |
| 26   | Total Still Birth  | 58                     | 1.5   | 61                     | 1.5   | BCG                                     | 92.6 |
| 27   | PC of newborn weighted at birth to live birth                              | 2,456                  | 91.8  | 2,596                  | 94.7  | 3 dose of DPT                           | 84   |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 131                    | 5.3   | 154                    | 5.9   | Measles First dose                      | 83.8 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.       | 2,440                  | 91.2  | 2,563                  | 93.5  | 3 doses of penta or hepatitis B vaccine | 77.8 |
| 30   | Children fully immunized   | 4,163                  | 105.5 | 4,138                  | 104.9 | Full Immunization                       | 74.4 |
| 31   | Children who have received BCG   | 3,144                  | 79.7  | 3,043                  | 77.1  |   |      |
| 32   | Children who have received Pentavalent 1                                   | 4,456                  | 112.9 | 4,095                  | 103.8 |   |      |
| 33   | Children who have received Pentavalent 3                                   | 4,069                  | 103.1 | 4,029                  | 102.1 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose                | 4,286                  | 108.6 | 4,292                  | 108.8 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years         | 6,297                  |       | 4,541                  |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 36   | Number of Vasectomies performed  | 0                      |       | 0                      |       | Total unmet need                        | 26.0 |
| 37   | Number of Tubectomies performed  | 0                      |       | 4                      |       | Spacing                                 | 20.1 |
| 38   | Number of IUD insertion  | 52                     |       | 65                     |       | Women using any method                  | 33.6 |
| 39   | Number of IUD removals   | 27                     |       | 22                     |       | Women using modern method               | 24   |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       |   |      |
| 40   | IPD cases per 10,000 population ***  | 461                    |       | 279                    |       |   |      |
| 41   | General OPD cases per 10,000 population ***                                | 8594                   |       | 5598                   |       |   |      |
| 42   | Ayush OPD cases per 10,000 population ***                                  | 824                    |       | 499                    |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       |   |      |
| 43   | Neonatal death within 24 hours   | 20                     |       | 15                     |       |   |      |
| 44   | Neonatal Deaths up to 4 weeks of birth                                     | 16                     |       | 28                     |       |   |      |
| 45   | <b>Total Neonatal Death</b>  | <b>36</b>              |       | <b>43</b>              |       |   |      |
| 46   | Deaths between (1 - 11) months   | 36                     |       | 57                     |       |   |      |
| 47   | <b>Total reported infant deaths</b>  | <b>72</b>              |       | <b>100</b>             |       |   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |       |                        |       |   |      |
|  | <b>Maternal Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       |   |      |
| 48   | Due to Abortion  | 0                      |       | 0                      |       |   |      |

|    |  |          |          |  |
|----|--|----------|----------|--|
| 49 | Due to Obstructed/prolonged labour               | 0        | 0        |  |
| 50 | Due to Severe hypertension/fits                  | 0        | 1        |  |
| 51 | Due to Bleeding                                  | 0        | 0        |  |
| 52 | Due to High fever                                | 0        | 0        |  |
| 53 | Due to Other Causes (including causes not known) | 4        | 0        |  |
| 54 | <b>Total reported maternal deaths</b>            | <b>4</b> | <b>1</b> |  |

## East Khasi Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)                          |                |       |                |       |                                 |      |
|---|--|----------------|-------|----------------|-------|---------------------------------|------|
| 1                                       | Population 2011  | 825,922        |       |                |       |                                 |      |
| 2                                       | Sex Ratio  | 1,008          |       |                |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |       |                |       |                                 |      |
| 3                                       | Sub Centers (SC)   | 72             |       |                |       |                                 |      |
| 4                                       | Sub Centers (SC)- HWC  | 12             |       |                |       |                                 |      |
| 5                                       | Primary Health Centers (PHC)                                     | 25             |       |                |       |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                                 | 2              |       |                |       |                                 |      |
| 7                                       | Community Health Centers (CHC)                                   | 7              |       |                |       |                                 |      |
| 8                                       | SDH  | 0              |       |                |       |                                 |      |
| 9                                       | DH   | 2              |       |                |       |                                 |      |
| C) Maternal Health:                     |  | 2019-20        |       | 2020-21        |       |                                 |      |
| 10                                      | Expected number of PW  | 25,353         |       | 25,182         |       |                                 |      |
| 11                                      | Expected number of Delivery                                      | 23,740         |       | 23,579         |       |                                 |      |
|   |  | HMIS (2019-20) |       | HMIS (2020-21) |       | NFHS-5 (2019-20)                |      |
|   |  | Number         | PC    | Number         | PC    |                                 |      |
| 12                                      | PW register for ANC  | 59,097         | 233.1 | 35,361         | 140.4 | ANC Check up in first trimester | 56.7 |
| 13                                      | Mothers registered in the first trimester                        | 19,530         | 33.0  | 14,352         | 40.6  | At least 4ANC check up          | 57.5 |
| 14                                      | Mothers who had 4 or more ANC check ups                          | 24,085         | 40.8  | 19,345         | 54.7  | Neonatal tetanus received       | 80.2 |
| 15                                      | PW who got TT 2 / Booster injection                              | 15,247         | 25.8  | 16,034         | 45.3  | 100 IFA tablets consumed        | 40.1 |
| 16                                      | PW who consumed 180 IFA tablets                                  | 17,426         | 29.5  | 16,299         | 46.1  | Home Delivery                   | 36.6 |
| 17                                      | Home Delivery against expected delivery *                        | 6,031          | 25.4  | 5,999          | 25.4  | Institutional Delivery          | 63.4 |
| 18                                      | Institutional Delivery Against expected delivery *               | 21,329         | 89.8  | 17,368         | 73.7  | Home Delivery by SBA            | 6.2  |
| 19                                      | Home Delivery against reported delivery **                       | 6,031          | 22.0  | 5,999          | 25.7  | PNC within 2days of delivery    | 33.6 |
| 20                                      | Institutional Delivery against reported delivery **              | 21,329         | 78.0  | 17,368         | 74.3  |                                 |      |
| 21                                      | Total reported Deliveries  | 27,360         |       | 23,367         |       |                                 |      |
| 22                                      | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 50             | 0.8   | 101            | 1.7   |                                 |      |

|   |  |                        |       |                        |      |   |      |
|---|--|------------------------|-------|------------------------|------|---|------|
| 23  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,001                  | 29.2  | 12,231                 | 52.3 |   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.   |  |                        |       |                        |      |   |      |
| 24  | Expected number of Live Birth  | 23,049                 |       | 22,892                 |      |   |      |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25  | Total reported live births   | 26,881                 | 116.6 | 22,776                 | 99.5 | Breastfed within 1 hour of birth        | 86.3 |
| 26  | Total Still Birth  | 669                    | 2.9   | 716                    | 3.1  | BCG                                     | 84.2 |
| 27  | PC of newborn weighted at birth to live birth  | 25,360                 | 94.3  | 22,181                 | 97.4 | 3 dose of DPT                           | 59.2 |
| 28  | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 2,665                  | 10.5  | 2,190                  | 9.9  | Measles First dose                      | 56.6 |
| 29  | PC of newborns breastfed within 1 hour to total reported live birth.                               | 20,931                 | 77.9  | 17,723                 | 77.8 | 3 doses of penta or hepatitis B vaccine | 46.8 |
| 30  | Children fully immunized   | 16,951                 | 73.5  | 17,273                 | 75.5 | Full Immunization                       | 49.1 |
| 31  | Children who have received BCG   | 26,188                 | 113.6 | 21,870                 | 95.5 |   |      |
| 32  | Children who have received Pentavalent 1   | 19,778                 | 85.8  | 17,996                 | 78.6 |   |      |
| 33  | Children who have received Pentavalent 3   | 16,974                 | 73.6  | 16,996                 | 74.2 |   |      |
| 34  | Children who have received Measles & Rubella (MR)- 1st Dose  | 17,009                 | 73.8  | 17,384                 | 75.9 |   |      |
| 35  | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 18,785                 |       | 15,468                 |      |   |      |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey. |  |                        |       |                        |      |   |      |
| <b>E) Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36  | Number of Vasectomies performed  | 4                      |       | 2                      |      | Total unmet need                        | 33.0 |
| 37  | Number of Tubectomies performed  | 1,226                  |       | 996                    |      | Spacing                                 | 25.2 |
| 38  | Number of IUD insertion  | 720                    |       | 489                    |      | Women using any method                  | 12.1 |
| 39  | Number of IUD removals   | 982                    |       | 715                    |      | Women using modern method               | 10.6 |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |      |   |      |
| 40  | IPD cases per 10,000 population ***  | 1410                   |       | 789                    |      |   |      |
| 41  | General OPD cases per 10,000 population ***  | 16797                  |       | 11514                  |      |   |      |
| 42  | Ayush OPD cases per 10,000 population ***  | 788                    |       | 405                    |      |   |      |
| <b>G) Mortality Details</b>   |  |                        |       |                        |      |   |      |
| <b>I)</b>   | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |      |   |      |
| 43  | Neonatal death within 24 hours   | 121                    |       | 129                    |      |   |      |
| 44  | Neonatal Deaths up to 4 weeks of birth   | 384                    |       | 327                    |      |   |      |
| 45  | <b>Total Neonatal Death</b>  | <b>505</b>             |       | <b>456</b>             |      |   |      |
| 46  | Deaths between (1 - 11) months   | 368                    |       | 460                    |      |   |      |
| 47  | <b>Total reported infant deaths</b>  | <b>873</b>             |       | <b>916</b>             |      |   |      |



| II) Maternal Mortality |  |                 |           |                 |
|------------------------|--|-----------------|-----------|-----------------|
|                        | Maternal Deaths (In Number)                      | HMIS ( 2019-20) |           | HMIS ( 2020-21) |
| 48                     | Due to Abortion                                  | 1               | 1         |                 |
| 49                     | Due to Obstructed/prolonged labour               | 2               | 2         |                 |
| 50                     | Due to Severe hypertension/fits                  | 1               | 5         |                 |
| 51                     | Due to Bleeding                                  | 6               | 2         |                 |
| 52                     | Due to High fever                                | 1               | 0         |                 |
| 53                     | Due to Other Causes (including causes not known) | 37              | 52        |                 |
| 54                     | <b>Total reported maternal deaths</b>            | <b>48</b>       | <b>62</b> |                 |

## North Garo Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)             |                 |       |                 |       |                                 |      |
|---|---|-----------------|-------|-----------------|-------|---------------------------------|------|
| 1                                       | Population 2011                                     | 317,917         |       |                 |       |                                 |      |
| 2                                       | Sex Ratio   | 968             |       |                 |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers         |       |                 |       |                                 |      |
| 3                                       | Sub Centers (SC)                                    | 52              |       |                 |       |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                               | 0               |       |                 |       |                                 |      |
| 5                                       | Primary Health Centers (PHC)                        | 9               |       |                 |       |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                    | 0               |       |                 |       |                                 |      |
| 7                                       | Community Health Centers (CHC)                      | 1               |       |                 |       |                                 |      |
| 8                                       | SDH   | 0               |       |                 |       |                                 |      |
| 9                                       | DH  | 0               |       |                 |       |                                 |      |
| C) Maternal Health:                     |   | 2019-20         |       | 2020-21         |       |                                 |      |
| 10                                      | Expected number of PW                               | 4,693           |       | 4,666           |       |                                 |      |
| 11                                      | Expected number of Delivery                         | 4,394           |       | 4,369           |       |                                 |      |
|   |   | HMIS ( 2019-20) |       | HMIS ( 2020-21) |       | NFHS-5 (2019-20)                |      |
|   |   | Number          | PC    | Number          | PC    |                                 |      |
| 12                                      | PW register for ANC                                 | 5,364           | 114.3 | 5,351           | 114.7 | ANC Check up in first trimester | 40.3 |
| 13                                      | Mothers registered in the first trimester           | 1,912           | 35.6  | 2,031           | 38.0  | At least 4ANC check up          | 24.3 |
| 14                                      | Mothers who had 4 or more ANC check ups             | 2,993           | 55.8  | 3,659           | 68.4  | Neonatal tetanus received       | 55.5 |
| 15                                      | PW who got TT 2 / Booster injection                 | 3,918           | 73.0  | 4,477           | 83.7  | 100 IFA tablets consumed        | 23.7 |
| 16                                      | PW who consumed 180 IFA tablets                     | 2,470           | 46.0  | 3,575           | 66.8  | Home Delivery                   | 38.5 |
| 17                                      | Home Delivery against expected delivery *           | 1,824           | 41.5  | 1,448           | 33.1  | Institutional Delivery          | 61.5 |
| 18                                      | Institutional Delivery Against expected delivery *  | 1,736           | 39.5  | 2,171           | 49.7  | Home Delivery by SBA            | 5.9  |
| 19                                      | Home Delivery against reported delivery **          | 1,824           | 51.2  | 1,448           | 40.0  | PNC within 2days of delivery    | 40.5 |
| 20                                      | Institutional Delivery against reported delivery ** | 1,736           | 48.8  | 2,171           | 60.0  |                                 |      |

|  |  |                        |       |                        |       |   |       |
|--|--|------------------------|-------|------------------------|-------|---|-------|
| 21   | Total reported Deliveries  | 3,560                  |       | 3,619                  |       |   |       |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 193                    | 10.6  | 126                    | 8.7   |   |       |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,001                  | 56.2  | 2,120                  | 58.6  |   |       |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |       |                        |       |   |       |
| 24   | Expected number of Live Birth  | 4,266                  |       | 4,242                  |       |   |       |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |       |
| 25   | Total reported live births   | 3,576                  | 83.8  | 3,577                  | 84.3  | Breastfed within 1 hour of birth        | 62.3  |
| 26   | Total Still Birth  | 55                     | 1.3   | 55                     | 1.3   | BCG                                     | -65.9 |
| 27   | PC of newborn weighted at birth to live birth  | 3,407                  | 95.3  | 3,458                  | 96.7  | 3 dose of DPT                           | -57.9 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 99                     | 2.9   | 125                    | 3.6   | Measles First dose                      | -58.1 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 3,406                  | 95.2  | 3,471                  | 97.0  | 3 doses of penta or hepatitis B vaccine | -39.5 |
| 30   | Children fully immunized   | 3,677                  | 86.2  | 4,466                  | 105.3 | Full Immunization                       | -47.5 |
| 31   | Children who have received BCG   | 4,330                  | 101.5 | 4,055                  | 95.6  |   |       |
| 32   | Children who have received Pentavalent 1   | 4,548                  | 106.6 | 4,266                  | 100.6 |   |       |
| 33   | Children who have received Pentavalent 3   | 4,005                  | 93.9  | 4,153                  | 97.9  |   |       |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 3,717                  | 87.1  | 4,461                  | 105.2 |   |       |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 1,670                  |       | 850                    |       |   |       |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |       |                        |       |   |       |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |       |
| 36   | Number of Vasectomies performed  | 0                      |       | 0                      |       | Total unmet need                        | 25.2  |
| 37   | Number of Tubectomies performed  | 1                      |       | 0                      |       | Spacing                                 | 12.9  |
| 38   | Number of IUD insertion  | 48                     |       | 26                     |       | Women using any method                  | 19.2  |
| 39   | Number of IUD removals   | 58                     |       | 50                     |       | Women using modern method               | 17.7  |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       |   |       |
| 40   | IPD cases per 10,000 population ***  | 394                    |       | 250                    |       |   |       |
| 41   | General OPD cases per 10,000 population ***  | 6003                   |       | 3895                   |       |   |       |
| 42   | Ayush OPD cases per 10,000 population ***  | 180                    |       | 47                     |       |   |       |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |       |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       |   |       |
| 43   | Neonatal death within 24 hours   | 7                      |       | 15                     |       |   |       |

|                               |  |                       |                       |  |
|-------------------------------|--|-----------------------|-----------------------|--|
| 44                            | Neonatal Deaths up to 4 weeks of birth           | 23                    | 25                    |  |
| 45                            | <b>Total Neonatal Death</b>                      | <b>30</b>             | <b>40</b>             |  |
| 46                            | Deaths between (1 - 11) months                   | 33                    | 50                    |  |
| 47                            | <b>Total reported infant deaths</b>              | <b>63</b>             | <b>90</b>             |  |
| <b>II) Maternal Mortality</b> |  |                       |                       |  |
|                               | <b>Maternal Deaths (In Number)</b>               | <b>HMIS (2019-20)</b> | <b>HMIS (2020-21)</b> |  |
| 48                            | Due to Abortion                                  | 0                     | 0                     |  |
| 49                            | Due to Obstructed/prolonged labour               | 0                     | 2                     |  |
| 50                            | Due to Severe hypertension/fits                  | 0                     | 1                     |  |
| 51                            | Due to Bleeding                                  | 1                     | 2                     |  |
| 52                            | Due to High fever                                | 0                     | 0                     |  |
| 53                            | Due to Other Causes (including causes not known) | 2                     | 3                     |  |
| 54                            | <b>Total reported maternal deaths</b>            | <b>3</b>              | <b>8</b>              |  |

## Ri Bhoi Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)            |                |                |        |                  |                                 |      |
|---|--|----------------|----------------|--------|------------------|---------------------------------|------|
| 1                                       | Population 2011                                    | 258,840        |                |        |                  |                                 |      |
| 2                                       | Sex Ratio  | 951            |                |        |                  |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |                |        |                  |                                 |      |
| 3                                       | Sub Centers (SC)                                   | 32             |                |        |                  |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                              | 10             |                |        |                  |                                 |      |
| 5                                       | Primary Health Centers (PHC)                       | 8              |                |        |                  |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                   | 2              |                |        |                  |                                 |      |
| 7                                       | Community Health Centers (CHC)                     | 3              |                |        |                  |                                 |      |
| 8                                       | SDH  | 0              |                |        |                  |                                 |      |
| 9                                       | DH   | 1              |                |        |                  |                                 |      |
| C) Maternal Health:                     |  | 2019-20        | 2020-21        |        |                  |                                 |      |
| 10                                      | Expected number of PW                              | 8,468          | 8,487          |        |                  |                                 |      |
| 11                                      | Expected number of Delivery                        | 7,929          | 7,947          |        |                  |                                 |      |
|   |  | HMIS (2019-20) | HMIS (2020-21) |        | NFHS-5 (2019-20) |                                 |      |
|   |  | Number         | PC             | Number | PC               |                                 |      |
| 12                                      | PW register for ANC                                | 8,440          | 99.7           | 8,336  | 98.2             | ANC Check up in first trimester | 56.1 |
| 13                                      | Mothers registered in the first trimester          | 4,031          | 47.8           | 4,294  | 51.5             | At least 4ANC check up          | 61.0 |
| 14                                      | Mothers who had 4 or more ANC check ups            | 5,677          | 67.3           | 5,420  | 65.0             | Neonatal tetanus received       | 86.2 |
| 15                                      | PW who got TT 2 / Booster injection                | 5,996          | 71.0           | 6,506  | 78.0             | 100 IFA tablets consumed        | 48.8 |
| 16                                      | PW who consumed 180 IFA tablets                    | 3,945          | 46.7           | 4,577  | 54.9             | Home Delivery                   | 43.1 |
| 17                                      | Home Delivery against expected delivery *          | 3,172          | 40.0           | 3,218  | 40.5             | Institutional Delivery          | 56.9 |
| 18                                      | Institutional Delivery Against expected delivery * | 3,105          | 39.2           | 3,165  | 39.8             | Home Delivery by SBA            | 8.4  |

|  |  |                        |      |                        |      |   |      |
|--|--|------------------------|------|------------------------|------|---|------|
| 19   | Home Delivery against reported delivery **   | 3,172                  | 50.5 | 3,218                  | 50.4 | PNC within 2days of delivery            | 39.5 |
| 20   | Institutional Delivery against reported delivery **  | 3,105                  | 49.5 | 3,165                  | 49.6 |   |      |
| 21   | Total reported Deliveries  | 6,277                  |      | 6,383                  |      |   |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 76                     | 2.4  | 89                     | 2.8  |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,507                  | 39.9 | 2,938                  | 46.0 |   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |      |                        |      |   |      |
| 24   | Expected number of Live Birth  | 7,698                  |      | 7,716                  |      |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 6,235                  | 81.0 | 6,327                  | 82.0 | Breastfed within 1 hour of birth        | 85.9 |
| 26   | Total Still Birth  | 92                     | 1.2  | 130                    | 1.7  | BCG                                     | 94   |
| 27   | PC of newborn weighted at birth to live birth  | 6,089                  | 97.7 | 6,213                  | 98.2 | 3 dose of DPT                           | 82.8 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 275                    | 4.5  | 313                    | 5.0  | Measles First dose                      | 80.9 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 5,981                  | 95.9 | 6,019                  | 95.1 | 3 doses of penta or hepatitis B vaccine | 71.5 |
| 30   | Children fully immunized   | 5,819                  | 75.6 | 6,402                  | 83.0 | Full Immunization                       | 74.8 |
| 31   | Children who have received BCG   | 6,152                  | 79.9 | 5,992                  | 77.7 |   |      |
| 32   | Children who have received Pentavalent 1   | 7,159                  | 93.0 | 7,043                  | 91.3 |   |      |
| 33   | Children who have received Pentavalent 3   | 6,379                  | 82.9 | 6,719                  | 87.1 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 5,934                  | 77.1 | 6,408                  | 83.0 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 7,749                  |      | 6,294                  |      |   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |      |                        |      |   |      |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36   | Number of Vasectomies performed  | 0                      |      | 0                      |      | Total unmet need                        | 27.0 |
| 37   | Number of Tubectomies performed  | 69                     |      | 89                     |      | Spacing                                 | 18.4 |
| 38   | Number of IUD insertion  | 288                    |      | 301                    |      | Women using any method                  | 33.1 |
| 39   | Number of IUD removals   | 344                    |      | 286                    |      | Women using modern method               | 19.7 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      |   |      |
| 40   | IPD cases per 10,000 population ***  | 577                    |      | 301                    |      |   |      |
| 41   | General OPD cases per 10,000 population ***  | 11518                  |      | 8319                   |      |   |      |
| 42   | Ayush OPD cases per 10,000 population ***  | 1352                   |      | 706                    |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |      |

| I)  | Infant Deaths (In Number)                        | HMIS ( 2019-20) | HMIS ( 2020-21) |  |
|-----|--|-----------------|-----------------|--|
| 43  | Neonatal death within 24 hours                   | 27              | 39              |  |
| 44  | Neonatal Deaths up to 4 weeks of birth           | 36              | 53              |  |
| 45  | <b>Total Neonatal Death</b>                      | <b>63</b>       | <b>92</b>       |  |
| 46  | Deaths between (1 - 11) months                   | 73              | 98              |  |
| 47  | <b>Total reported infant deaths</b>              | <b>136</b>      | <b>190</b>      |  |
| II) | Maternal Mortality                               |                 |                 |  |
|     | Maternal Deaths (In Number)                      | HMIS ( 2019-20) | HMIS ( 2020-21) |  |
| 48  | Due to Abortion                                  | 0               | 0               |  |
| 49  | Due to Obstructed/prolonged labour               | 0               | 1               |  |
| 50  | Due to Severe hypertension/fits                  | 0               | 1               |  |
| 51  | Due to Bleeding                                  | 2               | 2               |  |
| 52  | Due to High fever                                | 0               | 1               |  |
| 53  | Due to Other Causes (including causes not known) | 10              | 7               |  |
| 54  | <b>Total reported maternal deaths</b>            | <b>12</b>       | <b>12</b>       |  |

## South Garo Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)   |                 |                 |        |                  |                                 |      |
|---|---|-----------------|-----------------|--------|------------------|---------------------------------|------|
| 1                                       | Population 2011                           | 142,334         |                 |        |                  |                                 |      |
| 2                                       | Sex Ratio                                 | 944             |                 |        |                  |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers         |                 |        |                  |                                 |      |
| 3                                       | Sub Centers (SC)                          | 21              |                 |        |                  |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                     | 0               |                 |        |                  |                                 |      |
| 5                                       | Primary Health Centers (PHC)              | 6               |                 |        |                  |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC          | 0               |                 |        |                  |                                 |      |
| 7                                       | Community Health Centers (CHC)            | 1               |                 |        |                  |                                 |      |
| 8                                       | SDH                                       | 0               |                 |        |                  |                                 |      |
| 9                                       | DH  | 1               |                 |        |                  |                                 |      |
| C) Maternal Health:                     |   | 2019-20         | 2020-21         |        |                  |                                 |      |
| 10                                      | Expected number of PW                     | 4,506           | 4,496           |        |                  |                                 |      |
| 11                                      | Expected number of Delivery               | 4,219           | 4,209           |        |                  |                                 |      |
|   |   | HMIS ( 2019-20) | HMIS ( 2020-21) |        | NFHS-5 (2019-20) |                                 |      |
|   |   | Number          | PC              | Number | PC               |                                 |      |
| 12                                      | PW register for ANC                       | 4,242           | 94.1            | 4,943  | 110.0            | ANC Check up in first trimester | 68.7 |
| 13                                      | Mothers registered in the first trimester | 1,307           | 30.8            | 1,746  | 35.3             | At least 4ANC check up          | 33.3 |
| 14                                      | Mothers who had 4 or more ANC check ups   | 1,968           | 46.4            | 2,327  | 47.1             | Neonatal tetanus received       | 86.0 |
| 15                                      | PW who got TT 2 / Booster injection       | 2,319           | 54.7            | 3,411  | 69.0             | 100 IFA tablets consumed        | 51.8 |
| 16                                      | PW who consumed 180 IFA tablets           | 3,549           | 83.7            | 4,144  | 83.8             | Home Delivery                   | 11.7 |

|  |  |                        |      |                        |      |   |       |
|--|--|------------------------|------|------------------------|------|---|-------|
| 17   | Home Delivery against expected delivery *  | 1,907                  | 45.2 | 1,998                  | 47.5 | Institutional Delivery                  | 88.3  |
| 18   | Institutional Delivery Against expected delivery *   | 911                    | 21.6 | 1,276                  | 30.3 | Home Delivery by SBA                    | 3.9   |
| 19   | Home Delivery against reported delivery **   | 1,907                  | 67.7 | 1,998                  | 61.0 | PNC within 2days of delivery            | 65.9  |
| 20   | Institutional Delivery against reported delivery **  | 911                    | 32.3 | 1,276                  | 39.0 |   |       |
| 21   | Total reported Deliveries  | 2,818                  |      | 3,274                  |      |   |       |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 67                     | 3.5  | 99                     | 5.0  |   |       |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,388                  | 49.3 | 1,651                  | 50.4 |   |       |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |      |                        |      |   |       |
| 24   | Expected number of Live Birth  | 4,096                  |      | 4,087                  |      |   |       |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 25   | Total reported live births   | 2,778                  | 67.8 | 3,212                  | 78.6 | Breastfed within 1 hour of birth        | 59.8  |
| 26   | Total Still Birth  | 52                     | 1.3  | 68                     | 1.7  | BCG                                     | -100  |
| 27   | PC of newborn weighted at birth to live birth  | 2,744                  | 98.8 | 3,193                  | 99.4 | 3 dose of DPT                           | -86.8 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 149                    | 5.4  | 172                    | 5.4  | Measles First dose                      | -89.6 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 2,742                  | 98.7 | 3,175                  | 98.8 | 3 doses of penta or hepatitis B vaccine | -86.8 |
| 30   | Children fully immunized   | 2,650                  | 64.7 | 3,676                  | 89.9 | Full Immunization                       | -86.8 |
| 31   | Children who have received BCG   | 3,285                  | 80.2 | 3,395                  | 83.1 |   |       |
| 32   | Children who have received Pentavalent 1   | 3,663                  | 89.4 | 3,702                  | 90.6 |   |       |
| 33   | Children who have received Pentavalent 3   | 3,019                  | 73.7 | 3,318                  | 81.2 |   |       |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 2,680                  | 65.4 | 3,672                  | 89.8 |   |       |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 947                    |      | 464                    |      |   |       |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |      |                        |      |   |       |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 36   | Number of Vasectomies performed  | 0                      |      | 0                      |      | Total unmet need                        | 25.3  |
| 37   | Number of Tubectomies performed  | 0                      |      | 0                      |      | Spacing                                 | 14.4  |
| 38   | Number of IUD insertion  | 12                     |      | 11                     |      | Women using any method                  | 37.6  |
| 39   | Number of IUD removals   | 29                     |      | 9                      |      | Women using modern method               | 33.3  |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS ( 2020-21)</b> |      |   |       |
| 40   | IPD cases per 10,000 population ***  | 251                    |      | 210                    |      |   |       |

|                             |  |                        |                        |  |
|-----------------------------|--|------------------------|------------------------|--|
| 41                          | General OPD cases per 10,000 population ***      | 4937                   | 3529                   |  |
| 42                          | Ayush OPD cases per 10,000 population ***        | 373                    | 285                    |  |
| <b>G) Mortality Details</b> |  |                        |                        |  |
| <b>I)</b>                   | <b>Infant Deaths (In Number)</b>                 | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |  |
| 43                          | Neonatal death within 24 hours                   | 6                      | 25                     |  |
| 44                          | Neonatal Deaths up to 4 weeks of birth           | 21                     | 36                     |  |
| 45                          | <b>Total Neonatal Death</b>                      | <b>27</b>              | <b>61</b>              |  |
| 46                          | Deaths between (1 - 11) months                   | 71                     | 125                    |  |
| 47                          | <b>Total reported infant deaths</b>              | <b>98</b>              | <b>186</b>             |  |
| <b>II)</b>                  | <b>Maternal Mortality</b>                        |                        |                        |  |
|                             | <b>Maternal Deaths (In Number)</b>               | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |  |
| 48                          | Due to Abortion                                  | 0                      | 0                      |  |
| 49                          | Due to Obstructed/prolonged labour               | 1                      | 2                      |  |
| 50                          | Due to Severe hypertension/fits                  | 0                      | 0                      |  |
| 51                          | Due to Bleeding                                  | 3                      | 2                      |  |
| 52                          | Due to High fever                                | 0                      | 0                      |  |
| 53                          | Due to Other Causes (including causes not known) | 8                      | 14                     |  |
| 54                          | <b>Total reported maternal deaths</b>            | <b>12</b>              | <b>18</b>              |  |

## South West Garo Hills Factsheet

### Key Indicators

|                            |  |                        |                        |                         |           |                                      |
|----------------------------|--|------------------------|------------------------|-------------------------|-----------|--------------------------------------|
| <b>SL No</b>               | <b>A) Demographic Indicators (Census 2011)</b> |                        |                        |                         |           |                                      |
| 1                          | Population 2011                                | <b>642,923</b>         |                        |                         |           |                                      |
| 2                          | Sex Ratio                                      | <b>979</b>             |                        |                         |           |                                      |
|                            | <b>B) Infrastructure Details (RHS 2018-19)</b> | <b>Numbers</b>         |                        |                         |           |                                      |
| 3                          | Sub Centers (SC)                               | <b>27</b>              |                        |                         |           |                                      |
| 4                          | Sub Centers (SC)- HWC                          | <b>0</b>               |                        |                         |           |                                      |
| 5                          | Primary Health Centers (PHC)                   | <b>9</b>               |                        |                         |           |                                      |
| 6                          | Primary Health Centers (PHC)-HWC               | <b>0</b>               |                        |                         |           |                                      |
| 7                          | Community Health Centers (CHC)                 | <b>1</b>               |                        |                         |           |                                      |
| 8                          | SDH  | <b>0</b>               |                        |                         |           |                                      |
| 9                          | DH   | <b>1</b>               |                        |                         |           |                                      |
| <b>C) Maternal Health:</b> |  | <b>2019-20</b>         | <b>2020-21</b>         |                         |           |                                      |
| 10                         | Expected number of PW                          | 4,534                  | 4,512                  |                         |           |                                      |
| 11                         | Expected number of Delivery                    | 4,245                  | 4,225                  |                         |           |                                      |
|                            |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> | <b>NFHS-5 (2019-20)</b> |           |                                      |
|                            |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b>           | <b>PC</b> |                                      |
| 12                         | PW register for ANC                            | 4,831                  | 106.6                  | 4,879                   | 108.1     | ANC Check up in first trimester 57.0 |
| 13                         | Mothers registered in the first trimester      | 2,642                  | 54.7                   | 2,734                   | 56.0      | At least 4ANC check up 28.5          |

|    |  |       |      |       |      |                              |      |
|----|--|-------|------|-------|------|------------------------------|------|
| 14 | Mothers who had 4 or more ANC check ups  | 4,331 | 89.7 | 3,629 | 74.4 | Neonatal tetanus received    | 80.7 |
| 15 | PW who got TT 2 / Booster injection  | 4,453 | 92.2 | 4,074 | 83.5 | 100 IFA tablets consumed     | 28.3 |
| 16 | PW who consumed 180 IFA tablets  | 3,191 | 66.1 | 4,018 | 82.4 | Home Delivery                | 16.3 |
| 17 | Home Delivery against expected delivery *  | 911   | 21.5 | 675   | 16.0 | Institutional Delivery       | 83.7 |
| 18 | Institutional Delivery Against expected delivery *   | 3,117 | 73.4 | 3,234 | 76.5 | Home Delivery by SBA         | 4.9  |
| 19 | Home Delivery against reported delivery **   | 911   | 22.6 | 675   | 17.3 | PNC within 2days of delivery | 60.6 |
| 20 | Institutional Delivery against reported delivery **  | 3,117 | 77.4 | 3,234 | 82.7 |                              |      |
| 21 | Total reported Deliveries  | 4,028 |      | 3,909 |      |                              |      |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 39    | 4.3  | 31    | 4.6  |                              |      |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,160 | 53.6 | 2,107 | 53.9 |                              |      |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|                                |  |                        |       |                        |       |   |      |
|--------------------------------|--|------------------------|-------|------------------------|-------|---|------|
| 24                             | Expected number of Live Birth  | 4,122                  |       | 4,102                  |       |   |      |
| <b>D) Child Immunization :</b> |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 25                             | Total reported live births   | 3,979                  | 96.5  | 3,844                  | 93.7  | Breastfed within 1 hour of birth        | 54.5 |
| 26                             | Total Still Birth  | 57                     | 1.4   | 82                     | 2.0   | BCG                                     | 98.6 |
| 27                             | PC of newborn weighted at birth to live birth                              | 3,965                  | 99.6  | 3,827                  | 99.6  | 3 dose of DPT                           | 90.9 |
| 28                             | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 402                    | 10.1  | 308                    | 8.0   | Measles First dose                      | 92.1 |
| 29                             | PC of newborns breastfed within 1 hour to total reported live birth.       | 3,964                  | 99.6  | 3,823                  | 99.5  | 3 doses of penta or hepatitis B vaccine | 89.5 |
| 30                             | Children fully immunized   | 4,609                  | 111.8 | 4,347                  | 106.0 | Full Immunization                       | 85.4 |
| 31                             | Children who have received BCG   | 4,233                  | 102.7 | 3,527                  | 86.0  |   |      |
| 32                             | Children who have received Pentavalent 1                                   | 4,864                  | 118.0 | 4,232                  | 103.2 |   |      |
| 33                             | Children who have received Pentavalent 3                                   | 4,764                  | 115.6 | 4,164                  | 101.5 |   |      |
| 34                             | Children who have received Measles & Rubella (MR)- 1st Dose                | 4,710                  | 114.3 | 4,367                  | 106.5 |   |      |
| 35                             | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,750                  |       | 1,065                  |       |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

|                          |                                 |                        |  |                        |  |                         |      |
|--------------------------|---------------------------------|------------------------|--|------------------------|--|-------------------------|------|
| <b>E)Family Planning</b> |                                 | <b>HMIS ( 2019-20)</b> |  | <b>HMIS ( 2020-21)</b> |  | <b>NFHS-5 (2019-20)</b> |      |
| 36                       | Number of Vasectomies performed | 0                      |  | 0                      |  | Total unmet need        | 30.4 |
| 37                       | Number of Tubectomies performed | 76                     |  | 60                     |  | Spacing                 | 16.7 |
| 38                       | Number of IUD insertion         | 327                    |  | 239                    |  | Women using any method  | 36.7 |



|                             |  |                        |                        |                           |      |
|-----------------------------|--|------------------------|------------------------|---------------------------|------|
| 39                          | Number of IUD removals                           | 177                    | 189                    | Women using modern method | 32.3 |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 40                          | IPD cases per 10,000 population ***              | 575                    | 386                    |                           |      |
| 41                          | General OPD cases per 10,000 population ***      | 9894                   | 4613                   |                           |      |
| 42                          | Ayush OPD cases per 10,000 population ***        | 508                    | 171                    |                           |      |
| <b>G) Mortality Details</b> |  |                        |                        |                           |      |
| <b>I)</b>                   | <b>Infant Deaths (In Number)</b>                 | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 43                          | Neonatal death within 24 hours                   | 11                     | 11                     |                           |      |
| 44                          | Neonatal Deaths up to 4 weeks of birth           | 28                     | 55                     |                           |      |
| 45                          | <b>Total Neonatal Death</b>                      | <b>39</b>              | <b>66</b>              |                           |      |
| 46                          | Deaths between (1 - 11) months                   | 130                    | 154                    |                           |      |
| 47                          | <b>Total reported infant deaths</b>              | <b>169</b>             | <b>220</b>             |                           |      |
| <b>II)</b>                  | <b>Maternal Mortality</b>                        |                        |                        |                           |      |
|                             | <b>Maternal Deaths (In Number)</b>               | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 48                          | Due to Abortion                                  | 0                      | 0                      |                           |      |
| 49                          | Due to Obstructed/prolonged labour               | 1                      | 0                      |                           |      |
| 50                          | Due to Severe hypertension/fits                  | 0                      | 1                      |                           |      |
| 51                          | Due to Bleeding                                  | 1                      | 4                      |                           |      |
| 52                          | Due to High fever                                | 0                      | 0                      |                           |      |
| 53                          | Due to Other Causes (including causes not known) | 2                      | 5                      |                           |      |
| 54                          | <b>Total reported maternal deaths</b>            | <b>4</b>               | <b>10</b>              |                           |      |

## South West Khasi Hills Factsheet

### Key Indicators

|  |  |                        |                        |               |                         |  |
|--|--|------------------------|------------------------|---------------|-------------------------|--|
| <b>SL No</b>                                   | <b>A) Demographic Indicators (Census 2011)</b> |                        |                        |               |                         |  |
| 1  | Population 2011                                | <b>383,461</b>         |                        |               |                         |  |
| 2  | Sex Ratio                                      | <b>981</b>             |                        |               |                         |  |
| <b>B) Infrastructure Details (RHS 2018-19)</b> |  | <b>Numbers</b>         |                        |               |                         |  |
| 3  | Sub Centers (SC)                               | <b>19</b>              |                        |               |                         |  |
| 4  | Sub Centers (SC)- HWC                          | <b>0</b>               |                        |               |                         |  |
| 5  | Primary Health Centers (PHC)                   | <b>4</b>               |                        |               |                         |  |
| 6  | Primary Health Centers (PHC)-HWC               | <b>0</b>               |                        |               |                         |  |
| 7  | Community Health Centers (CHC)                 | <b>2</b>               |                        |               |                         |  |
| 8  | SDH  | <b>0</b>               |                        |               |                         |  |
| 9  | DH   | <b>0</b>               |                        |               |                         |  |
| <b>C) Maternal Health:</b>                     |  | <b>2019-20</b>         | <b>2020-21</b>         |               |                         |  |
| 10   | Expected number of PW                          | 3,041                  | 3,036                  |               |                         |  |
| 11   | Expected number of Delivery                    | 2,847                  | 2,843                  |               |                         |  |
|  |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |               | <b>NFHS-5 (2019-20)</b> |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |  |

|    |  |       |       |       |       |                                 |      |
|----|--|-------|-------|-------|-------|---------------------------------|------|
| 12 | PW register for ANC  | 4,044 | 133.0 | 4,195 | 138.2 | ANC Check up in first trimester | 48.5 |
| 13 | Mothers registered in the first trimester  | 1,002 | 24.8  | 1,147 | 27.3  | At least 4ANC check up          | 63.4 |
| 14 | Mothers who had 4 or more ANC check ups  | 2,108 | 52.1  | 2,366 | 56.4  | Neonatal tetanus received       | 85.6 |
| 15 | PW who got TT 2 / Booster injection  | 2,616 | 64.7  | 2,890 | 68.9  | 100 IFA tablets consumed        | 53.8 |
| 16 | PW who consumed 180 IFA tablets  | 2,816 | 69.6  | 3,628 | 86.5  | Home Delivery                   | 58.3 |
| 17 | Home Delivery against expected delivery *  | 2,118 | 74.4  | 2,210 | 77.7  | Institutional Delivery          | 41.7 |
| 18 | Institutional Delivery Against expected delivery *   | 819   | 28.8  | 749   | 26.3  | Home Delivery by SBA            | 7.6  |
| 19 | Home Delivery against reported delivery **   | 2,118 | 72.1  | 2,210 | 74.7  | PNC within 2days of delivery    | 42.9 |
| 20 | Institutional Delivery against reported delivery **  | 819   | 27.9  | 749   | 25.3  |                                 |      |
| 21 | Total reported Deliveries  | 2,937 |       | 2,959 |       |                                 |      |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 8     | 0.4   | 34    | 1.5   |                                 |      |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,388 | 47.3  | 1,436 | 48.5  |                                 |      |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|                                |  |                        |       |                        |       |   |      |
|--------------------------------|--|------------------------|-------|------------------------|-------|---|------|
| 24                             | Expected number of Live Birth  | 2,764                  |       | 2,760                  |       |   |      |
| <b>D) Child Immunization :</b> |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 25                             | Total reported live births   | 2,899                  | 104.9 | 2,903                  | 105.2 | Breastfed within 1 hour of birth        | 76.8 |
| 26                             | Total Still Birth  | 82                     | 3.0   | 100                    | 3.6   | BCG                                     | 95.8 |
| 27                             | PC of newborn weighted at birth to live birth                              | 2,765                  | 95.4  | 2,784                  | 95.9  | 3 dose of DPT                           | 86.9 |
| 28                             | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 129                    | 4.7   | 171                    | 6.1   | Measles First dose                      | 86.4 |
| 29                             | PC of newborns breastfed within 1 hour to total reported live birth.       | 2,820                  | 97.3  | 2,818                  | 97.1  | 3 doses of penta or hepatitis B vaccine | 82.4 |
| 30                             | Children fully immunized   | 2,727                  | 98.7  | 3,027                  | 109.7 | Full Immunization                       | 78.8 |
| 31                             | Children who have received BCG   | 3,019                  | 109.2 | 2,909                  | 105.4 |   |      |
| 32                             | Children who have received Pentavalent 1                                   | 3,375                  | 122.1 | 3,232                  | 117.1 |   |      |
| 33                             | Children who have received Pentavalent 3                                   | 3,100                  | 112.1 | 3,284                  | 119.0 |   |      |
| 34                             | Children who have received Measles & Rubella (MR)- 1st Dose                | 2,784                  | 100.7 | 3,032                  | 109.8 |   |      |
| 35                             | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,231                  |       | 1,376                  |       |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

|                          |                                 |                        |  |                        |  |                         |      |
|--------------------------|---------------------------------|------------------------|--|------------------------|--|-------------------------|------|
| <b>E)Family Planning</b> |                                 | <b>HMIS ( 2019-20)</b> |  | <b>HMIS ( 2020-21)</b> |  | <b>NFHS-5 (2019-20)</b> |      |
| 36                       | Number of Vasectomies performed | 0                      |  | 0                      |  | Total unmet need        | 26.2 |

|                             |  |                        |                        |                           |      |
|-----------------------------|--|------------------------|------------------------|---------------------------|------|
| 37                          | Number of Tubectomies performed                  | 0                      | 0                      | Spacing                   | 20.1 |
| 38                          | Number of IUD insertion                          | 16                     | 67                     | Women using any method    | 26.5 |
| 39                          | Number of IUD removals                           | 13                     | 10                     | Women using modern method | 15.7 |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 40                          | IPD cases per 10,000 population ***              | 412                    | 296                    |                           |      |
| 41                          | General OPD cases per 10,000 population ***      | 6943                   | 6760                   |                           |      |
| 42                          | Ayush OPD cases per 10,000 population ***        | 963                    | 750                    |                           |      |
| <b>G) Mortality Details</b> |  |                        |                        |                           |      |
| <b>I)</b>                   | <b>Infant Deaths (In Number)</b>                 | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 43                          | Neonatal death within 24 hours                   | 20                     | 19                     |                           |      |
| 44                          | Neonatal Deaths up to 4 weeks of birth           | 50                     | 47                     |                           |      |
| 45                          | <b>Total Neonatal Death</b>                      | <b>70</b>              | <b>66</b>              |                           |      |
| 46                          | Deaths between (1 - 11) months                   | 83                     | 102                    |                           |      |
| 47                          | <b>Total reported infant deaths</b>              | <b>153</b>             | <b>168</b>             |                           |      |
| <b>II)</b>                  | <b>Maternal Mortality</b>                        |                        |                        |                           |      |
|                             | <b>Maternal Deaths (In Number)</b>               | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                           |      |
| 48                          | Due to Abortion                                  | 0                      | 0                      |                           |      |
| 49                          | Due to Obstructed/prolonged labour               | 1                      | 2                      |                           |      |
| 50                          | Due to Severe hypertension/fits                  | 1                      | 2                      |                           |      |
| 51                          | Due to Bleeding                                  | 1                      | 2                      |                           |      |
| 52                          | Due to High fever                                | 0                      | 2                      |                           |      |
| 53                          | Due to Other Causes (including causes not known) | 6                      | 11                     |                           |      |
| 54                          | <b>Total reported maternal deaths</b>            | <b>9</b>               | <b>19</b>              |                           |      |

## West Garo Hills Factsheet

### Key Indicators

|  |  |                |                |  |
|--|--|----------------|----------------|--|
| <b>SL No</b>                                   | <b>A) Demographic Indicators (Census 2011)</b> |                |                |  |
| 1  | Population 2011                                | <b>642,923</b> |                |  |
| 2  | Sex Ratio                                      | <b>979</b>     |                |  |
| <b>B) Infrastructure Details (RHS 2018-19)</b> |  | <b>Numbers</b> |                |  |
| 3  | Sub Centers (SC)                               | <b>64</b>      |                |  |
| 4  | Sub Centers (SC)- HWC                          | <b>10</b>      |                |  |
| 5  | Primary Health Centers (PHC)                   | <b>9</b>       |                |  |
| 6  | Primary Health Centers (PHC)-HWC               | <b>4</b>       |                |  |
| 7  | Community Health Centers (CHC)                 | <b>5</b>       |                |  |
| 8  | SDH  | <b>0</b>       |                |  |
| 9  | DH   | <b>2</b>       |                |  |
| <b>C) Maternal Health:</b>                     |  | <b>2019-20</b> | <b>2020-21</b> |  |
| 10   | Expected number of PW                          | 15,380         | 15,306         |  |
| 11   | Expected number of Delivery                    | 14,401         | 14,332         |  |

|  |  | HMIS ( 2019-20)        |       | HMIS ( 2020-21)        |       | NFHS-5 (2019-20)                        |       |
|--|--|------------------------|-------|------------------------|-------|---|-------|
|  |  | Number                 | PC    | Number                 | PC    |   |       |
| 12   | PW register for ANC  | 16,291                 | 105.9 | 15,487                 | 101.2 | ANC Check up in first trimester         | 65.1  |
| 13   | Mothers registered in the first trimester  | 5,783                  | 35.5  | 5,889                  | 38.0  | At least 4ANC check up                  | 48.0  |
| 14   | Mothers who had 4 or more ANC check ups  | 10,625                 | 65.2  | 8,855                  | 57.2  | Neonatal tetanus received               | 91.3  |
| 15   | PW who got TT 2 / Booster injection  | 11,644                 | 71.5  | 12,011                 | 77.6  | 100 IFA tablets consumed                | 48.2  |
| 16   | PW who consumed 180 IFA tablets  | 13,026                 | 80.0  | 12,093                 | 78.1  | Home Delivery                           | 10.4  |
| 17   | Home Delivery against expected delivery *  | 6,235                  | 43.3  | 5,681                  | 39.6  | Institutional Delivery                  | 89.6  |
| 18   | Institutional Delivery Against expected delivery *   | 8,552                  | 59.4  | 7,744                  | 54.0  | Home Delivery by SBA                    | 3.2   |
| 19   | Home Delivery against reported delivery **   | 6,235                  | 42.2  | 5,681                  | 42.3  | PNC within 2days of delivery            | 70.9  |
| 20   | Institutional Delivery against reported delivery **  | 8,552                  | 57.8  | 7,744                  | 57.7  |   |       |
| 21   | Total reported Deliveries  | 14,787                 |       | 13,425                 |       |   |       |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 100                    | 1.6   | 156                    | 2.7   |   |       |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,412                 | 70.4  | 9,480                  | 70.6  |   |       |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |       |                        |       |   |       |
| 24   | Expected number of Live Birth  | 13,982                 |       | 13,915                 |       |   |       |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS ( 2020-21)</b> |       | <b>NFHS-5 (2019-20)</b>                 |       |
| 25   | Total reported live births   | 14,583                 | 104.3 | 13,121                 | 94.3  | Breastfed within 1 hour of birth        | 47.2  |
| 26   | Total Still Birth  | 342                    | 2.4   | 423                    | 3.0   | BCG                                     | -100  |
| 27   | PC of newborn weighted at birth to live birth  | 14,409                 | 98.8  | 13,018                 | 99.2  | 3 dose of DPT                           | -84.8 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 1,462                  | 10.1  | 1,209                  | 9.3   | Measles First dose                      | -87.4 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 14,287                 | 98.0  | 12,973                 | 98.9  | 3 doses of penta or hepatitis B vaccine | -78.5 |
| 30   | Children fully immunized   | 11,781                 | 84.3  | 11,720                 | 84.2  | Full Immunization                       | -77.1 |
| 31   | Children who have received BCG   | 14,853                 | 106.2 | 12,838                 | 92.3  |   |       |
| 32   | Children who have received Pentavalent 1   | 13,200                 | 94.4  | 11,895                 | 85.5  |   |       |
| 33   | Children who have received Pentavalent 3   | 11,746                 | 84.0  | 11,172                 | 80.3  |   |       |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 11,948                 | 85.5  | 11,723                 | 84.2  |   |       |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 3,910                  |       | 2,867                  |       |   |       |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |       |                        |       |   |       |

| E) Family Planning   |  | HMIS ( 2019-20) | HMIS ( 2020-21) | NFHS-5 (2019-20)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 36                   | Number of Vasectomies performed                  | 0               | 0               | Total unmet need          | 19.7 |
| 37                   | Number of Tubectomies performed                  | 558             | 440             | Spacing                   | 9.2  |
| 38                   | Number of IUD insertion                          | 397             | 240             | Women using any method    | 44.1 |
| 39                   | Number of IUD removals                           | 537             | 393             | Women using modern method | 39.9 |
| F) Service delivery  |  | HMIS ( 2019-20) | HMIS ( 2020-21) |                           |      |
| 40                   | IPD cases per 10,000 population ***              | 514             | 321             |                           |      |
| 41                   | General OPD cases per 10,000 population ***      | 7212            | 4107            |                           |      |
| 42                   | Ayush OPD cases per 10,000 population ***        | 458             | 190             |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Number)                        | HMIS ( 2019-20) | HMIS ( 2020-21) |                           |      |
| 43                   | Neonatal death within 24 hours                   | 48              | 61              |                           |      |
| 44                   | Neonatal Deaths up to 4 weeks of birth           | 120             | 172             |                           |      |
| 45                   | <b>Total Neonatal Death</b>                      | <b>168</b>      | <b>233</b>      |                           |      |
| 46                   | Deaths between (1 - 11) months                   | 182             | 256             |                           |      |
| 47                   | <b>Total reported infant deaths</b>              | <b>350</b>      | <b>489</b>      |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Number)                      | HMIS ( 2019-20) | HMIS ( 2020-21) |                           |      |
| 48                   | Due to Abortion                                  | 1               | 0               |                           |      |
| 49                   | Due to Obstructed/prolonged labour               | 6               | 3               |                           |      |
| 50                   | Due to Severe hypertension/fits                  | 3               | 1               |                           |      |
| 51                   | Due to Bleeding                                  | 10              | 11              |                           |      |
| 52                   | Due to High fever                                | 0               | 0               |                           |      |
| 53                   | Due to Other Causes (including causes not known) | 29              | 48              |                           |      |
| 54                   | <b>Total reported maternal deaths</b>            | <b>49</b>       | <b>63</b>       |                           |      |

## West Jaintia Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011) |         |  |
|---|---|---------|--|
| 1                                       | Population 2011                         | 395,124 |  |
| 2                                       | Sex Ratio                               | 1,008   |  |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers |  |
| 3                                       | Sub Centers (SC)                        | 46      |  |
| 4                                       | Sub Centers (SC)- HWC                   | 0       |  |
| 5                                       | Primary Health Centers (PHC)            | 12      |  |
| 6                                       | Primary Health Centers (PHC)-HWC        | 0       |  |
| 7                                       | Community Health Centers (CHC)          | 3       |  |
| 8                                       | SDH                                     | 0       |  |
| 9                                       | DH                                      | 1       |  |

| <b>C) Maternal Health:</b>   |  | <b>2019-20</b>         |           | <b>2020-21</b>         |           |   |      |
|--|--|------------------------|-----------|------------------------|-----------|---|------|
| 10   | Expected number of PW  | 8,269                  |           | 8,266                  |           |   |      |
| 11   | Expected number of Delivery  | 7,743                  |           | 7,740                  |           |   |      |
|  |  | <b>HMIS ( 2019-20)</b> |           | <b>HMIS ( 2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>                 |      |
|  |  | <b>Number</b>          | <b>PC</b> | <b>Number</b>          | <b>PC</b> |   |      |
| 12   | PW register for ANC  | 12,971                 | 156.9     | 9,770                  | 118.2     | ANC Check up in first trimester         | 44.0 |
| 13   | Mothers registered in the first trimester  | 4,278                  | 33.0      | 3,948                  | 40.4      | At least 4ANC check up                  | 43.1 |
| 14   | Mothers who had 4 or more ANC check ups  | 3,196                  | 24.6      | 3,777                  | 38.7      | Neonatal tetanus received               | 79.2 |
| 15   | PW who got TT 2 / Booster injection  | 8,105                  | 62.5      | 7,921                  | 81.1      | 100 IFA tablets consumed                | 32.7 |
| 16   | PW who consumed 180 IFA tablets  | 4,913                  | 37.9      | 4,951                  | 50.7      | Home Delivery                           | 57.8 |
| 17   | Home Delivery against expected delivery *  | 4,248                  | 54.9      | 3,866                  | 49.9      | Institutional Delivery                  | 42.2 |
| 18   | Institutional Delivery Against expected delivery *   | 6,239                  | 80.6      | 6,107                  | 78.9      | Home Delivery by SBA                    | 7.7  |
| 19   | Home Delivery against reported delivery **   | 4,248                  | 40.5      | 3,866                  | 38.8      | PNC within 2days of delivery            | 28.6 |
| 20   | Institutional Delivery against reported delivery **  | 6,239                  | 59.5      | 6,107                  | 61.2      |   |      |
| 21   | Total reported Deliveries  | 10,487                 |           | 9,973                  |           |   |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 99                     | 2.3       | 72                     | 1.9       |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,085                  | 29.4      | 2,980                  | 29.9      |   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                        |           |                        |           |   |      |
| 24   | Expected number of Live Birth  | 7,517                  |           | 7,515                  |           |   |      |
|  | <b>D) Child Immunization :</b>   | <b>HMIS ( 2019-20)</b> |           | <b>HMIS ( 2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 10,429                 | 138.7     | 9,797                  | 130.4     | Breastfed within 1 hour of birth        | 88.5 |
| 26   | Total Still Birth  | 270                    | 3.6       | 298                    | 4.0       | BCG                                     | 90.9 |
| 27   | PC of newborn weighted at birth to live birth  | 10,035                 | 96.2      | 9,189                  | 93.8      | 3 dose of DPT                           | 77   |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 777                    | 7.7       | 838                    | 9.1       | Measles First dose                      | 72.3 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 9,362                  | 89.8      | 8,289                  | 84.6      | 3 doses of penta or hepatitis B vaccine | 72   |
| 30   | Children fully immunized   | 8,158                  | 108.5     | 8,473                  | 112.8     | Full Immunization                       | 59.7 |
| 31   | Children who have received BCG   | 9,919                  | 132.0     | 9,379                  | 124.8     |   |      |
| 32   | Children who have received Pentavalent 1   | 9,236                  | 122.9     | 8,920                  | 118.7     |   |      |
| 33   | Children who have received Pentavalent 3   | 8,698                  | 115.7     | 8,833                  | 117.5     |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 8,317                  | 110.6     | 8,524                  | 113.4     |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 13,467                 |           | 11,100                 |           |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning   |  | HMIS (2019-20) | HMIS (2020-21) | NFHS-5 (2019-20)          |      |
|----------------------|--|----------------|----------------|---------------------------|------|
| 36                   | Number of Vasectomies performed                  | 0              | 0              | Total unmet need          | 29.3 |
| 37                   | Number of Tubectomies performed                  | 405            | 399            | Spacing                   | 21.7 |
| 38                   | Number of IUD insertion                          | 188            | 152            | Women using any method    | 19.3 |
| 39                   | Number of IUD removals                           | 111            | 97             | Women using modern method | 17.5 |
| F) Service delivery  |  | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 40                   | IPD cases per 10,000 population ***              | 902            | 622            |                           |      |
| 41                   | General OPD cases per 10,000 population ***      | 11623          | 9327           |                           |      |
| 42                   | Ayush OPD cases per 10,000 population ***        | 1009           | 970            |                           |      |
| G) Mortality Details |  |                |                |                           |      |
| I)                   | Infant Deaths (In Number)                        | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 43                   | Neonatal death within 24 hours                   | 67             | 62             |                           |      |
| 44                   | Neonatal Deaths up to 4 weeks of birth           | 97             | 133            |                           |      |
| 45                   | <b>Total Neonatal Death</b>                      | <b>164</b>     | <b>195</b>     |                           |      |
| 46                   | Deaths between (1 - 11) months                   | 124            | 131            |                           |      |
| 47                   | <b>Total reported infant deaths</b>              | <b>288</b>     | <b>326</b>     |                           |      |
| II)                  | Maternal Mortality                               |                |                |                           |      |
|                      | Maternal Deaths (In Number)                      | HMIS (2019-20) | HMIS (2020-21) |                           |      |
| 48                   | Due to Abortion                                  | 1              | 0              |                           |      |
| 49                   | Due to Obstructed/prolonged labour               | 0              | 0              |                           |      |
| 50                   | Due to Severe hypertension/fits                  | 3              | 2              |                           |      |
| 51                   | Due to Bleeding                                  | 2              | 4              |                           |      |
| 52                   | Due to High fever                                | 0              | 0              |                           |      |
| 53                   | Due to Other Causes (including causes not known) | 1              | 5              |                           |      |
| 54                   | <b>Total reported maternal deaths</b>            | <b>7</b>       | <b>11</b>      |                           |      |

## West Khasi Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011) |         |  |
|---|---|---------|--|
| 1                                       | Population 2011                         | 383,461 |  |
| 2                                       | Sex Ratio                               | 981     |  |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers |  |
| 3                                       | Sub Centers (SC)                        | 46      |  |
| 4                                       | Sub Centers (SC)- HWC                   | 0       |  |
| 5                                       | Primary Health Centers (PHC)            | 15      |  |

|  |  |                        |           |                        |           |   |      |
|--|--|------------------------|-----------|------------------------|-----------|---|------|
| 6  | Primary Health Centers (PHC)-HWC   | 0                      |           |                        |           |   |      |
| 7  | Community Health Centers (CHC)   | 2                      |           |                        |           |   |      |
| 8  | SDH  | 0                      |           |                        |           |   |      |
| 9  | DH   | 2                      |           |                        |           |   |      |
| <b>C) Maternal Health:</b>   |  | <b>2019-20</b>         |           | <b>2020-21</b>         |           |   |      |
| 10   | Expected number of PW  | 9,236                  |           | 9,223                  |           |   |      |
| 11   | Expected number of Delivery  | 8,648                  |           | 8,636                  |           |   |      |
|  |  | <b>HMIS ( 2019-20)</b> |           | <b>HMIS ( 2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>                 |      |
|  |  | <b>Number</b>          | <b>PC</b> | <b>Number</b>          | <b>PC</b> |   |      |
| 12   | PW register for ANC  | 13,461                 | 145.7     | 12,532                 | 135.9     | ANC Check up in first trimester         | 45.3 |
| 13   | Mothers registered in the first trimester  | 4,707                  | 35.0      | 4,797                  | 38.3      | At least 4ANC check up                  | 64.0 |
| 14   | Mothers who had 4 or more ANC check ups  | 8,946                  | 66.5      | 8,365                  | 66.7      | Neonatal tetanus received               | 81.6 |
| 15   | PW who got TT 2 / Booster injection  | 10,241                 | 76.1      | 9,422                  | 75.2      | 100 IFA tablets consumed                | 51.6 |
| 16   | PW who consumed 180 IFA tablets  | 2,995                  | 22.2      | 5,541                  | 44.2      | Home Delivery                           | 58.3 |
| 17   | Home Delivery against expected delivery *  | 5,727                  | 66.2      | 5,351                  | 62.0      | Institutional Delivery                  | 41.7 |
| 18   | Institutional Delivery Against expected delivery *   | 5,274                  | 61.0      | 4,880                  | 56.5      | Home Delivery by SBA                    | 7.2  |
| 19   | Home Delivery against reported delivery **   | 5,727                  | 52.1      | 5,351                  | 52.3      | PNC within 2days of delivery            | 42.0 |
| 20   | Institutional Delivery against reported delivery **  | 5,274                  | 47.9      | 4,880                  | 47.7      |   |      |
| 21   | Total reported Deliveries  | 11,001                 |           | 10,231                 |           |   |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 456                    | 8.0       | 301                    | 5.6       |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,757                  | 34.2      | 3,462                  | 33.8      |   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                        |           |                        |           |   |      |
| 24   | Expected number of Live Birth  | 8,396                  |           | 8,385                  |           |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |           | <b>HMIS ( 2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 10,917                 | 130.0     | 10,043                 | 119.8     | Breastfed within 1 hour of birth        | 81.2 |
| 26   | Total Still Birth  | 210                    | 2.5       | 232                    | 2.8       | BCG                                     | 86.7 |
| 27   | PC of newborn weighted at birth to live birth  | 10,406                 | 95.3      | 9,826                  | 97.8      | 3 dose of DPT                           | 68.2 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 486                    | 4.7       | 392                    | 4.0       | Measles First dose                      | 71.5 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 10,382                 | 95.1      | 9,642                  | 96.0      | 3 doses of penta or hepatitis B vaccine | 66.4 |
| 30   | Children fully immunized   | 9,946                  | 118.5     | 10,054                 | 119.9     | Full Immunization                       | 62.5 |
| 31   | Children who have received BCG   | 11,279                 | 134.3     | 9,674                  | 115.4     |   |      |
| 32   | Children who have received Pentavalent 1   | 11,243                 | 133.9     | 10,029                 | 119.6     |   |      |
| 33   | Children who have received Pentavalent 3   | 10,117                 | 120.5     | 9,773                  | 116.6     |   |      |



|  |  |                        |                        |                         |       |                           |      |
|--|--|------------------------|------------------------|-------------------------|-------|---------------------------|------|
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose        | 10,050                 | 119.7                  | 10,086                  | 120.3 |                           |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years | 11,567                 |                        | 9,650                   |       |                           |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                         |       |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> | <b>NFHS-5 (2019-20)</b> |       |                           |      |
| 36   | Number of Vasectomies performed                                    | 0                      |                        | 0                       |       | Total unmet need          | 25.8 |
| 37   | Number of Tubectomies performed                                    | 208                    |                        | 168                     |       | Spacing                   | 21.1 |
| 38   | Number of IUD insertion  | 221                    |                        | 228                     |       | Women using any method    | 26.3 |
| 39   | Number of IUD removals   | 129                    |                        | 160                     |       | Women using modern method | 15.3 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                         |       |                           |      |
| 40   | IPD cases per 10,000 population ***                                | 677                    |                        | 490                     |       |                           |      |
| 41   | General OPD cases per 10,000 population ***                        | 11566                  |                        | 9269                    |       |                           |      |
| 42   | Ayush OPD cases per 10,000 population ***                          | 1738                   |                        | 1573                    |       |                           |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                         |       |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>                                   | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                         |       |                           |      |
| 43   | Neonatal death within 24 hours                                     | 66                     |                        | 48                      |       |                           |      |
| 44   | Neonatal Deaths up to 4 weeks of birth                             | 77                     |                        | 79                      |       |                           |      |
| 45   | <b>Total Neonatal Death</b>  | <b>143</b>             |                        | <b>127</b>              |       |                           |      |
| 46   | Deaths between (1 - 11) months                                     | 107                    |                        | 142                     |       |                           |      |
| 47   | <b>Total reported infant deaths</b>                                | <b>250</b>             |                        | <b>269</b>              |       |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |                        |                         |       |                           |      |
|  | <b>Maternal Deaths (In Number)</b>                                 | <b>HMIS ( 2019-20)</b> | <b>HMIS ( 2020-21)</b> |                         |       |                           |      |
| 48   | Due to Abortion  | 0                      |                        | 0                       |       |                           |      |
| 49   | Due to Obstructed/prolonged labour                                 | 0                      |                        | 2                       |       |                           |      |
| 50   | Due to Severe hypertension/fits                                    | 2                      |                        | 1                       |       |                           |      |
| 51   | Due to Bleeding  | 7                      |                        | 5                       |       |                           |      |
| 52   | Due to High fever  | 0                      |                        | 0                       |       |                           |      |
| 53   | Due to Other Causes (including causes not known)                   | 7                      |                        | 18                      |       |                           |      |
| 54   | <b>Total reported maternal deaths</b>                              | <b>16</b>              |                        | <b>26</b>               |       |                           |      |