

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	370					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	65					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	9					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	21,679		21,551			
11	Expected number of Delivery	19,944		19,827			
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	23,614	108.9	22,759	105.6	ANC Check up in first trimester	72.7
13	Mothers registered in the first trimester	17,764	75.2	17,578	77.2	At least 4ANC check up	58.0
14	Mothers who had 4 or more ANC check ups	13,490	57.1	13,929	61.2	Neonatal tetanus received	80.0
15	PW who got TT 2 / Booster injection	20,886	88.4	20,891	91.8	100 IFA tablets consumed	61.9
16	PW who consumed 180 IFA tablets	11,977	50.7	16,909	74.3	Home Delivery	14.2
17	Home Delivery against expected delivery *	2,236	11.2	2,603	13.1	Institutional Delivery	85.8
18	Institutional Delivery Against expected delivery *	18,492	92.7	17,554	88.5	Home Delivery by SBA	3.5
19	Reported Home Delivery **	2,236	10.8	2,603	12.9	PNC within 2days of delivery	68.0
20	Reported institutional Delivery **	18,492	89.2	17,554	87.1		
21	Total reported Deliveries	20,728		20,157			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	436		462			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,211		3,079			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	19,708		19,592			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	20,577		20,067		Breastfed within 1 hour of	60.1

						birth	
26	Total Still Birth	156	0.8	200	1.0	BCG	83.4
27	PC of newborn weighted at birth to live birth	19,821	96.3	19,308	96.2	3 dose of DPT	80.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,009	5.1	883	4.6	Measles First dose	80.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,687	95.7	19,446	96.9	3 doses of penta or hepatitis B vaccine	84.2
30	Children fully immunized	17,870	90.7	18,746	95.7	Full Immunization	72.5
31	Children who have received BCG	20,503	104.0	18,407	94.0		
32	Children who have received Pentavalent 1	20,678	104.9	20,372	104.0		
33	Children who have received Pentavalent 3	20,136	102.2	19,860	101.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,940	91.0	18,796	95.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10,577		7,310			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-2021)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.9
37	Number of Tubectomies performed	1,564	1,105	Spacing	12.8
38	Number of IUD insertion	1,554	1,132	Women using any method	31.2
39	Number of IUD removals	1,118	886	Women using modern method	30.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-2021)		
40	IPD cases per 10,000 population ***	674	525		
41	General OPD cases per 10,000 population ***	11775	9342		
42	Ayush OPD cases per 10,000 population ***	315	276		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)		
43	Neonatal death within 24 hours	42	69		
44	Neonatal Deaths up to 4 weeks of birth	156	166		
45	Total Neonatal Death	198	235		
46	Deaths between (1 - 11) months	171	199		
47	Total reported infant deaths	369	434		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	0	2		
51	Due to Bleeding	2	4		
52	Due to High fever	2	0		

53	Due to Other Causes (including causes not known)	9	15	
54	Total reported maternal deaths	14	22	

Aizawl Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	400,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	94					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	18					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	2					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	7,989	8,456				
11	Expected number of Delivery	7,350	7,780				
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,474	106.1	6,955	82.2	ANC Check up in first trimester	82.8
13	Mothers registered in the first trimester	6,887	81.3	5,847	84.1	At least 4ANC check up	68.5
14	Mothers who had 4 or more ANC check ups	7,016	82.8	6,127	88.1	Neonatal tetanus received	82.3
15	PW who got TT 2 / Booster injection	7,624	90.0	6,248	89.8	100 IFA tablets consumed	58.5
16	PW who consumed 180 IFA tablets	4,157	49.1	6,650	95.6	Home Delivery	2.6
17	Home Delivery against expected delivery *	20	0.3	32	0.4	Institutional Delivery	97.4
18	Institutional Delivery Against expected delivery *	9,486	129.1	7,824	100.6	Home Delivery by SBA	0.3
19	Reported Home Delivery **	20	0.2	32	0.4	PNC within 2days of delivery	73.4
20	Reported institutional Delivery **	9,486	99.8	7,824	99.6		
21	Total reported Deliveries	9,506		7,856			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	60.0	24	75.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	690	7.3	57	0.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,263		7,688			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		

25	Total reported live births	9,443	130.0	7,848	102.1	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	63	0.9	71	0.9	BCG	81.6
27	PC of newborn weighted at birth to live birth	9,276	98.2	7,839	99.9	3 dose of DPT	79.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	546	5.9	390	5.0	Measles First dose	77.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	9,216	97.6	7,775	99.1	3 doses of penta or hepatitis B vaccine	76.4
30	Children fully immunized	6,994	96.3	6,733	87.6	Full Immunization	66.4
31	Children who have received BCG	8,035	110.6	5,875	76.4		
32	Children who have received Pentavalent 1	7,643	105.2	6,748	87.8		
33	Children who have received Pentavalent 3	7,752	106.7	6,839	89.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,993	96.3	6,723	87.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,805		1,466			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-2021)	NFSH-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	24
37	Number of Tubectomies performed	968	577	Spacing	14
38	Number of IUD insertion	679	399	Women using any method	21.6
39	Number of IUD removals	526	357	Women using modern method	21
F) Service delivery		HMIS (2019-20)	HMIS (2020-2021)		
40	IPD cases per 10,000 population ***	856	504		
41	General OPD cases per 10,000 population ***	16734	10352		
42	Ayush OPD cases per 10,000 population ***	271	186		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)		
43	Neonatal death within 24 hours	13	43		
44	Neonatal Deaths up to 4 weeks of birth	75	92		
45	Total Neonatal Death	88	135		
46	Deaths between (1 - 11) months	54	41		
47	Total reported infant deaths	142	176		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-2021)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	9		

54	Total reported maternal deaths	3	10	
----	--------------------------------	---	----	--

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	125,745						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	59						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	11						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	2,361	1,313					
11	Expected number of Delivery	2,173	1,208					
		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (20119-20)			
		Number	PC	Number	PC			
12	PW register for ANC	2,742	116.1	1,664	126.8	ANC Check up in first trimester	80.0	
13	Mothers registered in the first trimester	2,357	86.0	1,392	83.7	At least 4ANC check up	63.4	
14	Mothers who had 4 or more ANC check ups	1,287	46.9	967	58.1	Neonatal tetanus received	85.9	
15	PW who got TT 2 / Booster injection	2,408	87.8	1,461	87.8	100 IFA tablets consumed	74.3	
16	PW who consumed 180 IFA tablets	1,327	48.4	1,084	65.1	Home Delivery	3.3	
17	Home Delivery against expected delivery *	64	2.9	43	3.6	Institutional Delivery	96.7	
18	Institutional Delivery Against expected delivery *	1,848	85.1	1,530	126.7	Home Delivery by SBA	1.6	
19	Reported Home Delivery **	64	3.3	43	2.7	PNC within 2days of delivery	72.3	
20	Reported institutional Delivery **	1,848	96.7	1,530	97.3			
21	Total reported Deliveries	1,912		1,573				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	25.0	14	32.6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	36	2.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	2,147		1,193				
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (20119-20)			

		Number	PC	Number	PC		
25	Total reported live births	1,897	88.4	1,549	129.8	Breastfed within 1 hour of birth	70.7
26	Total Still Birth	16	0.7	24	2.0	BCG	97.6
27	PC of newborn weighted at birth to live birth	1,878	99.0	1,545	99.7	3 dose of DPT	90.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	6.3	109	7.1	Measles First dose	92.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,749	92.2	1,536	99.2	3 doses of penta or hepatitis B vaccine	71.4
30	Children fully immunized	2,196	102.3	1,374	115.1	Full Immunization	85.3
31	Children who have received BCG	2,117	98.6	1,617	135.5		
32	Children who have received Pentavalent 1	2,338	108.9	1,494	125.2		
33	Children who have received Pentavalent 3	2,307	107.5	1,426	119.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,191	102.1	1,379	115.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,272		419			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-2021)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	11.2
37	Number of Tubectomies performed	65	67	Spacing	8.3
38	Number of IUD insertion	259	149	Women using any method	50
39	Number of IUD removals	216	151	Women using modern method	49.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-2021)		
40	IPD cases per 10,000 population ***	567	711		
41	General OPD cases per 10,000 population ***	7348	8258		
42	Ayush OPD cases per 10,000 population ***	420	170		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)		
43	Neonatal death within 24 hours	5	6		
44	Neonatal Deaths up to 4 weeks of birth	9	15		
45	Total Neonatal Death	14	21		
46	Deaths between (1 - 11) months	26	16		
47	Total reported infant deaths	40	37		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	3	0	
54	Total reported maternal deaths	3	0	

Hnahthial Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centers (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	NA		418			
11	Expected number of Delivery	NA		385			
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	369	88.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	291	78.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	278	75.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	345	93.5	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	327	88.6	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	36	9.4	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	NA	NA	280	72.8	Home Delivery by SBA	NA
19	Reported Home Delivery **	NA	NA	36	11.4	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	280	88.6		
21	Total reported Deliveries	NA		316			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	24	66.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	68	21.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		380			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	316	83.2	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	307	97.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	12	3.9	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	299	94.6	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	374	98.4	Full Immunization	NA
31	Children who have received BCG	NA	NA	298	78.4		
32	Children who have received Pentavalent 1	NA	NA	363	95.5		
33	Children who have received Pentavalent 3	NA	NA	399	105.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	348	91.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		137			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		2		Spacing	NA
38	Number of IUD insertion	NA		13		Women using any method	NA
39	Number of IUD removals	NA		11		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	NA		539			
41	General OPD cases per 10,000 population ***	NA		12988			
42	Ayush OPD cases per 10,000 population ***	NA		583			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	NA		0			
44	Neonatal Deaths up to 4 weeks of birth	NA		2			
45	Total Neonatal Death	0		2			
46	Deaths between (1 - 11) months	NA		0			
47	Total reported infant deaths	0		2			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-2021)			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
48	Due to Abortion	NA		0			
49	Due to Obstructed/prolonged labour	NA		0			
50	Due to Severe hypertension/fits	NA		0			
51	Due to Bleeding	NA		1			

52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	1	

Khawzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centers (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	704				
11	Expected number of Delivery	NA	648				
		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	729	103.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	630	86.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	402	55.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	641	87.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	497	68.2	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	12	1.9	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	NA	NA	371	57.3	Home Delivery by SBA	NA
19	Reported Home Delivery **	NA	NA	12	3.1	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	371	96.9		
21	Total reported Deliveries	NA		383			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	3	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	101	26.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		640			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	381	59.5	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	2	0.3	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	379	99.5	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	10	2.6	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	375	98.4	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	656	102.4	Full Immunization	NA
31	Children who have received BCG	NA	NA	443	69.2		
32	Children who have received Pentavalent 1	NA	NA	641	100.1		
33	Children who have received Pentavalent 3	NA	NA	655	102.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	657	102.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		340			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		1		Spacing	NA
38	Number of IUD insertion	NA		51		Women using any method	NA
39	Number of IUD removals	NA		48		Women using modern method	NA

F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	NA		295			
41	General OPD cases per 10,000 population ***	NA		6545			
42	Ayush OPD cases per 10,000 population ***	NA		799			

G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	NA		0			
44	Neonatal Deaths up to 4 weeks of birth	NA		2			
45	Total Neonatal Death	0		2			
46	Deaths between (1 - 11) months	NA		4			
47	Total reported infant deaths	0		6			

II) Maternal Mortality

Maternal Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-2021)			
48	Due to Abortion	NA		0			
49	Due to Obstructed/prolonged labour	NA		0			

50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	1	
54	Total reported maternal deaths	0	1	

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	83,955						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	26						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	5						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	1,700	1,486					
11	Expected number of Delivery	1,564	1,367					
		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (2019-20)			
		Number	PC	Number	PC			
12	PW register for ANC	1,918	112.8	1,886	126.9	ANC Check up in first trimester	72.7	
13	Mothers registered in the first trimester	1,511	78.8	1,475	78.2	At least 4ANC check up	66.0	
14	Mothers who had 4 or more ANC check ups	1,079	56.3	1,069	56.7	Neonatal tetanus received	76.4	
15	PW who got TT 2 / Booster injection	1,701	88.7	1,718	91.1	100 IFA tablets consumed	67.7	
16	PW who consumed 180 IFA tablets	1,019	53.1	1,071	56.8	Home Delivery	8.6	
17	Home Delivery against expected delivery *	71	4.5	64	4.7	Institutional Delivery	91.4	
18	Institutional Delivery Against expected delivery *	1,141	73.0	1,226	89.7	Home Delivery by SBA	2.7	
19	Reported Home Delivery **	71	5.9	64	5.0	PNC within 2days of delivery	71.5	
20	Reported institutional Delivery **	1,141	94.1	1,226	95.0			
21	Total reported Deliveries	1,212		1,290				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	40.8	32	50.0			

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	856	70.6	992	76.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,545		1,351			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,208	78.2	1,276	94.5	Breastfed within 1 hour of birth	63
26	Total Still Birth	10	0.6	14	1.0	BCG	88.1
27	PC of newborn weighted at birth to live birth	1,205	99.8	1,277	100.1	3 dose of DPT	85.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	86	7.1	74	5.8	Measles First dose	83.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,202	99.5	1,276	100.0	3 doses of penta or hepatitis B vaccine	90.5
30	Children fully immunized	1,356	87.7	1,373	101.7	Full Immunization	80.4
31	Children who have received BCG	1,410	91.2	1,339	99.1		
32	Children who have received Pentavalent 1	1,536	99.4	1,555	115.1		
33	Children who have received Pentavalent 3	1,467	94.9	1,457	107.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,356	87.7	1,363	100.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,867		1,649			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.6
37	Number of Tubectomies performed	216		99		Spacing	11.7
38	Number of IUD insertion	50		36		Women using any method	38.1
39	Number of IUD removals	62		37		Women using modern method	37.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	604		633			
41	General OPD cases per 10,000 population ***	9064		8656			
42	Ayush OPD cases per 10,000 population ***	466		385			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	7		0			
44	Neonatal Deaths up to 4 weeks of birth	13		4			
45	Total Neonatal Death	20		4			
46	Deaths between (1 - 11) months	19		17			
47	Total reported infant deaths	39		21			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	1	
54	Total reported maternal deaths	0	2	

Lawngtlai Factsheet							
<u>Key Indicators</u>							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	2,543	2,247				
11	Expected number of Delivery	2,340	2,068				
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,926	115.0	3,042	135.4	ANC Check up in first trimester	51.5
13	Mothers registered in the first trimester	1,450	49.6	1,684	55.4	At least 4ANC check up	33.0
14	Mothers who had 4 or more ANC check ups	661	22.6	809	26.6	Neonatal tetanus received	72.3
15	PW who got TT 2 / Booster injection	2,240	76.6	2,367	77.8	100 IFA tablets consumed	50.7
16	PW who consumed 180 IFA tablets	1,589	54.3	1,668	54.8	Home Delivery	46.3
17	Home Delivery against expected delivery *	886	37.9	1,159	56.1	Institutional Delivery	53.7
18	Institutional Delivery Against expected delivery *	1,208	51.6	1,221	59.1	Home Delivery by SBA	9.3
19	Reported Home Delivery **	886	42.3	1,159	48.7	PNC within 2days of delivery	46.2
20	Reported institutional Delivery **	1,208	57.7	1,221	51.3		
21	Total reported Deliveries	2,094		2,380			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	81	9.1	82	7.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	246	11.7	473	19.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,312		2,043			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,067	89.4	2,377	116.3	Breastfed within 1 hour of birth	60.9
26	Total Still Birth	24	1.0	30	1.5	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,710	82.7	1,775	74.7	3 dose of DPT	74.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.0	61	3.4	Measles First dose	76.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,896	91.7	2,166	91.1	3 doses of penta or hepatitis B vaccine	79.9
30	Children fully immunized	1,698	73.4	1,882	92.1	Full Immunization	70.2
31	Children who have received BCG	2,525	109.2	2,461	120.5		
32	Children who have received Pentavalent 1	2,625	113.5	2,663	130.3		
33	Children who have received Pentavalent 3	2,358	102.0	2,408	117.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,767	76.4	1,935	94.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,384		1,090			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	53		34		Spacing	13
38	Number of IUD insertion	78		77		Women using any method	29.7
39	Number of IUD removals	60		69		Women using modern method	29.1
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	457		448			
41	General OPD cases per 10,000 population ***	6770		6566			
42	Ayush OPD cases per 10,000 population ***	44		113			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	3		1			
44	Neonatal Deaths up to 4 weeks of birth	16		17			
45	Total Neonatal Death	19		18			
46	Deaths between (1 - 11) months	23		45			
47	Total reported infant deaths	42		63			

II) Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-2021)
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	1		1
50	Due to Severe hypertension/fits	0		1
51	Due to Bleeding	0		0
52	Due to High fever	0		0
53	Due to Other Causes (including causes not known)	1		0
54	Total reported maternal deaths	2		2

Lunglei Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,937		2,179			
11	Expected number of Delivery	2,702		2,005			
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,922	99.5	2,379	109.2	ANC Check up in first trimester	68.8
13	Mothers registered in the first trimester	2,039	69.8	1,697	71.3	At least 4ANC check up	56.7
14	Mothers who had 4 or more ANC check ups	1,414	48.4	1,142	48.0	Neonatal tetanus received	79.9
15	PW who got TT 2 / Booster injection	2,991	102.4	3,148	132.3	100 IFA tablets consumed	64.7
16	PW who consumed 180 IFA tablets	1,451	49.7	1,559	65.5	Home Delivery	17.3
17	Home Delivery against expected delivery *	490	18.1	486	24.2	Institutional Delivery	82.7
18	Institutional Delivery Against expected delivery *	2,150	79.6	1,850	92.3	Home Delivery by SBA	3.9
19	Reported Home Delivery **	490	18.6	486	20.8	PNC within 2days of delivery	67.1
20	Reported institutional Delivery **	2,150	81.4	1,850	79.2		

21	Total reported Deliveries	2,640		2,336			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	22.4	82	16.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	45.0	990	42.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,670		1,981			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,623	98.2	2,316	116.9	Breastfed within 1 hour of birth	63.8
26	Total Still Birth	13	0.5	30	1.5	BCG	79.3
27	PC of newborn weighted at birth to live birth	2,508	95.6	2,287	98.7	3 dose of DPT	85
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	82	3.3	94	4.1	Measles First dose	85
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,371	90.4	2,105	90.9	3 doses of penta or hepatitis B vaccine	72.6
30	Children fully immunized	2,253	84.4	1,813	91.5	Full Immunization	73.8
31	Children who have received BCG	2,631	98.5	2,163	109.2		
32	Children who have received Pentavalent 1	2,538	95.1	2,084	105.2		
33	Children who have received Pentavalent 3	2,486	93.1	1,972	99.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,255	84.5	1,842	93.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	729		315			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	120		156		Spacing	12.5
38	Number of IUD insertion	159		87		Women using any method	33
39	Number of IUD removals	85		34		Women using modern method	33
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	724		629			
41	General OPD cases per 10,000 population ***	12826		11258			
42	Ayush OPD cases per 10,000 population ***	437		259			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	7		4			
44	Neonatal Deaths up to 4 weeks of birth	21		13			
45	Total Neonatal Death	28		17			
46	Deaths between (1 - 11) months	15		27			

47	Total reported infant deaths	43	44	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	2	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	2	1	
54	Total reported maternal deaths	3	3	

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	33					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,900	1,634				
11	Expected number of Delivery	1,748	1,503				
		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	1,970	103.7	2,196	134.4	ANC Check up in first trimester	64.5
13	Mothers registered in the first trimester	1,338	67.9	1,615	73.5	At least 4ANC check up	52.5
14	Mothers who had 4 or more ANC check ups	906	46.0	1,112	50.6	Neonatal tetanus received	80.7
15	PW who got TT 2 / Booster injection	1,645	83.5	1,803	82.1	100 IFA tablets consumed	68.8
16	PW who consumed 180 IFA tablets	1,163	59.0	1,621	73.8	Home Delivery	25.0
17	Home Delivery against expected delivery *	445	25.5	502	33.4	Institutional Delivery	75.0
18	Institutional Delivery Against expected delivery *	848	48.5	949	63.1	Home Delivery by SBA	7.1
19	Reported Home Delivery **	445	34.4	502	34.6	PNC within 2days of delivery	63.9

20	Reported institutional Delivery **	848	65.6	949	65.4		
21	Total reported Deliveries	1,293		1,451			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	22.5	154	30.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	188	14.5	207	14.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,727		1,485			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,277	73.9	1,436	96.7	Breastfed within 1 hour of birth	56.8
26	Total Still Birth	16	0.9	15	1.0	BCG	98.5
27	PC of newborn weighted at birth to live birth	1,182	92.6	1,338	93.2	3 dose of DPT	95.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	3.8	42	3.1	Measles First dose	95.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,219	95.5	1,369	95.3	3 doses of penta or hepatitis B vaccine	85
30	Children fully immunized	1,359	78.7	1,558	104.9	Full Immunization	85.9
31	Children who have received BCG	1,602	92.8	1,436	96.7		
32	Children who have received Pentavalent 1	1,746	101.1	1,708	115.0		
33	Children who have received Pentavalent 3	1,570	90.9	1,617	108.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,364	79.0	1,564	105.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,322		924			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	17
37	Number of Tubectomies performed	20		29		Spacing	14
38	Number of IUD insertion	59		49		Women using any method	41.6
39	Number of IUD removals	41		56		Women using modern method	41.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	405		381			
41	General OPD cases per 10,000 population ***	6971		8932			
42	Ayush OPD cases per 10,000 population ***	156		116			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			
43	Neonatal death within 24 hours	4		7			
44	Neonatal Deaths up to 4 weeks of birth	3		3			

45	Total Neonatal Death	7	10	
46	Deaths between (1 - 11) months	9	13	
47	Total reported infant deaths	16	23	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	0	

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	24					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,091		1,113			
11	Expected number of Delivery	1,004		1,024			
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,481	135.7	1,526	137.2	ANC Check up in first trimester	60.7
13	Mothers registered in the first trimester	1,209	81.6	1,302	85.3	At least 4ANC check up	35.5
14	Mothers who had 4 or more ANC check ups	697	47.1	976	64.0	Neonatal tetanus received	72.6
15	PW who got TT 2 / Booster injection	1,265	85.4	1,395	91.4	100 IFA tablets consumed	51.4
16	PW who consumed 180 IFA tablets	1,009	68.1	1,041	68.2	Home Delivery	26.2
17	Home Delivery against expected delivery *	245	24.4	239	23.4	Institutional Delivery	73.8
18	Institutional Delivery Against expected delivery *	1,148	114.4	1,062	103.8	Home Delivery by SBA	10.0

19	Reported Home Delivery **	245	17.6	239	18.4	PNC within 2days of delivery	59.6
20	Reported institutional Delivery **	1,148	82.4	1,062	81.6		
21	Total reported Deliveries	1,393		1,301			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	29.8	28	11.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44	3.2	58	4.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	992		1,011			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,388	139.9	1,300	128.5	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	10	1.0	11	1.1	BCG	69.9
27	PC of newborn weighted at birth to live birth	1,388	100.0	1,300	100.0	3 dose of DPT	60.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	43	3.1	40	3.1	Measles First dose	65.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,364	98.3	1,300	100.0	3 doses of penta or hepatitis B vaccine	91.1
30	Children fully immunized	1,097	110.6	1,220	120.6	Full Immunization	60.3
31	Children who have received BCG	1,294	130.4	1,354	133.9		
32	Children who have received Pentavalent 1	1,234	124.4	1,351	133.6		
33	Children who have received Pentavalent 3	1,188	119.8	1,330	131.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,097	110.6	1,220	120.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	511		304			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	22.5
37	Number of Tubectomies performed	101		121		Spacing	15.2
38	Number of IUD insertion	217		191		Women using any method	22.6
39	Number of IUD removals	58		51		Women using modern method	21.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	540		500			
41	General OPD cases per 10,000 population ***	8128		7253			
42	Ayush OPD cases per 10,000 population ***	410		320			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-2021)			

43	Neonatal death within 24 hours	0	1	
44	Neonatal Deaths up to 4 weeks of birth	16	11	
45	Total Neonatal Death	16	12	
46	Deaths between (1 - 11) months	25	27	
47	Total reported infant deaths	41	39	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	2	
54	Total reported maternal deaths	1	2	

Saitual Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centers (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	NA	907				
11	Expected number of Delivery	NA	835				
		HMIS (2019-20)	HMIS (2020-2021)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	825	90.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	700	84.8	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	504	61.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	732	88.7	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	706	85.6	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	8	1.0	Institutional Delivery	NA

18	Institutional Delivery Against expected delivery *	NA	NA	540	64.7	Home Delivery by SBA	NA
19	Reported Home Delivery **	NA	NA	8	1.5	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	540	98.5		
21	Total reported Deliveries	NA		548			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	81	14.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		825			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	546	66.2	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	2	0.2	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	544	99.6	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	24	4.4	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	537	98.4	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	753	91.3	Full Immunization	NA
31	Children who have received BCG	NA	NA	566	68.6		
32	Children who have received Pentavalent 1	NA	NA	761	92.3		
33	Children who have received Pentavalent 3	NA	NA	732	88.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	755	91.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		291			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		26		Women using any method	NA
39	Number of IUD removals	NA		26		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	NA		494			
41	General OPD cases per 10,000 population ***	NA		6911			
42	Ayush OPD cases per 10,000 population ***	NA		320			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
43	Neonatal death within 24 hours	NA	2	
44	Neonatal Deaths up to 4 weeks of birth	NA	3	
45	Total Neonatal Death	0	5	
46	Deaths between (1 - 11) months	NA	6	
47	Total reported infant deaths	0	11	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,247	1,093				
11	Expected number of Delivery	1,147	1,005				
		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,181	94.7	1,188	108.7	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	973	82.4	945	79.5	At least 4ANC check up	60.3
14	Mothers who had 4 or more ANC check ups	430	36.4	543	45.7	Neonatal tetanus received	85.1
15	PW who got TT 2 / Booster injection	1,012	85.7	1,033	87.0	100 IFA tablets consumed	73.0
16	PW who consumed 180 IFA tablets	262	22.2	685	57.7	Home Delivery	3.8

17	Home Delivery against expected delivery *	15	1.3	22	2.2	Institutional Delivery	96.2
18	Institutional Delivery Against expected delivery *	663	57.8	701	69.7	Home Delivery by SBA	0.6
19	Reported Home Delivery **	15	2.2	22	3.0	PNC within 2days of delivery	86.2
20	Reported institutional Delivery **	663	97.8	701	97.0		
21	Total reported Deliveries	678		723			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	100.0	17	77.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	16	2.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,133		994			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	674	59.5	722	72.7	Breastfed within 1 hour of birth	58.8
26	Total Still Birth	4	0.4	1	0.1	BCG	89.8
27	PC of newborn weighted at birth to live birth	674	100.0	717	99.3	3 dose of DPT	84.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	3.0	27	3.8	Measles First dose	85.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	670	99.4	708	98.1	3 doses of penta or hepatitis B vaccine	58.2
30	Children fully immunized	917	80.9	1,010	101.7	Full Immunization	84.7
31	Children who have received BCG	889	78.4	855	86.1		
32	Children who have received Pentavalent 1	1,018	89.8	1,004	101.1		
33	Children who have received Pentavalent 3	1,008	88.9	1,025	103.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	917	80.9	1,010	101.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	687		375			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-2021)		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.9
37	Number of Tubectomies performed	21		19		Spacing	11.8
38	Number of IUD insertion	53		54		Women using any method	40
39	Number of IUD removals	70		46		Women using modern method	39.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-2021)			
40	IPD cases per 10,000 population ***	608		642			
41	General OPD cases per 10,000 population ***	9451		9903			

42	Ayush OPD cases per 10,000 population ***	602	1004	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
43	Neonatal death within 24 hours	3	5	
44	Neonatal Deaths up to 4 weeks of birth	3	4	
45	Total Neonatal Death	6	9	
46	Deaths between (1 - 11) months	0	3	
47	Total reported infant deaths	6	12	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-2021)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	0	1	
54	Total reported maternal deaths	1	1	