	Nagaland	Factshee	t				
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,978,502					
2	Sex Ratio	931					
-	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	397					
4	Sub Centers (SC)- HWC	56					
5	Primary Health Centers (PHC) Primary Health Centers (PHC)-HWC	126					
6 7	Community Health Centers (CHC)	5 21					
8	SDH	0					
9	DH	11					
	Maternal Health:	2011-	12	2011-	-12		
10	Expected number of PW	37,43		37,4			
11	•	34,43		34,4			
	Expected number of Delivery	HMIS (201		HMIS (20		NFHS-5 (2019-20)	
		Number	PC	Number	PC	111110 0 (2017	
12	PW register for ANC	39,442	105.4	33,105	88.4	ANC Check up in first trimester	49.5
13	Mothers registered in the first trimester	10,777	27.3	9,118	27.5	At least 4ANC check up	20.7
14	Mothers who had 4 or more ANC check ups	9,052	23.0	5,124	15.5	Neonatal tetanus received	81.3
15	PW who got TT 2 / Booster injection	15,984	40.5	13,459	40.7	100 IFA tablets consumed	10.2
16	PW who consumed 180 IFA tablets	9,070	23.0	12,473	37.7	Home Delivery	54.3
17	Home Delivery against expected delivery *	3,668	10.7	3,937	11.4		45.7
18	Institutional Delivery against expected delivery *	17,107	49.7	12,536	36.4	Home Delivery by SBA	10.4
19	Home Delivery against reported delivery **	3,668	17.7	3,937	23.9	PNC within 2days of delivery	43.9
20	Institutional Delivery against reported delivery **	17,107	82.3	12,536	60.3	Zadys of delivery	70.0
21	Total reported Deliveries	20,775		16,473			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,014	54.9	2,354	59.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,300	40.0	8,343	50.6		
	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the su		nant Wome	n registered fo	r ANC durin	g the period and in NFSH-5	is with
24	Expected number of Live Birth	34,030		34,030			
D) C	child Immunization :	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
,		Number	PC	Number	PC	(2017 20)	
25	Total reported live births	20,574	60.5	16,263	47.8	Breastfed within 1 hour of birth	57.9
26	Total Still Birth	306	0.9	284	8.0	BCG	85.5

27	PC of newborn weighted at birth to live birth	20,227	98.3	15,746	96.8	3 dose of DPT	71.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	896	4.4	601	3.8	Measles First dose	73.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,703	81.2	13,863	85.2	3 doses of penta or hepatitis B vaccine	66.4
30	Children fully immunized	16,291	47.9	15,897	46.7	Full Immunization	57.9
31	Children who have received BCG	22,701	66.7	20,941	61.5		
32	Children who have received Pentavalent 1	23,433	68.9	21,380	62.8		
33	Children who have received Pentavalent 3	20,710	60.9	18,628	54.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,806	52.3	16,942	49.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,776		2,124			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	3	1	Total unmet need	9.1
37	Number of Tubectomies performed	1,349	639	Spacing	4.5
38	Number of IUD insertion	3,846	2,814	Women using any method	57.4
39	Number of IUD removals	1,484	1,327	Women using modern method	45.3
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	521	252		
41	General OPD cases per 10,000 population ***	6242	4713		
42	Ayush OPD cases per 10,000 population ***	160	80		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	38	31		
44	Neonatal Deaths up to 4 weeks of birth	72	64		
45	Total Neonatal Death	110	95		
46	Deaths between (1 - 11) months	64	41		
47	Total reported infant deaths	174	136		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	2	0		
50	Due to Severe hypertension/fits	5	2		
51	Due to Bleeding	7	5		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	7	13		
54	Total reported maternal deaths	22	20		

	Dimapur	Factshee	et				
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-	12	2011	-12		
10	Expected number of PW	7,16	7	7,16	6 7		
11	Expected number of Delivery	6,59	6,594		94		
		HMIS (201	19-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
12	PW register for ANC	20,265	282.8	14,530	202.7	ANC Check up in first trimester	71.4
13	Mothers registered in the first trimester	6,021	29.7	4,586	31.6	At least 4ANC check up	50.1
14	Mothers who had 4 or more ANC check ups	3,912	19.3	2,170	14.9	Neonatal tetanus received	86.4
15	PW who got TT 2 / Booster injection	6,116	30.2	4,146	28.5	100 IFA tablets consumed	14.9
16	PW who consumed 180 IFA tablets	2,659	13.1	4,091	28.2	Home Delivery	26.3
17	Home Delivery against expected delivery	446	6.8	426	6.5	Institutional Delivery	73.7
18	Institutional Delivery against expected delivery *	7,468	113.3	4,640	70.4	Home Delivery by SBA	9.4
19	Home Delivery against reported delivery **	446	5.6	426	9.1	PNC within	69.7
20	Institutional Delivery against reported delivery **	7,468	94.4	4,640	89.7	2days of delivery	68.7
21	Total reported Deliveries	7,400	7 1. 1	5,066	00.7		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	261	58.5	243	57.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,310	29.2	2,313	45.7		
	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the su	number of Preg	nant Wome			ng the period and in NFSH-5	is with
24	Expected number of Live Birth			0.510			
		6,516	10.20	6,516	20.21	NEUC E (2010	20)
D) (hild Immunization :	HMIS (201		HMIS (20		NFHS-5 (2019-	20)
		Number	PC	Number	PC		

25	Total reported live births	7,798	119.7	4,985	76.5	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	167	2.6	133	2.0	BCG	-85.1
27	PC of newborn weighted at birth to live birth	7,745	99.3	4,798	96.2	3 dose of DPT	-73.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	503	6.5	358	7.5	Measles First dose	-74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,640	72.3	3,759	75.4	3 doses of penta or hepatitis B vaccine	-71.1
30	Children fully immunized	4,029	61.8	3,920	60.2	Full Immunization	-55.9
31	Children who have received BCG	7,295	112.0	6,458	99.1		
32	Children who have received Pentavalent 1	7,583	116.4	6,323	97.0		
33	Children who have received Pentavalent 3	6,099	93.6	5,202	79.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,902	75.2	4,582	70.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,954		526			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	3	1	Total unmet need	14.3
37	Number of Tubectomies performed	383	233	Spacing	5.8
38	Number of IUD insertion	339	137	Women using any method	46.9
39	Number of IUD removals	377	124	Women using modern method	38.4
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	1657	630		
41	General OPD cases per 10,000 population ***	13435	8329		
42	Ayush OPD cases per 10,000 population ***	186	73		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	21	6		
44	Neonatal Deaths up to 4 weeks of birth	25	27		
45	Total Neonatal Death	46	33		
46	Deaths between (1 - 11) months	40	22		
47	Total reported infant deaths	86	55		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
F2	Due to Other Causes (including causes	2	0		
53	not known)	3	9		
54	Total reported maternal deaths	8	10		

	Kiphrie	Factshee	t				
Kev	Indicators Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) IV	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	1,400)	1,40	00		
11	Expected number of Delivery	1,288	}	1,288			
	Exposion named of Bolivery	HMIS (2019-20) H		HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC	`	<u> </u>
12	PW register for ANC	1,053	75.2	1,030	73.6	ANC Check up in first trimester	27.2
13	Mothers registered in the first trimester	291	27.6	330	32.0	At least 4ANC check up	5.8
14	Mothers who had 4 or more ANC check	324	30.8			Neonatal tetanus	
	ups	324	30.8	355	34.5	received 100 IFA tablets	63
15	PW who got TT 2 / Booster injection	739	70.2	747	72.5	consumed	1.6
16	PW who consumed 180 IFA tablets	327	31.1	430	41.7	Home Delivery	65.2
17	Home Delivery against expected delivery	188	14.6	168	13.0	Institutional Delivery	34.8
18	Institutional Delivery against expected					Home Delivery	34.0
10	delivery *	545	42.3	544	42.2	by SBA	11.9
19	Home Delivery against reported delivery **	188	25.6	168	23.6	PNC within 2days of delivery	31.9
20	Institutional Delivery against reported delivery **	545	74.4	544	62.2	244,700.40.110.1	0.10
21	Total reported Deliveries	733		712			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	30.9	48	28.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	460	62.8	439	61.7	the posied and in NICCU.	io suist.
	In case of HMIS data, Percentage is with reference to total women who had last births in the 5 years before the su		iant Wome	en registered fo	OF AINC GURIT	ig the period and in NFSH-5	is with

D) 0	D) Child Immunization :		S (2019-20) HMIS (2020-2		20-21)	NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	727	57.1	703	55.2	Breastfed within 1 hour of birth	55.5
26	Total Still Birth	5	0.4	11	0.9	BCG	82.1
27	PC of newborn weighted at birth to live birth	723	99.4	700	99.6	3 dose of DPT	60.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.9	9	1.3	Measles First dose	66.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	721	99.2	702	99.9	3 doses of penta or hepatitis B vaccine	49.3
30	Children fully immunized	792	62.2	770	60.5	Full Immunization	42.8
31	Children who have received BCG	961	75.5	921	72.4		
32	Children who have received Pentavalent 1	1,043	81.9	927	72.8		
33	Children who have received Pentavalent 3	980	77.0	878	69.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	840	66.0	855	67.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	308		283			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-	20)
36	Number of Vasectomies performed	0	0	Total unmet need	17.3
37	Number of Tubectomies performed	38	2	Spacing	10.2
38	Number of IUD insertion	217	249	Women using any method	42.5
39	Number of IUD removals	88	137	Women using modern method	32.7
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	188	153		
41	General OPD cases per 10,000 population ***	5377	4971		
42	Ayush OPD cases per 10,000 population ***	181	77		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	6	6		
44	Neonatal Deaths up to 4 weeks of birth	5	4		
45	Total Neonatal Death	11	10		
46	Deaths between (1 - 11) months	5	4		
47	Total reported infant deaths	16	14		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	2		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	1	3
54	Total reported maternal deaths	1	5

	Kohima	Factshee	t				
Kev	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	40					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	14					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) N	C) Maternal Health:		2	2011	-12		
10	Expected number of PW	5,070)	5,070			
11	Expected number of Delivery	4,665	,	4,665			
		HMIS (201	9-20)	HMIS (2020-21)		NFHS-5 (2019-	20)
		Number	PC	Number	PC		
12	PW register for ANC	3,723	73.4	3,147	62.1	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	867	23.3	586	18.6	At least 4ANC check up	28.3
14	Mothers who had 4 or more ANC check ups	2,881	77.4	666	21.2	Neonatal tetanus received	94.3
15	PW who got TT 2 / Booster injection	1,408	37.8	1,074	34.1	100 IFA tablets consumed	17.2
16	PW who consumed 180 IFA tablets	1,210	32.5	1,163	37.0	Home Delivery	33.1
17	Home Delivery against expected delivery *	137	2.9	122	2.6	Institutional Delivery	66.9
18	Institutional Delivery against expected delivery *	2,652	56.9	1,898	40.7	Home Delivery by SBA	12.2
19	Home Delivery against reported delivery **	137	4.9	122	6.0	PNC within 2days of delivery	58.9
20	Institutional Delivery against reported delivery **	2,652	95.1	1,898	78.3		
21	Total reported Deliveries	2,789		2,020			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	57.7	61	50.0		

	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries In case of HMIS data, Percentage is with reference to total women who had last births in the 5 years before the su		32.4 nant Wome	525 en registered fo	26.0 or ANC durin	ng the period and in NFSH-5	is with
24	Expected number of Live Birth	4,609		4,609			
D) 0	child Immunization :	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
25	Total reported live births	2,748	59.6	1,999	43.4	Breastfed within 1 hour of birth	60.3
26	Total Still Birth	41	0.9	22	0.5	BCG	-100
27	PC of newborn weighted at birth to live birth	2,683	97.6	1,902	95.1	3 dose of DPT	-88.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	235	8.8	117	6.2	Measles First dose	-86.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,488	54.1	1,299	65.0	3 doses of penta or hepatitis B vaccine	-88.7
30	Children fully immunized	2,678	58.1	2,081	45.1	Full Immunization	-82.8
31	Children who have received BCG	3,188	69.2	2,564	55.6		
32	Children who have received Pentavalent 1	3,015	65.4	2,451	53.2		
33	Children who have received Pentavalent 3	2,783	60.4	2,343	50.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,735	59.3	2,180	47.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	620		198			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)		
36	Number of Vasectomies performed	0	0	Total unmet need	9.1	
37	Number of Tubectomies performed	156	91	Spacing	7.2	
38	Number of IUD insertion	910	502	Women using any method	60.7	
39	Number of IUD removals	206	176	Women using modern method	46.7	
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)			
40	IPD cases per 10,000 population ***	407	282			
41	General OPD cases per 10,000 population ***	9231	5326			
42	Ayush OPD cases per 10,000 population ***	118	18			
G) N	Nortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			
43	Neonatal death within 24 hours	2	2			
44	Neonatal Deaths up to 4 weeks of birth	23	10			
45	Total Neonatal Death	25	12			
46	Deaths between (1 - 11) months	10	5			
47	Total reported infant deaths	35	17			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	Total reported maternal deaths	5	1	

	Longleng	Factshee	t					
Key	<u>Indicators</u>							
SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	50,484						
2	Sex Ratio	903						
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers						
3	Sub Centers (SC)	8						
4	Sub Centers (SC)- HWC	3						
5	Primary Health Centers (PHC)	3						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	0						
8	SDH	0						
9	DH	1						
C) N	Maternal Health:	2011-1	2	2011	-12			
10	Expected number of PW	955		955	5			
11	Expected number of Delivery	879		879				
		HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	5 (2019-20)	
		Number	PC	Number	PC			
12	PW register for ANC	685	71.7	670	70.1	ANC Check up in first trimester	42.3	
13	Mothers registered in the first trimester	194	28.3	179	26.7	At least 4ANC check up	15.4	
14	Mothers who had 4 or more ANC check ups	133	19.4	141	21.0	Neonatal tetanus received	75.5	
15	PW who got TT 2 / Booster injection	300	43.8	352	52.5	100 IFA tablets consumed	2.6	
16	PW who consumed 180 IFA tablets	452	66.0	352	52.5	Home Delivery	61.3	
17	Home Delivery against expected delivery *	129	14.7	85	9.7	Institutional Delivery	38.7	
18	Institutional Delivery against expected delivery *	365	41.5	406	46.2	Home Delivery by SBA	5.9	
19	Home Delivery against reported delivery **	129	26.1	85	17.3	PNC within 2days of delivery	28.5	

20	Institutional Delivery against reported						
20	delivery **	365	73.9	406	82.7		
21	Total reported Deliveries	494		491			
22	Reported Delivery at home assisted by a			40	F0 /		
	Doctor/Nurse /LHV/ANM(%)	75	58.1	43	50.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total						
23	reported deliveries	373	75.5	339	69.0		
Note:	In case of HMIS data, Percentage is with reference to total					ng the period and in NFSH-5	is with
	Women who had last births in the 5 years before the su						
24	Expected number of Live Birth	868		868			
D) C	hild Immunization :	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC	•	
						Breastfed within	
25	Total reported live births	496	57.1	486	56.0	1 hour of birth	62.3
26	Total Still Birth	1	0.1	5	0.6	BCG	88.3
	PC of newborn weighted at birth to live	477	96.2	477	98.1		
27	birth	477	90.2	4//	90.1	3 dose of DPT	64.7
	PC of newborn having weight less than	9	1.9	18	3.8	Measles First	
28	2.5 kg to newborn weighted at birth.					dose	73.3
	PC of newborns breastfed within 1 hour	477	96.2	480	98.8	3 doses of penta or hepatitis B	
29	to total reported live birth.	477	90.2	400	30.0	vaccine	58.2
30	Children fully immunized	511	58.8	525	60.5	Full Immunization	53
31	Children who have received BCG	462	53.2	531	61.2	1 dil illillidilization	- 55
01	Children who have received Pentavalent						
32	1	580	66.8	570	65.6		
	Children who have received Pentavalent	573	66.0	527	60.7		
33	3	373	00.0	521	00.7		
0.4	Children who have received Measles &	514	59.2	533	61.4		
34	Rubella (MR)- 1st Dose						
35	Diarrhoea and Dehydration cases reported in children below 5 years	132		111			
	In case of HMIS data, Proportions are calculated for 0-11 m	l nonths old infant	s to total i	number of repo	rted live bi	ths and in NFHS-5, the per	centage
	of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.						

of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	S (2020-21) NFHS-5 (2019	
36	Number of Vasectomies performed	0	0	Total unmet need	4.3
37	Number of Tubectomies performed	8	37	Spacing	2.9
38	Number of IUD insertion	282	207	Women using any method	66.5
39	Number of IUD removals	71	96	Women using modern method	56.3
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	187	145		
41	General OPD cases per 10,000 population ***	5195	5716		
42	Ayush OPD cases per 10,000 population ***	145	91		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	1		
45	Total Neonatal Death	0	1		

46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

	Mokokchung	Factshee	et				
Key	Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-	12	2011	-12		
10	Expected number of PW	3,682	2	3,68	32		
11	Expected number of Delivery	3,388	3	3,38	38		
		HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,591	43.2	1,499	40.7	ANC Check up in first trimester	51.6
13	Mothers registered in the first trimester	646	40.6	573	38.2	At least 4ANC check up	18.2
14	Mothers who had 4 or more ANC check ups	203	12.8	167	11.1	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	713	44.8	683	45.6	100 IFA tablets consumed	12.5
16	PW who consumed 180 IFA tablets	225	14.1	311	20.7	Home Delivery	48.5
17	Home Delivery against expected delivery *	163	4.8	180	5.3	Institutional Delivery	51.5

1	Institutional Delivery against expected	I		1		Home Delivery	l
18	delivery *	891	26.3	732	21.6	by SBA	12.2
19	Home Delivery against reported delivery **	163	15.5	180	19.7	PNC within 2days of delivery	47.4
20	Institutional Delivery against reported delivery **	891	84.5	732	72.4		
21	Total reported Deliveries	1,054		912			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	89.6	161	89.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	886	84.1	742	81.4		
	In case of HMIS data, Percentage is with reference to total o Women who had last births in the 5 years before the su		nant Wome	en registered fo	or ANC durin	ng the period and in NFSH-5	is with
24	Expected number of Live Birth	3,347		3,347			
D) 0	child Immunization :	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
25	Total reported live births	1,044	31.2	899	26.9	Breastfed within 1 hour of birth	56.5

26 Total Still Birth 15 0.4 27 8.0 BCG -96.8 PC of newborn weighted at birth to live 1,045 100.1 894 99.4 27 3 dose of DPT -99 birth PC of newborn having weight less than Measles First 25 2.4 23 2.6 28 2.5 kg to newborn weighted at birth. dose -100 3 doses of penta PC of newborns breastfed within 1 hour 98.7 820 91.2 or hepatitis B 1,030 29 to total reported live birth. vaccine -96 Children fully immunized 1,103 32.9 1,046 31.2 30 Full Immunization -92 Children who have received BCG 1,151 34.4 1,073 32.1 Children who have received Pentavalent 1,176 35.1 1,159 34.6 Children who have received Pentavalent 1,076 32.1 1,082 32.3 33 Children who have received Measles & 1,121 33.5 1,062 31.7 34 Rubella (MR)- 1st Dose Diarrhoea and Dehydration cases 74 187 reported in children below 5 years

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-	20)
36	Number of Vasectomies performed	0	0	Total unmet need	6.4
37	Number of Tubectomies performed	182	32	Spacing	3.4
38	Number of IUD insertion	224	109	Women using any method	66.7
39	Number of IUD removals	108	77	Women using modern method	52.5
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	369	258		
41	General OPD cases per 10,000 population ***	5275	4755		
42	Ayush OPD cases per 10,000 population ***	224	126		
G) N	Nortality Details				

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal death within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	8	7	
45	Total Neonatal Death	8	7	
46	Deaths between (1 - 11) months	2	1	
47	Total reported infant deaths	10	8	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	1	

	Mon	Factshee	t				
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	50					
4	Sub Centers (SC)- HWC	7					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	laternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	4,735)	4,73	35		
11	Expected number of Delivery	4,356)	4,35	6		
	•	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
12	PW register for ANC	4,123	87.1	4,402	93.0	ANC Check up in first trimester	44.6
13	Mothers registered in the first trimester	806	19.5	758	17.2	At least 4ANC check up	9.7
14	Mothers who had 4 or more ANC check ups	365	8.9	296	6.7	Neonatal tetanus received	78

15	PW who got TT 2 / Booster injection	2,139	51.9	2,031	46.1	100 IFA tablets consumed	10.6
16	PW who consumed 180 IFA tablets	977	23.7	2,028	46.1	Home Delivery	78.6
17	Home Delivery against expected delivery	1,078	24.7	1,176	27.0	Institutional Delivery	21.4
18	Institutional Delivery against expected delivery *	1,436	33.0	1,115	25.6	Home Delivery by SBA	9.5
19	Home Delivery against reported delivery **	1,078	42.9	1,176	51.3	PNC within 2days of delivery	25.6
20	Institutional Delivery against reported delivery **	1,436	57.1	1,115	76.9		
21	Total reported Deliveries	2,514		2,291			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	27.9	552	46.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	773	30.7	1,105	48.2		
	Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with						

ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,304		4,304			
D) C	D) Child Immunization :		19-20) HMIS (20		20-21)	NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,504	58.2	2,260	52.5	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	18	0.4	14	0.3	BCG	87.1
27	PC of newborn weighted at birth to live birth	2,454	98.0	2,197	97.2	3 dose of DPT	79.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	1.8	34	1.5	Measles First dose	83.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,446	97.7	2,176	96.3	3 doses of penta or hepatitis B vaccine	70.9
30	Children fully immunized	2,216	51.5	2,277	52.9	Full Immunization	62.4
31	Children who have received BCG	3,026	70.3	3,011	70.0		
32	Children who have received Pentavalent 1	3,057	71.0	3,044	70.7		
33	Children who have received Pentavalent 3	2,818	65.5	2,630	61.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,253	52.3	2,311	53.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	221		178			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-	20)
36	Number of Vasectomies performed	0	0	Total unmet need	3.7
37	Number of Tubectomies performed	124	51	Spacing	0.6
38	Number of IUD insertion	652	716	Women using any method	68.7
39	Number of IUD removals	230	284	Women using modern method	55.6
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	162	91		

41	General OPD cases per 10,000 population ***	2431	2695	
42	Ayush OPD cases per 10,000 population ***	187	105	
G) N	Nortality Details			
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
43	Neonatal death within 24 hours	2	5	
44	Neonatal Deaths up to 4 weeks of birth	1	6	
45	Total Neonatal Death	3	11	
46	Deaths between (1 - 11) months	4	3	
47	Total reported infant deaths	7	14	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	1	

	Phek	Factshee	t				
Key	<u>Indicators</u>						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	44					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	23					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) N	Naternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	3,092	<u>)</u>	3,09	92		
11	Expected number of Delivery	2,845	5	2,84	15		
		HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
12	PW register for ANC	2,024	65.5	2,106	68.1	ANC Check up in first trimester	50.1

i	i	i		ì		1	i
13	Mothers registered in the first trimester	488	24.1	477	22.6	At least 4ANC check up	9.5
14	Mothers who had 4 or more ANC check ups	279	13.8	320	15.2	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	1,091	53.9	1,120	53.2	100 IFA tablets consumed	13.5
16	PW who consumed 180 IFA tablets	1,180	58.3	1,441	68.4	Home Delivery	67.8
17	Home Delivery against expected delivery *	557	19.6	598	21.0	Institutional Delivery	32.2
18	Institutional Delivery against expected delivery *	669	23.5	744	26.2	Home Delivery by SBA	18.5
19	Home Delivery against reported delivery **	557	45.4	598	44.6	PNC within 2days of delivery	39.6
20	Institutional Delivery against reported delivery **	669	54.6	744	55.2		
21	Total reported Deliveries	1,226		1,342			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	474	85.1	494	82.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	661	53.9	714	53.2		
	In case of HMIS data, Percentage is with reference to total	number of Pregr				l ng the period and in NFSH-5	is with
		number of Pregr irvey.		en registered fo		ng the period and in NFSH-5	is with
ref. to	In case of HMIS data, Percentage is with reference to total o Women who had last births in the 5 years before the su	number of Pregr	nant Wome		or ANC durin	ng the period and in NFSH-5	
ref. to	In case of HMIS data, Percentage is with reference to total women who had last births in the 5 years before the subspected number of Live Birth	number of Pregr irvey. 2,811	nant Wome	en registered fo	or ANC durin		
ref. to	In case of HMIS data, Percentage is with reference to total women who had last births in the 5 years before the subspected number of Live Birth	number of Pregr irvey. 2,811 HMIS (201	9-20)	2,811 HMIS (20	or ANC durin 20-21)		
24 D) 0	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the subspected number of Live Birth child Immunization: Total reported live births Total Still Birth	2,811 HMIS (201 Number	9-20)	2,811 HMIS (20 Number	20-21)	NFHS-5 (2019-	20)
24 D) 0	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the subspected number of Live Birth child Immunization: Total reported live births	2,811 HMIS (201 Number	9-20) PC 43.3	2,811 HMIS (20 Number 1,335	20-21) PC 47.5	NFHS-5 (2019- Breastfed within 1 hour of birth	20) 64.8
24 D) 0	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the subspected number of Live Birth child Immunization: Total reported live births Total Still Birth PC of newborn weighted at birth to live	2,811 HMIS (201 Number 1,218	9-20) PC 43.3 0.3	2,811 HMIS (20 Number 1,335 14	20-21) PC 47.5 0.5	NFHS-5 (2019- Breastfed within 1 hour of birth BCG	20) 64.8 87.6
24 D) 0	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the subspected number of Live Birth Child Immunization: Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than	2,811 HMIS (201 Number 1,218 9 1,159	9-20) PC 43.3 0.3 95.2	2,811 HMIS (20 Number 1,335 14 1,267	20-21) PC 47.5 0.5 94.9	NFHS-5 (2019- Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First	20) 64.8 87.6 65.3
24 D) 0 25 26 27 28	Expected number of Live Birth Child Immunization: Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn weighted at birth. PC of newborn weighted at birth. PC of newborn weighted at birth.	2,811 HMIS (201 Number 1,218 9 1,159	9-20) PC 43.3 0.3 95.2 0.7	2,811 HMIS (20 Number 1,335 14 1,267	20-21) PC 47.5 0.5 94.9 0.8	NFHS-5 (2019- Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B	64.8 87.6 65.3 71.8
24 D) 0 25 26 27 28	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the subspected number of Live Birth child Immunization: Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized Children who have received BCG	2,811 HMIS (201 Number 1,218 9 1,159 8	9-20) PC 43.3 0.3 95.2 0.7	2,811 HMIS (20 Number 1,335 14 1,267 10 1,306	20-21) PC 47.5 0.5 94.9 0.8	NFHS-5 (2019- Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	64.8 87.6 65.3 71.8
24 D) 0 25 26 27 28 29 30	In case of HMIS data, Percentage is with reference to total women who had last births in the 5 years before the subspected number of Live Birth child Immunization: Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized	2,811 HMIS (201 Number 1,218 9 1,159 8 1,185 1,159	9-20) PC 43.3 0.3 95.2 0.7 97.3	2,811 HMIS (20 Number 1,335 14 1,267 10 1,306 1,299	20-21) PC 47.5 0.5 94.9 0.8 97.8 46.2	NFHS-5 (2019- Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	64.8 87.6 65.3 71.8

43.7

1,301

96

46.3

1,228

213

Children who have received Measles &

Diarrhoea and Dehydration cases

Rubella (MR)- 1st Dose

E)Fa	nmily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-	20)
36	Number of Vasectomies performed	0	0	Total unmet need	6.5
37	Number of Tubectomies performed	52	33	Spacing	3.5
38	Number of IUD insertion	332	253	Women using any method	56.3

39	Number of IUD removals	133	169	Women using modern method	47.1
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	301	246		
41	General OPD cases per 10,000 population ***	3743	4368		
42	Ayush OPD cases per 10,000 population ***	184	121		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	2	4		
44	Neonatal Deaths up to 4 weeks of birth	3	6		
45	Total Neonatal Death	5	10		
46	Deaths between (1 - 11) months	0	1		
47	Total reported infant deaths	5	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	3	0		

	Pheren	Factsheet					
Key	Key Indicators						
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) li	nfrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	16					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) I	Naternal Health:	2011-12		2011-12			
10	Expected number of PW	1,802		1,802			
11	Expected number of Delivery	1,657		1,657			

12 PW register for ANC 1,385 76.9 1,483 82.3 first trimester 45.1			HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
With the property of the pro			Number	PC	Number	PC		
A the control of the first trimester 284 20.5 377 25.4 At least 4ANC 14.5	12	DIA AND	1 205	7/ 0	1 402	02.2		45.4
Mothers who had 4 or more ANC check upsers 14.5		_	1,385	70.9	1,483	82.3		45.1
Mothers who had 4 or more ANC check 273 19.7 237 16.0 Neonatal tetanus 85.1	13	Mothers registered in the first trimester	284	20.5	377	25.4		14.5
15 PW who got TT 2 / Booster injection 901 65.1 8.29 55.9 100 FA tablets 5.10	14		273	19.7	237	16.0	Neonatal tetanus	
16 PW who consumed 180 IFA tablets 590 42.6 837 56.4 Home Delivery 56.5 17 Home Delivery against expected delivery 180 10.9 227 13.7 Institutional Delivery 43.5 18 Institutional Delivery against expected 634 38.3 520 31.4 by SBA 9.6 9.6 19 Home Delivery against reported delivery 180 22.1 227 30.4 2days of delivery 46.9 180 22.1 227 30.4 2days of delivery 46.9 20 Institutional Delivery against reported 634 77.9 520 95.8 PNC within 2days of delivery 46.9 21 Total reported Deliveries 814 747 22 Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANIM(%) 94 52.2 83 36.6 PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries 240 29.5 273 36.5 POC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries 240 29.5 273 36.5 POC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries 240 29.5 273 36.5 POC of many getting post partum check up between 48 hours and 14 days to total reported deliveries 240 29.5 273 36.5 POC of newborn weighted attain in the 5years before the survey. 180 29.5 273 36.5 PNC within 240 29.5 273 36.5 POC of newborn weighted at birth to live 240 29.5 273 36.5 POC of newborn weighted at birth to live 240 29.5 273 36.5 POC of newborn weighted at birth to live 240 29.5 273 36.5 POC of newborn weighted at birth to live 240 29.5 273 36.5 POC of newborn weighted at birth to live 240 29.5 273 36.5 POC of newborn brasified within 1 hour 240 29.5 26.5 29.2 3 3 dose of DPT 71.2 POC of newborns breastfed within 1 hour 240 29.5 26.5 29.2 3 3 dose of DPT 71.2 71.	15	•	901	65.1	829	55.9		6.1
Home Delivery against expected delivery 180 10.9 227 13.7 Delivery 243.5	16	PW who consumed 180 IFA tablets	590	42.6	837	56.4	Home Delivery	
Home Delivery against reported delivery	17	Home Delivery against expected delivery *	180	10.9	227	13.7	Institutional	
180 22.1 227 30.4 2days of delivery 46.9	18		634	38.3	520	31.4	Home Delivery	9.6
Total reported Deliveries	19	Home Delivery against reported delivery **	180	22.1	227	30.4		46.9
Reported Delivery at home assisted by a Doctor/Nurse /LHV/AMM(%) 94 52.2 83 36.6	20		634	77.9	520	95.8		
Doctor/Nurse /LHV/ANM(%) 94 52.2 83 36.6	21	Total reported Deliveries	814		747			
23	22		94	52.2	83	36.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey. 24 Expected number of Live Birth 1,638 1,638 1,638 This is precised by the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey. 25 Expected number of Live Birth 1,638 This is precised by the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey. 26 Expected number of Live Birth 1,638 This is precised by the period and in NFSH-5 is with ref. to Women who had last birth in the 5 years before the survey. 27 In the period and in NFSH-5 is with ref. This is precised by the period and in NFSH-5 is with ref. This is with ref. This is precised by the period and in NFSH-5 is with ref. The period and in NFSH-5 is with ref. This is precised by the period and in NFSH-5 is with ref. This is precised by the period and in NFSH-5 is with ref. The period and in NFSH-5 is with reference to be with the period and in NFSH-5 is with ref. The period and in NFSH-5 is with reference to be within 1,638	23	up between 48 hours and 14 days to total	240	29.5	273	36.5		
Number PC Number PC Number PC		: In case of HMIS data, Percentage is with reference to total			en registered fo	or ANC duri	ng the period and in NFSH-5	is with
Dy Child Immunization : HMIS (2019-20) HMIS (2020-21) NFHS-5 (2019-20)	24	Expected number of Live Birth	4 000					
Number PC Number PC Number PC			1,638		1,638			
Total reported live births 799 48.8 731 44.6 1 hour of birth 58.5	D) C	•	,	9-20)		20-21)	NFHS-5 (2019-	20)
26 Total Still Birth 17 1.0 17 1.0 BCG 86.8 27 PC of newborn weighted at birth to live birth 742 92.9 675 92.3 3 dose of DPT 71.2 28 PC of newborn having weight less than 2.5 kg to newborn weighted at birth. 12 1.6 5 0.7 Measles First dose 74.2 29 to for newborns breastfed within 1 hour to total reported live birth. 665 83.2 652 89.2 3 doses of penta or hepatitis B vaccine 65.1 30 Children fully immunized 718 43.8 632 38.6 Full Immunization 63.3 31 Children who have received BCG 1,037 63.3 982 60.0 60.0 32 Children who have received Pentavalent 3 1,151 70.3 1,077 65.8 33 Children who have received Measles & Rubella (MR)- 1st Dose 830 50.7 689 42.1 Diarrhoea and Dehydration cases 132 666 666 666	D) C	•	HMIS (201		HMIS (20		NFHS-5 (2019-	20)
birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized Children who have received BCG Children who have received Pentavalent 1 Children who have received Pentavalent 3 Children who have received Measles & Rubella (MR)- 1st Dose Diarrhoea and Dehydration cases PC of newborn weighted at birth. 12 1.6 5 0.7 Measles First dose 74.2 3 doses of penta or hepatitis B vaccine 65.1 74.2 3 doses of penta or hepatitis B vaccine 65.1 75.1 76.5 89.2 3 doses of penta or hepatitis B vaccine 65.1 76.5 77.6 89.2 3 doses of penta or hepatitis B vaccine 65.1 78.1 79.3 70.3 7		child Immunization :	HMIS (201 Number	PC	HMIS (20 Number	PC	Breastfed within	<u> </u>
PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. PC hildren who have received Pentavalent 1 Children who have received Pentavalent 3 Children who have received Pentavalent 3 Children who have received Pentavalent 3 Children who have received Measles & Rubella (MR)- 1st Dose PC of newborns breastfed within 1 hour 665 83.2 652 89.2 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 5 dose 7 light munication 63.3 1 children who have received Pentavalent 1,037 63.3 982 60.0 1 dose 7 light munication 63.3 1 light munication 63.3 light munica	25	Total reported live births	HMIS (201 Number 799	PC 48.8	HMIS (20 Number 731	PC 44.6	Breastfed within 1 hour of birth	58.5
PC of newborns breastfed within 1 hour to total reported live birth. 30 Children fully immunized 31 Children who have received BCG 32 Children who have received Pentavalent 1,151 33 Children who have received Pentavalent 3 3 3 Children who have received Pentavalent 3 3 3 Children who have received Pentavalent 3 3 5 Children who have received Measles & 830 50.7 689 42.1 Diarrhoea and Dehydration cases 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 3 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1 5 doses of penta or hepatitis B vaccine 65.1	25 26	Total reported live births Total Still Birth PC of newborn weighted at birth to live	HMIS (201 Number 799 17	PC 48.8 1.0	HMIS (20 Number 731 17	PC 44.6 1.0	Breastfed within 1 hour of birth BCG	58.5 86.8
Children fully immunized T18 43.8 632 38.6 Full Immunization 63.3 Children who have received BCG 1,037 63.3 982 60.0 Children who have received Pentavalent 1,151 70.3 1,077 65.8 Children who have received Pentavalent 3 70.3 1,077 65.8 Children who have received Pentavalent 3 70.3 1,077 65.8 Children who have received Measles & 875 875 875 875 875 875 875 875 875 875	25 26 27	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than	HMIS (201 Number 799 17 742	PC 48.8 1.0 92.9	HMIS (20 Number 731 17 675	PC 44.6 1.0 92.3	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First	58.5 86.8 71.2
31Children who have received BCG1,03763.398260.0Children who have received Pentavalent 321,15170.31,07765.8Children who have received Pentavalent 3397459.587553.4Children who have received Measles & Rubella (MR)- 1st Dose83050.768942.1Diarrhoea and Dehydration cases13266	25 26 27 28	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour	HMIS (201 Number 799 17 742	PC 48.8 1.0 92.9 1.6	HMIS (20 Number 731 17 675 5	PC 44.6 1.0 92.3 0.7	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B	58.5 86.8 71.2 74.2
32 1 1,151 70.3 1,077 65.8 Children who have received Pentavalent 3 974 59.5 875 53.4 Children who have received Measles & Rubella (MR)- 1st Dose 830 50.7 689 42.1 Diarrhoea and Dehydration cases 132 66 66	25 26 27 28	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth.	HMIS (201 Number 799 17 742 12 665	PC 48.8 1.0 92.9 1.6 83.2	731 17 675 5	PC 44.6 1.0 92.3 0.7 89.2	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	58.5 86.8 71.2 74.2 65.1
33 3 974 59.5 875 53.4 Children who have received Measles & 830 50.7 689 42.1 Diarrhoea and Dehydration cases	25 26 27 28 29 30	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized	HMIS (201 Number 799 17 742 12 665 718	PC 48.8 1.0 92.9 1.6 83.2 43.8	HMIS (20 Number 731 17 675 5 652 632	PC 44.6 1.0 92.3 0.7 89.2 38.6	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	58.5 86.8 71.2 74.2 65.1
34 Rubella (MR)- 1st Dose 830 50.7 689 42.1 Diarrhoea and Dehydration cases	25 26 27 28 29 30 31	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized Children who have received BCG	HMIS (201 Number 799 17 742 12 665 718 1,037	PC 48.8 1.0 92.9 1.6 83.2 43.8 63.3	HMIS (20 Number 731 17 675 5 652 632 982	PC 44.6 1.0 92.3 0.7 89.2 38.6 60.0	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	58.5 86.8 71.2 74.2 65.1
Diarrhoea and Dehydration cases 132 66	25 26 27 28 29 30 31 32	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized Children who have received BCG Children who have received Pentavalent 1 Children who have received Pentavalent	HMIS (201 Number 799 17 742 12 665 718 1,037 1,151	PC 48.8 1.0 92.9 1.6 83.2 43.8 63.3 70.3	HMIS (20 Number 731 17 675 5 652 632 982 1,077	PC 44.6 1.0 92.3 0.7 89.2 38.6 60.0 65.8	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	58.5 86.8 71.2 74.2 65.1
	25 26 27 28 29 30 31 32 33	Total reported live births Total Still Birth PC of newborn weighted at birth to live birth PC of newborn having weight less than 2.5 kg to newborn weighted at birth. PC of newborns breastfed within 1 hour to total reported live birth. Children fully immunized Children who have received BCG Children who have received Pentavalent 1 Children who have received Pentavalent 3 Children who have received Measles &	HMIS (201 Number 799 17 742 12 665 718 1,037 1,151 974	PC 48.8 1.0 92.9 1.6 83.2 43.8 63.3 70.3 59.5	HMIS (20 Number 731 17 675 5 652 632 982 1,077 875	PC 44.6 1.0 92.3 0.7 89.2 38.6 60.0 65.8 53.4	Breastfed within 1 hour of birth BCG 3 dose of DPT Measles First dose 3 doses of penta or hepatitis B vaccine	58.5 86.8 71.2 74.2 65.1

E)Family Planning		HMIS (2019-20) HMIS (2020-21		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	6.2

37	Number of Tubectomies performed	31	0	Spacing	4.5
38	Number of IUD insertion	108	104	Women using any method	58.6
39	Number of IUD removals	57	48	Women using modern method	42
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	148	104		
41	General OPD cases per 10,000 population ***	2876	3312		
42	Ayush OPD cases per 10,000 population ***	255	130		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	1		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	1	3		
47	Total reported infant deaths	1	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	1		

	Tuensang	Factshee	t		
Key	Indicators				
SL NO	A)Demographic Indicators (Census 2011)				
1	Population 2011	196,596			
2	Sex Ratio	930			
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers			
3	Sub Centers (SC)	38			
4	Sub Centers (SC)- HWC	11			
5	Primary Health Centers (PHC)	13			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	2			
8	SDH	0			
9	DH	1			
C) N	Naternal Health:	2011-1	2	2011-12	

10	Expected number of PW	3,720)	3,72	20		
11	Expected number of Delivery	3,422		3,422			
		HMIS (201	9-20)	HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC	,	
12	PW register for ANC	2,201	59.2	1,984	53.3	ANC Check up in first trimester	27.1
13	Mothers registered in the first trimester	354	16.1	361	18.2	At least 4ANC check up	4.4
14	Mothers who had 4 or more ANC check ups	108	4.9	218	11.0	Neonatal tetanus received	69
15	PW who got TT 2 / Booster injection	1,161	52.7	1,132	57.1	100 IFA tablets consumed	3.3
16	PW who consumed 180 IFA tablets	628	28.5	763	38.5	Home Delivery	65.2
17	Home Delivery against expected delivery	420	12.3	530	15.5	Institutional Delivery	34.8
18	Institutional Delivery against expected delivery *	1,009	29.5	744	21.7	Home Delivery by SBA	4.8
19	Home Delivery against reported delivery **	420	29.4	530	41.6	PNC within 2days of delivery	29.5
20	Institutional Delivery against reported delivery **	1,009	70.6	744	98.6		
21	Total reported Deliveries	1,429		1,274			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	319	76.0	419	79.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	483	33.8	554	43.5		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the su		ant Wome	en registered fo	or ANC durir	ng the period and in NFSH-5	is with
24	Expected number of Live Birth	3,381		3,381			
D) 0	Child Immunization:			HMIS (2020-21)		NFHS-5 (2019-	20)
		Number	PC	Number	PC		
25	Total reported live births	1,439	42.6	1,256	37.1	Breastfed within 1 hour of birth	69.4
26	Total Still Birth	16	0.5	22	0.7	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,419	98.6	1,249	99.4	3 dose of DPT	56.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	1.8	9	0.7	Measles First dose	53.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,374	95.5	1,214	96.7	3 doses of penta or hepatitis B vaccine	49.1
30	Children fully immunized	1,598	47.3	1,624	48.0	Full Immunization	39.9
31	Children who have received BCG	2,051	60.7	1,993	58.9		<u> </u>
32	Children who have received Pentavalent	2,142	63.3	2,186	64.6		
33	Children who have received Pentavalent	1,982	58.6	1,889	55.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,685	49.8	1,660	49.1		
1	Diarrhoea and Dehydration cases	00	1 '	1 00	i		ı
35	reported in children below 5 years	93	ļ .	39			

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)		
36	Number of Vasectomies performed	0	0	Total unmet need	12.9	
37	Number of Tubectomies performed	134	70	Spacing	5.9	
38	Number of IUD insertion	145	197	Women using any method	52.6	
39	Number of IUD removals	92	69	Women using modern method	37.4	
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)			
40	IPD cases per 10,000 population ***	228	95			
41	General OPD cases per 10,000 population ***	2304	2220			
42	Ayush OPD cases per 10,000 population ***	72	40			
G) N	Nortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			
43	Neonatal death within 24 hours	0	1			
44	Neonatal Deaths up to 4 weeks of birth	2	0			
45	Total Neonatal Death	2	1			
46	Deaths between (1 - 11) months	2	1			
47	Total reported infant deaths	4	2			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)			
48	Due to Abortion	0	0			
49	Due to Obstructed/prolonged labour	0	0			
50	Due to Severe hypertension/fits	1	0			
51	Due to Bleeding	0	0			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	0	0			
54	Total reported maternal deaths	1	0			

	Wokha	Factshee	t
Key	<u>Indicators</u>		
SL NO	A)Demographic Indicators (Census 2011)		
1	Population 2011	166,343	
2	Sex Ratio	969	
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers	
3	Sub Centers (SC)	37	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers (PHC)	12	
6	Primary Health Centers (PHC)-HWC	0	

		•					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
	Maternal Health:	2011-1		2011-			
10	Expected number of PW	3,147		3,147			
11	Expected number of Delivery	2,895	5	2,89	95		
		HMIS (201		HMIS (20		NFHS-5 (2019-	20)
		Number	PC	Number	PC		
12	PW register for ANC	1,226	39.0	1,073	34.1	ANC Check up in first trimester	57.8
13	Mothers registered in the first trimester	539	44.0	450	41.9	At least 4ANC check up	34.7
14	Mothers who had 4 or more ANC check ups	388	31.6	234	21.8	Neonatal tetanus received	77.6
15	PW who got TT 2 / Booster injection	1,010	82.4	696	64.9	100 IFA tablets consumed	12.9
16	PW who consumed 180 IFA tablets	693	56.5	562	52.4	Home Delivery	56.4
17	Home Delivery against expected delivery *	149	5.1	182	6.3	Institutional Delivery	43.6
18	Institutional Delivery against expected delivery *	765	26.4	587	20.3	Home Delivery by SBA	19.9
19	Home Delivery against reported delivery **	149	16.3	182	23.7	PNC within 2days of delivery	50.7
20	Institutional Delivery against reported delivery **	765	83.7	587	84.9		
21	Total reported Deliveries	914		769	0		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	28.2	35	19.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	837	91.6	733	95.3		
	In case of HMIS data, Percentage is with reference to total by Women who had last births in the 5 years before the su	number of Pregr		en registered fo	or ANC durin	ng the period and in NFSH-5	is with
24	Expected number of Live Birth	2,861		2,861			
D) C	child Immunization :	HMIS (201	9-20)	HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
25	Total reported live births	915	32.0	768	26.8	Breastfed within 1 hour of birth	48.5
26	Total Still Birth	4	0.1	5	0.2	BCG	-73.3
27	PC of newborn weighted at birth to live birth	906	99.0	764	99.5	3 dose of DPT	-61.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.2	2	0.3	Measles First dose	-66.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	906	99.0	761	99.1	3 doses of penta or hepatitis B vaccine	-55.1
30	Children fully immunized	817	28.6	899	31.4	Full Immunization	-42.8
31	Children who have received BCG	1,049	36.7	938	32.8		
32	Children who have received Pentavalent 1	995	34.8	953	33.3		
33	Children who have received Pentavalent 3	915	32.0	862	30.1		
	Children who have received Measles &	841	29.4	907	31.7		

35	Diarrhoea and Dehydration cases reported in children below 5 years	303	138							
Note:	In case of HMIS data, Proportions are calculated for 0-11 m	nonths old infants to total	number of reported live bi	rths and in NFHS-5, the per	centage					
of chi	Idren 12-23 months olds who received specific vaccination	to children under 5 years b	efore the survey.							
E)Fa	E)Family Planning HMIS (2019-20) HMIS (2020-21) NFHS-5 (2019-20)									
36	Number of Vasectomies performed	0	0	Total unmet need	3.2					
37	Number of Tubectomies performed	106	6	Spacing	1.4					
38	Number of IUD insertion	363	89	Women using						
30	Number of 10D insertion	303	09	any method	64.6					
39	Number of IUD removals	19	23	Women using						
				modern method	50.1					
F) Se	ervice delivery	HMIS (2019-20)	HMIS (2020-21)							
40	IPD cases per 10,000 population ***	140	68							
41	General OPD cases per 10,000									
71	population ***	3339	3047							
42	Ayush OPD cases per 10,000 population									
	****	113	82							
G) N	Nortality Details									
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)							
43	Neonatal death within 24 hours	0	0							
44	Neonatal Deaths up to 4 weeks of birth	3	0							
45	Total Neonatal Death	3	0							

0

3

HMIS (2019-20)

0

0

0

0

0

0

0

0

0

HMIS (2020-21)

0

0

0

0

0 0

Deaths between (1 - 11) months

Maternal Deaths (In Numbers)

Due to Severe hypertension/fits

Total reported maternal deaths

Due to Obstructed/prolonged labour

Due to Other Causes (including causes

Total reported infant deaths

Maternal Mortality

Due to Abortion

Due to Bleeding

not known)

Due to High fever

46

47

II)

50

51

53

	Zunheboto	Factshee	t
Key	<u>Indicators</u>		
SL NO	A)Demographic Indicators (Census 2011)		
1	Population 2011	140,757	
2	Sex Ratio	981	
B) Ir	nfrastructure Details (RHS 2018-19)	Numbers	
3	Sub Centers (SC)	47	

4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) N	Maternal Health:	2011-1	2	2011	-12		
10	Expected number of PW	2,663	}	2,66	53		
11	•	2,450)	2,45	50		
- ' '	Expected number of Delivery	HMIS (201		HMIS (20		NFHS-5 (2019-	20)
		Number	PC	Number	PC	NFH3-3 (2019-	20)
		Number	PC	Number	PC	ANC Check up in	
12	PW register for ANC	1,166	43.8	1,181	44.3	first trimester At least 4ANC	46.
13	Mothers registered in the first trimester	287	24.6	441	37.3	check up	11.2
14	Mothers who had 4 or more ANC check ups	186	16.0	320	27.1	Neonatal tetanus received	81.3
15	PW who got TT 2 / Booster injection	406	34.8	649	55.0	100 IFA tablets consumed	5.5
16	PW who consumed 180 IFA tablets	129	11.1	495	41.9	Home Delivery	6
17	Home Delivery against expected delivery *	221	9.0	243	9.9	Institutional Delivery	35
18	Institutional Delivery against expected delivery *	673	27.5	606	24.7	Home Delivery by SBA	6.3
19	Home Delivery against reported delivery **	221	24.7	243	28.6	PNC within 2days of delivery	24.9
20	Institutional Delivery against reported delivery **	673	75.3	606	92.8		
21	Total reported Deliveries	894	70.0	849	32.0		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	165	74.7	215	88.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	374	41.8	606	71.4		
	In case of HMIS data, Percentage is with reference to total		ant Wom	en registered fo	or ANC durin	ng the period and in NFSH-5	is with
	Women who had last births in the 5 years before the su	irvey.	Ī				
24	Expected number of Live Birth	2,421		2,421			
D) (child Immunization :	HMIS (201		HMIS (20	20-21)	NFHS-5 (2019-	20)
		Number	PC	Number	PC		
25	Total reported live births	886	36.6	841	34.7	Breastfed within 1 hour of birth	38.4
26	Total Still Birth	13	0.5	14	0.6	BCG	-82.2
27	PC of newborn weighted at birth to live birth	874	98.6	823	97.9	3 dose of DPT	-72.
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.1	16	1.9	Measles First dose	-76.
29	PC of newborns breastfed within 1 hour to total reported live birth.	771	87.0	694	82.5	3 doses of penta or hepatitis B vaccine	-72.
23	•	670	27.7	824	34.0	Full Immunization	-60.
30	Children fully immunized	070	21.1	U	0	I all lilling all Zation	
	Children who have received BCG	979	40.4	977	40.4	T dii iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	

3	Children who have received Pentavalent 3	1,047	43.2	939	38.8	
3	Children who have received Measles & Rubella (MR)- 1st Dose	857	35.4	862	35.6	
3	Diarrhoea and Dehydration cases reported in children below 5 years	613		415		

E)Fa	mily Planning	HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	2.8
37	Number of Tubectomies performed	135	84	Spacing	0.7
38	Number of IUD insertion	274	251	Women using any method	68.8
39	Number of IUD removals	103	124	Women using modern method	56.5
F) S	ervice delivery	HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	194	88		
41	General OPD cases per 10,000 population ***	4242	3642		
42	Ayush OPD cases per 10,000 population ***	119	82		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	5	7		
44	Neonatal Deaths up to 4 weeks of birth	2	2		
45	Total Neonatal Death	7	9		
46	Deaths between (1 - 11) months	0	1		
47	Total reported infant deaths	7	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	2	0		