

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	148					
4	Sub Centers (SC)- HWC	28					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	4					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	12,152		12,227			
11	Expected number of Delivery #	11,180		11,249			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,343	76.9	7,880	64.4	ANC Check up in first trimester	63.7
13	Mothers registered in the first trimester	7,184	76.9	6,366	80.8	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	6,294	67.4	5,904	74.9	Neonatal tetanus received	92.0
15	PW who got TT 2 / Booster injection	7,282	77.9	7,166	90.9	100 IFA tablets consumed	54.7
16	PW who consumed 180 IFA tablets	5,960	63.8	6,418	81.4	Home Delivery	5.3
17	Home Delivery against expected delivery *	46	0.4	62	0.6	Institutional Delivery	94.7
18	Institutional Delivery against expected delivery *	7,065	63.2	7,223	64.2	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery **	46	0.6	62	0.9	PNC within 2days of delivery	69.3
20	Institutional Delivery against reported delivery **	7,065	99.4	7,223	99.1		
21	Total reported Deliveries	7,111		7,285			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	54.3	26	41.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,829	82.0	6,054	83.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	11,048		11,116			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,188	65.1	7,202	64.8	Breastfed within 1 hour of birth	33
26	Total Still Birth	113	1.0	146	1.3	BCG	96.6

27	PC of newborn weighted at birth to live birth	6,797	94.6	7,128	99.0	3 dose of DPT	91.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	621	9.1	625	8.8	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,766	66.3	5,029	69.8	3 doses of penta or hepatitis B vaccine	89.1
30	Children fully immunized	6,807	61.6	7,305	65.7	Full Immunization	80.6
31	Children who have received BCG	6,605	59.8	7,009	63.1		
32	Children who have received Pentavalent 1	7,405	67.0	7,439	66.9		
33	Children who have received Pentavalent 3	7,306	66.1	7,497	67.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,721	60.8	7,265	65.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,607		2,109			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	11.9
37	Number of Tubectomies performed	77	126	Spacing	4.9
38	Number of IUD insertion	296	245	Women using any method	69.1
39	Number of IUD removals	473	382	Women using modern method	54.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	407	295		
41	General OPD cases per 10,000 population ***	13491	9112		
42	Ayush OPD cases per 10,000 population ***	259	160		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	9	16		
44	Neonatal Deaths up to 4 weeks of birth	13	15		
45	Total Neonatal Death	22	31		
46	Deaths between (1 - 11) months	69	49		
47	Total reported infant deaths	91	80		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	3		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	12		
54	Total reported maternal deaths	15	16		

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	48					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	5,754		5,803			
11	Expected number of Delivery #	5,294		5,339			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,064	88.0	3,650	62.9	ANC Check up in first trimester	53.4
13	Mothers registered in the first trimester	3,525	69.6	2,624	71.9	At least 4ANC check up	43.8
14	Number of PW received 4 or more ANC check ups	2,832	55.9	2,625	71.9	Neonatal tetanus received	90.3
15	PW who got TT 2 / Booster injection	3,337	65.9	3,127	#N/A	100 IFA tablets consumed	48.3
16	PW who consumed 180 IFA tablets	2,413	47.7	2,843	177.6	Home Delivery	8.2
17	Home Delivery against expected delivery *	20	0.4	27	0.5	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	5,147	97.2	4,757	#N/A	Home Delivery by SBA	3.9
19	Home Delivery against reported delivery **	20	0.4	27	0.6	PNC within 2days of delivery	65.8
20	Institutional Delivery against reported delivery **	5,147	99.6	4,757	99.4		
21	Total reported Deliveries	5,167		4,784			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	60.0	14	51.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,958	57.2	3,053	63.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	5,231		5,276			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		

25	Total reported live births	5,192	99.3	4,729	89.6	Breastfed within 1 hour of birth	27.1
26	Total Still Birth	82	1.6	85	1.6	BCG	*
27	PC of newborn weighted at birth to live birth	4,845	93.3	4,657	98.5	3 dose of DPT	*
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	521	10.8	494	10.6	Measles First dose	*
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,896	55.8	2,590	54.8	3 doses of penta or hepatitis B vaccine	*
30	Children fully immunized	3,262	62.4	3,596	68.2	Full Immunization	*
31	Children who have received BCG	4,834	92.4	4,554	86.3		
32	Children who have received Pentavalent 1	3,645	69.7	3,585	68.0		
33	Children who have received Pentavalent 3	3,517	67.2	3,631	68.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,253	62.2	3,619	68.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,428		730			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	17.7
37	Number of Tubectomies performed	20	29	Spacing	7.2
38	Number of IUD insertion	155	118	Women using any method	54.3
39	Number of IUD removals	121	104	Women using modern method	42.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	273	154		
41	General OPD cases per 10,000 population ***	10437	7213		
42	Ayush OPD cases per 10,000 population ***	176	124		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	4	1		
44	Neonatal Deaths up to 4 weeks of birth	5	5		
45	Total Neonatal Death	9	6		
46	Deaths between (1 - 11) months	45	19		
47	Total reported infant deaths	54	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	2		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	9	10	
54	Total reported maternal deaths	11	13	

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	825		825			
11	Expected number of Delivery #	759		759			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	606	73.5	525	63.7	ANC Check up in first trimester	66.2
13	Mothers registered in the first trimester	501	82.7	447	85.1	At least 4ANC check up	59.4
14	Number of PW received 4 or more ANC check ups	503	83.0	0	80.4	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	582	96.0	520	#N/A	100 IFA tablets consumed	74.0
16	PW who consumed 180 IFA tablets	531	87.6	448	85.3	Home Delivery	2.7
17	Home Delivery against expected delivery *	1	0.1	3	0.4	Institutional Delivery	97.3
18	Institutional Delivery against expected delivery *	166	21.9	118	15.6	Home Delivery by SBA	1.5
19	Home Delivery against reported delivery **	1	0.6	3	2.5	PNC within 2days of delivery	71.3
20	Institutional Delivery against reported delivery **	166	99.4	118	97.5		
21	Total reported Deliveries	167		121			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	388	232.3	364	300.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth #	750		750			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	208	27.7	142	18.9	Breastfed within 1 hour of birth	26.1
26	Total Still Birth	1	0.1	2	0.3	BCG	100
27	PC of newborn weighted at birth to live birth	177	85.1	142	100.0	3 dose of DPT	100
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.5	6	4.2	Measles First dose	96.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	176	84.6	139	97.9	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	608	81.1	442	59.0	Full Immunization	90.8
31	Children who have received BCG	190	25.3	146	19.5		
32	Children who have received Pentavalent 1	548	73.1	479	63.9		
33	Children who have received Pentavalent 3	551	73.5	507	67.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	610	81.3	416	55.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	280		156			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	12.8
37	Number of Tubectomies performed	0		2		Spacing	6.9
38	Number of IUD insertion	10		11		Women using any method	75.7
39	Number of IUD removals	34		35		Women using modern method	61
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	315		294			
41	General OPD cases per 10,000 population ***	18615		10728			
42	Ayush OPD cases per 10,000 population ***	148		0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	1		3			
45	Total Neonatal Death	1		3			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	1		3			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21)			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			

51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	39					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	3					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	2,905		2,920			
11	Expected number of Delivery #	2,672		2,687			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,849	63.7	1,890	64.7	ANC Check up in first trimester	78.1
13	Mothers registered in the first trimester	1,602	86.6	1,728	91.4	At least 4ANC check up	84.5
14	Number of PW received 4 or more ANC check ups	1,492	80.7	1,358	71.9	Neonatal tetanus received	92.3
15	PW who got TT 2 / Booster injection	1,640	88.7	1,764	93.3	100 IFA tablets consumed	71.3
16	PW who consumed 180 IFA tablets	1,450	78.4	1,563	82.7	Home Delivery	2.6
17	Home Delivery against expected delivery *	16	0.6	21	0.8	Institutional Delivery	97.4
18	Institutional Delivery against expected delivery *	1,054	39.4	1,365	50.8	Home Delivery by SBA	2.0
19	Home Delivery against reported delivery **	16	1.5	21	1.5	PNC within 2days of delivery	83.1
20	Institutional Delivery against reported delivery **	1,054	98.5	1,365	98.5		
21	Total reported Deliveries	1,070		1,386			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	37.5	7	33.3		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,414	132.1	1,442	104.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,640		2,655			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,073	40.6	1,367	51.5	Breastfed within 1 hour of birth	28.2
26	Total Still Birth	17	0.6	29	1.1	BCG	89.5
27	PC of newborn weighted at birth to live birth	1,061	98.9	1,360	99.5	3 dose of DPT	89.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	4.5	74	5.4	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	992	92.5	1,336	97.7	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	1,493	56.5	1,663	62.6	Full Immunization	86.4
31	Children who have received BCG	875	33.1	1,371	51.6		
32	Children who have received Pentavalent 1	1,643	62.2	1,719	64.8		
33	Children who have received Pentavalent 3	1,669	63.2	1,684	63.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,488	56.4	1,648	62.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	727		426			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	5.2
37	Number of Tubectomies performed	57		95		Spacing	2.8
38	Number of IUD insertion	45		31		Women using any method	85
39	Number of IUD removals	142		101		Women using modern method	67.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	664		488			
41	General OPD cases per 10,000 population ***	15908		10542			
42	Ayush OPD cases per 10,000 population ***	369		263			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	1		4			
44	Neonatal Deaths up to 4 weeks of birth	1		3			
45	Total Neonatal Death	2		7			
46	Deaths between (1 - 11) months	4		4			
47	Total reported infant deaths	6		11			
II) Maternal Mortality							

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	Total reported maternal deaths	3	2	

West Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	42					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW #	2,678	2,690				
11	Expected number of Delivery #	2,463	2,474				
		HMIS (2019-20)	HMIS (2020-21)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	1,824	68.1	1,815	67.5	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	1,556	85.3	1,567	86.3	At least 4ANC check up	70.4
14	Number of PW received 4 or more ANC check ups	1,467	80.4	1,499	82.6	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	1,723	94.5	1,755	96.7	100 IFA tablets consumed	48.6
16	PW who consumed 180 IFA tablets	1,566	85.9	1,564	86.2	Home Delivery	0.7
17	Home Delivery against expected delivery *	9	0.4	11	0.4	Institutional Delivery	99.3
18	Institutional Delivery against expected delivery *	698	28.3	983	39.7	Home Delivery by SBA	0.0
19	Home Delivery against reported delivery **	9	1.3	11	1.1	PNC within 2days of delivery	63.6
20	Institutional Delivery against reported delivery **	698	98.7	983	98.9		

21	Total reported Deliveries	707		994			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	5	45.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,069	151.2	1,195	120.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,434		2,445			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	715	29.4	964	39.4	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	13	0.5	30	1.2	BCG	96.9
27	PC of newborn weighted at birth to live birth	714	99.9	969	100.5	3 dose of DPT	98.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	6.2	51	5.3	Measles First dose	98.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	702	98.2	964	100.0	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	1,444	59.3	1,604	65.6	Full Immunization	96.9
31	Children who have received BCG	706	29.0	938	38.4		
32	Children who have received Pentavalent 1	1,569	64.5	1,656	67.7		
33	Children who have received Pentavalent 3	1,569	64.5	1,675	68.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,370	56.3	1,582	64.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,172		797			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	0		0		Spacing	1.1
38	Number of IUD insertion	86		85		Women using any method	88.2
39	Number of IUD removals	176		142		Women using modern method	70.8
F) Service delivery		HMIS (2019-20)		HMIS (2020-21)			
40	IPD cases per 10,000 population ***	445		392			
41	General OPD cases per 10,000 population ***	15807		11126			
42	Ayush OPD cases per 10,000 population ***	352		174			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21)			
43	Neonatal death within 24 hours	4		11			
44	Neonatal Deaths up to 4 weeks of birth	6		4			

45	Total Neonatal Death	10	15	
46	Deaths between (1 - 11) months	20	26	
47	Total reported infant deaths	30	41	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	1	
54	Total reported maternal deaths	1	1	