

## Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,673,917						
2	Sex Ratio	1,017						
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers(SC)	966						
4	Sub Centers (SC)- HWC	40						
5	Primary Health Centers(PHC)	82						
6	Primary Health Centers (PHC)-HWC	31						
7	Community Health Centers (CHC)	22						
8	SDH	12						
9	DH	7						
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>					
10	Expected number of PW	59,890	60,773					
11	Expected number of Delivery	55,534	56,353					
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	67,065	112.0	63,843	106.6	ANC Check up in first trimester	61.9	
13	Mothers registered in the first trimester	47,227	70.4	46,029	72.1	At least 4ANC check up	52.8	
14	Number of PW received 4 or more ANC check ups	46,588	69.5	41,555	65.1	Neonatal tetanus received	90.2	
15	PW who got TT 2 / Booster injection	51,405	76.6	49,304	77.2	100 IFA tablets consumed	18.8	
16	PW who consumed 180 IFA tablets	31,354	46.8	27,028	42.3	Home Delivery	12.3	
17	Home Delivery against expected delivery *	3,254	5.9	3,759	6.7	Institutional Delivery	87.7	
18	Institutional Delivery against expected delivery *	48,904	88.1	46,234	82.0	Home Delivery by SBA	1.1	
19	Home Delivery against reported delivery **	3,254	6.2	3,759	7.5	PNC within 2days of delivery	72.1	
20	Institutional Delivery against reported delivery **	48,904	93.8	46,234	92.5			
21	Total reported Deliveries	52,158		49,993				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	0.4	15	0.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,417	66.0	38,428	76.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	54,445		55,248				
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
25	Total reported live births	51,339	94.3	49,442	89.5	Breastfed within 1 hour of birth	46.4	

26	Total Still Birth	850	1.6	915	1.7	BCG	97.6
27	PC of newborn weighted at birth to live birth	50,529	98.4	48,965	99.0	3 dose of DPT	89.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,012	11.9	5,545	11.3	Measles First dose	84.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	47,011	91.6	46,054	93.1	3 doses of penta or hepatitis B vaccine	86.8
30	Children fully immunized	48,546	89.2	46,263	83.7	Full Immunization	70.3
31	Children who have received BCG	50,390	92.6	44,634	80.8		
32	Children who have received Pentavalent 1	54,073	99.3	51,365	93.0		
33	Children who have received Pentavalent 3	50,905	93.5	47,828	86.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	49,098	90.2	46,429	84.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	11,469		3,781			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	40	4	Total unmet need	15.3
37	Number of Tubectomies performed	2,961	2,147	Spacing	3.9
38	Number of IUD insertion	494	319	Women using any method	58.9
39	Number of IUD removals	214	205	Women using modern method	44.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	1037	641		
41	General OPD cases per 10,000 population ***	10521	6679		
42	Ayush OPD cases per 10,000 population ***	714	442		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	190	178		
44	Neonatal Deaths up to 4 weeks of birth	377	348		
45	<b>Total Neonatal Death</b>	<b>567</b>	<b>526</b>		
46	Deaths between (1 - 12) months	415	414		
47	<b>Total reported infant deaths</b>	<b>982</b>	<b>940</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	3	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	2	1		
51	Due to Bleeding	6	5		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	35	37		
54	<b>Total reported maternal deaths</b>	<b>47</b>	<b>45</b>		

## Dhalai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	378,230				
2	Sex Ratio	945				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers(SC)	121				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers(PHC)	6				
6	Primary Health Centers (PHC)-HWC	10				
7	Community Health Centers (CHC)	2				
8	SDH	3				
9	DH	1				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	6,620	6,771			
11	Expected number of Delivery	6,138	6,278			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
12	PW register for ANC	7,750	117.1	7,529	113.7	ANC Check up in first trimester 58.1
13	Mothers registered in the first trimester	4,736	61.1	4,705	62.5	At least 4ANC check up 52.0
14	Number of PW received 4 or more ANC check ups	4,360	56.3	4,117	54.7	Neonatal tetanus received 97.8
15	PW who got TT 2 / Booster injection	6,331	81.7	6,053	80.4	100 IFA tablets consumed 26.0
16	PW who consumed 180 IFA tablets	4,529	58.4	4,126	54.8	Home Delivery 12.7
17	Home Delivery against expected delivery *	538	8.8	740	11.8	Institutional Delivery 87.3
18	Institutional Delivery against expected delivery *	5,117	83.4	4,583	73.0	Home Delivery by SBA 0.5
19	Home Delivery against reported delivery **	538	9.5	740	13.9	PNC within 2days of delivery 72.4
20	Institutional Delivery against reported delivery **	5,117	90.5	4,583	86.1	
21	Total reported Deliveries	5,655		5,323		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	14	1.9	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,901	33.6	2,258	42.4	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>						
24	Expected number of Live Birth	6,018		6,155		
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC	

25	Total reported live births	5,592	92.9	5,321	86.4	Breastfed within 1 hour of birth	44.0
26	Total Still Birth	83	1.4	86	1.4	BCG	97.6
27	PC of newborn weighted at birth to live birth	5,515	98.6	5,167	97.1	3 dose of DPT	89.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	610	11.1	515	10.0	Measles First dose	90.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,331	95.3	5,095	95.8	3 doses of penta or hepatitis B vaccine	86.2
30	Children fully immunized	5,505	91.5	4,401	71.5	Full Immunization	73.7
31	Children who have received BCG	5,829	96.9	4,073	66.2		
32	Children who have received Pentavalent 1	6,773	112.5	5,718	92.9		
33	Children who have received Pentavalent 3	5,958	99.0	4,816	78.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,625	93.5	4,461	72.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,218		459			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21)	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	4.0
37	Number of Tubectomies performed	15	32	Spacing	1.8
38	Number of IUD insertion	95	47	Women using any method	80.9
39	Number of IUD removals	42	62	Women using modern method	53.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21)		
40	IPD cases per 10,000 population ***	958	494		
41	General OPD cases per 10,000 population ***	8983	6473		
42	Ayush OPD cases per 10,000 population ***	417	198		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
43	Neonatal death within 24 hours	15	15		
44	Neonatal Deaths up to 4 weeks of birth	29	22		
45	<b>Total Neonatal Death</b>	44	37		
46	Deaths between (1 - 12) months	65	66		
47	<b>Total reported infant deaths</b>	109	103		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	2		

54	Total reported maternal deaths	7	5	
----	--------------------------------	---	---	--

## Gomati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	436,868				
2	Sex Ratio	0				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers(SC)	147				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers(PHC)	12				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	3				
8	SDH	2				
9	DH	1				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	7,082	7,181			
11	Expected number of Delivery	6,567	6,659			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
12	PW register for ANC	6,806	96.1	6,601	93.2	ANC Check up in first trimester 54.2
13	Mothers registered in the first trimester	5,555	81.6	5,466	82.8	At least 4ANC check up 58.4
14	Number of PW received 4 or more ANC check ups	4,149	61.0	3,905	59.2	Neonatal tetanus received 89.4
15	PW who got TT 2 / Booster injection	6,083	89.4	5,934	89.9	100 IFA tablets consumed 29.5
16	PW who consumed 180 IFA tablets	3,771	55.4	2,290	34.7	Home Delivery 10.3
17	Home Delivery against expected delivery *	147	2.2	203	3.0	Institutional Delivery 89.7
18	Institutional Delivery against expected delivery *	5,731	87.3	5,359	80.5	Home Delivery by SBA 0.7
19	Home Delivery against reported delivery **	147	2.5	203	3.6	PNC within 2days of delivery 68.0
20	Institutional Delivery against reported delivery **	5,731	97.5	5,359	96.4	
21	Total reported Deliveries	5,878		5,562		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.7	0	0.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,008	68.2	4,081	73.4	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>						
24	Expected number of Live Birth	6,438		6,528		
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21)		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	5,820	90.4	5,502	84.3	Breastfed within 1 hour of birth	15.8
26	Total Still Birth	94	1.5	97	1.5	BCG	89.0
27	PC of newborn weighted at birth to live birth	5,813	99.9	5,477	99.5	3 dose of DPT	81.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	561	9.7	728	13.3	Measles First dose	83.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,801	99.7	5,079	92.3	3 doses of penta or hepatitis B vaccine	72.7
30	Children fully immunized	5,585	86.7	5,309	81.3	Full Immunization	48.5
31	Children who have received BCG	6,079	94.4	5,496	84.2		
32	Children who have received Pentavalent 1	6,307	98.0	5,884	90.1		
33	Children who have received Pentavalent 3	5,992	93.1	5,696	87.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,602	87.0	5,318	81.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,418		461			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	15		0		Total unmet need	17.3
37	Number of Tubectomies performed	210		167		Spacing	3.7
38	Number of IUD insertion	19		8		Women using any method	50.7
39	Number of IUD removals	11		7		Women using modern method	40.3
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	1074		579			
41	General OPD cases per 10,000 population ***	9776		4788			
42	Ayush OPD cases per 10,000 population ***	550		293			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	29		27			
44	Neonatal Deaths up to 4 weeks of birth	19		17			
45	<b>Total Neonatal Death</b>	48		44			
46	Deaths between (1 - 12) months	23		25			
47	<b>Total reported infant deaths</b>	71		69			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
48	Due to Abortion	1		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	1		0			
51	Due to Bleeding	0		1			
52	Due to High fever	0		0			

53	Due to Other Causes (including causes not known)	5	4	
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>5</b>	

## Khowai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>327,391</b>					
2	Sex Ratio	<b>0</b>					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	<b>104</b>					
4	Sub Centers (SC)- HWC	<b>0</b>					
5	Primary Health Centers(PHC)	<b>9</b>					
6	Primary Health Centers (PHC)-HWC	<b>0</b>					
7	Community Health Centers (CHC)	<b>1</b>					
8	SDH	<b>1</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	5,236		5,301			
11	Expected number of Delivery	4,855		4,915			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	4,600	87.9	4,396	84.0	ANC Check up in first trimester	41.0
13	Mothers registered in the first trimester	3,214	69.9	3,146	71.6	At least 4ANC check up	24.6
14	Number of PW received 4 or more ANC check ups	2,842	61.8	2,579	58.7	Neonatal tetanus received	95.6
15	PW who got TT 2 / Booster injection	3,997	86.9	3,742	85.1	100 IFA tablets consumed	31.6
16	PW who consumed 180 IFA tablets	1,628	35.4	1,095	24.9	Home Delivery	28.5
17	Home Delivery against expected delivery *	110	2.3	128	2.6	Institutional Delivery	71.5
18	Institutional Delivery against expected delivery *	2,859	58.9	2,870	58.4	Home Delivery by SBA	2.9
19	Home Delivery against reported delivery **	110	3.7	128	4.3	PNC within 2days of delivery	44.5
20	Institutional Delivery against reported delivery **	2,859	96.3	2,870	95.7		
21	Total reported Deliveries	2,969		2,998			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	1.8	1	0.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,170	39.4	1,232	41.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	4,760		4,819			

<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,946	61.9	2,978	61.8	Breastfed within 1 hour of birth	21.7
26	Total Still Birth	39	0.8	39	0.8	BCG	85.1
27	PC of newborn weighted at birth to live birth	2,881	97.8	2,958	99.3	3 dose of DPT	78.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	447	15.5	429	14.5	Measles First dose	83.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,413	81.9	2,717	91.2	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	3,983	83.7	3,817	79.2	Full Immunization	58.3
31	Children who have received BCG	2,988	62.8	2,787	57.8		
32	Children who have received Pentavalent 1	4,184	87.9	4,000	83.0		
33	Children who have received Pentavalent 3	3,865	81.2	3,785	78.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,015	84.4	3,814	79.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	602		302			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	9.7
37	Number of Tubectomies performed	0		0		Spacing	3.7
38	Number of IUD insertion	25		20		Women using any method	66.8
39	Number of IUD removals	0		4		Women using modern method	40.2
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	666		479			
41	General OPD cases per 10,000 population ***	7405		4651			
42	Ayush OPD cases per 10,000 population ***	1011		464			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	5		8			
44	Neonatal Deaths up to 4 weeks of birth	5		10			
45	<b>Total Neonatal Death</b>	10		18			
46	Deaths between (1 - 12) months	16		21			
47	<b>Total reported infant deaths</b>	26		39			
<b>II) Maternal Mortality</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	1		0			



52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>	

## North Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>415,946</b>					
2	Sex Ratio	<b>967</b>					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	<b>95</b>					
4	Sub Centers (SC)- HWC	<b>0</b>					
5	Primary Health Centers(PHC)	<b>14</b>					
6	Primary Health Centers (PHC)-HWC	<b>0</b>					
7	Community Health Centers (CHC)	<b>3</b>					
8	SDH	<b>1</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	6,942		7,062			
11	Expected number of Delivery	6,437		6,549			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,547	123.1	8,589	123.7	ANC Check up in first trimester	54.0
13	Mothers registered in the first trimester	5,560	65.1	6,359	74.0	At least 4ANC check up	40.6
14	Number of PW received 4 or more ANC check ups	5,492	64.3	5,823	67.8	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	7,275	85.1	7,274	84.7	100 IFA tablets consumed	22.0
16	PW who consumed 180 IFA tablets	1,978	23.1	3,688	42.9	Home Delivery	6.8
17	Home Delivery against expected delivery *	1,305	20.3	1,281	19.6	Institutional Delivery	93.2
18	Institutional Delivery against expected delivery *	4,111	63.9	4,559	69.6	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	1,305	24.1	1,281	21.9	PNC within 2days of delivery	66.3
20	Institutional Delivery against reported delivery **	4,111	75.9	4,559	78.1		
21	Total reported Deliveries	5,416		5,840			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9		0		0.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,454		63.8		3,895	66.7

**Note:** In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	6,311		6,420			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	5,384	85.3	5,783	90.1	Breastfed within 1 hour of birth	24.8
26	Total Still Birth	41	0.6	91	1.4	BCG	91.8
27	PC of newborn weighted at birth to live birth	5,365	99.6	5,779	99.9	3 dose of DPT	83.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	434	8.1	516	8.9	Measles First dose	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,342	99.2	5,593	96.7	3 doses of penta or hepatitis B vaccine	80.6
30	Children fully immunized	6,334	100.4	6,467	100.7	Full Immunization	67.1
31	Children who have received BCG	5,992	94.9	5,560	86.6		
32	Children who have received Pentavalent 1	7,439	117.9	7,091	110.4		
33	Children who have received Pentavalent 3	7,066	112.0	6,160	95.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,436	102.0	6,498	101.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,136		647			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	12.1
37	Number of Tubectomies performed	53		14		Spacing	3.7
38	Number of IUD insertion	30		1		Women using any method	65.5
39	Number of IUD removals	0		1		Women using modern method	48.7
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	929		507			
41	General OPD cases per 10,000 population ***	8417		4331			
42	Ayush OPD cases per 10,000 population ***	438		237			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	13		11			
44	Neonatal Deaths up to 4 weeks of birth	26		21			
45	<b>Total Neonatal Death</b>	39		32			
46	Deaths between (1 - 12) months	41		47			
47	<b>Total reported infant deaths</b>	80		79			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			

51	Due to Bleeding	1	0
52	Due to High fever	0	1
53	Due to Other Causes (including causes not known)	4	7
54	<b>Total reported maternal deaths</b>	<b>5</b>	<b>8</b>

## Sipahijala Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	146					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	7,744		7,840			
11	Expected number of Delivery	7,181		7,270			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	8,310	107.3	7,961	102.8	ANC Check up in first trimester	78.7
13	Mothers registered in the first trimester	6,249	75.2	5,905	74.2	At least 4ANC check up	61.2
14	Number of PW received 4 or more ANC check ups	4,727	56.9	4,977	62.5	Neonatal tetanus received	99.3
15	PW who got TT 2 / Booster injection	7,109	85.5	6,769	85.0	100 IFA tablets consumed	31.8
16	PW who consumed 180 IFA tablets	5,368	64.6	2,464	31.0	Home Delivery	4.7
17	Home Delivery against expected delivery *	244	3.4	425	5.8	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	3,512	48.9	3,494	48.1	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	244	6.5	425	10.8	PNC within 2days of delivery	87.7
20	Institutional Delivery against reported delivery **	3,512	93.5	3,494	89.2		
21	Total reported Deliveries	3,756		3,919			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,946		131.7		4,558 116.3	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	7,040		7,128			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	3,732	53.0	3,897	54.7	Breastfed within 1 hour of birth	38.0
26	Total Still Birth	32	0.5	43	0.6	BCG	100.0
27	PC of newborn weighted at birth to live birth	3,696	99.0	3,856	98.9	3 dose of DPT	94.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	455	12.3	491	12.7	Measles First dose	94.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,340	89.5	3,847	98.7	3 doses of penta or hepatitis B vaccine	91.7
30	Children fully immunized	6,830	97.0	6,564	92.1	Full Immunization	88.4
31	Children who have received BCG	4,642	65.9	4,480	62.9		
32	Children who have received Pentavalent 1	7,263	103.2	7,367	103.4		
33	Children who have received Pentavalent 3	7,158	101.7	7,064	99.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,857	97.4	6,577	92.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	819		375			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	4		4		Total unmet need	2.5
37	Number of Tubectomies performed	131		104		Spacing	0.9
38	Number of IUD insertion	25		14		Women using any method	80.1
39	Number of IUD removals	6		4		Women using modern method	53.9
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	668		318			
41	General OPD cases per 10,000 population ***	9356		4697			
42	Ayush OPD cases per 10,000 population ***	1115		745			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	6		2			
44	Neonatal Deaths up to 4 weeks of birth	16		4			
45	<b>Total Neonatal Death</b>	22		6			
46	Deaths between (1 - 12) months	11		17			
47	<b>Total reported infant deaths</b>	33		23			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			

50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	

## South Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	110					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centers (PHC)-HWC	11					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	7,031		7,130			
11	Expected number of Delivery	6,520		6,611			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	7,006	99.6	6,953	98.9	ANC Check up in first trimester	57.2
13	Mothers registered in the first trimester	5,482	78.2	5,623	80.9	At least 4ANC check up	41.5
14	Number of PW received 4 or more ANC check ups	4,625	66.0	4,934	71.0	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	6,037	86.2	5,944	85.5	100 IFA tablets consumed	38.0
16	PW who consumed 180 IFA tablets	4,193	59.8	4,473	64.3	Home Delivery	4.3
17	Home Delivery against expected delivery *	197	3.0	188	2.8	Institutional Delivery	95.7
18	Institutional Delivery against expected delivery *	4,307	66.1	4,471	67.6	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	197	4.4	188	4.0	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	4,307	95.6	4,471	96.0		
21	Total reported Deliveries	4,504		4,659			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,471	77.1	3,962	85.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	6,392		6,482			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	4,480	70.1	4,641	71.6	Breastfed within 1 hour of birth	20.9
26	Total Still Birth	40	0.6	53	0.8	BCG	96.1
27	PC of newborn weighted at birth to live birth	4,455	99.4	4,535	97.7	3 dose of DPT	87.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	506	11.4	428	9.4	Measles First dose	85.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,451	99.4	4,511	97.2	3 doses of penta or hepatitis B vaccine	85.7
30	Children fully immunized	5,875	91.9	5,812	89.7	Full Immunization	60.7
31	Children who have received BCG	4,861	76.0	4,628	71.4		
32	Children who have received Pentavalent 1	6,198	97.0	6,082	93.8		
33	Children who have received Pentavalent 3	5,919	92.6	5,877	90.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,886	92.1	5,801	89.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,142		487			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.1
37	Number of Tubectomies performed	86		173		Spacing	2.2
38	Number of IUD insertion	176		128		Women using any method	79.9
39	Number of IUD removals	71		80		Women using modern method	49.9
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	1058		579			
41	General OPD cases per 10,000 population ***	10702		8032			
42	Ayush OPD cases per 10,000 population ***	607		484			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	8		7			
44	Neonatal Deaths up to 4 weeks of birth	21		14			
45	<b>Total Neonatal Death</b>	29		21			
46	Deaths between (1 - 12) months	32		63			
47	<b>Total reported infant deaths</b>	61		84			
<b>II) Maternal Mortality</b>							

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	1	
54	<b>Total reported maternal deaths</b>	<b>2</b>	<b>2</b>	

## Unakoti Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	4,629	4,709				
11	Expected number of Delivery	4,292	4,367				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	5,236	113.1	5,149	111.2	ANC Check up in first trimester	63.2
13	Mothers registered in the first trimester	3,432	65.5	3,689	71.6	At least 4ANC check up	52.7
14	Number of PW received 4 or more ANC check ups	3,377	64.5	3,262	63.4	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	4,300	82.1	4,093	79.5	100 IFA tablets consumed	26.7
16	PW who consumed 180 IFA tablets	3,057	58.4	3,272	63.5	Home Delivery	10.8
17	Home Delivery against expected delivery *	568	13.2	585	13.4	Institutional Delivery	89.2
18	Institutional Delivery against expected delivery *	3,075	71.6	2,956	67.7	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	568	15.6	585	16.5	PNC within 2days of delivery	71.9
20	Institutional Delivery against reported delivery **	3,075	84.4	2,956	83.5		
21	Total reported Deliveries	3,643		3,541			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.2	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,162	31.9	1,597	45.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	4,208		4,281			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	3,466	82.4	3,501	81.8	Breastfed within 1 hour of birth	36.4
26	Total Still Birth	64	1.5	65	1.5	BCG	94.7
27	PC of newborn weighted at birth to live birth	3,171	91.5	3,389	96.8	3 dose of DPT	85.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	458	14.4	288	8.5	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,090	89.2	3,255	93.0	3 doses of penta or hepatitis B vaccine	82.5
30	Children fully immunized	3,925	93.3	4,010	93.7	Full Immunization	69.5
31	Children who have received BCG	3,485	82.8	3,267	76.3		
32	Children who have received Pentavalent 1	4,562	108.4	4,245	99.2		
33	Children who have received Pentavalent 3	4,209	100.0	3,901	91.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,070	96.7	4,059	94.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,610		796			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	19		0		Total unmet need	8.2
37	Number of Tubectomies performed	169		88		Spacing	2.5
38	Number of IUD insertion	25		5		Women using any method	71.2
39	Number of IUD removals	7		3		Women using modern method	49.1
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	812		504			
41	General OPD cases per 10,000 population ***	8746		5635			
42	Ayush OPD cases per 10,000 population ***	970		657			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	16		17			
44	Neonatal Deaths up to 4 weeks of birth	19		25			
45	<b>Total Neonatal Death</b>	35		42			
46	Deaths between (1 - 12) months	56		42			
47	<b>Total reported infant deaths</b>	91		84			



II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21)	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	5	6	
54	<b>Total reported maternal deaths</b>	<b>6</b>	<b>6</b>	

## West Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>917,534</b>					
2	Sex Ratio	<b>964</b>					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers(SC)	<b>173</b>					
4	Sub Centers (SC)- HWC	<b>0</b>					
5	Primary Health Centers(PHC)	<b>13</b>					
6	Primary Health Centers (PHC)-HWC	<b>5</b>					
7	Community Health Centers (CHC)	<b>3</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	14,673	14,856				
11	Expected number of Delivery	13,606	13,776				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	18,810	128.2	16,665	113.6	ANC Check up in first trimester	75.5
13	Mothers registered in the first trimester	12,999	69.1	11,136	66.8	At least 4ANC check up	67.1
14	Number of PW received 4 or more ANC check ups	17,016	90.5	11,958	71.8	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	10,273	54.6	9,495	57.0	100 IFA tablets consumed	17.3
16	PW who consumed 180 IFA tablets	6,830	36.3	5,620	33.7	Home Delivery	14.6
17	Home Delivery against expected delivery *	145	1.1	209	1.5	Institutional Delivery	85.4
18	Institutional Delivery against expected delivery *	20,192	148.4	17,942	130.2	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	145	0.7	209	1.2	PNC within 2days of delivery	76.6
20	Institutional Delivery against reported delivery **	20,192	99.3	17,942	98.8		

21	Total reported Deliveries	20,337		18,151			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,305	70.3	16,845	92.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	13,339		13,506			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	19,919	149.3	17,819	131.9	Breastfed within 1 hour of birth	61.1
26	Total Still Birth	457	3.4	441	3.3	BCG	93.1
27	PC of newborn weighted at birth to live birth	19,633	98.6	17,804	99.9	3 dose of DPT	77.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,541	12.9	2,150	12.1	Measles First dose	74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,243	86.6	15,957	89.6	3 doses of penta or hepatitis B vaccine	74.6
30	Children fully immunized	10,509	78.8	9,883	73.2	Full Immunization	69.6
31	Children who have received BCG	16,514	123.8	14,343	106.2		
32	Children who have received Pentavalent 1	11,347	85.1	10,978	81.3		
33	Children who have received Pentavalent 3	10,738	80.5	10,529	78.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,607	79.5	9,901	73.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,524		254			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	2		0		Total unmet need	6.1
37	Number of Tubectomies performed	2,297		1,569		Spacing	2.5
38	Number of IUD insertion	99		96		Women using any method	78.3
39	Number of IUD removals	77		44		Women using modern method	54.4
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
40	IPD cases per 10,000 population ***	1488		1100			
41	General OPD cases per 10,000 population ***	14722		10221			
42	Ayush OPD cases per 10,000 population ***	707		466			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21)</b>			
43	Neonatal death within 24 hours	98		91			
44	Neonatal Deaths up to 4 weeks of birth	242		235			
45	<b>Total Neonatal Death</b>	340		326			
46	Deaths between (1 - 12) months	171		133			

47	<b>Total reported infant deaths</b>	511	459	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21)</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	1	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	2	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	15	17	
54	<b>Total reported maternal deaths</b>	<b>17</b>	<b>19</b>	