

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,383,727					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	307					
4	Sub Centres (SC)- HWC	78					
5	Primary Health Centers(PHC)	105					
6	Primary Health Centres (PHC)-HWC	42					
7	Community Health Centers (CHC)	63					
8	SDH	0					
9	DH	17					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	34,042		34,077			
11	Expected number of Delivery	31,566		31,598			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	28,196	82.8	21,694	63.7	ANC Check up in first trimester	37.0
13	Mothers registered in the first trimester	10,322	36.6	7,714	35.6	At least 4ANC check up	26.8
14	Mothers who had 4 or more ANC check ups	10,475	37.2	6,166	28.4	Neonatal tetanus received	64.1
15	PW who got TT 2 / Booster injection	16,446	58.3	12,422	57.3	100 IFA tablets consumed	8.3
16	PW who consumed 180 IFA tablets	16,268	57.7	11,697	53.9	Full ANC	3.6
17	Home Delivery against expected delivery *	1,809	5.7	1,247	3.9	Home Delivery	47.7
18	Institutional Delivery against expected delivery *	17,113	54.2	12,441	39.4	Institutional Delivery	52.3
19	Home Delivery against reported delivery **	1,809	9.6	1,247	9.1	Home Delivery by SBA(out of Total Deliveries)	2.1
20	Institutional Delivery against reported delivery **	17,113	90.4	12,441	90.9	PNC within 2days of delivery	28.9
21	Total reported Deliveries	18,922		13,688			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	716	39.6	561	45.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,848	20.3	4,206	30.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	30,948		30,979			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	18,788	60.7	13,696	44.2	Breastfeed within 1 hour of birth	58.7
26	Total Still Birth	237	0.8	164	0.5	BCG	70.9
27	Newborn weighted at birth to live birth	18,218	97.0	13,123	95.8	3 dose of DPT	52.3

28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,088	6.0	700	5.3	Measles	54.6
29	Newborns breastfed within 1 hour to total reported live birth.	15,655	83.3	11,206	81.8	Full Immunization	38.2
30	Fully immunized	17,445	56.4	13,911	44.9		
31	Children who have received BCG	19,269	62.3	14,671	47.4		
32	Children who have received Pentavalent 1	20,623	66.6	15,067	48.6		
33	Children who have received Pentavalent 3	18,324	59.2	13,810	44.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,838	57.6	14,171	45.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,536		3,151			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	2	0	Total unmet need	21.6
37	Number of Tubectomies performed	1,059	322	Spacing	12.7
38	Number of IUD insertion	2,000	1,193	Women using any method	31.7
39	Number of IUD removals	1,275	842	Women using modern method	26.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	409	198		
41	General OPD cases per 10,000 population ***	8445	3734		
42	Ayush OPD cases per 10,000 population ***	877	485		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	39	22		
44	Neonatal Deaths up to 4 weeks of birth	24	20		
45	Total Neonatal Death	63	42		
46	Deaths between (1 - 11) months	26	21		
47	Total reported infant deaths	89	63		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	3	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	7	2		
54	Total reported maternal deaths	12	10		

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	482		478			
11	Expected number of Delivery	447		443			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	414	85.9	302	63.2	ANC Check up in first trimester	28.8
13	Mothers registered in the first trimester	100	24.2	122	40.4	At least 4ANC check up	20.2
14	Mothers who had 4 or more ANC check ups	60	14.5	41	13.6	Neonatal tetanus received	73.5
15	PW who got TT 2 / Booster injection	255	61.6	208	68.9	100 IFA tablets consumed	4.5
16	PW who consumed 180 IFA tablets	346	83.6	254	84.1	Full ANC	2.0
17	Home Delivery against expected delivery *	24	5.4	12	2.7	Home Delivery	48.6
18	Institutional Delivery against expected delivery *	105	23.5	70	15.8	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	24	18.6	12	14.6	Home Delivery by SBA(out of Total Deliveries)	6.8
20	Institutional Delivery against reported delivery **	105	81.4	70	85.4	PNC within 2days of delivery	21.3
21	Total reported Deliveries	129		82			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	5	41.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	52	40.3	14	17.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	438		434			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	128	29.2	82	18.9	Breastfeed within 1 hour of birth	53.9

26	Total Still Birth	3	0.7	1	0.2	BCG	75.4
27	Newborn weighted at birth to live birth	127	99.2	79	96.3	3 dose of DPT	52.8
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	6.3	10	12.7	Measles	56.8
29	Newborns breastfed within 1 hour to total reported live birth.	127	99.2	80	97.6	Full Immunization	35.8
30	Fully immunized	244	55.7	208	47.9		
31	Children who have received BCG	196	44.7	139	32.0		
32	Children who have received Pentavalent 1	360	82.2	226	52.0		
33	Children who have received Pentavalent 3	348	79.4	257	59.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	268	61.2	223	51.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	515		255			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.1
37	Number of Tubectomies performed	19	0	Spacing	14.7
38	Number of IUD insertion	4	13	Women using any method	24.5
39	Number of IUD removals	10	6	Women using modern method	23.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	218	113		
41	General OPD cases per 10,000 population ***	7686	6092		
42	Ayush OPD cases per 10,000 population ***	2635	1480		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	1	1		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		

54	Total reported maternal deaths	0	0	
----	--------------------------------	---	---	--

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	148,226					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	35					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	3,553		3,543			
11	Expected number of Delivery	3,295		3,286			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,914	82.0	2,238	63.2	ANC Check up in first trimester	48.2
13	Mothers registered in the first trimester	1,012	34.7	687	30.7	At least 4ANC check up	38.9
14	Mothers who had 4 or more ANC check ups	1,019	35.0	718	32.1	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	2,481	85.1	1,870	83.6	100 IFA tablets consumed	11.1
16	PW who consumed 180 IFA tablets	1,257	43.1	1,335	59.7	Full ANC	7.2
17	Home Delivery against expected delivery *	377	11.4	225	6.8	Home Delivery	48.5
18	Institutional Delivery against expected delivery *	1,340	40.7	889	27.1	Institutional Delivery	51.5
19	Home Delivery against reported delivery **	377	22.0	225	20.2	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	1,340	78.0	889	79.8	PNC within 2days of delivery	44.9
21	Total reported Deliveries	1,717		1,114			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	27.3	127	56.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	500	29.1	185	16.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,230		3,221			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	

25	Total reported live births	1,708	52.9	1,108	34.4	Breastfeed within 1 hour of birth	68.6
26	Total Still Birth	6	0.2	6	0.2	BCG	93.8
27	Newborn weighted at birth to live birth	1,692	99.1	1,096	98.9	3 dose of DPT	83.7
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	100	5.9	53	4.8	Measles	83.7
29	Newborns breastfed within 1 hour to total reported live birth.	1,687	98.8	1,089	98.3	Full Immunization	79.5
30	Fully immunized	1,976	61.2	1,629	50.6		
31	Children who have received BCG	2,196	68.0	1,732	53.8		
32	Children who have received Pentavalent 1	2,425	75.1	1,879	58.3		
33	Children who have received Pentavalent 3	1,975	61.1	1,709	53.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,994	61.7	1,633	50.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	240		61			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	10.7
37	Number of Tubectomies performed	0	0	Spacing	5.6
38	Number of IUD insertion	66	26	Women using any method	62.6
39	Number of IUD removals	30	41	Women using modern method	47.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	235	127		
41	General OPD cases per 10,000 population ***	4567	1663		
42	Ayush OPD cases per 10,000 population ***	1318	637		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	2		
45	Total Neonatal Death	3	2		
46	Deaths between (1 - 11) months	1	1		
47	Total reported infant deaths	4	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	8,004					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	175		173			
11	Expected number of Delivery	162		160			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	106	60.5	102	59.0	ANC Check up in first trimester	44.7
13	Mothers registered in the first trimester	56	52.8	47	46.1	At least 4ANC check up	20.3
14	Mothers who had 4 or more ANC check ups	24	22.6	6	5.9	Neonatal tetanus received	58.7
15	PW who got TT 2 / Booster injection	62	58.5	63	61.8	100 IFA tablets consumed	24.0
16	PW who consumed 180 IFA tablets	90	84.9	72	70.6	Full ANC	7.3
17	Home Delivery against expected delivery *	6	3.7	5	3.1	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	29	17.9	23	14.3	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	6	17.1	5	17.9	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	29	82.9	23	82.1	PNC within 2days of delivery	35.3
21	Total reported Deliveries	35		28			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	83.3	5	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33	94.3	4	14.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	159		157			

D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	33	20.7	28	17.8	Breastfeed within 1 hour of birth	66.1
26	Total Still Birth	2	1.3	0	0.0	BCG	84.4
27	Newborn weighted at birth to live birth	33	100.0	18	64.3	3 dose of DPT	73.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles	70.4
29	Newborns breastfed within 1 hour to total reported live birth.	33	100.0	14	50.0	Full Immunization	40.8
30	Fully immunized	67	42.1	57	36.3		
31	Children who have received BCG	36	22.6	35	22.3		
32	Children who have received Pentavalent 1	70	44.0	50	31.8		
33	Children who have received Pentavalent 3	123	77.3	43	27.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	129	81.0	72	45.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	87		7			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	0		0		Spacing	12.6
38	Number of IUD insertion	0		0		Women using any method	44.4
39	Number of IUD removals	0		0		Women using modern method	44.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	105		126			
41	General OPD cases per 10,000 population ***	9604		6244			
42	Ayush OPD cases per 10,000 population ***	230		511			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			

51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centres (SC)- HWC	5					
5	Primary Health Centers(PHC)	5					
6	Primary Health Centres (PHC)-HWC	6					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,770		1,796			
11	Expected number of Delivery	1,641		1,665			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,291	72.9	943	52.5	ANC Check up in first trimester	4.1
13	Mothers registered in the first trimester	874	67.7	504	53.4	At least 4ANC check up	0.8
14	Mothers who had 4 or more ANC check ups	218	16.9	221	23.4	Neonatal tetanus received	33.4
15	PW who got TT 2 / Booster injection	651	50.4	405	42.9	100 IFA tablets consumed	1.8
16	PW who consumed 180 IFA tablets	543	42.1	726	77.0	Full ANC	0.0
17	Home Delivery against expected delivery *	36	2.2	9	0.5	Home Delivery	66.2
18	Institutional Delivery against expected delivery *	567	34.5	505	30.3	Institutional Delivery	33.8
19	Home Delivery against reported delivery **	36	6.0	9	1.8	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	567	94.0	505	98.2	PNC within 2days of delivery	6.1
21	Total reported Deliveries	603		514			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	50.0	3	33.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21	3.5	4	0.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,609		1,632			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	594	36.9	514	31.5	Breastfeed within 1 hour of birth	54.3
26	Total Still Birth	9	0.6	4	0.2	BCG	37.2
27	Newborn weighted at birth to live birth	541	91.1	171	33.3	3 dose of DPT	17.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	17	3.1	48	28.1	Measles	17.4
29	Newborns breastfed within 1 hour to total reported live birth.	554	93.3	171	33.3	Full Immunization	11.9
30	Fully immunized	564	35.0	381	23.3		
31	Children who have received BCG	584	36.3	480	29.4		
32	Children who have received Pentavalent 1	835	51.9	605	37.1		
33	Children who have received Pentavalent 3	628	39.0	414	25.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	569	35.4	382	23.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	351		65			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	30.7
37	Number of Tubectomies performed	0		0		Spacing	18.2
38	Number of IUD insertion	69		51		Women using any method	5.2
39	Number of IUD removals	2		19		Women using modern method	5

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	172		159			
41	General OPD cases per 10,000 population ***	4457		2598			
42	Ayush OPD cases per 10,000 population ***	461		326			

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	2		0			
45	Total Neonatal Death	2		0			
46	Deaths between (1 - 11) months	2		0			
47	Total reported infant deaths	4		0			

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
--	-------------------------------------	------------------------	--	-----------------------------------	--	--	--

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	1	

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	1					
4	Sub Centres (SC)- HWC	15					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centres (PHC)-HWC	9					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,609		1,594			
11	Expected number of Delivery	1,492		1,479			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,052	127.6	1,100	69.0	ANC Check up in first trimester	38.4
13	Mothers registered in the first trimester	1,039	50.6	539	49.0	At least 4ANC check up	35.0
14	Mothers who had 4 or more ANC check ups	647	31.5	316	28.7	Neonatal tetanus received	76.3
15	PW who got TT 2 / Booster injection	1,442	70.3	901	81.9	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,171	57.1	637	57.9	Full ANC	4.6
17	Home Delivery against expected delivery *	72	4.8	88	6.0	Home Delivery	31.4
18	Institutional Delivery against expected delivery *	2,003	134.3	1,319	89.2	Institutional Delivery	68.6
19	Home Delivery against reported delivery **	72	3.5	88	6.3	Home Delivery by SBA(out of Total Deliveries)	3.3
20	Institutional Delivery against reported delivery **	2,003	96.5	1,319	93.7	PNC within 2days of delivery	31.0
21	Total reported Deliveries	2,075		1,407			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	48.6	85	96.6		

23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	321	15.5	809	57.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,462		1,450			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	2,042	139.6	1,386	95.6	Breastfeed within 1 hour of birth	41
26	Total Still Birth	32	2.2	20	1.4	BCG	83.6
27	Newborn weighted at birth to live birth	2,042	100.0	1,393	100.5	3 dose of DPT	57.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	139	6.8	49	3.5	Measles	78.8
29	Newborns breastfed within 1 hour to total reported live birth.	1,847	90.5	1,385	99.9	Full Immunization	45.5
30	Fully immunized	1,236	84.5	923	63.7		
31	Children who have received BCG	2,083	142.4	1,386	95.6		
32	Children who have received Pentavalent 1	1,535	105.0	971	67.0		
33	Children who have received Pentavalent 3	1,451	99.2	921	63.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,270	86.8	924	63.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	156		25			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	2		0		Total unmet need	19.6
37	Number of Tubectomies performed	159		57		Spacing	14.8
38	Number of IUD insertion	159		61		Women using any method	32.5
39	Number of IUD removals	90		30		Women using modern method	31.2
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	1284		653			
41	General OPD cases per 10,000 population ***	16367		6303			
42	Ayush OPD cases per 10,000 population ***	585		191			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	21		8			
44	Neonatal Deaths up to 4 weeks of birth	12		7			
45	Total Neonatal Death	33		15			
46	Deaths between (1 - 11) months	2		9			
47	Total reported infant deaths	35		24			

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	0		0
50	Due to Severe hypertension/fits	0		0
51	Due to Bleeding	0		1
52	Due to High fever	0		0
53	Due to Other Causes (including causes not known)	3		1
54	Total reported maternal deaths	3		2

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	19,697					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	20					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	4					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	610		626			
11	Expected number of Delivery	566		580			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	253	40.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	83	32.8	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	10	4.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	127	50.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	153	60.5	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	13	2.2	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	35	6.0	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	13	27.1	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	35	72.9	PNC within 2days of delivery	NA

21	Total reported Deliveries	0		48			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	4	30.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	16	33.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	555		569			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	48	8.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	45	93.8	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	2	4.4	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	44	91.7	Full Immunization	NA
30	Fully immunized	0	0.0	132	23.2		
31	Children who have received BCG	0	0.0	80	14.1		
32	Children who have received Pentavalent 1	0	0.0	157	27.6		
33	Children who have received Pentavalent 3	0	0.0	137	24.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	133	23.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		142			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	0		2		Women using any method	NA
39	Number of IUD removals	0		3		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		343			
41	General OPD cases per 10,000 population ***	0		3188			
42	Ayush OPD cases per 10,000 population ***	0		1191			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		1			
45	Total Neonatal Death	0		1			

46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	1	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	46,704					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,156	1,157				
11	Expected number of Delivery	1,072	1,073				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR			NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	138	11.9	313	27.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	37	26.8	214	68.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	27	19.6	198	63.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	82	59.4	112	35.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	126	91.3	297	94.9	Full ANC	NA
17	Home Delivery against expected delivery *	26	2.4	40	3.7	Home Delivery	NA
18	Institutional Delivery against expected delivery *	24	2.2	73	6.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	26	52.0	40	35.4	Home Delivery by SBA(out of Total Deliveries)	NA

20	Institutional Delivery against reported delivery **	24	48.0	73	64.6	PNC within 2days of delivery	NA
21	Total reported Deliveries	50		113			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	96.2	36	90.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	2.0	82	72.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,051		1,052			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	49	4.7	111	10.6	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	45	91.8	118	106.3	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	8	6.8	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	44	89.8	118	106.3	Full Immunization	NA
30	Fully immunized	100	9.5	196	18.6		
31	Children who have received BCG	46	4.4	213	20.3		
32	Children who have received Pentavalent 1	85	8.1	223	21.2		
33	Children who have received Pentavalent 3	87	8.3	188	17.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	98	9.3	197	18.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	48		108			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	9		28		Women using any method	NA
39	Number of IUD removals	16		5		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	94		90			
41	General OPD cases per 10,000 population ***	1005		1704			
42	Ayush OPD cases per 10,000 population ***	40		313			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of	0		0			

	birth			
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	3					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,123	1,124				
11	Expected number of Delivery	1,041	1,042				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	547	48.7	528	47.0	ANC Check up in first trimester	17.9
13	Mothers registered in the first trimester	314	57.4	258	48.9	At least 4ANC check up	7.9
14	Mothers who had 4 or more ANC check ups	305	55.8	197	37.3	Neonatal tetanus received	38.6
15	PW who got TT 2 / Booster injection	251	45.9	213	40.3	100 IFA tablets consumed	2.6
16	PW who consumed 180 IFA tablets	541	98.9	511	96.8	Full ANC	0.4
17	Home Delivery against expected delivery *	45	4.3	35	3.4	Home Delivery	70.4
18	Institutional Delivery against expected delivery *	165	15.8	182	17.5	Institutional Delivery	29.6

19	Home Delivery against reported delivery **	45	21.4	35	16.1	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	165	78.6	182	83.9	PNC within 2days of delivery	17.0
21	Total reported Deliveries	210		217			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	77.8	29	82.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27	12.9	161	74.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,021		1,022			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	210	20.6	216	21.1	Breastfeed within 1 hour of birth	53.8
26	Total Still Birth	0	0.0	2	0.2	BCG	49.2
27	Newborn weighted at birth to live birth	204	97.1	213	98.6	3 dose of DPT	28.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.5	4	1.9	Measles	28.2
29	Newborns breastfed within 1 hour to total reported live birth.	204	97.1	213	98.6	Full Immunization	17.4
30	Fully immunized	359	35.2	295	28.9		
31	Children who have received BCG	394	38.6	284	27.8		
32	Children who have received Pentavalent 1	399	39.1	299	29.3		
33	Children who have received Pentavalent 3	365	35.8	283	27.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	360	35.3	295	28.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	699		279			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	21.3
37	Number of Tubectomies performed	0		0		Spacing	14.1
38	Number of IUD insertion	102		80		Women using any method	12.9
39	Number of IUD removals	31		38		Women using modern method	11.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	275		148			
41	General OPD cases per 10,000 population ***	3785		2368			
42	Ayush OPD cases per 10,000 population ***	47		2			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal deaths within 24 hours	0	2	
44	Neonatal Deaths up to 4 weeks of birth	0	3	
45	Total Neonatal Death	0	5	
46	Deaths between (1 - 11) months	0	2	
47	Total reported infant deaths	0	7	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	20,152					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	436		430			
11	Expected number of Delivery	404		399			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	466	108.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	85	18.2	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	63	13.5	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	108	23.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	58	12.4	Full ANC	NA

17	Home Delivery against expected delivery *	0	0.0	6	1.5	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	93	23.3	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	6	6.1	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	93	93.9	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		99			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	1	16.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	4	4.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	396		391			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	97	24.8	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	97	100.0	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	4	4.1	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	103	106.2	Full Immunization	NA
30	Fully immunized	0	0.0	191	48.9		
31	Children who have received BCG	0	0.0	105	26.9		
32	Children who have received Pentavalent 1	0	0.0	178	45.5		
33	Children who have received Pentavalent 3	0	0.0	169	43.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	191	48.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		0			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	0		8		Women using any method	NA
39	Number of IUD removals	0		8		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		153			
41	General OPD cases per 10,000 population ***	0		4630			

42	Ayush OPD cases per 10,000 population ***	0	297	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal deaths within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Lohit Factsheet							
Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	49,776					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018-19)							
		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	4					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:							
		2019-20		2020-21			
10	Expected number of PW	1,160		1,154			
11	Expected number of Delivery	1,076		1,070			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,023	88.2	906	78.5	ANC Check up in first trimester	62.9
13	Mothers registered in the first trimester	513	50.1	386	42.6	At least 4ANC check up	49.2
14	Mothers who had 4 or more ANC check ups	953	93.2	601	66.3	Neonatal tetanus received	81.9

15	PW who got TT 2 / Booster injection	619	60.5	554	61.1	100 IFA tablets consumed	14.1
16	PW who consumed 180 IFA tablets	512	50.0	553	61.0	Full ANC	7.6
17	Home Delivery against expected delivery *	19	1.8	10	0.9	Home Delivery	53.0
18	Institutional Delivery against expected delivery *	966	89.8	1,001	93.6	Institutional Delivery	47.0
19	Home Delivery against reported delivery **	19	1.9	10	1.0	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	966	98.1	1,001	99.0	PNC within 2days of delivery	39.4
21	Total reported Deliveries	985		1,011			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	5.3	8	80.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	62	6.3	28	2.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,055		1,049			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	969	91.9	995	94.9	Breastfeed within 1 hour of birth	80.2
26	Total Still Birth	23	2.2	25	2.4	BCG	84.5
27	Newborn weighted at birth to live birth	960	99.1	987	99.2	3 dose of DPT	72.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	9.0	94	9.5	Measles	66
29	Newborns breastfed within 1 hour to total reported live birth.	908	93.7	706	71.0	Full Immunization	56.5
30	Fully immunized	807	76.5	658	62.7		
31	Children who have received BCG	1,048	99.3	1,036	98.8		
32	Children who have received Pentavalent 1	903	85.6	633	60.4		
33	Children who have received Pentavalent 3	856	81.1	558	53.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	811	76.9	652	62.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	942		128			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	10.6
37	Number of Tubectomies performed	67		61		Spacing	4.3
38	Number of IUD insertion	52		26		Women using any method	66
39	Number of IUD removals	34		24		Women using modern method	51.8
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

40	IPD cases per 10,000 population ***	616	422	
41	General OPD cases per 10,000 population ***	10190	5998	
42	Ayush OPD cases per 10,000 population ***	980	401	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal deaths within 24 hours	0	1	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	0	1	
46	Deaths between (1 - 11) months	1	3	
47	Total reported infant deaths	1	4	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	2	0	

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	6					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,272	1,259				
11	Expected number of Delivery	1,180	1,167				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	892	70.1	722	57.4	ANC Check up in first trimester	NA

13	Mothers registered in the first trimester	283	31.7	353	48.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	200	22.4	123	17.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	705	79.0	579	80.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	403	45.2	439	60.8	Full ANC	NA
17	Home Delivery against expected delivery *	143	12.1	67	5.7	Home Delivery	NA
18	Institutional Delivery against expected delivery *	277	23.5	246	21.1	Institutional Delivery	NA
19	Home Delivery against reported delivery **	143	34.0	67	21.4	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	277	66.0	246	78.6	PNC within 2days of delivery	NA
21	Total reported Deliveries	420		313			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	96	67.1	8	11.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	24.3	34	10.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,157		1,144			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	409	35.4	313	27.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	4	0.3	1	0.1	BCG	NA
27	Newborn weighted at birth to live birth	353	86.3	306	97.8	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.3	4	1.3	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	412	100.7	311	99.4	Full Immunization	NA
30	Fully immunized	555	48.0	497	43.4		
31	Children who have received BCG	724	62.6	561	49.0		
32	Children who have received Pentavalent 1	758	65.5	632	55.2		
33	Children who have received Pentavalent 3	593	51.3	587	51.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	583	50.4	504	44.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	415		194			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	8		27		Women using any method	NA

39	Number of IUD removals	4	2	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	73	46		
41	General OPD cases per 10,000 population ***	2800	1825		
42	Ayush OPD cases per 10,000 population ***	940	442		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	54,080
2	Sex Ratio	919

B) Infrastructure Details (RHS 2018-19)

		Numbers
3	Sub Centers (SC)	14
4	Sub Centres (SC)- HWC	0
5	Primary Health Centers (PHC)	3
6	Primary Health Centres (PHC)-HWC	0
7	Community Health Centers (CHC)	4
8	SDH	0
9	DH	1

C) Maternal Health:

		2019-20	2020-21	
10	Expected number of PW	1,159	1,142	
11	Expected number of Delivery	1,075	1,059	
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-4 (2015-16)

		Number	PC	Number	PC		
12	PW register for ANC	1,008	87.0	832	72.9	ANC Check up in first trimester	27.7
13	Mothers registered in the first trimester	313	31.1	219	26.3	At least 4ANC check up	23.6
14	Mothers who had 4 or more ANC check ups	512	50.8	189	22.7	Neonatal tetanus received	64.7
15	PW who got TT 2 / Booster injection	652	64.7	565	67.9	100 IFA tablets consumed	10.9
16	PW who consumed 180 IFA tablets	150	14.9	148	17.8	Full ANC	2.0
17	Home Delivery against expected delivery *	84	7.8	43	4.1	Home Delivery	41.0
18	Institutional Delivery against expected delivery *	489	45.5	262	24.7	Institutional Delivery	59.0
19	Home Delivery against reported delivery **	84	14.7	43	14.1	Home Delivery by SBA(out of Total Deliveries)	0.7
20	Institutional Delivery against reported delivery **	489	85.3	262	85.9	PNC within 2days of delivery	24.1
21	Total reported Deliveries	573		305			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	71	84.5	30	69.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	152	26.5	68	22.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,054		1,038			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	563	53.4	303	29.2	Breastfeed within 1 hour of birth	45.7
26	Total Still Birth	10	0.9	1	0.1	BCG	74.4
27	Newborn weighted at birth to live birth	563	100.0	303	100.0	3 dose of DPT	53
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	9.9	22	7.3	Measles	57.2
29	Newborns breastfed within 1 hour to total reported live birth.	556	98.8	304	100.3	Full Immunization	37.3
30	Fully immunized	861	81.7	586	56.5		
31	Children who have received BCG	714	67.7	511	49.2		
32	Children who have received Pentavalent 1	933	88.5	683	65.8		
33	Children who have received Pentavalent 3	833	79.0	572	55.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	872	82.7	591	56.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	216		86			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	17.2

37	Number of Tubectomies performed	34	13	Spacing	10.3
38	Number of IUD insertion	18	20	Women using any method	31
39	Number of IUD removals	28	10	Women using modern method	28.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	313	118		
41	General OPD cases per 10,000 population ***	11273	5619		
42	Ayush OPD cases per 10,000 population ***	556	169		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	4	0		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	Total Neonatal Death	5	1		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	6	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)			
1	Population 2011	22,630	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	8	
4	Sub Centres (SC)- HWC	0	
5	Primary Health Centers (PHC)	3	
6	Primary Health Centres (PHC)-HWC	0	
7	Community Health Centers (CHC)	2	
8	SDH	0	
9	DH	0	
C) Maternal Health:		2019-20	2020-21
10	Expected number of PW	501	495

11	Expected number of Delivery	464		459			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	168	33.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	76	45.2	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	33	19.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	136	81.0	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	454	270.2	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	9	2.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	60	13.1	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	9	13.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	60	87.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		69			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	7	77.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	25	36.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	455		450			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	73	16.2	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	2	0.4	BCG	NA
27	Newborn weighted at birth to live birth	0	-	67	91.8	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	8	11.9	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	67	91.8	Full Immunization	NA
30	Fully immunized	0	0.0	92	20.4		
31	Children who have received BCG	0	0.0	98	21.8		
32	Children who have received Pentavalent 1	0	0.0	151	33.5		
33	Children who have received Pentavalent 3	0	0.0	107	23.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	105	23.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		25			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	1	Spacing	NA
38	Number of IUD insertion	0	19	Women using any method	NA
39	Number of IUD removals	0	7	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	0	135		
41	General OPD cases per 10,000 population ***	0	2574		
42	Ayush OPD cases per 10,000 population ***	0	212		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	1		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	67,751			
2	Sex Ratio	975			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	23			
4	Sub Centres (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centres (PHC)-HWC	0			
7	Community Health Centers (CHC)	2			
8	SDH	0			

9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,091		2,145			
11	Expected number of Delivery	1,939		1,989			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	843	40.3	494	23.0	ANC Check up in first trimester	33.6
13	Mothers registered in the first trimester	340	40.3	126	25.5	At least 4ANC check up	22.7
14	Mothers who had 4 or more ANC check ups	251	29.8	51	10.3	Neonatal tetanus received	44.0
15	PW who got TT 2 / Booster injection	575	68.2	292	59.1	100 IFA tablets consumed	9.6
16	PW who consumed 180 IFA tablets	483	57.3	233	47.2	Full ANC	3.0
17	Home Delivery against expected delivery *	55	2.8	20	1.0	Home Delivery	39.5
18	Institutional Delivery against expected delivery *	358	18.5	262	13.2	Institutional Delivery	60.5
19	Home Delivery against reported delivery **	55	13.3	20	7.1	Home Delivery by SBA(out of Total Deliveries)	4.2
20	Institutional Delivery against reported delivery **	358	86.7	262	92.9	PNC within 2days of delivery	17.6
21	Total reported Deliveries	413		282			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	12.7	2	10.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	209	50.6	165	58.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,901		1,950			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	383	20.1	279	14.3	Breastfeed within 1 hour of birth	55.7
26	Total Still Birth	8	0.4	5	0.3	BCG	68.8
27	Newborn weighted at birth to live birth	372	97.1	278	99.6	3 dose of DPT	56.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	6.2	17	6.1	Measles	53
29	Newborns breastfed within 1 hour to total reported live birth.	329	85.9	244	87.5	Full Immunization	40.1
30	Fully immunized	658	34.6	424	21.7		
31	Children who have received BCG	472	24.8	313	16.0		
32	Children who have received Pentavalent 1	702	36.9	369	18.9		
33	Children who have received Pentavalent 3	713	37.5	387	19.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	663	34.9	432	22.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	351		101			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning					
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.8
37	Number of Tubectomies performed	0	0	Spacing	12.3
38	Number of IUD insertion	75	33	Women using any method	10.6
39	Number of IUD removals	88	23	Women using modern method	10
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	330	98		
41	General OPD cases per 10,000 population ***	5326	2175		
42	Ayush OPD cases per 10,000 population ***	1060	315		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	1		
47	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)		
1	Population 2011	95,950
2	Sex Ratio	901
B) Infrastructure Details (RHS 2018-19)		Numbers
3	Sub Centers (SC)	0
4	Sub Centres (SC)- HWC	15
5	Primary Health Centers (PHC)	0
6	Primary Health Centres (PHC)-HWC	4

7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,237		2,224			
11	Expected number of Delivery	2,074		2,062			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,514	112.4	1,643	73.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,289	51.3	938	57.1	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	1,637	65.1	1,139	69.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	2,100	83.5	1,514	92.1	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	2,023	80.5	1,355	82.5	Full ANC	NA
17	Home Delivery against expected delivery *	449	21.6	286	13.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	1,265	61.0	971	47.1	Institutional Delivery	NA
19	Home Delivery against reported delivery **	449	26.2	286	22.8	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,265	73.8	971	77.2	PNC within 2days of delivery	NA
21	Total reported Deliveries	1,714		1,257			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	6.2	41	14.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	436	25.4	320	25.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,033		2,022			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,732	85.2	1,253	62.0	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	30	1.5	24	1.2	BCG	NA
27	Newborn weighted at birth to live birth	1,634	94.3	1,150	91.8	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	82	5.0	84	7.3	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	1,649	95.2	1,178	94.0	Full Immunization	NA
30	Fully immunized	1,794	88.2	1,428	70.6		
31	Children who have received BCG	1,971	96.9	1,363	67.4		
32	Children who have received Pentavalent 1	2,164	106.4	1,431	70.8		
33	Children who have received Pentavalent 3	2,002	98.5	1,387	68.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,825	89.7	1,433	70.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	112		25			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	200	16	Spacing	NA
38	Number of IUD insertion	216	170	Women using any method	NA
39	Number of IUD removals	17	9	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	241	187		
41	General OPD cases per 10,000 population ***	6785	3229		
42	Ayush OPD cases per 10,000 population ***	972	444		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	2	1		
45	Total Neonatal Death	2	3		
46	Deaths between (1 - 11) months	4	4		
47	Total reported infant deaths	6	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	2		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)			
1	Population 2011	15,358	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	NA	
4	Sub Centres (SC)- HWC	NA	

5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	429		435			
11	Expected number of Delivery	398		404			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	71	16.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	16	22.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	13	18.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	41	57.7	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	29	40.8	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	4	1.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	13	3.2	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	4	23.5	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	13	76.5	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		17			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	4	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	3	17.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	390		396			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	17	4.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	19	111.8	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	3	15.8	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	15	88.2	Full Immunization	NA
30	Fully immunized	0	0.0	34	8.6		
31	Children who have received BCG	0	0.0	19	4.8		
32	Children who have received Pentavalent 1	0	0.0	32	8.1		
33	Children who have received Pentavalent 3	0	0.0	35	8.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	34	8.6		

35	Diarrhoea and Dehydration cases reported in children below 5 years	0	33		
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>					
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	0	Women using any method	NA
39	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	0	12		
41	General OPD cases per 10,000 population ***	0	1449		
42	Ayush OPD cases per 10,000 population ***	0	49		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	176,573
2	Sex Ratio	950

B) Infrastructure Details (RHS 2018-19)

Numbers

3	Sub Centers (SC)	8					
4	Sub Centres (SC)- HWC	26					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	12					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,439		4,450			
11	Expected number of Delivery	4,116		4,127			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,016	158.1	4,557	102.4	ANC Check up in first trimester	33.4
13	Mothers registered in the first trimester	878	12.5	519	11.4	At least 4ANC check up	26.2
14	Mothers who had 4 or more ANC check ups	2,088	29.8	503	11.0	Neonatal tetanus received	74.1
15	PW who got TT 2 / Booster injection	2,217	31.6	1,174	25.8	100 IFA tablets consumed	11.8
16	PW who consumed 180 IFA tablets	2,811	40.1	981	21.5	Full ANC	2.3
17	Home Delivery against expected delivery *	32	0.8	31	0.8	Home Delivery	19.4
18	Institutional Delivery against expected delivery *	5,942	144.4	3,298	79.9	Institutional Delivery	80.6
19	Home Delivery against reported delivery **	32	0.5	31	0.9	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	5,942	99.5	3,298	99.1	PNC within 2days of delivery	35.9
21	Total reported Deliveries	5,974		3,329			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	71.9	21	67.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	255	4.3	632	19.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,035		4,046			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	5,988	148.4	3,461	85.5	Breastfeed within 1 hour of birth	37.4
26	Total Still Birth	54	1.3	38	0.9	BCG	80.1
27	Newborn weighted at birth to live birth	5,908	98.7	3,464	100.1	3 dose of DPT	59.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	414	7.0	175	5.1	Measles	56.9
29	Newborns breastfed within 1 hour to total reported live birth.	3,686	61.6	2,144	61.9	Full Immunization	34.9
30	Fully immunized	3,081	76.3	2,058	50.9		
31	Children who have received BCG	4,655	115.4	2,588	64.0		
32	Children who have received Pentavalent 1	3,732	92.5	2,461	60.8		
33	Children who have received	3,280	81.3	2,142	52.9		

	Pentavalent 3					
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,155	78.2	2,166	53.5	
35	Diarrhoea and Dehydration cases reported in children below 5 years	811		390		
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>						
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)
36	Number of Vasectomies performed	0		0		Total unmet need 32.6
37	Number of Tubectomies performed	395		44		Spacing 20.4
38	Number of IUD insertion	441		96		Women using any method 12.8
39	Number of IUD removals	338		106		Women using modern method 12.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	1168		350		
41	General OPD cases per 10,000 population ***	23973		6148		
42	Ayush OPD cases per 10,000 population ***	1228		963		
G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	3		4		
44	Neonatal Deaths up to 4 weeks of birth	5		1		
45	Total Neonatal Death	8		5		
46	Deaths between (1 - 11) months	10		1		
47	Total reported infant deaths	18		6		
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		
48	Due to Abortion	1		0		
49	Due to Obstructed/prolonged labour	0		0		
50	Due to Severe hypertension/fits	0		0		
51	Due to Bleeding	3		0		
52	Due to High fever	0		0		
53	Due to Other Causes (including causes not known)	1		1		
54	Total reported maternal deaths	5		1		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	13,310					
2	Sex Ratio	NA					
B)Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C)Maternal Health:		2019-20		2020-21			
10	Expected number of PW	288		284			
11	Expected number of Delivery	267		263			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	129	45.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	0	-	39	30.2	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	-	22	17.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	0	-	87	67.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	-	96	74.4	Full ANC	NA
17	Home Delivery against expected delivery *	0	0.0	23	8.7	Home Delivery	NA
18	Institutional Delivery against expected delivery *	0	0.0	27	10.3	Institutional Delivery	NA
19	Home Delivery against reported delivery **	0	-	23	46.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	0	-	27	54.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	0		50			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	8	34.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	11	22.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	262		258			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	0	0.0	33	12.8	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	0	-	31	93.9	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	-	1	3.2	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	0	-	33	100.0	Full Immunization	NA
30	Fully immunized	0	0.0	138	53.5		

31	Children who have received BCG	0	0.0	93	36.0		
32	Children who have received Pentavalent 1	0	0.0	144	55.8		
33	Children who have received Pentavalent 3	0	0.0	154	59.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	187	72.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		101			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	0		23		Women using any method	NA
39	Number of IUD removals	0		8		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		69			
41	General OPD cases per 10,000 population ***	0		5311			
42	Ayush OPD cases per 10,000 population ***	0		493			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	28					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	622	615				
11	Expected number of Delivery	577	571				
		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	316	50.8	210	34.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	78	24.7	58	27.6	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	57	18.0	31	14.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	145	45.9	136	64.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	128	40.5	161	76.7	Full ANC	NA
17	Home Delivery against expected delivery *	53	9.2	22	3.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	74	12.8	60	10.5	Institutional Delivery	NA
19	Home Delivery against reported delivery **	53	41.7	22	26.8	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	74	58.3	60	73.2	PNC within 2days of delivery	NA
21	Total reported Deliveries	127		82			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	94.3	15	68.2		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	3.9	7	8.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	566		559			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21)	NFSH-4 (2015-16)			
25	Total reported live births	126	22.3	80	14.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	1	0.2	2	0.4	BCG	NA
27	Newborn weighted at birth to live birth	125	99.2	80	100.0	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	2.4	2	2.5	Measles	NA

29	Newborns breastfed within 1 hour to total reported live birth.	125	99.2	80	100.0	Full Immunization	NA
30	Fully immunized	333	58.9	177	31.6		
31	Children who have received BCG	151	26.7	96	17.2		
32	Children who have received Pentavalent 1	295	52.2	196	35.0		
33	Children who have received Pentavalent 3	317	56.1	191	34.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	333	58.9	177	31.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	76		17			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	9	6	Women using any method	NA
39	Number of IUD removals	7	1	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	317	173		
41	General OPD cases per 10,000 population ***	6165	3370		
42	Ayush OPD cases per 10,000 population ***	174	235		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	0					
4	Sub Centres (SC)- HWC	12					
5	Primary Health Centers(PHC)	0					
6	Primary Health Centres (PHC)-HWC	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,294		1,301			
11	Expected number of Delivery	1,200		1,207			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	759	58.7	604	46.4	ANC Check up in first trimester	29.5
13	Mothers registered in the first trimester	290	38.2	230	38.1	At least 4ANC check up	14.1
14	Mothers who had 4 or more ANC check ups	201	26.5	141	23.3	Neonatal tetanus received	39.4
15	PW who got TT 2 / Booster injection	542	71.4	438	72.5	100 IFA tablets consumed	8.6
16	PW who consumed 180 IFA tablets	253	33.3	521	86.3	Full ANC	2.6
17	Home Delivery against expected delivery *	177	14.8	98	8.1	Home Delivery	69.7
18	Institutional Delivery against expected delivery *	404	33.7	356	29.5	Institutional Delivery	30.3
19	Home Delivery against reported delivery **	177	30.5	98	21.6	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Institutional Delivery against reported delivery **	404	69.5	356	78.4	PNC within 2days of delivery	9.6
21	Total reported Deliveries	581		454			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	55.9	32	32.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	35.1	200	44.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,176		1,183			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	554	47.1	432	36.5	Breastfeed within 1 hour of birth	48.7
26	Total Still Birth	16	1.4	9	0.8	BCG	65.3
27	Newborn weighted at birth to live birth	401	72.4	361	83.6	3 dose of DPT	38.8

28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.2	15	4.2	Measles	46.8
29	Newborns breastfed within 1 hour to total reported live birth.	455	82.1	310	71.8	Full Immunization	27.8
30	Fully immunized	628	53.4	582	49.2		
31	Children who have received BCG	640	54.4	563	47.6		
32	Children who have received Pentavalent 1	753	64.0	560	47.3		
33	Children who have received Pentavalent 3	682	58.0	590	49.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	633	53.8	594	50.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	456		320			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	31.8
37	Number of Tubectomies performed	0	0	Spacing	16.9
38	Number of IUD insertion	67	73	Women using any method	22.3
39	Number of IUD removals	31	18	Women using modern method	21.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	210	170		
41	General OPD cases per 10,000 population ***	7191	3893		
42	Ayush OPD cases per 10,000 population ***	2401	987		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	1	2		
44	Neonatal Deaths up to 4 weeks of birth	1	3		
45	Total Neonatal Death	2	5		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	2	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	55,022					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	3					
4	Sub Centres (SC)- HWC	2					
5	Primary Health Centers(PHC)	4					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,229		1,216			
11	Expected number of Delivery	1,140		1,128			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,105	89.9	805	66.2	ANC Check up in first trimester	37.9
13	Mothers registered in the first trimester	588	53.2	390	48.4	At least 4ANC check up	29.8
14	Mothers who had 4 or more ANC check ups	523	47.3	309	38.4	Neonatal tetanus received	65.9
15	PW who got TT 2 / Booster injection	838	75.8	719	89.3	100 IFA tablets consumed	9.3
16	PW who consumed 180 IFA tablets	646	58.5	686	85.2	Full ANC	5.2
17	Home Delivery against expected delivery *	155	13.6	147	13.0	Home Delivery	65.5
18	Institutional Delivery against expected delivery *	512	44.9	394	34.9	Institutional Delivery	34.5
19	Home Delivery against reported delivery **	155	23.2	147	27.2	Home Delivery by SBA(out of Total Deliveries)	0.3
20	Institutional Delivery against reported delivery **	512	76.8	394	72.8	PNC within 2days of delivery	35.3
21	Total reported Deliveries	667		541			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	40.0	54	36.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	523	78.4	449	83.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,117		1,106			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	662	59.2	535	48.4	Breastfeed within 1 hour of birth	73.9

26	Total Still Birth	5	0.4	6	0.5	BCG	63
27	Newborn weighted at birth to live birth	662	100.0	531	99.3	3 dose of DPT	63.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.7	9	1.7	Measles	63
29	Newborns breastfed within 1 hour to total reported live birth.	661	99.8	531	99.3	Full Immunization	45.3
30	Fully immunized	692	61.9	675	61.1		
31	Children who have received BCG	740	66.2	658	59.5		
32	Children who have received Pentavalent 1	916	82.0	704	63.7		
33	Children who have received Pentavalent 3	812	72.7	691	62.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	692	61.9	703	63.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	340		168			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	10.6
37	Number of Tubectomies performed	42	0	Spacing	5
38	Number of IUD insertion	57	42	Women using any method	57.8
39	Number of IUD removals	47	30	Women using modern method	44
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	245	130		
41	General OPD cases per 10,000 population ***	5073	2824		
42	Ayush OPD cases per 10,000 population ***	1423	679		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	2	1		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	2	1		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	4	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		

54	Total reported maternal deaths	0	1	
----	--------------------------------	---	---	--

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centres (SC)- HWC	3					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centres (PHC)-HWC	1					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	749		737			
11	Expected number of Delivery	694		683			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	515	68.8	422	57.3	ANC Check up in first trimester	41.6
13	Mothers registered in the first trimester	210	40.8	200	47.4	At least 4ANC check up	29.2
14	Mothers who had 4 or more ANC check ups	191	37.1	147	34.8	Neonatal tetanus received	72.0
15	PW who got TT 2 / Booster injection	373	72.4	305	72.3	100 IFA tablets consumed	8.5
16	PW who consumed 180 IFA tablets	287	55.7	286	67.8	Full ANC	6.1
17	Home Delivery against expected delivery *	9	1.3	22	3.2	Home Delivery	33.6
18	Institutional Delivery against expected delivery *	238	34.3	231	33.8	Institutional Delivery	66.4
19	Home Delivery against reported delivery **	9	3.6	22	8.7	Home Delivery by SBA(out of Total Deliveries)	2.7
20	Institutional Delivery against reported delivery **	238	96.4	231	91.3	PNC within 2days of delivery	43.1
21	Total reported Deliveries	247		253			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	12	54.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	91	36.8	133	52.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	681		670			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	

25	Total reported live births	243	35.7	252	37.6	Breastfeed within 1 hour of birth	48.5
26	Total Still Birth	8	1.2	1	0.1	BCG	*
27	Newborn weighted at birth to live birth	242	99.6	251	99.6	3 dose of DPT	*
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.1	3	1.2	Measles	*
29	Newborns breastfed within 1 hour to total reported live birth.	242	99.6	233	92.5	Full Immunization	*
30	Fully immunized	369	54.2	373	55.7		
31	Children who have received BCG	236	34.7	306	45.7		
32	Children who have received Pentavalent 1	411	60.4	338	50.5		
33	Children who have received Pentavalent 3	402	59.1	309	46.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	370	54.4	365	54.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	444		231			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	13.3
37	Number of Tubectomies performed	24	22	Spacing	8.2
38	Number of IUD insertion	95	40	Women using any method	38.9
39	Number of IUD removals	68	32	Women using modern method	38.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	451	352		
41	General OPD cases per 10,000 population ***	8128	5593		
42	Ayush OPD cases per 10,000 population ***	1206	781		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	32					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,475		2,543			
11	Expected number of Delivery	2,295		2,358			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,523	61.5	1,822	71.6	ANC Check up in first trimester	22.1
13	Mothers registered in the first trimester	510	33.5	683	37.5	At least 4ANC check up	15.1
14	Mothers who had 4 or more ANC check ups	262	17.2	254	13.9	Neonatal tetanus received	60.0
15	PW who got TT 2 / Booster injection	555	36.4	512	28.1	100 IFA tablets consumed	1.7
16	PW who consumed 180 IFA tablets	842	55.3	171	9.4	Full ANC	0.0
17	Home Delivery against expected delivery *	6	0.3	8	0.3	Home Delivery	55.3
18	Institutional Delivery against expected delivery *	699	30.5	760	32.2	Institutional Delivery	44.7
19	Home Delivery against reported delivery **	6	0.9	8	1.0	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	699	99.1	760	99.0	PNC within 2days of delivery	16.8
21	Total reported Deliveries	705		768			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4		5			
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13		437			
		1.8		56.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,250		2,312			

D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	696	30.9	752	32.5	Breastfeed within 1 hour of birth	61
26	Total Still Birth	15	0.7	15	0.6	BCG	60.4
27	Newborn weighted at birth to live birth	643	92.4	752	100.0	3 dose of DPT	31.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	4.7	44	5.9	Measles	41.9
29	Newborns breastfed within 1 hour to total reported live birth.	638	91.7	749	99.6	Full Immunization	21.9
30	Fully immunized	722	32.1	604	26.1		
31	Children who have received BCG	684	30.4	616	26.6		
32	Children who have received Pentavalent 1	912	40.5	668	28.9		
33	Children who have received Pentavalent 3	634	28.2	636	27.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	819	36.4	604	26.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	214		99			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	24.4
37	Number of Tubectomies performed	0		40		Spacing	15.3
38	Number of IUD insertion	92		109		Women using any method	18
39	Number of IUD removals	79		120		Women using modern method	17.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	240		115			
41	General OPD cases per 10,000 population ***	2640		1975			
42	Ayush OPD cases per 10,000 population ***	425		218			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	1		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	1		0			
46	Deaths between (1 - 11) months	2		0			
47	Total reported infant deaths	3		0			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			

51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	1	0	

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	22					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	5					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,960		1,949			
11	Expected number of Delivery	1,818		1,808			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,591	81.2	1,203	61.7	ANC Check up in first trimester	58.7
13	Mothers registered in the first trimester	1,087	68.3	772	64.2	At least 4ANC check up	33.3
14	Mothers who had 4 or more ANC check ups	471	29.6	432	35.9	Neonatal tetanus received	53.2
15	PW who got TT 2 / Booster injection	1,027	64.6	762	63.3	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,076	67.6	787	65.4	Full ANC	4.2
17	Home Delivery against expected delivery *	12	0.7	2	0.1	Home Delivery	43.0
18	Institutional Delivery against expected delivery *	638	35.1	493	27.3	Institutional Delivery	57.0
19	Home Delivery against reported delivery **	12	1.8	2	0.4	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	638	98.2	493	99.6	PNC within 2days of delivery	22.9
21	Total reported Deliveries	650		495			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	100.0	2	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	343	52.8	23	4.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,782		1,772			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	644	36.1	495	27.9	Breastfeed within 1 hour of birth	67.9
26	Total Still Birth	5	0.3	0	0.0	BCG	67.7
27	Newborn weighted at birth to live birth	642	99.7	495	100.0	3 dose of DPT	43.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	52	8.1	16	3.2	Measles	47.8
29	Newborns breastfed within 1 hour to total reported live birth.	626	97.2	494	99.8	Full Immunization	25
30	Fully immunized	1,155	64.8	914	51.6		
31	Children who have received BCG	631	35.4	595	33.6		
32	Children who have received Pentavalent 1	1,046	58.7	794	44.8		
33	Children who have received Pentavalent 3	962	54.0	705	39.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,164	65.3	918	51.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	584		191			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	35.7
37	Number of Tubectomies performed	2		2		Spacing	18.6
38	Number of IUD insertion	174		154		Women using any method	18.9
39	Number of IUD removals	163		172		Women using modern method	18.5

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	220		142			
41	General OPD cases per 10,000 population ***	7912		5036			
42	Ayush OPD cases per 10,000 population ***	407		169			

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	1		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	1		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	1		0			

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
--	-------------------------------------	------------------------	--	-----------------------------------	--	--	--

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,516					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	14					
4	Sub Centres (SC)- HWC	0					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centres (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,223		1,206			
11	Expected number of Delivery	1,134		1,118			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,629	133.2	861	71.4	ANC Check up in first trimester	34.2
13	Mothers registered in the first trimester	511	31.4	170	19.7	At least 4ANC check up	18.0
14	Mothers who had 4 or more ANC check ups	829	50.9	408	47.4	Neonatal tetanus received	51.3
15	PW who got TT 2 / Booster injection	874	53.7	601	69.8	100 IFA tablets consumed	1.3
16	PW who consumed 180 IFA tablets	2,580	158.4	754	87.6	Full ANC	1.3
17	Home Delivery against expected delivery *	29	2.6	22	2.0	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	1,018	89.8	818	73.2	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	29	2.8	22	2.6	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	1,018	97.2	818	97.4	PNC within 2days of delivery	24.6
21	Total reported Deliveries	1,047		840			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	65.5	17	77.3		

23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	498	47.6	392	46.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,112		1,096			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
25	Total reported live births	1,055	94.9	833	76.0	Breastfeed within 1 hour of birth	66
26	Total Still Birth	6	0.5	2	0.2	BCG	74.4
27	Newborn weighted at birth to live birth	1,029	97.5	818	98.2	3 dose of DPT	44
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	55	5.3	25	3.1	Measles	70.8
29	Newborns breastfed within 1 hour to total reported live birth.	872	82.7	590	70.8	Full Immunization	34.4
30	Fully immunized	1,244	111.9	659	60.1		
31	Children who have received BCG	1,068	96.1	801	73.1		
32	Children who have received Pentavalent 1	1,389	125.0	683	62.3		
33	Children who have received Pentavalent 3	1,261	113.4	638	58.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,230	110.7	656	59.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	479		100			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	27.6
37	Number of Tubectomies performed	117		66		Spacing	17.5
38	Number of IUD insertion	287		86		Women using any method	9.3
39	Number of IUD removals	192		130		Women using modern method	9.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	374		72			
41	General OPD cases per 10,000 population ***	14346		5162			
42	Ayush OPD cases per 10,000 population ***	1205		161			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal deaths within 24 hours	0		1			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		1			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		1			

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	2	