

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	31,205,576						
2	Sex Ratio	954						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	4,034						
4	Sub Centres (SC)- HWC	628						
5	Primary Health Centers (PHC)	704						
6	Primary Health Centres (PHC)-HWC	297						
7	Community Health Centers (CHC)	179						
8	SDH	14						
9	DH	25						
C) Maternal Health:		2019-20		2020-21				
10	Expected number of PW	832,318		842,417				
11	Expected number of Delivery	775,569		784,979				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	685,229	82.3	501,036	59.5	ANC Check up in first trimester	63.8	
13	Mothers registered in the first trimester	603,179	88.0	427,279	85.3	At least 4ANC check up	50.7	
14	Mothers who had 4 or more ANC check ups	584,592	85.3	383,321	76.5	Neonatal tetanus received	94.5	
15	PW who got TT 2 / Booster injection	630,473	92.0	483,922	96.6	100 IFA tablets consumed	47.5	
16	PW who consumed 180 IFA tablets	673,833	98.3	485,921	97.0	Home Delivery	15.9	
17	Home Delivery against expected delivery *	53,589	6.9	46,870	6.0	Institutional Delivery	84.1	
18	Institutional Delivery against expected delivery *	554,567	71.5	389,464	49.6	Home Delivery by SBA	2.6	
19	Home Delivery against reported delivery **	53,589	8.8	46,870	10.7	PNC within 2days of delivery	65.3	
20	Institutional Delivery against reported delivery **	554,567	91.2	389,464	89.3			
21	Total reported Deliveries	608,156		436,334				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16,737	31.2	14,505	30.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	530,184	87.2	352,371	80.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	756,653		765,833				
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
25	Total reported live births	600,797	79.4	421,630	55.1	Breastfed within 1 hour of birth	49.1	

26	Total Still Birth	12,692	1.7	9,662	1.3	BCG	92.5
27	PC of newborn weighted at birth to live birth	591,026	98.4	418,719	99.3	3 dose of DPT	81.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	83,603	14.1	63,659	15.2	Measles First dose	82.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	580,216	96.6	408,789	97.0	3 doses of penta or hepatitis B vaccine	75.1
30	Children fully immunized	598,636	79.1	456,005	59.5	Full Immunization	66.4
31	Children who have received BCG	666,512	88.1	449,435	58.7		
32	Children who have received Pentavalent 1	610,937	80.7	426,697	55.7		
33	Children who have received Pentavalent 3	596,848	78.9	416,726	54.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	598,620	79.1	461,506	60.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	103,732		34,894			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2,262	440	Total unmet need	11
37	Number of Tubectomies performed	32,653	10,982	Spacing	4.1
38	Number of IUD insertion	64,160	32,217	Women using any method	60.8
39	Number of IUD removals	15,880	8,177	Women using modern method	45.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	463	210		
41	General OPD cases per 10,000 population ***	9,526	3,902		
42	Ayush OPD cases per 10,000 population ***	826	244		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	1,916	1,232		
44	Neonatal Deaths up to 4 weeks of birth	7,137	4,473		
45	Total Neonatal Death	9,053	5,705		
46	Deaths between (1 - 11) months	3,365	2,144		
47	Total reported infant deaths	12,418	7,849		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	21	20		
49	Due to Obstructed/prolonged labour	29	22		
50	Due to Severe hypertension / fits	129	111		
51	Due to Bleeding	109	92		
52	Due to High fever	22	29		
53	Due to Other Causes (including causes	699	622		

	not known)			
54	Total reported maternal deaths	1,009	896	

Baksa Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	950,075	
2	Sex Ratio	967	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	136	
4	Sub Centres (SC)- HWC	21	
5	Primary Health Centers (PHC)	25	
6	Primary Health Centres (PHC)-HWC	11	
7	Community Health Centers (CHC)	6	
8	SDH	0	
9	DH	1	

C) Maternal Health:

		2019-20		2020-21			
10	Expected number of PW	24,215		24,370			
11	Expected number of Delivery	22,564		22,708			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	16,257	67.1	11,511	47.2	ANC Check up in first trimester	61.1
13	Mothers registered in the first trimester	14,244	87.6	9,890	85.9	At least 4ANC check up	56.0
14	Mothers who had 4 or more ANC check ups	13,198	81.2	9,131	79.3	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	14,297	87.9	11,334	98.5	100 IFA tablets consumed	56.2
16	PW who consumed 180 IFA tablets	15,441	95.0	10,861	94.4	Home Delivery	10.1
17	Home Delivery against expected delivery *	347	1.5	288	1.3	Institutional Delivery	89.9
18	Institutional Delivery against expected delivery *	7,980	35.4	5,662	24.9	Home Delivery by SBA	4.6
19	Home Delivery against reported delivery **	347	4.2	288	4.8	PNC within 2days of delivery	65.0
20	Institutional Delivery against reported delivery **	7,980	95.8	5,662	95.2		
21	Total reported Deliveries	8,327		5,950			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	260	74.9	219	76.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,418	161.1	9,693	162.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	22,013		22,154			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	

25	Total reported live births	8,222	37.3	5,877	26.5	Breastfed within 1 hour of birth	34.9
26	Total Still Birth	158	0.7	121	0.5	BCG	93.6
27	PC of newborn weighted at birth to live birth	8,213	99.9	5,811	98.9	3 dose of DPT	87.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	971	11.8	723	12.4	Measles First dose	91.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,211	99.9	5,856	99.6	3 doses of penta or hepatitis B vaccine	68.3
30	Children fully immunized	14,548	66.1	11,209	50.6	Full Immunization	70.5
31	Children who have received BCG	13,620	61.9	9,152	41.3		
32	Children who have received Pentavalent 1	14,362	65.2	10,235	46.2		
33	Children who have received Pentavalent 3	14,383	65.3	10,484	47.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	14,499	65.9	11,365	51.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,140		666			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	75	0	Total unmet need	12.5
37	Number of Tubectomies performed	424	81	Spacing	5.7
38	Number of IUD insertion	1,640	699	Women using any method	59.2
39	Number of IUD removals	650	318	Women using modern method	47.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	179	69		
41	General OPD cases per 10,000 population ***	5,718	2,388		
42	Ayush OPD cases per 10,000 population ***	2,143	670		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	17	12		
44	Neonatal Deaths up to 4 weeks of birth	63	53		
45	Total Neonatal Death	80	65		
46	Deaths between (1 - 11) months	92	93		
47	Total reported infant deaths	172	158		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	5		
51	Due to Bleeding	0	3		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	8	7	
54	Total reported maternal deaths	10	15	

Barpeta Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,622					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	231					
4	Sub Centres (SC)- HWC	33					
5	Primary Health Centers (PHC)	33					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	11					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	46,786	47,561				
11	Expected number of Delivery	43,596	44,319				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	42,427	90.7	30,950	65.1	ANC Check up in first trimester	62.2
13	Mothers registered in the first trimester	37,576	88.6	27,891	90.1	At least 4ANC check up	43.6
14	Mothers who had 4 or more ANC check ups	37,968	89.5	22,312	72.1	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	37,060	87.4	30,122	97.3	100 IFA tablets consumed	49.4
16	PW who consumed 180 IFA tablets	44,064	103.9	29,776	96.2	Home Delivery	12.4
17	Home Delivery against expected delivery *	5,501	12.6	4,430	10.0	Institutional Delivery	87.6
18	Institutional Delivery against expected delivery *	32,920	75.5	25,175	56.8	Home Delivery by SBA	0.6
19	Home Delivery against reported delivery **	5,501	14.3	4,430	15.0	PNC within 2days of delivery	70.5
20	Institutional Delivery against reported delivery **	32,920	85.7	25,175	85.0		
21	Total reported Deliveries	38,421		29,605			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,301	60.0	2,535	57.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32,971	85.8	25,376	85.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	42,532		43,238			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	37,875	89.0	29,015	67.1	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	935	2.2	828	1.9	BCG	94.3
27	PC of newborn weighted at birth to live birth	37,077	97.9	28,894	99.6	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,954	16.1	3,956	13.7	Measles First dose	83.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	37,476	98.9	28,499	98.2	3 doses of penta or hepatitis B vaccine	67.8
30	Children fully immunized	36,307	85.4	27,249	63.0	Full Immunization	54.6
31	Children who have received BCG	43,819	103.0	28,521	66.0		
32	Children who have received Pentavalent 1	37,531	88.2	25,998	60.1		
33	Children who have received Pentavalent 3	36,641	86.1	25,413	58.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	36,238	85.2	28,288	65.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,385		528			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	354		1		Total unmet need	12.3
37	Number of Tubectomies performed	1,677		982		Spacing	3.9
38	Number of IUD insertion	3,605		2,109		Women using any method	57.3
39	Number of IUD removals	474		319		Women using modern method	47.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	343		196			
41	General OPD cases per 10,000 population ***	6,600		3,327			
42	Ayush OPD cases per 10,000 population ***	1,302		373			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	97		85			
44	Neonatal Deaths up to 4 weeks of birth	650		541			
45	Total Neonatal Death	747		626			
46	Deaths between (1 - 11) months	120		48			
47	Total reported infant deaths	867		674			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	1		3			

49	Due to Obstructed/prolonged labour	0	3	
50	Due to Severe hypertension / fits	17	23	
51	Due to Bleeding	6	5	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	39	42	
54	Total reported maternal deaths	63	76	

Biswanath Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	612,491					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	16,175		16,351			
11	Expected number of Delivery	15,072		15,236			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	10,152	62.1	ANC Check up in first trimester	41.2
13	Mothers registered in the first trimester	0	-	9,021	88.9	At least 4ANC check up	46.5
14	Mothers who had 4 or more ANC check ups	0	-	7,478	73.7	Neonatal tetanus received	94.6
15	PW who got TT 2 / Booster injection	0	-	9,947	98.0	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	0	-	10,612	104.5	Home Delivery	15.7
17	Home Delivery against expected delivery *	0	0.0	332	2.2	Institutional Delivery	84.3
18	Institutional Delivery against expected delivery *	0	0.0	7,603	49.9	Home Delivery by SBA	0.6
19	Home Delivery against reported delivery **	0	-	332	4.2	PNC within 2days of delivery	56.5
20	Institutional Delivery against reported delivery **	0	-	7,603	95.8		
21	Total reported Deliveries	0		7,935			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		77		23.2	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0		6,989		88.1	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	14,705		14,865			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	7,719	51.9	Breastfed within 1 hour of birth	62.7
26	Total Still Birth	0	0.0	146	1.0	BCG	88.3
27	PC of newborn weighted at birth to live birth	0	-	7,376	95.6	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	980	13.3	Measles First dose	87.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	7,599	98.4	3 doses of penta or hepatitis B vaccine	82.6
30	Children fully immunized	0	0.0	9,543	64.2	Full Immunization	66.2
31	Children who have received BCG	0	0.0	8,777	59.0		
32	Children who have received Pentavalent 1	0	0.0	8,684	58.4		
33	Children who have received Pentavalent 3	0	0.0	8,471	57.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	9,544	64.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		284			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		6		Total unmet need	5.3
37	Number of Tubectomies performed	0		48		Spacing	1.4
38	Number of IUD insertion	0		377		Women using any method	72.4
39	Number of IUD removals	0		88		Women using modern method	56.1
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		384			
41	General OPD cases per 10,000 population ***	0		7,486			
42	Ayush OPD cases per 10,000 population ***	0		147			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	0		44			
44	Neonatal Deaths up to 4 weeks of birth	0		62			
45	Total Neonatal Death	0		106			
46	Deaths between (1 - 11) months	0		92			
47	Total reported infant deaths	0		198			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			

			3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	0	2	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	22	
54	Total reported maternal deaths	0	26	

Bongaigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	738,804					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	85					
4	Sub Centres (SC)- HWC	23					
5	Primary Health Centers (PHC)	16					
6	Primary Health Centres (PHC)-HWC	13					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	20,120	20,417				
11	Expected number of Delivery	18,748	19,025				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	14,969	74.4	11,287	55.3	ANC Check up in first trimester	65.1
13	Mothers registered in the first trimester	13,463	89.9	9,886	87.6	At least 4ANC check up	33.9
14	Mothers who had 4 or more ANC check ups	12,004	80.2	8,062	71.4	Neonatal tetanus received	91.8
15	PW who got TT 2 / Booster injection	13,735	91.8	9,955	88.2	100 IFA tablets consumed	46.7
16	PW who consumed 180 IFA tablets	14,807	98.9	10,501	93.0	Home Delivery	15.5
17	Home Delivery against expected delivery *	704	3.8	707	3.7	Institutional Delivery	84.5
18	Institutional Delivery against expected delivery *	13,586	72.5	9,355	49.2	Home Delivery by SBA	4.9
19	Home Delivery against reported delivery **	704	4.9	707	7.0	PNC within 2days of delivery	57.0
20	Institutional Delivery against reported delivery **	13,586	95.1	9,355	93.0		
21	Total reported Deliveries	14,290		10,062			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	152	21.6	154	21.8		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,845	61.9	5,261	52.3		
----	--	-------	------	-------	------	--	--

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	18,291		18,561			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	14,116	77.2	6,105	32.9	Breastfed within 1 hour of birth	46.7
26	Total Still Birth	270	1.5	251	1.4	BCG	94.1
27	PC of newborn weighted at birth to live birth	14,102	99.9	8,764	143.6	3 dose of DPT	80.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,677	11.9	1,660	18.9	Measles First dose	84.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,960	98.9	8,974	147.0	3 doses of penta or hepatitis B vaccine	71.3
30	Children fully immunized	13,240	72.4	9,864	53.1	Full Immunization	67.9
31	Children who have received BCG	13,781	75.3	9,485	51.1		
32	Children who have received Pentavalent 1	13,882	75.9	9,821	52.9		
33	Children who have received Pentavalent 3	13,309	72.8	9,056	48.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	13,302	72.7	9,818	52.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	580		172			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	6		3		Total unmet need	16.1
37	Number of Tubectomies performed	739		301		Spacing	5.1
38	Number of IUD insertion	3,373		481		Women using any method	57.6
39	Number of IUD removals	400		124		Women using modern method	45.3

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	257		116			
41	General OPD cases per 10,000 population ***	8,674		1,719			
42	Ayush OPD cases per 10,000 population ***	609		164			

G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	33		19			
44	Neonatal Deaths up to 4 weeks of birth	157		66			
45	Total Neonatal Death	190		85			
46	Deaths between (1 - 11) months	65		34			

47	Total reported infant deaths	255	119	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	6	3	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	9	11	
54	Total reported maternal deaths	16	15	

Cachar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,617					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	255					
4	Sub Centres (SC)- HWC	15					
5	Primary Health Centers (PHC)	20					
6	Primary Health Centres (PHC)-HWC	12					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	47,513	48,243				
11	Expected number of Delivery	44,274	44,953				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	40,421	85.1	30,130	62.5	ANC Check up in first trimester	52.0
13	Mothers registered in the first trimester	35,932	88.9	26,281	87.2	At least 4ANC check up	32.7
14	Mothers who had 4 or more ANC check ups	35,492	87.8	25,031	83.1	Neonatal tetanus received	90.0
15	PW who got TT 2 / Booster injection	39,124	96.8	29,746	98.7	100 IFA tablets consumed	35.6
16	PW who consumed 180 IFA tablets	40,197	99.4	28,452	94.4	Home Delivery	20.8
17	Home Delivery against expected delivery *	1,227	2.8	1,118	2.5	Institutional Delivery	79.2
18	Institutional Delivery against expected delivery *	44,137	99.7	29,347	65.3	Home Delivery by SBA	2.1
19	Home Delivery against reported delivery **	1,227	2.7	1,118	3.7	PNC within 2days of delivery	57.3
20	Institutional Delivery against reported delivery **	44,137	97.3	29,347	96.3		

21	Total reported Deliveries	45,364		30,465			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	677	55.2	595	53.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,458	56.1	17,365	57.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	43,194		43,857			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	44,317	102.6	29,612	67.5	Breastfed within 1 hour of birth	29.8
26	Total Still Birth	1,427	3.3	981	2.2	BCG	88.3
27	PC of newborn weighted at birth to live birth	44,317	100.0	29,492	99.6	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,511	16.9	4,670	15.8	Measles First dose	76.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	44,146	99.6	29,420	99.4	3 doses of penta or hepatitis B vaccine	63.8
30	Children fully immunized	39,759	92.0	29,896	68.2	Full Immunization	70.4
31	Children who have received BCG	50,363	116.6	31,461	71.7		
32	Children who have received Pentavalent 1	41,118	95.2	27,697	63.2		
33	Children who have received Pentavalent 3	39,906	92.4	27,779	63.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	39,906	92.4	29,811	68.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,284		2,351			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	249		79		Total unmet need	15.6
37	Number of Tubectomies performed	3,116		846		Spacing	6.9
38	Number of IUD insertion	2,329		1,115		Women using any method	48
39	Number of IUD removals	215		95		Women using modern method	38.2
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	569		315			
41	General OPD cases per 10,000 population ***	10,595		4,502			
42	Ayush OPD cases per 10,000 population ***	50		20			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	241		81			

44	Neonatal Deaths up to 4 weeks of birth	286	239
45	Total Neonatal Death	527	320
46	Deaths between (1 - 11) months	155	104
47	Total reported infant deaths	682	424
II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	5	3
50	Due to Severe hypertension / fits	12	1
51	Due to Bleeding	4	18
52	Due to High fever	9	18
53	Due to Other Causes (including causes not known)	108	68
54	Total reported maternal deaths	138	108

Charaideo Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	458,615					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	11,523	11,576				
11	Expected number of Delivery	10,738	10,787				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	5,798	50.1	ANC Check up in first trimester	74.1
13	Mothers registered in the first trimester	0	-	5,248	90.5	At least 4ANC check up	64.5
14	Mothers who had 4 or more ANC check ups	0	-	4,578	79.0	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	0	-	5,937	102.4	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	0	-	5,860	101.1	Home Delivery	11.8
17	Home Delivery against expected delivery *	0	0.0	37	0.3	Institutional Delivery	88.2
18	Institutional Delivery against expected delivery *	0	0.0	2,761	25.6	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	0	-	37	1.3	PNC within 2days of delivery	70.5

20	Institutional Delivery against reported delivery **	0	-	2,761	98.7		
21	Total reported Deliveries	0		2,798			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	19	51.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	3,829	136.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	10,476		10,524			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	2,702	25.7	Breastfed within 1 hour of birth	58.3
26	Total Still Birth	0	0.0	52	0.5	BCG	96.2
27	PC of newborn weighted at birth to live birth	0	-	2,697	99.8	3 dose of DPT	90.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	420	15.6	Measles First dose	90
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	2,691	99.6	3 doses of penta or hepatitis B vaccine	79.6
30	Children fully immunized	0	0.0	5,850	55.6	Full Immunization	74
31	Children who have received BCG	0	0.0	3,400	32.3		
32	Children who have received Pentavalent 1	0	0.0	5,295	50.3		
33	Children who have received Pentavalent 3	0	0.0	5,336	50.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	5,930	56.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		345			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		12		Total unmet need	8.3
37	Number of Tubectomies performed	0		99		Spacing	3.7
38	Number of IUD insertion	0		351		Women using any method	67
39	Number of IUD removals	0		58		Women using modern method	43.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		107			
41	General OPD cases per 10,000 population ***	0		6,983			
42	Ayush OPD cases per 10,000 population ***	0		34			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	0	2	
44	Neonatal Deaths up to 4 weeks of birth	0	1	
45	Total Neonatal Death	0	3	
46	Deaths between (1 - 11) months	0	3	
47	Total reported infant deaths	0	6	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	2	
54	Total reported maternal deaths	0	2	

Chirang Factsheet

Key Indicators

Sl No	A)Demographic Indicators (Census 2011)						
1	Population 2011	482,162					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	78					
4	Sub Centres (SC)- HWC	9					
5	Primary Health Centers(PHC)	19					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	12,298	12,378				
11	Expected number of Delivery	11,459	11,534				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,556	77.7	7,153	57.8	ANC Check up in first trimester	55.9
13	Mothers registered in the first trimester	7,877	82.4	5,600	78.3	At least 4ANC check up	56.5
14	Mothers who had 4 or more ANC check ups	7,112	74.4	4,952	69.2	Neonatal tetanus received	96.1
15	PW who got TT 2 / Booster injection	8,763	91.7	6,991	97.7	100 IFA tablets consumed	47.1
16	PW who consumed 180 IFA tablets	8,421	88.1	6,010	84.0	Home Delivery	16.3
17	Home Delivery against expected delivery *	1,359	11.9	1,299	11.3	Institutional Delivery	83.7

18	Institutional Delivery against expected delivery *	6,112	53.3	4,486	38.9	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	1,359	18.2	1,299	22.5	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	6,112	81.8	4,486	77.5		
21	Total reported Deliveries	7,471		5,785			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	9.2	67	5.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,057	94.5	3,661	63.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	11,180		11,252			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	7,372	65.9	5,699	50.6	Breastfed within 1 hour of birth	40.5
26	Total Still Birth	155	1.4	100	0.9	BCG	98.2
27	PC of newborn weighted at birth to live birth	7,360	99.8	5,695	99.9	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	939	12.8	848	14.9	Measles First dose	89.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,310	99.2	5,689	99.8	3 doses of penta or hepatitis B vaccine	84.5
30	Children fully immunized	7,934	71.0	6,372	56.6	Full Immunization	71.1
31	Children who have received BCG	8,674	77.6	6,067	53.9		
32	Children who have received Pentavalent 1	8,358	74.8	6,326	56.2		
33	Children who have received Pentavalent 3	8,045	72.0	6,162	54.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,943	71.0	6,415	57.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,214		587			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2		0		Total unmet need	9.8
37	Number of Tubectomies performed	98		12		Spacing	3.7
38	Number of IUD insertion	1,539		516		Women using any method	65.8
39	Number of IUD removals	574		390		Women using modern method	55.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	338		195			
41	General OPD cases per 10,000 population ***	8,672		3,214			

42	Ayush OPD cases per 10,000 population ***	746	308	
----	--	-----	-----	--

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	24	17	
44	Neonatal Deaths up to 4 weeks of birth	34	41	
45	Total Neonatal Death	58	58	
46	Deaths between (1 - 11) months	97	62	
47	Total reported infant deaths	155	120	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	10	11	
54	Total reported maternal deaths	11	12	

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	928,500					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	138					
4	Sub Centres (SC)- HWC	21					
5	Primary Health Centers (PHC)	29					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	25,272	25,644				
11	Expected number of Delivery	23,549	23,895				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	22,207	87.9	16,279	63.5	ANC Check up in first trimester	56.5
13	Mothers registered in the first trimester	21,360	96.2	15,745	96.7	At least 4ANC check up	37.5
14	Mothers who had 4 or more ANC check ups	20,668	93.1	12,959	79.6	Neonatal tetanus received	91.1
15	PW who got TT 2 / Booster injection	20,640	92.9	15,604	95.9	100 IFA tablets consumed	43.3

16	PW who consumed 180 IFA tablets	22,508	101.4	14,948	91.8	Home Delivery	15.6
17	Home Delivery against expected delivery *	539	2.3	345	1.4	Institutional Delivery	84.4
18	Institutional Delivery against expected delivery *	18,456	78.4	13,938	58.3	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	539	2.8	345	2.4	PNC within 2days of delivery	53.2
20	Institutional Delivery against reported delivery **	18,456	97.2	13,938	97.6		
21	Total reported Deliveries	18,995		14,283			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	287	53.2	308	89.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,842	109.7	16,648	116.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	22,975		23,312			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	18,835	82.0	14,064	60.3	Breastfed within 1 hour of birth	51.7
26	Total Still Birth	290	1.3	221	0.9	BCG	94.9
27	PC of newborn weighted at birth to live birth	18,705	99.3	13,937	99.1	3 dose of DPT	76.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,014	10.8	3,299	23.7	Measles First dose	82.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,454	98.0	13,755	97.8	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	19,834	86.3	15,391	66.0	Full Immunization	57.1
31	Children who have received BCG	20,571	89.5	14,604	62.6		
32	Children who have received Pentavalent 1	20,221	88.0	14,224	61.0		
33	Children who have received Pentavalent 3	20,249	88.1	14,146	60.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,926	86.7	16,765	71.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,876		685			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	26		13		Total unmet need	14.8
37	Number of Tubectomies performed	828		274		Spacing	5.8
38	Number of IUD insertion	3,207		732		Women using any method	46.8
39	Number of IUD removals	785		352		Women using modern method	36.5
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

40	IPD cases per 10,000 population ***	616	271	
41	General OPD cases per 10,000 population ***	11,571	3,287	
42	Ayush OPD cases per 10,000 population ***	815	158	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	57	21	
44	Neonatal Deaths up to 4 weeks of birth	139	103	
45	Total Neonatal Death	196	124	
46	Deaths between (1 - 11) months	59	29	
47	Total reported infant deaths	255	153	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	2	3	
51	Due to Bleeding	6	2	
52	Due to High fever	0	2	
53	Due to Other Causes (including causes not known)	13	9	
54	Total reported maternal deaths	21	17	

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	686,133	
2	Sex Ratio	949	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	78	
4	Sub Centres (SC)- HWC	20	
5	Primary Health Centers (PHC)	15	
6	Primary Health Centres (PHC)-HWC	8	
7	Community Health Centers (CHC)	4	
8	SDH	0	
9	DH	1	

C) Maternal Health:

		2019-20		2020-21			
10	Expected number of PW	18,791		19,082			
11	Expected number of Delivery	17,510		17,781			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	14,553	77.4	10,592	55.5	ANC Check up in first trimester	76.2
13	Mothers registered in the first trimester	13,634	93.7	9,829	92.8	At least 4ANC check up	62.2
14	Mothers who had 4 or more ANC check ups	12,563	86.3	8,914	84.2	Neonatal tetanus received	96.5

15	PW who got TT 2 / Booster injection	12,976	89.2	11,185	105.6	100 IFA tablets consumed	45.3
16	PW who consumed 180 IFA tablets	14,772	101.5	10,726	101.3	Home Delivery	12.7
17	Home Delivery against expected delivery *	43	0.2	39	0.2	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	14,505	82.8	10,840	61.0	Home Delivery by SBA	4.2
19	Home Delivery against reported delivery **	43	0.3	39	0.4	PNC within 2days of delivery	72.8
20	Institutional Delivery against reported delivery **	14,505	99.7	10,840	99.6		
21	Total reported Deliveries	14,548		10,879			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	55.8	17	43.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,708	94.2	10,097	92.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	17,083		17,348			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	14,398	84.3	10,752	62.0	Breastfed within 1 hour of birth	45.5
26	Total Still Birth	262	1.5	194	1.1	BCG	96.7
27	PC of newborn weighted at birth to live birth	13,996	97.2	9,999	93.0	3 dose of DPT	94.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,319	9.4	1,429	14.3	Measles First dose	93.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,001	97.2	9,837	91.5	3 doses of penta or hepatitis B vaccine	90
30	Children fully immunized	12,668	74.2	9,832	56.7	Full Immunization	89.7
31	Children who have received BCG	13,859	81.1	10,074	58.1		
32	Children who have received Pentavalent 1	12,772	74.8	8,855	51.0		
33	Children who have received Pentavalent 3	12,705	74.4	8,989	51.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,601	73.8	10,055	58.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,922		1,159			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	61		6		Total unmet need	7.1
37	Number of Tubectomies performed	1,109		391		Spacing	3.5
38	Number of IUD insertion	2,475		1,175		Women using any method	72.6
39	Number of IUD removals	1,143		444		Women using modern method	45

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR				
40	IPD cases per 10,000 population ***	265		118				
41	General OPD cases per 10,000 population ***	9,967		3,238				
42	Ayush OPD cases per 10,000 population ***	629		178				
G) Mortality Details								
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR				
43	Neonatal death within 24 hours	53		54				
44	Neonatal Deaths up to 4 weeks of birth	137		107				
45	Total Neonatal Death	190		161				
46	Deaths between (1 - 11) months	83		55				
47	Total reported infant deaths	273		216				
II) Maternal Mortality								
Maternal Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR				
48	Due to Abortion	0		0				
49	Due to Obstructed/prolonged labour	0		1				
50	Due to Severe hypertension / fits	2		2				
51	Due to Bleeding	4		1				
52	Due to High fever	0		0				
53	Due to Other Causes (including causes not known)	8		11				
54	Total reported maternal deaths	14		15				
Dhubri Factsheet								
Key Indicators								
Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011		1,394,144					
2	Sex Ratio		952					
B) Infrastructure Details (RHS 2018-19)			Numbers					
3	Sub Centers (SC)		184					
4	Sub Centres (SC)- HWC		47					
5	Primary Health Centers (PHC)		25					
6	Primary Health Centres (PHC)-HWC		19					
7	Community Health Centers (CHC)		6					
8	SDH		2					
9	DH		1					
C) Maternal Health:			2019-20		2020-21			
10	Expected number of PW		39,427		40,198			
11	Expected number of Delivery		36,739		37,458			
			HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
			Number	PC	Number	PC		
12	PW register for ANC		57,127	144.9	33,749	84.0	ANC Check up in first trimester	49.9
13	Mothers registered in the first trimester		49,538	86.7	27,772	82.3	At least 4ANC check up	37.6

14	Mothers who had 4 or more ANC check ups	50,960	89.2	25,248	74.8	Neonatal tetanus received	97.0
15	PW who got TT 2 / Booster injection	57,861	101.3	37,483	111.1	100 IFA tablets consumed	47.6
16	PW who consumed 180 IFA tablets	56,234	98.4	32,677	96.8	Home Delivery	35.8
17	Home Delivery against expected delivery *	18,317	49.9	11,809	31.5	Institutional Delivery	64.2
18	Institutional Delivery against expected delivery *	28,829	78.5	16,617	44.4	Home Delivery by SBA	5.8
19	Home Delivery against reported delivery **	18,317	38.9	11,809	41.5	PNC within 2days of delivery	48.4
20	Institutional Delivery against reported delivery **	28,829	61.1	16,617	58.5		
21	Total reported Deliveries	47,146		28,426			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,924	21.4	3,105	26.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,508	71.1	19,270	67.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	35,843		36,544			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	46,474	129.7	27,790	76.0	Breastfed within 1 hour of birth	57.9
26	Total Still Birth	1,038	2.9	717	2.0	BCG	90.5
27	PC of newborn weighted at birth to live birth	46,475	100.0	27,624	99.4	3 dose of DPT	82.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,371	13.7	4,509	16.3	Measles First dose	84
29	PC of newborns breastfed within 1 hour to total reported live birth.	46,211	99.4	27,012	97.2	3 doses of penta or hepatitis B vaccine	81.4
30	Children fully immunized	47,411	132.3	26,752	73.2	Full Immunization	71.6
31	Children who have received BCG	51,200	142.8	27,682	75.7		
32	Children who have received Pentavalent 1	48,558	135.5	26,582	72.7		
33	Children who have received Pentavalent 3	47,288	131.9	25,121	68.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	47,449	132.4	27,962	76.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,734		1,980			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	22		1		Total unmet need	11.5
37	Number of Tubectomies performed	676		260		Spacing	4
38	Number of IUD insertion	5,579		3,446		Women using any method	64.1

39	Number of IUD removals	499	234	Women using modern method	53.2	
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	471	163			
41	General OPD cases per 10,000 population ***	9,339	2,502			
42	Ayush OPD cases per 10,000 population ***	1,573	167			
G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	199	148			
44	Neonatal Deaths up to 4 weeks of birth	667	397			
45	Total Neonatal Death	866	545			
46	Deaths between (1 - 11) months	217	98			
47	Total reported infant deaths	1,083	643			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR			
48	Due to Abortion	1	0			
49	Due to Obstructed/prolonged labour	5	3			
50	Due to Severe hypertension / fits	4	8			
51	Due to Bleeding	11	6			
52	Due to High fever	2	0			
53	Due to Other Causes (including causes not known)	71	52			
54	Total reported maternal deaths	94	69			
Dibrugarh Factsheet						
Key Indicators						
Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,326,335				
2	Sex Ratio	952				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	214				
4	Sub Centres (SC)- HWC	20				
5	Primary Health Centers (PHC)	21				
6	Primary Health Centres (PHC)-HWC	9				
7	Community Health Centers (CHC)	9				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	34,038	34,285			
11	Expected number of Delivery	31,717	31,948			
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
12	PW register for ANC	23,867	70.1	15,490	45.2	
				ANC Check up in first trimester	75.8	

13	Mothers registered in the first trimester	21,298	89.2	13,464	86.9	At least 4ANC check up	75.6
14	Mothers who had 4 or more ANC check ups	19,939	83.5	12,949	83.6	Neonatal tetanus received	94.1
15	PW who got TT 2 / Booster injection	21,597	90.5	15,573	100.5	100 IFA tablets consumed	58.9
16	PW who consumed 180 IFA tablets	23,776	99.6	16,171	104.4	Home Delivery	6.9
17	Home Delivery against expected delivery *	47	0.1	36	0.1	Institutional Delivery	93.1
18	Institutional Delivery against expected delivery *	25,266	79.7	17,602	55.1	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	47	0.2	36	0.2	PNC within 2days of delivery	82.1
20	Institutional Delivery against reported delivery **	25,266	99.8	17,602	99.8		
21	Total reported Deliveries	25,313		17,638			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	10.6	9	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,210	107.5	15,282	86.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	30,944		31,168			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	24,912	80.5	17,213	55.2	Breastfed within 1 hour of birth	52.6
26	Total Still Birth	640	2.1	513	1.6	BCG	97.8
27	PC of newborn weighted at birth to live birth	24,854	99.8	17,193	99.9	3 dose of DPT	93
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,469	22.0	3,800	22.1	Measles First dose	97.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	24,528	98.5	16,600	96.4	3 doses of penta or hepatitis B vaccine	93
30	Children fully immunized	20,551	66.4	15,687	50.3	Full Immunization	83.8
31	Children who have received BCG	23,711	76.6	16,570	53.2		
32	Children who have received Pentavalent 1	20,525	66.3	13,708	44.0		
33	Children who have received Pentavalent 3	19,911	64.3	13,668	43.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,522	66.3	15,342	49.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,444		1,547			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	238		34		Total unmet need	8.7
37	Number of Tubectomies performed	2,399		381		Spacing	4.8

38	Number of IUD insertion	1,663	260	Women using any method	64.6
39	Number of IUD removals	704	335	Women using modern method	43.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	793	363		
41	General OPD cases per 10,000 population ***	19,227	8,648		
42	Ayush OPD cases per 10,000 population ***	455	165		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	73	48		
44	Neonatal Deaths up to 4 weeks of birth	361	257		
45	Total Neonatal Death	434	305		
46	Deaths between (1 - 11) months	117	42		
47	Total reported infant deaths	551	347		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	6	3		
49	Due to Obstructed/prolonged labour	7	0		
50	Due to Severe hypertension / fits	17	13		
51	Due to Bleeding	3	1		
52	Due to High fever	6	0		
53	Due to Other Causes (including causes not known)	50	50		
54	Total reported maternal deaths	89	67		
Dima Hasao Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	214,102			
2	Sex Ratio	931			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	62			
4	Sub Centres (SC)- HWC	10			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centres (PHC)-HWC	4			
7	Community Health Centers (CHC)	2			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	5,560	5,608		
11	Expected number of Delivery	5,181	5,226		
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
		Number	PC	Number	PC

12	PW register for ANC	4,623	83.2	3,301	58.9	ANC Check up in first trimester	58.9
13	Mothers registered in the first trimester	3,341	72.3	2,391	72.4	At least 4ANC check up	46.9
14	Mothers who had 4 or more ANC check ups	2,681	58.0	1,821	55.2	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	3,718	80.4	2,851	86.4	100 IFA tablets consumed	40.8
16	PW who consumed 180 IFA tablets	4,089	88.4	2,986	90.5	Home Delivery	10.5
17	Home Delivery against expected delivery *	1,287	24.8	1,025	19.6	Institutional Delivery	89.5
18	Institutional Delivery against expected delivery *	2,600	50.2	1,783	34.1	Home Delivery by SBA	1.8
19	Home Delivery against reported delivery **	1,287	33.1	1,025	36.5	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	2,600	66.9	1,783	63.5		
21	Total reported Deliveries	3,887		2,808			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	513	39.9	385	37.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,456	37.5	1,013	36.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	5,054		5,098			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,843	76.0	2,758	54.1	Breastfed within 1 hour of birth	58
26	Total Still Birth	65	1.3	61	1.2	BCG	91.3
27	PC of newborn weighted at birth to live birth	3,825	99.5	2,675	97.0	3 dose of DPT	71.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	237	6.2	147	5.5	Measles First dose	71.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,744	97.4	2,702	98.0	3 doses of penta or hepatitis B vaccine	69.9
30	Children fully immunized	3,539	70.0	2,739	53.7	Full Immunization	63.6
31	Children who have received BCG	3,909	77.3	2,805	55.0		
32	Children who have received Pentavalent 1	3,807	75.3	2,716	53.3		
33	Children who have received Pentavalent 3	3,627	71.8	2,662	52.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,526	69.8	2,762	54.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,691		1,559			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1		0		Total unmet	9.7

				need	
37	Number of Tubectomies performed	73	0	Spacing	2.6
38	Number of IUD insertion	396	241	Women using any method	65.5
39	Number of IUD removals	162	138	Women using modern method	44.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	592	282		
41	General OPD cases per 10,000 population ***	7,803	3,519		
42	Ayush OPD cases per 10,000 population ***	803	300		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	12	8		
44	Neonatal Deaths up to 4 weeks of birth	26	23		
45	Total Neonatal Death	38	31		
46	Deaths between (1 - 11) months	27	23		
47	Total reported infant deaths	65	54		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	4		
54	Total reported maternal deaths	5	4		
Goalpara Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	1,008,183			
2	Sex Ratio	962			
	B) Infrastructure Details (RHS 2018-19)	Numbers			
3	Sub Centers (SC)	120			
4	Sub Centres (SC)- HWC	35			
5	Primary Health Centers (PHC)	19			
6	Primary Health Centres (PHC)-HWC	19			
7	Community Health Centers (CHC)	6			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	28,144	28,648		
11	Expected number of Delivery	26,225	26,695		

		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	26,194	93.1	19,917	69.5	ANC Check up in first trimester	65.3
13	Mothers registered in the first trimester	25,447	97.1	18,544	93.1	At least 4ANC check up	44.1
14	Mothers who had 4 or more ANC check ups	22,713	86.7	15,442	77.5	Neonatal tetanus received	96.6
15	PW who got TT 2 / Booster injection	23,809	90.9	18,453	92.6	100 IFA tablets consumed	52.2
16	PW who consumed 180 IFA tablets	25,735	98.2	19,713	99.0	Home Delivery	7.7
17	Home Delivery against expected delivery *	986	3.8	926	3.5	Institutional Delivery	92.3
18	Institutional Delivery against expected delivery *	24,764	94.4	18,464	69.2	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	986	3.8	926	4.8	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	24,764	96.2	18,464	95.2		
21	Total reported Deliveries	25,750		19,390			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	964	97.8	773	83.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,141	70.5	14,139	72.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	25,586		26,044			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	25,352	99.1	18,518	71.1	Breastfed within 1 hour of birth	45.7
26	Total Still Birth	612	2.4	460	1.8	BCG	98.4
27	PC of newborn weighted at birth to live birth	25,353	100.0	18,365	99.2	3 dose of DPT	90.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,840	11.2	2,376	12.9	Measles First dose	90.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	25,291	99.8	18,320	98.9	3 doses of penta or hepatitis B vaccine	87.3
30	Children fully immunized	22,142	86.5	16,916	65.0	Full Immunization	70.3
31	Children who have received BCG	26,377	103.1	18,052	69.3		
32	Children who have received Pentavalent 1	22,398	87.5	16,811	64.5		
33	Children who have received Pentavalent 3	22,042	86.1	16,105	61.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	22,147	86.6	17,410	66.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,962		677			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	54	27	Total unmet need	7.4
37	Number of Tubectomies performed	1,423	216	Spacing	2.2
38	Number of IUD insertion	2,718	3,625	Women using any method	66.8
39	Number of IUD removals	572	437	Women using modern method	55.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	640	281		
41	General OPD cases per 10,000 population ***	9,946	3,623		
42	Ayush OPD cases per 10,000 population ***	1,598	388		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	75	39		
44	Neonatal Deaths up to 4 weeks of birth	296	99		
45	Total Neonatal Death	371	138		
46	Deaths between (1 - 11) months	110	69		
47	Total reported infant deaths	481	207		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	3	4		
51	Due to Bleeding	5	5		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	24	24		
54	Total reported maternal deaths	33	33		
Golaghat Factsheet					
Key Indicators					
Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	1,066,888			
2	Sex Ratio	961			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	133			
4	Sub Centres (SC)- HWC	11			
5	Primary Health Centers (PHC)	35			
6	Primary Health Centres (PHC)-HWC	6			
7	Community Health Centers (CHC)	4			
8	SDH	1			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		

10	Expected number of PW	27,345		27,539			
11	Expected number of Delivery	25,481		25,662			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	19,365	70.8	13,809	50.1	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	17,045	88.0	12,141	87.9	At least 4ANC check up	65.7
14	Mothers who had 4 or more ANC check ups	14,560	75.2	9,502	68.8	Neonatal tetanus received	97.7
15	PW who got TT 2 / Booster injection	17,126	88.4	12,841	93.0	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	16,673	86.1	12,664	91.7	Home Delivery	9.6
17	Home Delivery against expected delivery *	168	0.7	123	0.5	Institutional Delivery	90.4
18	Institutional Delivery against expected delivery *	15,117	59.3	9,860	38.4	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	168	1.1	123	1.2	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	15,117	98.9	9,860	98.8		
21	Total reported Deliveries	15,285		9,983			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	41.1	38	30.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,449	88.0	8,728	87.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	24,859		25,036			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	15,396	61.9	10,056	40.2	Breastfed within 1 hour of birth	53.6
26	Total Still Birth	284	1.1	235	0.9	BCG	92.6
27	PC of newborn weighted at birth to live birth	15,037	97.7	10,006	99.5	3 dose of DPT	84.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,787	11.9	1,438	14.4	Measles First dose	87.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,569	94.6	9,671	96.2	3 doses of penta or hepatitis B vaccine	82.8
30	Children fully immunized	15,904	64.0	12,865	51.4	Full Immunization	72.4
31	Children who have received BCG	14,670	59.0	11,888	47.5		
32	Children who have received Pentavalent 1	17,153	69.0	12,060	48.2		
33	Children who have received Pentavalent 3	16,316	65.6	11,327	45.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	15,941	64.1	12,724	50.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,458		415			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	73	15	Total unmet need	10.9
37	Number of Tubectomies performed	1,112	77	Spacing	4.7
38	Number of IUD insertion	1,143	358	Women using any method	61.6
39	Number of IUD removals	881	411	Women using modern method	35.7
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	585	130		
41	General OPD cases per 10,000 population ***	9,538	4,499		
42	Ayush OPD cases per 10,000 population ***	312	87		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	107	47		
44	Neonatal Deaths up to 4 weeks of birth	187	133		
45	Total Neonatal Death	294	180		
46	Deaths between (1 - 11) months	93	85		
47	Total reported infant deaths	387	265		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	7	7		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	20	26		
54	Total reported maternal deaths	28	34		

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	659,296	
2	Sex Ratio	946	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	82	
4	Sub Centres (SC)- HWC	25	
5	Primary Health Centers (PHC)	11	
6	Primary Health Centres (PHC)-HWC	3	
7	Community Health Centers (CHC)	3	

8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	18,218		18,521			
11	Expected number of Delivery	16,976		17,258			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	18,862	103.5	14,690	79.3	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	16,648	88.3	12,842	87.4	At least 4ANC check up	43.1
14	Mothers who had 4 or more ANC check ups	15,504	82.2	11,297	76.9	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	17,190	91.1	13,603	92.6	100 IFA tablets consumed	29.0
16	PW who consumed 180 IFA tablets	18,566	98.4	14,568	99.2	Home Delivery	17.0
17	Home Delivery against expected delivery *	1,281	7.5	1,141	6.6	Institutional Delivery	83.0
18	Institutional Delivery against expected delivery *	12,473	73.5	8,693	50.4	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	1,281	9.3	1,141	11.6	PNC within 2days of delivery	68.8
20	Institutional Delivery against reported delivery **	12,473	90.7	8,693	88.4		
21	Total reported Deliveries	13,754		9,834			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	631	49.3	601	52.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,378	90.0	8,733	88.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	16,562		16,838			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,507	81.6	9,614	57.1	Breastfed within 1 hour of birth	24.4
26	Total Still Birth	322	1.9	235	1.4	BCG	95.4
27	PC of newborn weighted at birth to live birth	13,503	100.0	9,523	99.1	3 dose of DPT	78.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,071	7.9	597	6.3	Measles First dose	85.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,379	99.1	9,132	95.0	3 doses of penta or hepatitis B vaccine	77.4
30	Children fully immunized	16,146	97.5	12,375	73.5	Full Immunization	68.6
31	Children who have received BCG	16,196	97.8	10,856	64.5		
32	Children who have received Pentavalent 1	16,816	101.5	11,860	70.4		
33	Children who have received Pentavalent 3	16,329	98.6	11,847	70.4		

34	Children who have received Measles & Rubella (MR)- 1st Dose	16,160	97.6	12,376	73.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	7,239		2,409			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	83	1	Total unmet need	8.6
37	Number of Tubectomies performed	414	184	Spacing	4.2
38	Number of IUD insertion	4,702	3,300	Women using any method	66.8
39	Number of IUD removals	565	363	Women using modern method	49.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	569	198		
41	General OPD cases per 10,000 population ***	7,978	3,014		
42	Ayush OPD cases per 10,000 population ***	378	137		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	79	59		
44	Neonatal Deaths up to 4 weeks of birth	84	59		
45	Total Neonatal Death	163	118		
46	Deaths between (1 - 11) months	108	44		
47	Total reported infant deaths	271	162		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	1	2		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	6	11		
54	Total reported maternal deaths	8	13		

Hojai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)			
1	Population 2011	931,218		
2	Sex Ratio	NA		
B) Infrastructure Details (RHS 2018-19)		Numbers		
3	Sub Centers (SC)	NA		
4	Sub Centres (SC)- HWC	NA		

5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	25,864		26,310			
11	Expected number of Delivery	24,100		24,517			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	16,162	61.4	ANC Check up in first trimester	52.7
13	Mothers registered in the first trimester	0	-	14,087	87.2	At least 4ANC check up	51.3
14	Mothers who had 4 or more ANC check ups	0	-	13,191	81.6	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	0	-	15,725	97.3	100 IFA tablets consumed	50.5
16	PW who consumed 180 IFA tablets	0	-	15,817	97.9	Home Delivery	17.9
17	Home Delivery against expected delivery *	0	0.0	1,871	7.6	Institutional Delivery	82.1
18	Institutional Delivery against expected delivery *	0	0.0	10,776	44.0	Home Delivery by SBA	4.1
19	Home Delivery against reported delivery **	0	-	1,871	14.8	PNC within 2days of delivery	63.9
20	Institutional Delivery against reported delivery **	0	-	10,776	85.2		
21	Total reported Deliveries	0		12,647			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	43	2.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	11,881	93.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	23,513		23,919			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	12,475	52.2	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	0	0.0	190	0.8	BCG	82.1
27	PC of newborn weighted at birth to live birth	0	-	12,231	98.0	3 dose of DPT	60.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	1,741	14.2	Measles First dose	59.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	12,171	97.6	3 doses of penta or hepatitis B vaccine	55.6
30	Children fully immunized	0	0.0	14,664	61.3	Full Immunization	55.5
31	Children who have received BCG	0	0.0	15,031	62.8		
32	Children who have received Pentavalent 1	0	0.0	14,234	59.5		

33	Children who have received Pentavalent 3	0	0.0	13,471	56.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	14,831	62.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		1,328			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	13.2
37	Number of Tubectomies performed	0	75	Spacing	4.9
38	Number of IUD insertion	0	311	Women using any method	61.1
39	Number of IUD removals	0	31	Women using modern method	48.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	0	52		
41	General OPD cases per 10,000 population ***	0	1,973		
42	Ayush OPD cases per 10,000 population ***	0	21		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	12		
44	Neonatal Deaths up to 4 weeks of birth	0	38		
45	Total Neonatal Death	0	50		
46	Deaths between (1 - 11) months	0	29		
47	Total reported infant deaths	0	79		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		
54	Total reported maternal deaths	0	1		

Jorhat Factsheet

Key Indicators			
Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	924,952	
2	Sex Ratio	956	
B) Infrastructure Details (RHS 2018-19)		Numbers	

3	Sub Centers (SC)	110					
4	Sub Centres (SC)- HWC	35					
5	Primary Health Centers(PHC)	24					
6	Primary Health Centres (PHC)-HWC	18					
7	Community Health Centers (CHC)	6					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	23,211		23,315			
11	Expected number of Delivery	21,629		21,725			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	20,400	87.9	11,790	50.6	ANC Check up in first trimester	78.3
13	Mothers registered in the first trimester	19,269	94.5	11,123	94.3	At least 4ANC check up	67.0
14	Mothers who had 4 or more ANC check ups	17,440	85.5	9,667	82.0	Neonatal tetanus received	97.4
15	PW who got TT 2 / Booster injection	18,901	92.7	11,326	96.1	100 IFA tablets consumed	52.1
16	PW who consumed 180 IFA tablets	19,935	97.7	11,921	101.1	Home Delivery	3.5
17	Home Delivery against expected delivery *	69	0.3	52	0.2	Institutional Delivery	96.5
18	Institutional Delivery against expected delivery *	16,877	78.0	10,664	49.1	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	69	0.4	52	0.5	PNC within 2days of delivery	81.4
20	Institutional Delivery against reported delivery **	16,877	99.6	10,664	99.5		
21	Total reported Deliveries	16,946		10,716			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	79.7	38	73.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,121	136.4	13,500	126.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	21,101		21,195			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	16,827	79.7	10,534	49.7	Breastfed within 1 hour of birth	51.6
26	Total Still Birth	312	1.5	197	0.9	BCG	100
27	PC of newborn weighted at birth to live birth	16,817	99.9	10,506	99.7	3 dose of DPT	79.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,301	13.7	1,884	17.9	Measles First dose	83.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,493	98.0	10,522	99.9	3 doses of penta or hepatitis B vaccine	78.4
30	Children fully immunized	18,052	85.5	11,363	53.6	Full Immunization	69.2

31	Children who have received BCG	16,717	79.2	10,154	47.9		
32	Children who have received Pentavalent 1	18,105	85.8	10,473	49.4		
33	Children who have received Pentavalent 3	17,511	83.0	10,325	48.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	18,288	86.7	12,041	56.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,906		497			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	107	83	Total unmet need	10.4
37	Number of Tubectomies performed	1,170	422	Spacing	3.2
38	Number of IUD insertion	1,844	655	Women using any method	63.8
39	Number of IUD removals	331	115	Women using modern method	32.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	603	293		
41	General OPD cases per 10,000 population ***	17,045	5,999		
42	Ayush OPD cases per 10,000 population ***	224	29		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	26	28		
44	Neonatal Deaths up to 4 weeks of birth	477	266		
45	Total Neonatal Death	503	294		
46	Deaths between (1 - 11) months	128	75		
47	Total reported infant deaths	631	369		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	7	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	14	24		
54	Total reported maternal deaths	22	24		

Kamrup R Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,517,542	

2	Sex Ratio	946					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	253					
4	Sub Centres (SC)- HWC	26					
5	Primary Health Centers(PHC)	55					
6	Primary Health Centres (PHC)-HWC	10					
7	Community Health Centers (CHC)	13					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	40,077		40,513			
11	Expected number of Delivery	37,344		37,750			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	24,094	60.1	22,815	56.3	ANC Check up in first trimester	57.0
13	Mothers registered in the first trimester	20,392	84.6	20,503	89.9	At least 4ANC check up	46.9
14	Mothers who had 4 or more ANC check ups	29,130	120.9	18,994	83.3	Neonatal tetanus received	85.9
15	PW who got TT 2 / Booster injection	23,483	97.5	21,848	95.8	100 IFA tablets consumed	42.5
16	PW who consumed 180 IFA tablets	24,118	100.1	21,735	95.3	Home Delivery	15.0
17	Home Delivery against expected delivery *	159	0.4	330	0.9	Institutional Delivery	85.0
18	Institutional Delivery against expected delivery *	36,150	96.8	16,455	43.6	Home Delivery by SBA	4.3
19	Home Delivery against reported delivery **	159	0.4	330	2.0	PNC within 2days of delivery	61.4
20	Institutional Delivery against reported delivery **	36,150	99.6	16,455	98.0		
21	Total reported Deliveries	36,309		16,785			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	35.8	126	38.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,162	50.0	16,255	96.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	36,433		36,830			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	35,745	98.1	16,241	44.1	Breastfed within 1 hour of birth	45.5
26	Total Still Birth	1,052	2.9	120	0.3	BCG	90.5
27	PC of newborn weighted at birth to live birth	35,722	99.9	16,312	100.4	3 dose of DPT	86.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,532	21.1	2,464	15.1	Measles First dose	83
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,063	98.1	15,971	98.3	3 doses of penta or hepatitis B vaccine	73.2

30	Children fully immunized	24,180	66.4	22,298	60.5	Full Immunization	63.6
31	Children who have received BCG	45,028	123.6	15,434	41.9		
32	Children who have received Pentavalent 1	22,931	62.9	20,262	55.0		
33	Children who have received Pentavalent 3	23,371	64.1	20,216	54.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	23,848	65.5	22,413	60.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,658		1,654			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	15	20	Total unmet need	17.6
37	Number of Tubectomies performed	3,263	463	Spacing	7.7
38	Number of IUD insertion	517	1,291	Women using any method	38.7
39	Number of IUD removals	842	517	Women using modern method	32.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	768	93		
41	General OPD cases per 10,000 population ***	9,904	3,672		
42	Ayush OPD cases per 10,000 population ***	1,154	685		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	167	19		
44	Neonatal Deaths up to 4 weeks of birth	1,253	106		
45	Total Neonatal Death	1,420	125		
46	Deaths between (1 - 11) months	237	62		
47	Total reported infant deaths	1,657	187		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	7	1		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	27	0		
51	Due to Bleeding	9	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	60	18		
54	Total reported maternal deaths	104	20		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census)		
-------	------------------------------------	--	--

	2011)						
1	Population 2011	1,253,938					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	48					
4	Sub Centres (SC)- HWC	3					
5	Primary Health Centers(PHC)	11					
6	Primary Health Centres (PHC)-HWC	34					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	33,980		34,461			
11	Expected number of Delivery	31,663		32,111			
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	31,960	94.1	13,222	38.4	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	29,019	90.8	10,937	82.7	At least 4ANC check up	68.9
14	Mothers who had 4 or more ANC check ups	26,456	82.8	13,006	98.4	Neonatal tetanus received	96.3
15	PW who got TT 2 / Booster injection	28,108	87.9	12,067	91.3	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	29,967	93.8	12,721	96.2	Home Delivery	10.9
17	Home Delivery against expected delivery *	374	1.2	186	0.6	Institutional Delivery	89.1
18	Institutional Delivery against expected delivery *	20,382	64.4	21,638	67.4	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	374	1.8	186	0.9	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	20,382	98.2	21,638	99.1		
21	Total reported Deliveries	20,756		21,824			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	142	38.0	63	33.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,049	101.4	5,099	23.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	30,891		31,328			
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
25	Total reported live births	20,612	66.7	21,351	68.2	Breastfed within 1 hour of birth	53
26	Total Still Birth	196	0.6	608	1.9	BCG	90.6
27	PC of newborn weighted at birth to live birth	20,544	99.7	21,608	101.2	3 dose of DPT	77
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,393	11.6	4,893	22.6	Measles First dose	74.7

29	PC of newborns breastfed within 1 hour to total reported live birth.	20,542	99.7	19,995	93.6	3 doses of penta or hepatitis B vaccine	71.2
30	Children fully immunized	27,619	89.4	14,223	45.4	Full Immunization	53.6
31	Children who have received BCG	22,330	72.3	23,709	75.7		
32	Children who have received Pentavalent 1	27,998	90.6	13,252	42.3		
33	Children who have received Pentavalent 3	27,771	89.9	12,581	40.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	27,618	89.4	14,196	45.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,226		559			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	132	2	Total unmet need	8.8
37	Number of Tubectomies performed	1,652	2,044	Spacing	2.5
38	Number of IUD insertion	2,907	64	Women using any method	56.8
39	Number of IUD removals	905	175	Women using modern method	41.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	214	411		
41	General OPD cases per 10,000 population ***	11,072	3,135		
42	Ayush OPD cases per 10,000 population ***	2,432	305		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	27	81		
44	Neonatal Deaths up to 4 weeks of birth	155	533		
45	Total Neonatal Death	182	614		
46	Deaths between (1 - 11) months	104	132		
47	Total reported infant deaths	286	746		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	1	3		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	19		
51	Due to Bleeding	3	11		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	29	38		
54	Total reported maternal deaths	33	71		

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	660,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	124					
4	Sub Centres (SC)- HWC	30					
5	Primary Health Centers (PHC)	26					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	17,875		18,123			
11	Expected number of Delivery	16,656		16,887			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	23,519	131.6	11,053	61.0	ANC Check up in first trimester	64.8
13	Mothers registered in the first trimester	18,356	78.0	8,316	75.2	At least 4ANC check up	63.9
14	Mothers who had 4 or more ANC check ups	15,901	67.6	7,482	67.7	Neonatal tetanus received	90.9
15	PW who got TT 2 / Booster injection	21,951	93.3	10,906	98.7	100 IFA tablets consumed	35.3
16	PW who consumed 180 IFA tablets	23,173	98.5	11,065	100.1	Home Delivery	25.1
17	Home Delivery against expected delivery *	2,723	16.3	1,075	6.4	Institutional Delivery	74.9
18	Institutional Delivery against expected delivery *	15,247	91.5	7,510	44.5	Home Delivery by SBA	3.4
19	Home Delivery against reported delivery **	2,723	15.2	1,075	12.5	PNC within 2days of delivery	56.9
20	Institutional Delivery against reported delivery **	15,247	84.8	7,510	87.5		
21	Total reported Deliveries	17,970		8,585			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	783	28.8	435	40.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,991	83.4	8,575	99.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	16,250		16,475			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	17,754	109.3	8,502	51.6	Breastfed within 1 hour of birth	50.3
26	Total Still Birth	293	1.8	102	0.6	BCG	88.7
27	PC of newborn weighted at birth to live birth	17,342	97.7	8,487	99.8	3 dose of DPT	75.3

28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,149	6.6	565	6.7	Measles First dose	76.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,471	98.4	8,411	98.9	3 doses of penta or hepatitis B vaccine	66.9
30	Children fully immunized	19,863	122.2	10,351	62.8	Full Immunization	64.3
31	Children who have received BCG	20,765	127.8	9,906	60.1		
32	Children who have received Pentavalent 1	20,264	124.7	9,530	57.8		
33	Children who have received Pentavalent 3	20,138	123.9	9,640	58.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,865	122.2	10,574	64.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,730		506			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	17	1	Total unmet need	9.3
37	Number of Tubectomies performed	237	45	Spacing	2.4
38	Number of IUD insertion	3,303	932	Women using any method	66.3
39	Number of IUD removals	587	247	Women using modern method	41.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	424	170		
41	General OPD cases per 10,000 population ***	7,421	2,714		
42	Ayush OPD cases per 10,000 population ***	935	159		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	56	28		
44	Neonatal Deaths up to 4 weeks of birth	66	44		
45	Total Neonatal Death	122	72		
46	Deaths between (1 - 11) months	86	30		
47	Total reported infant deaths	208	102		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	3	2		
51	Due to Bleeding	1	1		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	20	14		
54	Total reported maternal deaths	26	18		

Karimganj Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,228,686					
2	Sex Ratio	961					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	185					
4	Sub Centres (SC)- HWC	37					
5	Primary Health Centers (PHC)	22					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	33,767		34,305			
11	Expected number of Delivery	31,465		31,966			
		HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	34,156	101.2	26,632	77.6	ANC Check up in first trimester	54.8
13	Mothers registered in the first trimester	30,528	89.4	23,916	89.8	At least 4ANC check up	42.8
14	Mothers who had 4 or more ANC check ups	30,921	90.5	23,528	88.3	Neonatal tetanus received	94.2
15	PW who got TT 2 / Booster injection	32,747	95.9	25,898	97.2	100 IFA tablets consumed	39.9
16	PW who consumed 180 IFA tablets	34,102	99.8	26,804	100.6	Home Delivery	23.6
17	Home Delivery against expected delivery *	6,605	21.0	5,768	18.0	Institutional Delivery	76.4
18	Institutional Delivery against expected delivery *	22,796	72.4	15,030	47.0	Home Delivery by SBA	2.4
19	Home Delivery against reported delivery **	6,605	22.5	5,768	27.7	PNC within 2days of delivery	63.9
20	Institutional Delivery against reported delivery **	22,796	77.5	15,030	72.3		
21	Total reported Deliveries	29,401		20,798			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,249	34.0	1,742	30.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,430	66.1	13,296	63.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	30,697		31,186			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21)		NFHS-5 (2019-20)	
				3rd QTR			
25	Total reported live births	28,796	93.8	20,196	64.8	Breastfed within 1 hour of birth	40.3

26	Total Still Birth	771	2.5	694	2.2	BCG	95.5
27	PC of newborn weighted at birth to live birth	28,773	99.9	20,196	100.0	3 dose of DPT	84
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,691	12.8	1,980	9.8	Measles First dose	85.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	28,064	97.5	20,005	99.1	3 doses of penta or hepatitis B vaccine	80.2
30	Children fully immunized	28,672	93.4	22,163	71.1	Full Immunization	75.1
31	Children who have received BCG	35,773	116.5	24,239	77.7		
32	Children who have received Pentavalent 1	30,032	97.8	21,351	68.5		
33	Children who have received Pentavalent 3	28,804	93.8	20,495	65.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	28,700	93.5	22,153	71.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	9,399		5,060			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	32	26	Total unmet need	8.6
37	Number of Tubectomies performed	1,352	469	Spacing	4.2
38	Number of IUD insertion	2,704	1,620	Women using any method	64.3
39	Number of IUD removals	528	228	Women using modern method	54.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	311	181		
41	General OPD cases per 10,000 population ***	7,207	2,326		
42	Ayush OPD cases per 10,000 population ***	240	120		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	96	47		
44	Neonatal Deaths up to 4 weeks of birth	378	184		
45	Total Neonatal Death	474	231		
46	Deaths between (1 - 11) months	423	222		
47	Total reported infant deaths	897	453		
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	3	0		
50	Due to Severe hypertension / fits	3	1		
51	Due to Bleeding	9	3		
52	Due to High fever	0	3		

53	Due to Other Causes (including causes not known)	29	21	
54	Total reported maternal deaths	44	28	

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	887,142					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	135					
4	Sub Centres (SC)- HWC	27					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	21,563	21,573				
11	Expected number of Delivery	20,093	20,102				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	18,652	86.5	13,399	62.1	ANC Check up in first trimester	67.0
13	Mothers registered in the first trimester	14,682	78.7	10,743	80.2	At least 4ANC check up	36.9
14	Mothers who had 4 or more ANC check ups	13,521	72.5	9,386	70.1	Neonatal tetanus received	95.8
15	PW who got TT 2 / Booster injection	16,201	86.9	13,355	99.7	100 IFA tablets consumed	61.1
16	PW who consumed 180 IFA tablets	17,185	92.1	13,423	100.2	Home Delivery	18.1
17	Home Delivery against expected delivery *	1,083	5.4	927	4.6	Institutional Delivery	81.9
18	Institutional Delivery against expected delivery *	15,142	75.4	10,626	52.9	Home Delivery by SBA	0.9
19	Home Delivery against reported delivery **	1,083	6.7	927	8.0	PNC within 2days of delivery	68.3
20	Institutional Delivery against reported delivery **	15,142	93.3	10,626	92.0		
21	Total reported Deliveries	16,225		11,553			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	16.3	161	17.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,193	62.8	8,757	75.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	19,603		19,611			

D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	16,192	82.6	11,562	59.0	Breastfed within 1 hour of birth	56.4
26	Total Still Birth	296	1.5	222	1.1	BCG	95.3
27	PC of newborn weighted at birth to live birth	13,263	81.9	10,682	92.4	3 dose of DPT	76.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,483	11.2	1,051	9.8	Measles First dose	79.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,417	95.2	11,469	99.2	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	15,265	77.9	12,014	61.3	Full Immunization	51.1
31	Children who have received BCG	17,204	87.8	12,154	62.0		
32	Children who have received Pentavalent 1	15,959	81.4	11,458	58.4		
33	Children who have received Pentavalent 3	15,799	80.6	11,211	57.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	15,298	78.0	12,037	61.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,074		1,060			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	11		0		Total unmet need	10
37	Number of Tubectomies performed	462		216		Spacing	3.7
38	Number of IUD insertion	1,170		505		Women using any method	72.3
39	Number of IUD removals	884		419		Women using modern method	58
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	382		184			
41	General OPD cases per 10,000 population ***	5,977		2,624			
42	Ayush OPD cases per 10,000 population ***	1,342		552			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	75		40			
44	Neonatal Deaths up to 4 weeks of birth	242		143			
45	Total Neonatal Death	317		183			
46	Deaths between (1 - 11) months	221		170			
47	Total reported infant deaths	538		353			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		1			
49	Due to Obstructed/prolonged labour	2		3			

50	Due to Severe hypertension / fits	9	4
51	Due to Bleeding	5	11
52	Due to High fever	1	1
53	Due to Other Causes (including causes not known)	26	24
54	Total reported maternal deaths	43	44

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,042,137					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	137					
4	Sub Centres (SC)- HWC	19					
5	Primary Health Centers (PHC)	17					
6	Primary Health Centres (PHC)-HWC	9					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	27,824		28,166			
11	Expected number of Delivery	25,927		26,245			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	21,510	77.3	16,274	57.8	ANC Check up in first trimester	61.0
13	Mothers registered in the first trimester	19,993	92.9	15,201	93.4	At least 4ANC check up	51.7
14	Mothers who had 4 or more ANC check ups	18,521	86.1	12,463	76.6	Neonatal tetanus received	97.3
15	PW who got TT 2 / Booster injection	19,977	92.9	15,925	97.9	100 IFA tablets consumed	42.2
16	PW who consumed 180 IFA tablets	19,829	92.2	15,948	98.0	Home Delivery	3.8
17	Home Delivery against expected delivery *	146	0.6	167	0.6	Institutional Delivery	96.2
18	Institutional Delivery against expected delivery *	18,361	70.8	13,706	52.2	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	146	0.8	167	1.2	PNC within 2days of delivery	67.7
20	Institutional Delivery against reported delivery **	18,361	99.2	13,706	98.8		
21	Total reported Deliveries	18,507		13,873			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93		63			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,216		147.1			
				18,629		134.3	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	25,295		25,605			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	18,244	72.1	13,598	53.1	Breastfed within 1 hour of birth	59
26	Total Still Birth	334	1.3	246	1.0	BCG	94.5
27	PC of newborn weighted at birth to live birth	18,059	99.0	13,386	98.4	3 dose of DPT	87.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,688	14.9	2,077	15.5	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,228	94.4	13,362	98.3	3 doses of penta or hepatitis B vaccine	84.6
30	Children fully immunized	20,273	80.1	15,820	61.8	Full Immunization	69
31	Children who have received BCG	18,546	73.3	13,014	50.8		
32	Children who have received Pentavalent 1	19,645	77.7	14,237	55.6		
33	Children who have received Pentavalent 3	19,558	77.3	13,825	54.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,268	80.1	15,827	61.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,628		2,062			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	59		24		Total unmet need	9.8
37	Number of Tubectomies performed	1,240		541		Spacing	4.5
38	Number of IUD insertion	1,424		444		Women using any method	67.1
39	Number of IUD removals	364		238		Women using modern method	43.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	503		226			
41	General OPD cases per 10,000 population ***	7,374		3,271			
42	Ayush OPD cases per 10,000 population ***	171		53			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	42		15			
44	Neonatal Deaths up to 4 weeks of birth	160		82			
45	Total Neonatal Death	202		97			
46	Deaths between (1 - 11) months	44		43			
47	Total reported infant deaths	246		140			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21)			

			3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	4	0	
52	Due to High fever	0	1	
53	Due to Other Causes (including causes not known)	7	16	
54	Total reported maternal deaths	12	17	

Majuli Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	167,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	4,198	4,217				
11	Expected number of Delivery	3,912	3,930				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	10,267	243.5	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	0	-	2,346	22.8	At least 4ANC check up	72.2
14	Mothers who had 4 or more ANC check ups	0	-	1,721	16.8	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	0	-	2,323	22.6	100 IFA tablets consumed	56.7
16	PW who consumed 180 IFA tablets	0	-	2,609	25.4	Home Delivery	9.7
17	Home Delivery against expected delivery *	0	0.0	14	0.4	Institutional Delivery	90.3
18	Institutional Delivery against expected delivery *	0	0.0	1,384	35.2	Home Delivery by SBA	3.2
19	Home Delivery against reported delivery **	0	-	14	1.0	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	0	-	1,384	99.0		
21	Total reported Deliveries	0		1,398			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	10	71.4		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	1,547	110.7		
----	--	---	---	-------	-------	--	--

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	3,817		3,834			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	1,263	32.9	Breastfed within 1 hour of birth	51.1
26	Total Still Birth	0	0.0	16	0.4	BCG	95.2
27	PC of newborn weighted at birth to live birth	0	-	1,223	96.8	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	181	14.8	Measles First dose	90.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	1,238	98.0	3 doses of penta or hepatitis B vaccine	80.3
30	Children fully immunized	0	0.0	2,178	56.8	Full Immunization	78.6
31	Children who have received BCG	0	0.0	1,524	39.8		
32	Children who have received Pentavalent 1	0	0.0	2,026	52.8		
33	Children who have received Pentavalent 3	0	0.0	2,008	52.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	2,204	57.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		74			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		3		Total unmet need	11.6
37	Number of Tubectomies performed	0		0		Spacing	4.7
38	Number of IUD insertion	0		536		Women using any method	63.7
39	Number of IUD removals	0		40		Women using modern method	31.3

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	0		117			
41	General OPD cases per 10,000 population ***	0		5,386			
42	Ayush OPD cases per 10,000 population ***	0		27			

G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	0		7			
44	Neonatal Deaths up to 4 weeks of birth	0		25			
45	Total Neonatal Death	0		32			
46	Deaths between (1 - 11) months	0		15			

47	Total reported infant deaths	0	47	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	1	
54	Total reported maternal deaths	0	3	

Morigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,423					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	104					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	30					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	26,863	27,362				
11	Expected number of Delivery	25,032	25,497				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	23,079	85.9	16,894	61.7	ANC Check up in first trimester	64.0
13	Mothers registered in the first trimester	19,958	86.5	13,919	82.4	At least 4ANC check up	42.0
14	Mothers who had 4 or more ANC check ups	18,146	78.6	12,416	73.5	Neonatal tetanus received	94.8
15	PW who got TT 2 / Booster injection	21,446	92.9	15,864	93.9	100 IFA tablets consumed	53.4
16	PW who consumed 180 IFA tablets	22,977	99.6	16,865	99.8	Home Delivery	11.7
17	Home Delivery against expected delivery *	1,836	7.3	1,822	7.1	Institutional Delivery	88.3
18	Institutional Delivery against expected delivery *	15,552	62.1	10,809	42.4	Home Delivery by SBA	1.7
19	Home Delivery against reported delivery **	1,836	10.6	1,822	14.4	PNC within 2days of delivery	67.9
20	Institutional Delivery against reported delivery **	15,552	89.4	10,809	85.6		

21	Total reported Deliveries	17,388		12,631			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	774	42.2	705	38.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,921	114.6	11,090	87.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	24,421		24,875			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	17,207	70.5	12,114	48.7	Breastfed within 1 hour of birth	62.2
26	Total Still Birth	266	1.1	173	0.7	BCG	91.3
27	PC of newborn weighted at birth to live birth	17,209	100.0	12,193	100.7	3 dose of DPT	87.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,414	14.0	1,943	15.9	Measles First dose	87
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,350	95.0	10,687	88.2	3 doses of penta or hepatitis B vaccine	83
30	Children fully immunized	19,828	81.2	15,282	61.4	Full Immunization	73.4
31	Children who have received BCG	21,501	88.0	14,018	56.4		
32	Children who have received Pentavalent 1	20,548	84.1	14,212	57.1		
33	Children who have received Pentavalent 3	19,735	80.8	13,945	56.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,837	81.2	15,357	61.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,024		490			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	58		16		Total unmet need	6.5
37	Number of Tubectomies performed	545		77		Spacing	1.9
38	Number of IUD insertion	3,287		2,165		Women using any method	70.6
39	Number of IUD removals	405		137		Women using modern method	56.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	345		145			
41	General OPD cases per 10,000 population ***	8,653		2,762			
42	Ayush OPD cases per 10,000 population ***	470		109			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	12		27			

44	Neonatal Deaths up to 4 weeks of birth	175	133
45	Total Neonatal Death	187	160
46	Deaths between (1 - 11) months	88	62
47	Total reported infant deaths	275	222
II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension / fits	0	0
51	Due to Bleeding	6	1
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	6	13
54	Total reported maternal deaths	12	14

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,892,550					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	299					
4	Sub Centres (SC)- HWC	52					
5	Primary Health Centers (PHC)	58					
6	Primary Health Centres (PHC)-HWC	20					
7	Community Health Centers (CHC)	18					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	52,564		53,472			
11	Expected number of Delivery	48,980		49,826			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	69,047	131.4	31,809	59.5	ANC Check up in first trimester	73.1
13	Mothers registered in the first trimester	56,756	82.2	25,756	81.0	At least 4ANC check up	59.4
14	Mothers who had 4 or more ANC check ups	57,141	82.8	24,496	77.0	Neonatal tetanus received	97.1
15	PW who got TT 2 / Booster injection	61,735	89.4	29,951	94.2	100 IFA tablets consumed	46.5
16	PW who consumed 180 IFA tablets	70,366	101.9	33,809	106.3	Home Delivery	16.3
17	Home Delivery against expected delivery *	4,439	9.1	1,917	3.8	Institutional Delivery	83.7
18	Institutional Delivery against expected delivery *	58,407	119.2	30,043	60.3	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	4,439	7.1	1,917	6.0	PNC within 2days of delivery	62.0

20	Institutional Delivery against reported delivery **	58,407	92.9	30,043	94.0		
21	Total reported Deliveries	62,846		31,960			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	575	13.0	508	26.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50,911	81.0	20,455	64.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	47,786		48,611			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	61,959	129.7	31,457	64.7	Breastfed within 1 hour of birth	61.6
26	Total Still Birth	1,267	2.7	735	1.5	BCG	86.9
27	PC of newborn weighted at birth to live birth	60,945	98.4	30,875	98.1	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,734	12.7	3,993	12.9	Measles First dose	67.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	57,142	92.2	29,456	93.6	3 doses of penta or hepatitis B vaccine	64.6
30	Children fully immunized	58,870	123.2	28,842	59.3	Full Immunization	58.2
31	Children who have received BCG	65,737	137.6	29,600	60.9		
32	Children who have received Pentavalent 1	59,059	123.6	26,771	55.1		
33	Children who have received Pentavalent 3	57,594	120.5	26,409	54.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	58,332	122.1	28,771	59.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	8,629		1,282			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	33		0		Total unmet need	12.3
37	Number of Tubectomies performed	2,127		787		Spacing	3.1
38	Number of IUD insertion	4,178		1,466		Women using any method	58.6
39	Number of IUD removals	735		335		Women using modern method	46.8
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	576		178			
41	General OPD cases per 10,000 population ***	11,449		3,542			
42	Ayush OPD cases per 10,000 population ***	945		171			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	84	103	
44	Neonatal Deaths up to 4 weeks of birth	385	252	
45	Total Neonatal Death	469	355	
46	Deaths between (1 - 11) months	234	106	
47	Total reported infant deaths	703	461	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	1	1	
49	Due to Obstructed/prolonged labour	2	5	
50	Due to Severe hypertension / fits	3	9	
51	Due to Bleeding	7	7	
52	Due to High fever	0	2	
53	Due to Other Causes (including causes not known)	53	28	
54	Total reported maternal deaths	66	52	

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	771,639				
2	Sex Ratio	945				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	103				
4	Sub Centres (SC)- HWC	18				
5	Primary Health Centers (PHC)	33				
6	Primary Health Centres (PHC)-HWC	11				
7	Community Health Centers (CHC)	11				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	19,756	19,893			
11	Expected number of Delivery	18,409	18,537			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
12	PW register for ANC	13,812	69.9	9,635	48.4	ANC Check up in first trimester 70.7
13	Mothers registered in the first trimester	12,931	93.6	8,986	93.3	At least 4ANC check up 55.9
14	Mothers who had 4 or more ANC check ups	11,496	83.2	8,297	86.1	Neonatal tetanus received 92.8
15	PW who got TT 2 / Booster injection	12,759	92.4	9,819	101.9	100 IFA tablets consumed 38.6
16	PW who consumed 180 IFA tablets	13,776	99.7	9,580	99.4	Home Delivery 8.2
17	Home Delivery against expected delivery *	314	1.7	233	1.3	Institutional Delivery 91.8

18	Institutional Delivery against expected delivery *	12,100	65.7	9,812	52.9	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	314	2.5	233	2.3	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	12,100	97.5	9,812	97.7		
21	Total reported Deliveries	12,414		10,045			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	298	94.9	227	97.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,505	141.0	10,451	104.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	17,960		18,085			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	12,428	69.2	10,080	55.7	Breastfed within 1 hour of birth	41.8
26	Total Still Birth	114	0.6	100	0.6	BCG	89.9
27	PC of newborn weighted at birth to live birth	11,804	95.0	9,914	98.4	3 dose of DPT	85.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,657	14.0	1,920	19.4	Measles First dose	87.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,075	97.2	9,843	97.6	3 doses of penta or hepatitis B vaccine	71.1
30	Children fully immunized	13,380	74.5	11,277	62.4	Full Immunization	65.5
31	Children who have received BCG	13,197	73.5	10,854	60.0		
32	Children who have received Pentavalent 1	14,078	78.4	10,631	58.8		
33	Children who have received Pentavalent 3	13,339	74.3	10,326	57.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	13,372	74.5	11,259	62.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,398		667			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	34		15		Total unmet need	13.2
37	Number of Tubectomies performed	1,154		609		Spacing	4.8
38	Number of IUD insertion	1,997		863		Women using any method	53.3
39	Number of IUD removals	407		300		Women using modern method	38.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	356		166			
41	General OPD cases per 10,000 population ***	10,841		4,084			

42	Ayush OPD cases per 10,000 population ***	2,482	873	
----	--	-------	-----	--

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	50	26	
44	Neonatal Deaths up to 4 weeks of birth	102	55	
45	Total Neonatal Death	152	81	
46	Deaths between (1 - 11) months	71	33	
47	Total reported infant deaths	223	114	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	1	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	3	2	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	6	9	
54	Total reported maternal deaths	9	12	

Sivasagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	692,435					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	202					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	7					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	17,398	17,479				
11	Expected number of Delivery	16,212	16,287				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	20,010	115.0	7,165	41.0	ANC Check up in first trimester	85.1
13	Mothers registered in the first trimester	18,136	90.6	6,440	89.9	At least 4ANC check up	80.9
14	Mothers who had 4 or more ANC check ups	16,015	80.0	5,227	73.0	Neonatal tetanus received	96.5
15	PW who got TT 2 / Booster injection	16,850	84.2	7,253	101.2	100 IFA tablets consumed	53.7

16	PW who consumed 180 IFA tablets	20,033	100.1	7,227	100.9	Home Delivery	4.7
17	Home Delivery against expected delivery *	84	0.5	43	0.3	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	13,562	83.7	6,468	39.7	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	84	0.6	43	0.7	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	13,562	99.4	6,468	99.3		
21	Total reported Deliveries	13,646		6,511			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	85.7	42	97.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,058	139.7	10,103	155.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	15,817		15,890			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,467	85.1	6,425	40.4	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	223	1.4	105	0.7	BCG	95.7
27	PC of newborn weighted at birth to live birth	13,421	99.7	6,453	100.4	3 dose of DPT	90.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,539	18.9	1,116	17.3	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,180	97.9	6,356	98.9	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	16,670	105.4	8,206	51.6	Full Immunization	77.6
31	Children who have received BCG	14,139	89.4	6,587	41.5		
32	Children who have received Pentavalent 1	17,292	109.3	6,846	43.1		
33	Children who have received Pentavalent 3	16,619	105.1	6,995	44.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	16,736	105.8	8,235	51.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,137		640			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	54		0		Total unmet need	8.3
37	Number of Tubectomies performed	763		228		Spacing	3.2
38	Number of IUD insertion	1,772		163		Women using any method	67.3
39	Number of IUD removals	447		123		Women using modern method	39.5
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

40	IPD cases per 10,000 population ***	742	232	
41	General OPD cases per 10,000 population ***	22,608	6,356	
42	Ayush OPD cases per 10,000 population ***	615	178	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	38	11	
44	Neonatal Deaths up to 4 weeks of birth	65	28	
45	Total Neonatal Death	103	39	
46	Deaths between (1 - 11) months	20	12	
47	Total reported infant deaths	123	51	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	1	0	
51	Due to Bleeding	1	2	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	5	8	
54	Total reported maternal deaths	7	10	

Sonitpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,311,619	
2	Sex Ratio	946	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	263	
4	Sub Centres (SC)- HWC	18	
5	Primary Health Centers (PHC)	46	
6	Primary Health Centres (PHC)-HWC	10	
7	Community Health Centers (CHC)	9	
8	SDH	2	
9	DH	1	

C) Maternal Health:

		2019-20		2020-21			
10	Expected number of PW	34,638		35,015			
11	Expected number of Delivery	32,277		32,628			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	36,153	104.4	16,811	48.0	ANC Check up in first trimester	48.8
13	Mothers registered in the first trimester	32,484	89.9	13,685	81.4	At least 4ANC check up	45.5
14	Mothers who had 4 or more ANC check ups	32,484	89.9	12,711	75.6	Neonatal tetanus received	99.2

15	PW who got TT 2 / Booster injection	33,300	92.1	18,735	111.4	100 IFA tablets consumed	56.4
16	PW who consumed 180 IFA tablets	34,633	95.8	17,497	104.1	Home Delivery	16.5
17	Home Delivery against expected delivery *	2,879	8.9	2,176	6.7	Institutional Delivery	83.5
18	Institutional Delivery against expected delivery *	32,780	101.6	16,248	49.8	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	2,879	8.1	2,176	11.8	PNC within 2days of delivery	63.5
20	Institutional Delivery against reported delivery **	32,780	91.9	16,248	88.2		
21	Total reported Deliveries	35,659		18,424			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	115	4.0	59	2.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24,097	67.6	6,894	37.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	31,489		31,832			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	35,613	113.1	16,004	50.3	Breastfed within 1 hour of birth	49.8
26	Total Still Birth	755	2.4	447	1.4	BCG	90.4
27	PC of newborn weighted at birth to live birth	33,404	93.8	15,155	94.7	3 dose of DPT	76.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,961	14.9	2,606	17.2	Measles First dose	80.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	29,281	82.2	12,725	79.5	3 doses of penta or hepatitis B vaccine	75
30	Children fully immunized	32,255	102.4	14,439	45.4	Full Immunization	70.9
31	Children who have received BCG	40,596	128.9	17,774	55.8		
32	Children who have received Pentavalent 1	32,578	103.5	13,326	41.9		
33	Children who have received Pentavalent 3	31,979	101.6	12,626	39.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	32,271	102.5	14,473	45.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,348		189			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	124		0		Total unmet need	5.8
37	Number of Tubectomies performed	2,168		377		Spacing	2
38	Number of IUD insertion	1,389		200		Women using any method	74.4
39	Number of IUD removals	406		151		Women using modern method	58.9

F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	899		255			
41	General OPD cases per 10,000 population ***	16,444		3,867			
42	Ayush OPD cases per 10,000 population ***	741		124			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	88		47			
44	Neonatal Deaths up to 4 weeks of birth	450		258			
45	Total Neonatal Death	538		305			
46	Deaths between (1 - 11) months	195		95			
47	Total reported infant deaths	733		400			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	3		1			
49	Due to Obstructed/prolonged labour	1		1			
50	Due to Severe hypertension / fits	6		2			
51	Due to Bleeding	11		3			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	56		23			
54	Total reported maternal deaths	77		30			
South Salmara Mancachar Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	555,114					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	15,699		16,006			
11	Expected number of Delivery	14,628		14,915			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	9,698	60.6	ANC Check up in first trimester	60.1
13	Mothers registered in the first trimester	0	-	7,729	79.7	At least 4ANC check up	35.3

14	Mothers who had 4 or more ANC check ups	0	-	6,990	72.1	Neonatal tetanus received	93.0
15	PW who got TT 2 / Booster injection	0	-	9,462	97.6	100 IFA tablets consumed	47.4
16	PW who consumed 180 IFA tablets	0	-	9,886	101.9	Home Delivery	28.3
17	Home Delivery against expected delivery *	0	0.0	4,162	27.9	Institutional Delivery	71.7
18	Institutional Delivery against expected delivery *	0	0.0	3,625	24.3	Home Delivery by SBA	8.1
19	Home Delivery against reported delivery **	0	-	4,162	53.4	PNC within 2days of delivery	62.6
20	Institutional Delivery against reported delivery **	0	-	3,625	46.6		
21	Total reported Deliveries	0		7,787			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	608	14.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	6,289	80.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	14,272		14,551			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	7,634	52.5	Breastfed within 1 hour of birth	50.4
26	Total Still Birth	0	0.0	173	1.2	BCG	97
27	PC of newborn weighted at birth to live birth	0	-	7,611	99.7	3 dose of DPT	81.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	787	10.3	Measles First dose	85.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	7,459	97.7	3 doses of penta or hepatitis B vaccine	73.7
30	Children fully immunized	0	0.0	8,311	57.1	Full Immunization	65.8
31	Children who have received BCG	0	0.0	8,135	55.9		
32	Children who have received Pentavalent 1	0	0.0	7,658	52.6		
33	Children who have received Pentavalent 3	0	0.0	7,001	48.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	8,417	57.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		362			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	8
37	Number of Tubectomies performed	0		0		Spacing	1.7
38	Number of IUD insertion	0		217		Women using any method	71.5

39	Number of IUD removals	0	35	Women using modern method	60.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	0	13		
41	General OPD cases per 10,000 population ***	0	819		
42	Ayush OPD cases per 10,000 population ***	0	391		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	13		
44	Neonatal Deaths up to 4 weeks of birth	0	30		
45	Total Neonatal Death	0	43		
46	Deaths between (1 - 11) months	0	21		
47	Total reported infant deaths	0	64		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	0	1		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	6		
54	Total reported maternal deaths	0	9		
Tinsukia Factsheet					
Key Indicators					
Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	1,327,929			
2	Sex Ratio	948			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	146			
4	Sub Centres (SC)- HWC	20			
5	Primary Health Centers (PHC)	15			
6	Primary Health Centres (PHC)-HWC	7			
7	Community Health Centers (CHC)	8			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	34,750	35,088		
11	Expected number of Delivery	32,381	32,696		
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
		Number	PC	Number	PC
12	PW register for ANC	23,947	68.9	17,093	48.7
				ANC Check up in first trimester	70.7

13	Mothers registered in the first trimester	20,400	85.2	14,179	83.0	At least 4ANC check up	63.1
14	Mothers who had 4 or more ANC check ups	20,704	86.5	13,973	81.7	Neonatal tetanus received	93.9
15	PW who got TT 2 / Booster injection	22,101	92.3	16,672	97.5	100 IFA tablets consumed	43.8
16	PW who consumed 180 IFA tablets	25,368	105.9	18,311	107.1	Home Delivery	17.4
17	Home Delivery against expected delivery *	644	2.0	708	2.2	Institutional Delivery	82.6
18	Institutional Delivery against expected delivery *	22,819	70.5	15,178	46.4	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	644	2.7	708	4.5	PNC within 2days of delivery	73.6
20	Institutional Delivery against reported delivery **	22,819	97.3	15,178	95.5		
21	Total reported Deliveries	23,463		15,886			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	231	35.9	285	40.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,427	112.6	14,501	91.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	31,591		31,898			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	23,374	74.0	15,437	48.4	Breastfed within 1 hour of birth	51.6
26	Total Still Birth	222	0.7	240	0.8	BCG	97.2
27	PC of newborn weighted at birth to live birth	23,343	99.9	15,103	97.8	3 dose of DPT	92.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,557	15.2	2,744	18.2	Measles First dose	95.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	22,950	98.2	14,561	94.3	3 doses of penta or hepatitis B vaccine	90.2
30	Children fully immunized	21,428	67.8	17,019	53.4	Full Immunization	75
31	Children who have received BCG	23,416	74.1	15,682	49.2		
32	Children who have received Pentavalent 1	22,120	70.0	15,501	48.6		
33	Children who have received Pentavalent 3	21,592	68.3	15,319	48.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	21,736	68.8	17,168	53.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,120		2,015			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	342		52		Total unmet need	11
37	Number of Tubectomies performed	2,412		477		Spacing	4.4

38	Number of IUD insertion	2,048	650	Women using any method	59.2
39	Number of IUD removals	657	484	Women using modern method	36.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	797	402		
41	General OPD cases per 10,000 population ***	13,430	7,821		
42	Ayush OPD cases per 10,000 population ***	162	282		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	54	20		
44	Neonatal Deaths up to 4 weeks of birth	84	62		
45	Total Neonatal Death	138	82		
46	Deaths between (1 - 11) months	79	51		
47	Total reported infant deaths	217	133		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	3		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	1	0		
52	Due to High fever	0	2		
53	Due to Other Causes (including causes not known)	12	10		
54	Total reported maternal deaths	13	17		
Udalguri Factsheet					
Key Indicators					
Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	831,668			
2	Sex Ratio	966			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	129			
4	Sub Centres (SC)- HWC	17			
5	Primary Health Centers (PHC)	15			
6	Primary Health Centres (PHC)-HWC	7			
7	Community Health Centers (CHC)	6			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	20,962	21,066		
11	Expected number of Delivery	19,532	19,630		
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
		Number	PC	Number	PC

12	PW register for ANC	14,462	69.0	10,025	47.6	ANC Check up in first trimester	50.1
13	Mothers registered in the first trimester	12,872	89.0	8,884	88.6	At least 4ANC check up	49.8
14	Mothers who had 4 or more ANC check ups	11,354	78.5	6,822	68.0	Neonatal tetanus received	91.0
15	PW who got TT 2 / Booster injection	13,018	90.0	9,870	98.5	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	13,088	90.5	8,751	87.3	Home Delivery	13.8
17	Home Delivery against expected delivery *	428	2.2	418	2.1	Institutional Delivery	86.2
18	Institutional Delivery against expected delivery *	7,647	39.2	4,385	22.3	Home Delivery by SBA	1.9
19	Home Delivery against reported delivery **	428	5.3	418	8.7	PNC within 2days of delivery	53.1
20	Institutional Delivery against reported delivery **	7,647	94.7	4,385	91.3		
21	Total reported Deliveries	8,075		4,803			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	185	43.2	134	32.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,662	119.7	6,279	130.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	19,056		19,151			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	7,960	41.8	5,076	26.5	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	133	0.7	104	0.5	BCG	78.6
27	PC of newborn weighted at birth to live birth	7,563	95.0	4,555	89.7	3 dose of DPT	68
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,344	17.8	727	16.0	Measles First dose	75.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,680	96.5	4,686	92.3	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	12,298	64.5	9,788	51.1	Full Immunization	38.3
31	Children who have received BCG	10,813	56.7	7,381	38.5		
32	Children who have received Pentavalent 1	12,827	67.3	9,056	47.3		
33	Children who have received Pentavalent 3	12,287	64.5	8,848	46.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,291	64.5	9,750	50.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,526		345			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet	14.6

				need	
37	Number of Tubectomies performed	20	0	Spacing	6.4
38	Number of IUD insertion	1,251	589	Women using any method	50.2
39	Number of IUD removals	758	379	Women using modern method	36.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	220	88		
41	General OPD cases per 10,000 population ***	8,360	3,944		
42	Ayush OPD cases per 10,000 population ***	1,444	304		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	34	20		
44	Neonatal Deaths up to 4 weeks of birth	58	40		
45	Total Neonatal Death	92	60		
46	Deaths between (1 - 11) months	92	82		
47	Total reported infant deaths	184	142		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	2	1		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	6	14		
54	Total reported maternal deaths	11	15		
West Karbi Anglong Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	295,358			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	NA			
4	Sub Centres (SC)- HWC	NA			
5	Primary Health Centers (PHC)	NA			
6	Primary Health Centres (PHC)-HWC	NA			
7	Community Health Centers (CHC)	NA			
8	SDH	NA			
9	DH	NA			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	7,988	8,098		
11	Expected number of Delivery	7,443	7,546		

		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	0	0.0	5,484	67.7	ANC Check up in first trimester	55.5
13	Mothers registered in the first trimester	0	-	3,984	72.6	At least 4ANC check up	46.7
14	Mothers who had 4 or more ANC check ups	0	-	3,275	59.7	Neonatal tetanus received	87.6
15	PW who got TT 2 / Booster injection	0	-	5,298	96.6	100 IFA tablets consumed	39.9
16	PW who consumed 180 IFA tablets	0	-	5,427	99.0	Home Delivery	27.5
17	Home Delivery against expected delivery *	0	0.0	1,346	17.8	Institutional Delivery	72.5
18	Institutional Delivery against expected delivery *	0	0.0	2,921	38.7	Home Delivery by SBA	12.0
19	Home Delivery against reported delivery **	0	-	1,346	31.5	PNC within 2days of delivery	55.7
20	Institutional Delivery against reported delivery **	0	-	2,921	68.5		
21	Total reported Deliveries	0		4,267			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	354	26.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	-	2,686	62.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,261		7,362			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
25	Total reported live births	0	0.0	4,187	56.9	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	0	0.0	75	1.0	BCG	92.7
27	PC of newborn weighted at birth to live birth	0	-	4,178	99.8	3 dose of DPT	70.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	0	-	135	3.2	Measles First dose	66.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	0	-	4,115	98.3	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	0	0.0	5,227	71.0	Full Immunization	47.9
31	Children who have received BCG	0	0.0	4,845	65.8		
32	Children who have received Pentavalent 1	0	0.0	5,001	67.9		
33	Children who have received Pentavalent 3	0	0.0	4,919	66.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	5,233	71.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	0		740			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	7.1
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	0	761	Women using any method	69.9
39	Number of IUD removals	0	117	Women using modern method	43.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	0	97		
41	General OPD cases per 10,000 population ***	0	2,031		
42	Ayush OPD cases per 10,000 population ***	0	471		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	4		
44	Neonatal Deaths up to 4 weeks of birth	0	13		
45	Total Neonatal Death	0	17		
46	Deaths between (1 - 11) months	0	23		
47	Total reported infant deaths	0	40		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	4		
54	Total reported maternal deaths	0	5		