

Manipur Factsheet

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,855,794					
2	Sex Ratio	987					
	B)Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	429					
4	Sub Centers (SC)- HWC	61					
5	Primary Health Centers (PHC)	94					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	23					
8	SDH	1					
9	DH	9					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	53,171	52,927				
11	Expected number of Delivery	48,917	48,693				
		HMIS (2019-20)	HMIS (2020-21)			NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	55,346	104.1	33,215	62.8	ANC Check up in first trimester	79.9
13	Mothers registered in the first trimester	32,468	58.7	17,189	51.8	At least 4ANC check up	79.4
14	Mothers who had 4 or more ANC check ups	30,525	55.2	11,757	35.4	Neonatal tetanus received	88.9
15	PW who got TT 2 / Booster injection	32,899	59.4	17,725	53.4	100 IFA tablets consumed	52.3
16	PW who consumed 180 IFA tablets	27,286	49.3	13,892	41.8	Home Delivery	20.1
17	Home Delivery against expected delivery *	6,122	12.5	4,584	9.4	Institutional Delivery	79.9
18	Institutional Delivery against expected delivery *	33,251	68.0	19,137	39.3	Home Delivery by SBA	5.8
19	Home Delivery against reported delivery **	6,122	15.5	4,584	19.3	PNC within 2days of delivery	73.4
20	Institutional Delivery against reported delivery **	33,251	84.5	19,137	80.7		
21	Total reported Deliveries	39,373		23,721			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,500	57.2	2,757	60.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,063	43.3	7,687	32.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	48,337		48,115			
	D) Child Immunization :	HMIS (2019-20)	HMIS (2020-21)			NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	39,462	81.6	23,740	49.3	Breastfed within 1 hour of birth	53.7

26	Total Still Birth	159	0.3	82	0.2	BCG	95.4
27	PC of newborn weighted at birth to live birth	39,168	99.3	23,249	97.9	3 dose of DPT	81.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,566	4.0	1,025	4.4	Measles First dose	76.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,073	88.9	21,360	90.0	3 doses of penta or hepatitis B vaccine	80
30	Children fully immunized	37,816	78.2	24,470	50.9	Full Immunization	68.8
31	Children who have received BCG	38,560	79.8	24,361	50.6		
32	Children who have received Pentavalent 1	43,988	91.0	28,389	59.0		
33	Children who have received Pentavalent 3	39,512	81.7	24,721	51.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	38,821	80.3	24,684	51.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	11,107		2,687			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (2019-20)
36	Number of Vasectomies performed	16	0	Total unmet need 12.2
37	Number of Tubectomies performed	567	373	Spacing 4.7
38	Number of IUD insertion	3,378	1,002	Women using any method 61.3
39	Number of IUD removals	1,792	723	Women using modern method 18.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	422	318	
41	General OPD cases per 10,000 population ***	5714	5292	
42	Ayush OPD cases per 10,000 population ***	340	315	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	27	24	
44	Neonatal Deaths up to 4 weeks of birth	64	41	
45	Total Neonatal Death	91	65	
46	Deaths between (1 - 11) months	24	26	
47	Total reported infant deaths	115	91	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	6	1	
52	Due to High fever	1	0	

53	Due to Other Causes (including causes not known)	27	15	
54	Total reported maternal deaths	35	17	

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	35					
4	Sub Centers (SC)- HWC	13					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,307	4,478				
11	Expected number of Delivery	3,963	4,120				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,564	106.0	2,951	65.9	ANC Check up in first trimester	84.2
13	Mothers registered in the first trimester	3,484	76.3	2,098	71.1	At least 4ANC check up	77.4
14	Mothers who had 4 or more ANC check ups	5,150	112.8	1,216	41.2	Neonatal tetanus received	88.8
15	PW who got TT 2 / Booster injection	3,082	67.5	1,947	66.0	100 IFA tablets consumed	57.4
16	PW who consumed 180 IFA tablets	2,012	44.1	1,453	49.2	Home Delivery	10.5
17	Home Delivery against expected delivery *	40	1.0	57	1.4	Institutional Delivery	89.5
18	Institutional Delivery against expected delivery *	799	20.2	329	8.0	Home Delivery by SBA	3.1
19	Home Delivery against reported delivery **	40	4.8	57	14.8	PNC within 2days of delivery	79.0
20	Institutional Delivery against reported delivery **	799	95.2	329	85.2		
21	Total reported Deliveries	839		386			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	37.5	25	43.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	2.1	4	1.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,916		4,071			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	

		Number	PC	Number	PC		
25	Total reported live births	831	21.2	383	9.4	Breastfed within 1 hour of birth	48.1
26	Total Still Birth	9	0.2	2	0.0	BCG	96.1
27	PC of newborn weighted at birth to live birth	827	99.5	375	97.9	3 dose of DPT	77.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	7	1.9	Measles First dose	70.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	784	94.3	376	98.2	3 doses of penta or hepatitis B vaccine	81.5
30	Children fully immunized	3,526	90.1	2,487	61.1	Full Immunization	66.6
31	Children who have received BCG	3,023	77.2	1,871	46.0		
32	Children who have received Pentavalent 1	4,062	103.7	2,801	68.8		
33	Children who have received Pentavalent 3	3,517	89.8	2,407	59.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,536	90.3	2,485	61.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		339			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	10	0	Total unmet need	20
37	Number of Tubectomies performed	0	0	Spacing	5.7
38	Number of IUD insertion	243	51	Women using any method	46.3
39	Number of IUD removals	188	58	Women using modern method	21.6
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	237	33		
41	General OPD cases per 10,000 population ***	9008	2894		
42	Ayush OPD cases per 10,000 population ***	700	239		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	1		
46	Deaths between (1 - 11) months	1	2		
47	Total reported infant deaths	1	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		

51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	5					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,750		1,397			
11	Expected number of Delivery	2,530		1,285			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,046	74.4	983	70.4	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	1,149	56.2	535	54.4	At least 4ANC check up	66.6
14	Mothers who had 4 or more ANC check ups	893	43.6	327	33.3	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	1,370	67.0	429	43.6	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	1,095	53.5	445	45.3	Home Delivery	44.5
17	Home Delivery against expected delivery *	350	13.8	134	10.4	Institutional Delivery	55.5
18	Institutional Delivery against expected delivery *	373	14.7	223	17.4	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	350	48.4	134	37.5	PNC within 2days of delivery	55.0
20	Institutional Delivery against reported delivery **	373	51.6	223	62.5		
21	Total reported Deliveries	723		357			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	312	89.1	122	91.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	196	27.1	141	39.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,500		1,270			

D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	738	29.5	360	28.3	Breastfed within 1 hour of birth	55.1
26	Total Still Birth	1	0.0	1	0.1	BCG	96.5
27	PC of newborn weighted at birth to live birth	727	98.5	360	100.0	3 dose of DPT	76.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.7	1	0.3	Measles First dose	60.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	719	97.4	341	94.7	3 doses of penta or hepatitis B vaccine	76.2
30	Children fully immunized	1,314	52.6	459	36.1	Full Immunization	55.5
31	Children who have received BCG	1,336	53.4	506	39.8		
32	Children who have received Pentavalent 1	1,475	59.0	594	46.8		
33	Children who have received Pentavalent 3	1,369	54.8	508	40.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,319	52.8	455	35.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	949		87			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	11
37	Number of Tubectomies performed	8		1		Spacing	4.8
38	Number of IUD insertion	68		12		Women using any method	56.6
39	Number of IUD removals	24		4		Women using modern method	23.6
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	196		66			
41	General OPD cases per 10,000 population ***	3290		1467			
42	Ayush OPD cases per 10,000 population ***	230		32			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	5,119		4,349			
11	Expected number of Delivery	4,710		4,001			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,279	103.1	3,830	88.1	ANC Check up in first trimester	69.0
13	Mothers registered in the first trimester	3,380	64.0	2,267	59.2	At least 4ANC check up	61.3
14	Mothers who had 4 or more ANC check ups	1,524	28.9	678	17.7	Neonatal tetanus received	79.5
15	PW who got TT 2 / Booster injection	2,753	52.2	1,769	46.2	100 IFA tablets consumed	28.5
16	PW who consumed 180 IFA tablets	3,678	69.7	2,125	55.5	Home Delivery	27.1
17	Home Delivery against expected delivery *	426	9.0	280	7.0	Institutional Delivery	72.9
18	Institutional Delivery against expected delivery *	3,737	79.3	2,162	54.0	Home Delivery by SBA	7.1
19	Home Delivery against reported delivery **	426	10.2	280	11.5	PNC within 2days of delivery	58.2
20	Institutional Delivery against reported delivery **	3,737	89.8	2,162	88.5		
21	Total reported Deliveries	4,163		2,442			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97	22.8	57	20.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,276	78.7	787	32.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,654		3,954			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,165	89.5	2,427	61.4	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	38	0.8	15	0.4	BCG	88.9
27	PC of newborn weighted at birth to live birth	4,162	99.9	2,426	100.0	3 dose of DPT	76.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	4.1	100	4.1	Measles First dose	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,768	90.5	2,159	89.0	3 doses of penta or hepatitis B vaccine	68.2
30	Children fully immunized	3,241	69.6	2,326	58.8	Full Immunization	64.9
31	Children who have received BCG	3,959	85.1	2,470	62.5		
32	Children who have received Pentavalent 1	3,984	85.6	2,503	63.3		
33	Children who have received Pentavalent 3	3,276	70.4	2,097	53.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,467	74.5	1,944	49.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,311		855			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.7
37	Number of Tubectomies performed	12	27	Spacing	4.2
38	Number of IUD insertion	868	379	Women using any method	61.8
39	Number of IUD removals	480	266	Women using modern method	22.6

F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	520	248	
41	General OPD cases per 10,000 population ***	6354	2160	
42	Ayush OPD cases per 10,000 population ***	159	38	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	20	14	
44	Neonatal Deaths up to 4 weeks of birth	47	29	
45	Total Neonatal Death	67	43	
46	Deaths between (1 - 11) months	12	12	
47	Total reported infant deaths	79	55	
II)	Maternal Mortality			

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	8					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	8,228	8,735				
11	Expected number of Delivery	7,570	8,036				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	7,341	89.2	4,041	46.3	ANC Check up in first trimester	78.6
13	Mothers registered in the first trimester	4,529	61.7	2,264	56.0	At least 4ANC check up	87.1
14	Mothers who had 4 or more ANC check ups	2,943	40.1	1,422	35.2	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	4,818	65.6	1,694	41.9	100 IFA tablets consumed	55.8
16	PW who consumed 180 IFA tablets	3,099	42.2	1,942	48.1	Home Delivery	8.3
17	Home Delivery against expected delivery *	80	1.1	57	0.7	Institutional Delivery	91.7
18	Institutional Delivery against expected delivery *	7,015	92.7	3,128	38.9	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	80	1.1	57	1.8	PNC within 2days of delivery	85.4
20	Institutional Delivery against reported delivery **	7,015	98.9	3,128	98.2		
21	Total reported Deliveries	7,095		3,185			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	42.5	39	68.4		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,318	117.2	3,435	107.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,480		7,941			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,092	94.8	3,177	40.0	Breastfed within 1 hour of birth	47.4
26	Total Still Birth	3	0.0	1	0.0	BCG	100
27	PC of newborn weighted at birth to live birth	7,080	99.8	3,163	99.6	3 dose of DPT	83.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	0.4	15	0.5	Measles First dose	81.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,063	99.6	2,726	85.8	3 doses of penta or hepatitis B vaccine	81.9
30	Children fully immunized	6,292	84.1	3,533	44.5	Full Immunization	76.2
31	Children who have received BCG	6,937	92.7	3,505	44.1		
32	Children who have received Pentavalent 1	7,547	100.9	3,740	47.1		
33	Children who have received Pentavalent 3	6,618	88.5	3,069	38.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,507	87.0	3,572	45.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	647		115			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	16.7
37	Number of Tubectomies performed	120		21		Spacing	5.4
38	Number of IUD insertion	397		51		Women using any method	50.1
39	Number of IUD removals	295		66		Women using modern method	16.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	89		25			
41	General OPD cases per 10,000 population ***	2688		980			
42	Ayush OPD cases per 10,000 population ***	312		86			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	3		0			
44	Neonatal Deaths up to 4 weeks of birth	6		0			
45	Total Neonatal Death	9		0			

46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	9	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	2	0	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	4	0	

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	9,432	9,920				
11	Expected number of Delivery	8,677	9,126				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	10,189	108.0	5,370	54.1	ANC Check up in first trimester	83.2
13	Mothers registered in the first trimester	7,608	74.7	3,455	64.3	At least 4ANC check up	93.4
14	Mothers who had 4 or more ANC check ups	12,720	124.8	4,001	74.5	Neonatal tetanus received	92.7
15	PW who got TT 2 / Booster injection	7,962	78.1	3,351	62.4	100 IFA tablets consumed	60.9
16	PW who consumed 180 IFA tablets	7,789	76.4	2,273	42.3	Home Delivery	4.3
17	Home Delivery against expected delivery *	145	1.7	176	1.9	Institutional Delivery	95.7
18	Institutional Delivery against expected delivery *	14,502	167.1	9,082	99.5	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	145	1.0	176	1.9	PNC within 2days of delivery	90.8
20	Institutional Delivery against reported delivery **	14,502	99.0	9,082	98.1		

21	Total reported Deliveries	14,647		9,258			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	72.4	126	71.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	9	0.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,575		9,018			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	14,738	171.9	9,318	103.3	Breastfed within 1 hour of birth	62.6
26	Total Still Birth	83	1.0	31	0.3	BCG	94.7
27	PC of newborn weighted at birth to live birth	14,731	100.0	9,206	98.8	3 dose of DPT	94.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,211	8.2	790	8.6	Measles First dose	88.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,069	81.9	8,397	90.1	3 doses of penta or hepatitis B vaccine	94.4
30	Children fully immunized	8,040	93.8	5,343	59.2	Full Immunization	74.1
31	Children who have received BCG	7,127	83.1	4,485	49.7		
32	Children who have received Pentavalent 1	8,524	99.4	5,845	64.8		
33	Children who have received Pentavalent 3	8,079	94.2	5,669	62.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	8,089	94.3	5,381	59.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,137		399			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	4		0		Total unmet need	12.5
37	Number of Tubectomies performed	382		296		Spacing	6.4
38	Number of IUD insertion	516		71		Women using any method	69.9
39	Number of IUD removals	331		85		Women using modern method	16.4
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	1591		246			
41	General OPD cases per 10,000 population ***	12655		2596			
42	Ayush OPD cases per 10,000 population ***	602		130			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

43	Neonatal death within 24 hours	1	3	
44	Neonatal Deaths up to 4 weeks of birth	5	6	
45	Total Neonatal Death	6	9	
46	Deaths between (1 - 11) months	2	1	
47	Total reported infant deaths	8	10	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	21	8	
54	Total reported maternal deaths	22	9	

Jiribam Factsheet

Key Indicators

Sl No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	862				
11	Expected number of Delivery	NA	793				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	485	56.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	149	30.7	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	0	0.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	315	64.9	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	0	0.0	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	67	8.4	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of	NA

						delivery	
20	Institutional Delivery against reported delivery **	NA	NA	67	100.0		
21	Total reported Deliveries	NA		67			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		784			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	67	8.6	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	66	98.5	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	10	15.2	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	66	98.5	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	150	19.1	Full Immunization	NA
31	Children who have received BCG	NA	NA	183	23.4		
32	Children who have received Pentavalent 1	NA	NA	324	41.4		
33	Children who have received Pentavalent 3	NA	NA	199	25.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	234	29.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		7			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		0		Women using any method	NA
39	Number of IUD removals	NA		0		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	NA		7			
41	General OPD cases per 10,000 population ***	NA		0			
42	Ayush OPD cases per 10,000 population ***	NA		0			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	NA	0	
44	Neonatal Deaths up to 4 weeks of birth	NA	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	NA	0	
47	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Kakching Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	18	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers (PHC)	6	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	1	
8	SDH	0	
9	DH	0	

C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	NA		2,691			
11	Expected number of Delivery	NA		2,476			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	2,161	80.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	666	30.8	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	197	9.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	522	24.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	607	28.1	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	82	3.3	Institutional Delivery	NA

18	Institutional Delivery against expected delivery *	NA	NA	179	7.2	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	82	31.4	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	179	68.6		
21	Total reported Deliveries	NA		261			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	39	47.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	66	25.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		2,447			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	261	10.7	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	263	100.8	3 doses of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	11	4.2	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	259	99.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	1,331	54.4	Full Immunization	NA
31	Children who have received BCG	NA	NA	1,249	51.0		
32	Children who have received Pentavalent 1	NA	NA	1,570	64.2		
33	Children who have received Pentavalent 3	NA	NA	1,397	57.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,316	53.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		59			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		12		Women using any method	NA
39	Number of IUD removals	NA		14		Women using modern method	NA
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	NA		18			

41	General OPD cases per 10,000 population ***	NA	1175	
42	Ayush OPD cases per 10,000 population ***	NA	180	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	NA	0	
44	Neonatal Deaths up to 4 weeks of birth	NA	1	
45	Total Neonatal Death	0	1	
46	Deaths between (1 - 11) months	NA	1	
47	Total reported infant deaths	0	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Kamjong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	18				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers (PHC)	2				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	1				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	NA	860			
11	Expected number of Delivery	NA	791			
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)		
		Number	PC	Number	PC	
12	PW register for ANC	NA	NA	168	19.5	ANC Check up in first trimester NA
13	Mothers registered in the first trimester	NA	NA	61	36.3	At least 4ANC check up NA
14	Mothers who had 4 or more ANC check ups	NA	NA	23	13.7	Neonatal tetanus received NA
15	PW who got TT 2 / Booster injection	NA	NA	92	54.8	100 IFA tablets consumed NA

16	PW who consumed 180 IFA tablets	NA	NA	69	41.1	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	77	9.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	17	2.1	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	77	81.9	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	17	18.1		
21	Total reported Deliveries	NA		94			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	13	16.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	30	31.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		782			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	93	11.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	88	94.6	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	88	94.6	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	131	16.8	Full Immunization	NA
31	Children who have received BCG	NA	NA	129	16.5		
32	Children who have received Pentavalent 1	NA	NA	173	22.1		
33	Children who have received Pentavalent 3	NA	NA	145	18.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	131	16.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		30			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		0		Women using any method	NA
39	Number of IUD removals	NA		0		Women using modern method	NA

F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	NA	1	
41	General OPD cases per 10,000 population ***	NA	355	
42	Ayush OPD cases per 10,000 population ***	NA	2	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	NA	1	
44	Neonatal Deaths up to 4 weeks of birth	NA	1	
45	Total Neonatal Death	0	2	
46	Deaths between (1 - 11) months	NA	0	
47	Total reported infant deaths	0	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	Total reported maternal deaths	0	0	

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	18				
4	Sub Centers (SC)- HWC	4				
5	Primary Health Centers (PHC)	6				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	1				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	NA	2,777			
11	Expected number of Delivery	NA	2,555			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)
		Number	PC	Number	PC	
12	PW register for ANC	NA	NA	2,249	81.0	ANC Check up in first trimester NA

13	Mothers registered in the first trimester	NA	NA	935	41.6	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	593	26.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	1,288	57.3	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	815	36.2	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	810	31.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	287	11.2	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	810	73.8	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	287	26.2		
21	Total reported Deliveries	NA		1,097			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	473	58.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	713	65.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		2,525			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	1,104	43.7	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	2	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	1,103	99.9	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	9	0.8	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,102	99.8	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	1,810	71.7	Full Immunization	NA
31	Children who have received BCG	NA	NA	1,886	74.7		
32	Children who have received Pentavalent 1	NA	NA	2,204	87.3		
33	Children who have received Pentavalent 3	NA	NA	1,917	75.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,810	71.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		430			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		4		Spacing	NA
38	Number of IUD insertion	NA		70		Women using	NA

				any method			
39	Number of IUD removals	NA	29	Women using modern method	NA		
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
40	IPD cases per 10,000 population ***	NA	46				
41	General OPD cases per 10,000 population ***	NA	1254				
42	Ayush OPD cases per 10,000 population ***	NA	89				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
43	Neonatal death within 24 hours	NA	2				
44	Neonatal Deaths up to 4 weeks of birth	NA	1				
45	Total Neonatal Death	0	3				
46	Deaths between (1 - 11) months	NA	3				
47	Total reported infant deaths	0	6				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
48	Due to Abortion	NA	1				
49	Due to Obstructed/prolonged labour	NA	0				
50	Due to Severe hypertension/fits	NA	0				
51	Due to Bleeding	NA	0				
52	Due to High fever	NA	0				
53	Due to Other Causes (including causes not known)	NA	2				
54	Total reported maternal deaths	0	3				
Noney Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	17					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	NA	768				
11	Expected number of Delivery	NA	706				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	668	87.0	ANC Check up in first trimester	NA

13	Mothers registered in the first trimester	NA	NA	326	48.8	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	249	37.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	376	56.3	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	260	38.9	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	176	24.9	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	243	34.4	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	176	42.0	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	243	58.0		
21	Total reported Deliveries	NA		419			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	22	12.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	78	18.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		698			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	417	59.7	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	2	0.3	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	364	87.3	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	5	1.4	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	372	89.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	364	52.2	Full Immunization	NA
31	Children who have received BCG	NA	NA	434	62.2		
32	Children who have received Pentavalent 1	NA	NA	496	71.1		
33	Children who have received Pentavalent 3	NA	NA	370	53.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	367	52.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		43			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA

37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	75	Women using any method	NA
39	Number of IUD removals	NA	33	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	NA	89		
41	General OPD cases per 10,000 population ***	NA	2245		
42	Ayush OPD cases per 10,000 population ***	NA	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	NA	3		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	3		
46	Deaths between (1 - 11) months	NA	0		
47	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	1		
54	Total reported maternal deaths	0	1		
Pherzawl Factsheet					
Key Indicators					
Sl No	A)Demographic Indicators (Census 2011)				
1	Population 2011	NA			
2	Sex Ratio	NA			
B)Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	18			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	5			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	0			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	NA	726		
11	Expected number of Delivery	NA	668		
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	

		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	361	49.8	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	156	43.2	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	106	29.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	163	45.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	400	110.8	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	35	5.2	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	71	10.6	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	35	33.0	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	71	67.0		
21	Total reported Deliveries	NA		106			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	22	62.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	47	44.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	NA		660			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	102	15.5	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	3	0.5	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	100	98.0	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	6	6.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	100	98.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	113	17.1	Full Immunization	NA
31	Children who have received BCG	NA	NA	167	25.3		
32	Children who have received Pentavalent 1	NA	NA	209	31.7		
33	Children who have received Pentavalent 3	NA	NA	182	27.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	148	22.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		81			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	NA	0	Total unmet need	NA
37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	0	Women using any method	NA
39	Number of IUD removals	NA	3	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	NA	100		
41	General OPD cases per 10,000 population ***	NA	1909		
42	Ayush OPD cases per 10,000 population ***	NA	82		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	NA	0		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	NA	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	0		
54	Total reported maternal deaths	0	0		
Senapati Factsheet					
Key Indicators					
Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	479,148			
2	Sex Ratio	939			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	34			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2019-20	2020-21		
10	Expected number of PW	9,387	5,257		

11	Expected number of Delivery	8,636		4,836			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	11,087	118.1	3,679	70.0	ANC Check up in first trimester	73.9
13	Mothers registered in the first trimester	4,156	37.5	1,535	41.7	At least 4ANC check up	64.9
14	Mothers who had 4 or more ANC check ups	4,095	36.9	1,821	49.5	Neonatal tetanus received	85.2
15	PW who got TT 2 / Booster injection	6,092	54.9	2,870	78.0	100 IFA tablets consumed	28.4
16	PW who consumed 180 IFA tablets	3,951	35.6	1,602	43.5	Home Delivery	54.2
17	Home Delivery against expected delivery *	3,635	42.1	1,744	36.1	Institutional Delivery	45.8
18	Institutional Delivery against expected delivery *	2,293	26.6	1,160	24.0	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	3,635	61.3	1,744	60.1	PNC within 2days of delivery	37.0
20	Institutional Delivery against reported delivery **	2,293	38.7	1,160	39.9		
21	Total reported Deliveries	5,928		2,904			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,359	64.9	1,193	68.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,196	53.9	1,292	44.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,534		4,779			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,928	69.5	2,887	60.4	Breastfed within 1 hour of birth	57.6
26	Total Still Birth	3	0.0	2	0.0	BCG	87.2
27	PC of newborn weighted at birth to live birth	5,822	98.2	2,683	92.9	3 dose of DPT	77.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	26	1.0	Measles First dose	75.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,751	97.0	2,732	94.6	3 doses of penta or hepatitis B vaccine	77.2
30	Children fully immunized	6,179	72.4	2,391	50.0	Full Immunization	65
31	Children who have received BCG	6,950	81.4	3,047	63.8		
32	Children who have received Pentavalent 1	7,145	83.7	2,825	59.1		
33	Children who have received Pentavalent 3	6,664	78.1	2,714	56.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,543	76.7	2,654	55.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,464		79			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning						HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed		2	0	Total unmet need	8.5			
37	Number of Tubectomies performed		15	10	Spacing	4.1			
38	Number of IUD insertion		319	60	Women using any method	65.2			
39	Number of IUD removals		130	23	Women using modern method	17.5			
F) Service delivery			HMIS (2019-20)	HMIS (2020-21) 3rd QTR					
40	IPD cases per 10,000 population ***		86	46					
41	General OPD cases per 10,000 population ***		2229	917					
42	Ayush OPD cases per 10,000 population ***		141	13					
G) Mortality Details									
I)	Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR					
43	Neonatal death within 24 hours		1	0					
44	Neonatal Deaths up to 4 weeks of birth		2	1					
45	Total Neonatal Death		3	1					
46	Deaths between (1 - 11) months		3	1					
47	Total reported infant deaths		6	2					
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR					
48	Due to Abortion		0	0					
49	Due to Obstructed/prolonged labour		0	0					
50	Due to Severe hypertension/fits		1	0					
51	Due to Bleeding		1	0					
52	Due to High fever		0	0					
53	Due to Other Causes (including causes not known)		4	0					
54	Total reported maternal deaths		6	0					
Tamenglong Factsheet									
Key Indicators									
SL No	A) Demographic Indicators (Census 2011)								
1	Population 2011		140,651						
2	Sex Ratio		953						
B) Infrastructure Details (RHS 2018-19)			Numbers						
3	Sub Centers (SC)		13						
4	Sub Centers (SC)- HWC		3						
5	Primary Health Centers (PHC)		4						
6	Primary Health Centers (PHC)-HWC		0						
7	Community Health Centers (CHC)		1						
8	SDH		0						
9	DH		1						

C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,767		1,136			
11	Expected number of Delivery	2,546		1,045			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,298	83.0	816	71.8	ANC Check up in first trimester	69.4
13	Mothers registered in the first trimester	1,103	48.0	317	38.8	At least 4ANC check up	56.4
14	Mothers who had 4 or more ANC check ups	1,072	46.6	244	29.9	Neonatal tetanus received	81.0
15	PW who got TT 2 / Booster injection	1,245	54.2	465	57.0	100 IFA tablets consumed	31.0
16	PW who consumed 180 IFA tablets	953	41.5	413	50.6	Home Delivery	42.3
17	Home Delivery against expected delivery *	435	17.1	172	16.5	Institutional Delivery	57.7
18	Institutional Delivery against expected delivery *	781	30.7	356	34.1	Home Delivery by SBA	11.9
19	Home Delivery against reported delivery **	435	35.8	172	32.6	PNC within 2days of delivery	52.7
20	Institutional Delivery against reported delivery **	781	64.2	356	67.4		
21	Total reported Deliveries	1,216		528			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	125	28.7	70	40.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	19.2	103	19.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,516		1,033			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,213	48.2	525	50.8	Breastfed within 1 hour of birth	62.9
26	Total Still Birth	7	0.3	4	0.4	BCG	91.2
27	PC of newborn weighted at birth to live birth	1,138	93.8	519	98.9	3 dose of DPT	78.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	2.2	5	1.0	Measles First dose	77.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,084	89.4	479	91.2	3 doses of penta or hepatitis B vaccine	73.4
30	Children fully immunized	1,510	60.0	509	49.3	Full Immunization	67.4
31	Children who have received BCG	1,543	61.3	570	55.2		
32	Children who have received Pentavalent 1	1,741	69.2	639	61.9		
33	Children who have received Pentavalent 3	1,671	66.4	507	49.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,526	60.7	545	52.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	457		46			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.4
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	499	156	Women using any method	65.2
39	Number of IUD removals	127	70	Women using modern method	22.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	93	104		
41	General OPD cases per 10,000 population ***	2488	1180		
42	Ayush OPD cases per 10,000 population ***	81	63		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	Total Neonatal Death	1	1		
46	Deaths between (1 - 11) months	2	1		
47	Total reported infant deaths	3	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	2		
54	Total reported maternal deaths	2	2		

Tengnoupal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	NA			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	12			
4	Sub Centers (SC)- HWC	1			
5	Primary Health Centers (PHC)	4			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			

8	SDH	1					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	NA		952			
11	Expected number of Delivery	NA		876			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	NA	NA	547	57.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	342	62.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	182	33.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	442	80.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	394	72.0	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	159	18.2	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	NA	NA	47	5.4	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	NA	NA	159	77.2	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	NA	NA	47	22.8		
21	Total reported Deliveries	NA		206			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	142	89.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	79	38.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	NA		866			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	NA	NA	207	23.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	198	95.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	193	93.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	300	34.7	Full Immunization	NA
31	Children who have received BCG	NA	NA	397	45.9		
32	Children who have received Pentavalent 1	NA	NA	400	46.2		
33	Children who have received Pentavalent 3	NA	NA	280	32.3		
34	Children who have received Measles &	NA	NA	303	35.0		

	Rubella (MR)- 1st Dose					
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		43		

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	NA	0	Total unmet need	NA
37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	0	Women using any method	NA
39	Number of IUD removals	NA	6	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	NA	49		
41	General OPD cases per 10,000 population ***	NA	816		
42	Ayush OPD cases per 10,000 population ***	NA	223		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	NA	0		
44	Neonatal Deaths up to 4 weeks of birth	NA	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	NA	0		
47	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	0		
54	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	422,168			
2	Sex Ratio	1,006			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	44			
4	Sub Centers (SC)- HWC	9			

5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,667		5,502			
11	Expected number of Delivery	7,053		5,062			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,053	118.1	2,669	48.5	ANC Check up in first trimester	90.6
13	Mothers registered in the first trimester	5,809	64.2	1,429	53.5	At least 4ANC check up	89.9
14	Mothers who had 4 or more ANC check ups	1,330	14.7	448	16.8	Neonatal tetanus received	92.9
15	PW who got TT 2 / Booster injection	4,499	49.7	1,340	50.2	100 IFA tablets consumed	68.5
16	PW who consumed 180 IFA tablets	4,063	44.9	912	34.2	Home Delivery	12.2
17	Home Delivery against expected delivery *	375	5.3	273	5.4	Institutional Delivery	87.8
18	Institutional Delivery against expected delivery *	2,460	34.9	894	17.7	Home Delivery by SBA	3.3
19	Home Delivery against reported delivery **	375	13.2	273	23.4	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	2,460	86.8	894	76.6		
21	Total reported Deliveries	2,835		1,167			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	162	43.2	233	85.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,383	48.8	540	46.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,970		5,002			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,842	40.8	1,170	23.4	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	1	0.0	0	0.0	BCG	98.7
27	PC of newborn weighted at birth to live birth	2,815	99.0	1,164	99.5	3 dose of DPT	84.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	1.5	13	1.1	Measles First dose	77.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,056	72.3	890	76.1	3 doses of penta or hepatitis B vaccine	83.2
30	Children fully immunized	6,042	86.7	2,580	51.6	Full Immunization	74.2
31	Children who have received BCG	5,577	80.0	2,258	45.1		
32	Children who have received Pentavalent	7,503	107.7	3,012	60.2		

	1						
33	Children who have received Pentavalent 3	6,590	94.6	2,431	48.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,131	88.0	2,592	51.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	899		35			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	6
37	Number of Tubectomies performed	21	6	Spacing	2.3
38	Number of IUD insertion	353	39	Women using any method	72.2
39	Number of IUD removals	126	41	Women using modern method	17.8

F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	123	23		
41	General OPD cases per 10,000 population ***	5870	909		
42	Ayush OPD cases per 10,000 population ***	412	78		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	2	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	4		
47	Total reported infant deaths	3	4		

II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	183,998	
2	Sex Ratio	948	

B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	3,745		2,517			
11	Expected number of Delivery	3,446		2,316			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,489	93.2	2,237	88.9	ANC Check up in first trimester	58.3
13	Mothers registered in the first trimester	1,250	35.8	654	29.2	At least 4ANC check up	38.8
14	Mothers who had 4 or more ANC check ups	798	22.9	250	11.2	Neonatal tetanus received	81.6
15	PW who got TT 2 / Booster injection	1,078	30.9	662	29.6	100 IFA tablets consumed	25.1
16	PW who consumed 180 IFA tablets	646	18.5	182	8.1	Home Delivery	55.4
17	Home Delivery against expected delivery *	636	18.5	352	15.2	Institutional Delivery	44.6
18	Institutional Delivery against expected delivery *	1,291	37.5	892	38.5	Home Delivery by SBA	9.9
19	Home Delivery against reported delivery **	636	33.0	352	28.3	PNC within 2days of delivery	44.9
20	Institutional Delivery against reported delivery **	1,291	67.0	892	71.7		
21	Total reported Deliveries	1,927		1,244			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	291	45.8	181	51.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	443	23.0	363	29.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,405		2,288			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,915	56.2	1,242	54.3	Breastfed within 1 hour of birth	63.6
26	Total Still Birth	14	0.4	17	0.7	BCG	91.5
27	PC of newborn weighted at birth to live birth	1,866	97.4	1,171	94.3	3 dose of DPT	53.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	2.4	27	2.3	Measles First dose	53.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,779	92.9	1,080	87.0	3 doses of penta or hepatitis B vaccine	51.2

30	Children fully immunized	1,672	49.1	643	28.1	Full Immunization	39.4
31	Children who have received BCG	2,108	61.9	1,204	52.6		
32	Children who have received Pentavalent 1	2,007	58.9	1,054	46.1		
33	Children who have received Pentavalent 3	1,728	50.8	829	36.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,703	50.0	747	32.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	185		39			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	12.7
37	Number of Tubectomies performed	9	8	Spacing	5.2
38	Number of IUD insertion	115	26	Women using any method	56.9
39	Number of IUD removals	91	25	Women using modern method	12.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	121	109		
41	General OPD cases per 10,000 population ***	2439	1764		
42	Ayush OPD cases per 10,000 population ***	180	70		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	Total Neonatal Death	2	1		
46	Deaths between (1 - 11) months	4	1		
47	Total reported infant deaths	6	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	2		
54	Total reported maternal deaths	1	2		