

## Meghalaya Factsheet

| <b>Key Indicators</b>  |  |                       |           |                       |           |                                  |      |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| <b>SL No</b>   | <b>A) Demographic Indicators (Census 2011)</b>   |                       |           |                       |           |                                  |      |
| 1  | Population 2011  | 2,966,889             |           |                       |           |                                  |      |
| 2  | Sex Ratio  | 986                   |           |                       |           |                                  |      |
|  | <b>B) Infrastructure Details (RHS 2018-19)</b>   | <b>Numbers</b>        |           |                       |           |                                  |      |
| 3  | Sub Centers (SC)   | 445                   |           |                       |           |                                  |      |
| 4  | Sub Centers (SC)- HWC  | 32                    |           |                       |           |                                  |      |
| 5  | Primary Health Centers (PHC)   | 110                   |           |                       |           |                                  |      |
| 6  | Primary Health Centers (PHC)-HWC   | 8                     |           |                       |           |                                  |      |
| 7  | Community Health Centers (CHC)   | 28                    |           |                       |           |                                  |      |
| 8  | SDH  | 0                     |           |                       |           |                                  |      |
| 9  | DH   | 11                    |           |                       |           |                                  |      |
|  | <b>C) Maternal Health:</b>   | <b>2019-20</b>        |           | <b>2020-21</b>        |           |                                  |      |
| 10   | Expected number of PW  | 92,846                |           | 92,499                |           |                                  |      |
| 11   | Expected number of Delivery  | 86,938                |           | 86,613                |           |                                  |      |
|  |  | <b>HMIS (2019-20)</b> |           | <b>HMIS (2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>          |      |
|  |  | <b>Number</b>         | <b>PC</b> | <b>Number</b>         | <b>PC</b> |                                  |      |
| 12   | PW register for ANC  | 138,997               | 149.7     | 82,298                | 89.0      | ANC Check up in first trimester  | 53.9 |
| 13   | Mothers registered in the first trimester  | 48,374                | 34.8      | 32,229                | 39.2      | At least 4ANC check up           | 52.2 |
| 14   | Mothers who had 4 or more ANC check ups  | 68,065                | 49.0      | 46,420                | 56.4      | Neonatal tetanus received        | 82.1 |
| 15   | PW who got TT 2 / Booster injection  | 71,848                | 51.7      | 56,512                | 68.7      | 100 IFA tablets consumed         | 43.1 |
| 16   | PW who consumed 180 IFA tablets  | 59,213                | 42.6      | 49,280                | 59.9      | Home Delivery                    | 41.9 |
| 17   | Home Delivery against expected delivery *  | 36,483                | 42.0      | 26,045                | 30.1      | Institutional Delivery           | 58.1 |
| 18   | Institutional Delivery Against expected delivery *   | 54,008                | 62.1      | 37,799                | 43.6      | Home Delivery by SBA             | 6.6  |
| 19   | Home Delivery against reported delivery **   | 36,483                | 40.3      | 26,045                | 40.8      | PNC within 2days of delivery     | 43.9 |
| 20   | Institutional Delivery against reported delivery **  | 54,008                | 59.7      | 37,799                | 59.2      |                                  |      |
| 21   | Total reported Deliveries  | 90,491                |           | 63,844                |           |                                  |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,364                 | 3.7       | 1,112                 | 4.3       |                                  |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 39,377                | 43.5      | 32,031                | 50.2      |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                       |           |                       |           |                                  |      |
| 24   | Expected number of Live Birth  | 84,405                |           | 84,090                |           |                                  |      |
|  | <b>D) Child Immunization :</b>   | <b>HMIS (2019-20)</b> |           | <b>HMIS (2020-21)</b> |           | <b>NFHS-5 (2019-20)</b>          |      |
|  |  |                       |           | <b>3rd QTR</b>        |           |                                  |      |
| 25   | Total reported live births   | 89,378                | 105.9     | 62,584                | 74.4      | Breastfed within 1 hour of birth | 78.8 |

|    |  |        |       |        |      |   |      |
|----|--|--------|-------|--------|------|---|------|
| 26 | Total Still Birth  | 1,995  | 2.4   | 1,746  | 2.1  | BCG                                     | 89.3 |
| 27 | PC of newborn weighted at birth to live birth                              | 85,982 | 96.2  | 60,599 | 96.8 | 3 dose of DPT                           | 73.1 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 6,815  | 7.9   | 4,758  | 7.9  | Measles First dose                      | 72.5 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth.       | 80,633 | 90.2  | 56,306 | 90.0 | 3 doses of penta or hepatitis B vaccine | 65.7 |
| 30 | Children fully immunized   | 74,872 | 88.7  | 58,629 | 69.7 | Full Immunization                       | 63.8 |
| 31 | Children who have received BCG   | 90,495 | 107.2 | 60,463 | 71.9 |   |      |
| 32 | Children who have received Pentavalent 1                                   | 85,934 | 101.8 | 59,065 | 70.2 |   |      |
| 33 | Children who have received Pentavalent 3                                   | 76,759 | 90.9  | 57,562 | 68.5 |   |      |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose                | 75,833 | 89.8  | 58,974 | 70.1 |   |      |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years         | 68,462 |       | 39,673 |      |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning     |  | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR | NFHS-5 (2019-20)                  |
|------------------------|--|----------------|---------------------------|-----------------------------------|
| 36                     | Number of Vasectomies performed                  | 4              | 0                         | Total unmet need<br>26.9          |
| 37                     | Number of Tubectomies performed                  | 2,620          | 1,558                     | Spacing<br>18.3                   |
| 38                     | Number of IUD insertion                          | 2,562          | 1,488                     | Women using any method<br>27.4    |
| 39                     | Number of IUD removals                           | 2,483          | 1,420                     | Women using modern method<br>22.5 |
| F) Service delivery    |  | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 40                     | IPD cases per 10,000 population ***              | 784            | 351                       |                                   |
| 41                     | General OPD cases per 10,000 population ***      | 11001          | 5643                      |                                   |
| 42                     | Ayush OPD cases per 10,000 population ***        | 826            | 394                       |                                   |
| G) Mortality Details   |  |                |                           |                                   |
| I)                     | Infant Deaths (In Number)                        | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 43                     | Neonatal death within 24 hours                   | 404            | 325                       |                                   |
| 44                     | Neonatal Deaths up to 4 weeks of birth           | 881            | 795                       |                                   |
| 45                     | <b>Total Neonatal Death</b>                      | <b>1,285</b>   | <b>1,120</b>              |                                   |
| 46                     | Deaths between (1 - 11) months                   | 1,239          | 1,203                     |                                   |
| 47                     | <b>Total reported infant deaths</b>              | <b>2,524</b>   | <b>2,323</b>              |                                   |
| II) Maternal Mortality |  |                |                           |                                   |
|                        | Maternal Deaths (In Number)                      | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 48                     | Due to Abortion                                  | 3              | 1                         |                                   |
| 49                     | Due to Obstructed/prolonged labour               | 13             | 15                        |                                   |
| 50                     | Due to Severe hypertension/fits                  | 10             | 14                        |                                   |
| 51                     | Due to Bleeding                                  | 37             | 26                        |                                   |
| 52                     | Due to High fever                                | 1              | 1                         |                                   |
| 53                     | Due to Other Causes (including causes not known) | 110            | 129                       |                                   |

|    |                                |     |     |  |
|----|--------------------------------|-----|-----|--|
| 54 | Total reported maternal deaths | 174 | 186 |  |
|----|--------------------------------|-----|-----|--|

## East Garo Hills Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                 |       |                           |      |                                 |      |
|---|--|-----------------|-------|---------------------------|------|---------------------------------|------|
| 1   | Population 2011  | 317,917         |       |                           |      |                                 |      |
| 2   | Sex Ratio  | 968             |       |                           |      |                                 |      |
| B) Infrastructure Details (RHS 2018-19)   |  | Numbers         |       |                           |      |                                 |      |
| 3   | Sub Centers (SC)   | 31              |       |                           |      |                                 |      |
| 4   | Sub Centers (SC)- HWC  | 0               |       |                           |      |                                 |      |
| 5   | Primary Health Centers (PHC)   | 7               |       |                           |      |                                 |      |
| 6   | Primary Health Centers (PHC)-HWC   | 0               |       |                           |      |                                 |      |
| 7   | Community Health Centers (CHC)   | 1               |       |                           |      |                                 |      |
| 8   | SDH  | 0               |       |                           |      |                                 |      |
| 9   | DH   | 1               |       |                           |      |                                 |      |
| C) Maternal Health:   |  | 2019-20         |       | 2020-21                   |      |                                 |      |
| 10  | Expected number of PW  | 5,076           |       | 5,047                     |      |                                 |      |
| 11  | Expected number of Delivery  | 4,753           |       | 4,726                     |      |                                 |      |
|   |  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                |      |
|   |  | Number          | PC    | Number                    | PC   |                                 |      |
| 12  | PW register for ANC  | 5,632           | 111.0 | 4,032                     | 79.9 | ANC Check up in first trimester | 59.2 |
| 13  | Mothers registered in the first trimester  | 1,671           | 29.7  | 1,492                     | 37.0 | At least 4ANC check up          | 25.5 |
| 14  | Mothers who had 4 or more ANC check ups  | 2,877           | 51.1  | 2,107                     | 52.3 | Neonatal tetanus received       | 74.5 |
| 15  | PW who got TT 2 / Booster injection  | 3,725           | 66.1  | 2,909                     | 72.1 | 100 IFA tablets consumed        | 28.8 |
| 16  | PW who consumed 180 IFA tablets  | 3,283           | 58.3  | 2,694                     | 66.8 | Home Delivery                   | 26.2 |
| 17  | Home Delivery against expected delivery *  | 2,750           | 57.9  | 1,542                     | 32.6 | Institutional Delivery          | 73.8 |
| 18  | Institutional Delivery Against expected delivery *   | 1,778           | 37.4  | 1,596                     | 33.8 | Home Delivery by SBA            | 7.5  |
| 19  | Home Delivery against reported delivery **   | 2,750           | 60.7  | 1,542                     | 49.1 | PNC within 2days of delivery    | 59.9 |
| 20  | Institutional Delivery against reported delivery **  | 1,778           | 39.3  | 1,596                     | 50.9 |                                 |      |
| 21  | Total reported Deliveries  | 4,528           |       | 3,138                     |      |                                 |      |
| 22  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 146             | 5.3   | 321                       | 20.8 |                                 |      |
| 23  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,013           | 66.5  | 2,047                     | 65.2 |                                 |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                 |       |                           |      |                                 |      |
| 24  | Expected number of Live Birth  | 4,614           |       | 4,588                     |      |                                 |      |
| D) Child Immunization :   |  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                |      |

|    |  |       |      |       |      |   |      |
|----|--|-------|------|-------|------|---|------|
| 25 | Total reported live births   | 4,426 | 95.9 | 3,092 | 67.4 | Breastfed within 1 hour of birth        | 48.0 |
| 26 | Total Still Birth  | 108   | 2.3  | 68    | 1.5  | BCG                                     | 81.5 |
| 27 | PC of newborn weighted at birth to live birth                              | 4,346 | 98.2 | 3,049 | 98.6 | 3 dose of DPT                           | 83.3 |
| 28 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 240   | 5.5  | 193   | 6.3  | Measles First dose                      | 83.3 |
| 29 | PC of newborns breastfed within 1 hour to total reported live birth.       | 4,318 | 97.6 | 3,025 | 97.8 | 3 doses of penta or hepatitis B vaccine | 74.8 |
| 30 | Children fully immunized   | 4,391 | 95.2 | 3,241 | 70.6 | Full Immunization                       | 72.4 |
| 31 | Children who have received BCG   | 4,093 | 88.7 | 2,948 | 64.3 |   |      |
| 32 | Children who have received Pentavalent 1                                   | 4,412 | 95.6 | 3,107 | 67.7 |   |      |
| 33 | Children who have received Pentavalent 3                                   | 3,888 | 84.3 | 3,054 | 66.6 |   |      |
| 34 | Children who have received Measles & Rubella (MR)- 1st Dose                | 4,398 | 95.3 | 3,310 | 72.1 |   |      |
| 35 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,089 |      | 524   |      |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

| E) Family Planning   |   | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR | NFHS-5 (2019-20)                  |
|----------------------|---|-----------------|---------------------------|-----------------------------------|
| 36                   | Number of Vasectomies performed             | 0               | 0                         | Total unmet need<br>21.0          |
| 37                   | Number of Tubectomies performed             | 77              | 22                        | Spacing<br>12.4                   |
| 38                   | Number of IUD insertion                     | 293             | 173                       | Women using any method<br>37.0    |
| 39                   | Number of IUD removals                      | 76              | 45                        | Women using modern method<br>35.8 |
| F) Service delivery  |   | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 40                   | IPD cases per 10,000 population ***         | 327             | 177                       |                                   |
| 41                   | General OPD cases per 10,000 population *** | 6000            | 2731                      |                                   |
| 42                   | Ayush OPD cases per 10,000 population ***   | 493             | 175                       |                                   |
| G) Mortality Details |   |                 |                           |                                   |
| I)                   | Infant Deaths (In Number)                   | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 43                   | Neonatal death within 24 hours              | 11              | 2                         |                                   |
| 44                   | Neonatal Deaths up to 4 weeks of birth      | 29              | 29                        |                                   |
| 45                   | <b>Total Neonatal Death</b>                 | <b>40</b>       | <b>31</b>                 |                                   |
| 46                   | Deaths between (1 - 11) months              | 32              | 53                        |                                   |
| 47                   | <b>Total reported infant deaths</b>         | <b>72</b>       | <b>84</b>                 |                                   |
| II)                  | Maternal Mortality                          |                 |                           |                                   |
|                      | Maternal Deaths (In Number)                 | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |                                   |
| 48                   | Due to Abortion                             | 0               | 0                         |                                   |
| 49                   | Due to Obstructed/prolonged labour          | 2               | 4                         |                                   |
| 50                   | Due to Severe hypertension/fits             | 0               | 1                         |                                   |

|    |  |           |           |
|----|--|-----------|-----------|
| 51 | Due to Bleeding                                  | 4         | 4         |
| 52 | Due to High fever                                | 0         | 0         |
| 53 | Due to Other Causes (including causes not known) | 4         | 4         |
| 54 | <b>Total reported maternal deaths</b>            | <b>10</b> | <b>13</b> |

### East Jaintia Hills Factsheet

#### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)  |                |       |                           |      |                                 |      |
|---|--|----------------|-------|---------------------------|------|---------------------------------|------|
| 1                                       | Population 2011  | 395,124        |       |                           |      |                                 |      |
| 2                                       | Sex Ratio  | 1,008          |       |                           |      |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |       |                           |      |                                 |      |
| 3                                       | Sub Centers (SC)   | 35             |       |                           |      |                                 |      |
| 4                                       | Sub Centers (SC)- HWC  | 0              |       |                           |      |                                 |      |
| 5                                       | Primary Health Centers (PHC)   | 6              |       |                           |      |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC   | 0              |       |                           |      |                                 |      |
| 7                                       | Community Health Centers (CHC)   | 2              |       |                           |      |                                 |      |
| 8                                       | SDH  | 0              |       |                           |      |                                 |      |
| 9                                       | DH   | 0              |       |                           |      |                                 |      |
| C) Maternal Health:                     |  | 2019-20        |       | 2020-21                   |      |                                 |      |
| 10                                      | Expected number of PW  | 4,341          |       | 4,340                     |      |                                 |      |
| 11                                      | Expected number of Delivery  | 4,065          |       | 4,064                     |      |                                 |      |
|   |  | HMIS (2019-20) |       | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                |      |
|   |  | Number         | PC    | Number                    | PC   |                                 |      |
| 12                                      | PW register for ANC  | 4,624          | 106.5 | 3,346                     | 77.1 | ANC Check up in first trimester | 55.5 |
| 13                                      | Mothers registered in the first trimester  | 1,511          | 32.7  | 1,137                     | 34.0 | At least 4ANC check up          | 58.6 |
| 14                                      | Mothers who had 4 or more ANC check ups  | 1,259          | 27.2  | 973                       | 29.1 | Neonatal tetanus received       | 87.7 |
| 15                                      | PW who got TT 2 / Booster injection  | 3,584          | 77.5  | 2,798                     | 83.6 | 100 IFA tablets consumed        | 51.9 |
| 16                                      | PW who consumed 180 IFA tablets  | 1,599          | 34.6  | 1,512                     | 45.2 | Home Delivery                   | 51.6 |
| 17                                      | Home Delivery against expected delivery *  | 1,560          | 38.4  | 1,201                     | 29.6 | Institutional Delivery          | 48.4 |
| 18                                      | Institutional Delivery Against expected delivery *   | 1,148          | 28.2  | 919                       | 22.6 | Home Delivery by SBA            | 6.8  |
| 19                                      | Home Delivery against reported delivery **   | 1,560          | 57.6  | 1,201                     | 56.7 | PNC within 2days of delivery    | 49.1 |
| 20                                      | Institutional Delivery against reported delivery **  | 1,148          | 42.4  | 919                       | 43.3 |                                 |      |
| 21                                      | Total reported Deliveries  | 2,708          |       | 2,120                     |      |                                 |      |
| 22                                      | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 130            | 8.3   | 73                        | 6.1  |                                 |      |
| 23                                      | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,665          | 61.5  | 1,203                     | 56.7 |                                 |      |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|    |                               |       |  |       |  |  |  |
|----|-------------------------------|-------|--|-------|--|--|--|
| 24 | Expected number of Live Birth | 3,947 |  | 3,946 |  |  |  |
|----|-------------------------------|-------|--|-------|--|--|--|

| D) Child Immunization :  |  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                        |      |
|--|--|-----------------|-------|---------------------------|------|---|------|
| 25   | Total reported live births   | 2,675           | 67.8  | 2,091                     | 53.0 | Breastfed within 1 hour of birth        | 85.3 |
| 26   | Total Still Birth  | 58              | 1.5   | 52                        | 1.3  | BCG                                     | 92.6 |
| 27   | PC of newborn weighted at birth to live birth                              | 2,456           | 91.8  | 1,976                     | 94.5 | 3 dose of DPT                           | 84   |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 131             | 5.3   | 116                       | 5.9  | Measles First dose                      | 83.8 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.       | 2,440           | 91.2  | 1,944                     | 93.0 | 3 doses of penta or hepatitis B vaccine | 77.8 |
| 30   | Children fully immunized   | 4,163           | 105.5 | 3,187                     | 80.8 | Full Immunization                       | 74.4 |
| 31   | Children who have received BCG   | 3,144           | 79.7  | 2,271                     | 57.6 |   |      |
| 32   | Children who have received Pentavalent 1                                   | 4,456           | 112.9 | 3,011                     | 76.3 |   |      |
| 33   | Children who have received Pentavalent 3                                   | 4,069           | 103.1 | 3,083                     | 78.1 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose                | 4,286           | 108.6 | 3,248                     | 82.3 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years         | 6,297           |       | 3,733                     |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                 |       |                           |      |   |      |
| E) Family Planning   |  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                        |      |
| 36   | Number of Vasectomies performed  | 0               |       | 0                         |      | Total unmet need                        | 26.0 |
| 37   | Number of Tubectomies performed  | 0               |       | 4                         |      | Spacing                                 | 20.1 |
| 38   | Number of IUD insertion  | 52              |       | 41                        |      | Women using any method                  | 33.6 |
| 39   | Number of IUD removals   | 27              |       | 19                        |      | Women using modern method               | 24   |
| F) Service delivery  |  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      |   |      |
| 40   | IPD cases per 10,000 population ***  | 461             |       | 207                       |      |   |      |
| 41   | General OPD cases per 10,000 population ***                                | 8594            |       | 4296                      |      |   |      |
| 42   | Ayush OPD cases per 10,000 population ***                                  | 824             |       | 405                       |      |   |      |
| G) Mortality Details   |  |                 |       |                           |      |   |      |
| I)   | Infant Deaths (In Number)  | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      |   |      |
| 43   | Neonatal death within 24 hours   | 20              |       | 13                        |      |   |      |
| 44   | Neonatal Deaths up to 4 weeks of birth                                     | 16              |       | 21                        |      |   |      |
| 45   | <b>Total Neonatal Death</b>  | <b>36</b>       |       | <b>34</b>                 |      |   |      |
| 46   | Deaths between (1 - 11) months   | 36              |       | 44                        |      |   |      |
| 47   | <b>Total reported infant deaths</b>  | <b>72</b>       |       | <b>78</b>                 |      |   |      |
| II)  | Maternal Mortality   | HMIS ( 2019-20) |       | HMIS (2020-21)<br>3rd QTR |      |   |      |
| 48   | Due to Abortion  | 0               |       | 0                         |      |   |      |

|    |  |          |          |
|----|--|----------|----------|
| 49 | Due to Obstructed/prolonged labour               | 0        | 0        |
| 50 | Due to Severe hypertension/fits                  | 0        | 1        |
| 51 | Due to Bleeding                                  | 0        | 0        |
| 52 | Due to High fever                                | 0        | 0        |
| 53 | Due to Other Causes (including causes not known) | 4        | 0        |
| 54 | <b>Total reported maternal deaths</b>            | <b>4</b> | <b>1</b> |

### East Khasi Hills Factsheet

#### Key Indicators

| Sl No                                   | A) Demographic Indicators (Census 2011)  |                |       |                           |       |                                 |      |
|---|--|----------------|-------|---------------------------|-------|---------------------------------|------|
| 1                                       | Population 2011  | 825,922        |       |                           |       |                                 |      |
| 2                                       | Sex Ratio  | 1,008          |       |                           |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |       |                           |       |                                 |      |
| 3                                       | Sub Centers (SC)   | 72             |       |                           |       |                                 |      |
| 4                                       | Sub Centers (SC)- HWC  | 12             |       |                           |       |                                 |      |
| 5                                       | Primary Health Centers (PHC)   | 25             |       |                           |       |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC   | 2              |       |                           |       |                                 |      |
| 7                                       | Community Health Centers (CHC)   | 7              |       |                           |       |                                 |      |
| 8                                       | SDH  | 0              |       |                           |       |                                 |      |
| 9                                       | DH   | 2              |       |                           |       |                                 |      |
| C) Maternal Health:                     |  | 2019-20        |       | 2020-21                   |       |                                 |      |
| 10                                      | Expected number of PW  | 25,353         |       | 25,182                    |       |                                 |      |
| 11                                      | Expected number of Delivery  | 23,740         |       | 23,579                    |       |                                 |      |
|   |  | HMIS (2019-20) |       | HMIS (2020-21)<br>3rd QTR |       | NFHS-5 (2019-20)                |      |
|   |  | Number         | PC    | Number                    | PC    |                                 |      |
| 12                                      | PW register for ANC  | 59,097         | 233.1 | 25,861                    | 102.7 | ANC Check up in first trimester | 56.7 |
| 13                                      | Mothers registered in the first trimester  | 19,530         | 33.0  | 10,061                    | 38.9  | At least 4ANC check up          | 57.5 |
| 14                                      | Mothers who had 4 or more ANC check ups  | 24,085         | 40.8  | 14,373                    | 55.6  | Neonatal tetanus received       | 80.2 |
| 15                                      | PW who got TT 2 / Booster injection  | 15,247         | 25.8  | 12,063                    | 46.6  | 100 IFA tablets consumed        | 40.1 |
| 16                                      | PW who consumed 180 IFA tablets  | 17,426         | 29.5  | 11,884                    | 46.0  | Home Delivery                   | 36.6 |
| 17                                      | Home Delivery against expected delivery *  | 6,031          | 25.4  | 4,663                     | 19.8  | Institutional Delivery          | 63.4 |
| 18                                      | Institutional Delivery Against expected delivery *   | 21,329         | 89.8  | 13,361                    | 56.7  | Home Delivery by SBA            | 6.2  |
| 19                                      | Home Delivery against reported delivery **   | 6,031          | 22.0  | 4,663                     | 25.9  | PNC within 2days of delivery    | 33.6 |
| 20                                      | Institutional Delivery against reported delivery **  | 21,329         | 78.0  | 13,361                    | 74.1  |                                 |      |
| 21                                      | Total reported Deliveries  | 27,360         |       | 18,024                    |       |                                 |      |
| 22                                      | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 50             | 0.8   | 63                        | 1.4   |                                 |      |
| 23                                      | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,001          | 29.2  | 9,158                     | 50.8  |                                 |      |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|   |  |                        |       |                                   |      |   |      |
|---|--|------------------------|-------|-----------------------------------|------|---|------|
| 24  | Expected number of Live Birth  | 23,049                 |       | 22,892                            |      |   |      |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25  | Total reported live births   | 26,881                 | 116.6 | 17,583                            | 76.8 | Breastfed within 1 hour of birth        | 86.3 |
| 26  | Total Still Birth  | 669                    | 2.9   | 543                               | 2.4  | BCG                                     | 84.2 |
| 27  | PC of newborn weighted at birth to live birth                              | 25,360                 | 94.3  | 17,079                            | 97.1 | 3 dose of DPT                           | 59.2 |
| 28  | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 2,665                  | 10.5  | 1,685                             | 9.9  | Measles First dose                      | 56.6 |
| 29  | PC of newborns breastfed within 1 hour to total reported live birth.       | 20,931                 | 77.9  | 13,734                            | 78.1 | 3 doses of penta or hepatitis B vaccine | 46.8 |
| 30  | Children fully immunized   | 16,951                 | 73.5  | 12,994                            | 56.8 | Full Immunization                       | 49.1 |
| 31  | Children who have received BCG   | 26,188                 | 113.6 | 16,713                            | 73.0 |   |      |
| 32  | Children who have received Pentavalent 1                                   | 19,778                 | 85.8  | 13,614                            | 59.5 |   |      |
| 33  | Children who have received Pentavalent 3                                   | 16,974                 | 73.6  | 12,845                            | 56.1 |   |      |
| 34  | Children who have received Measles & Rubella (MR)- 1st Dose                | 17,009                 | 73.8  | 13,079                            | 57.1 |   |      |
| 35  | Diarrhoea and Dehydration cases reported in children below 5 years         | 18,785                 |       | 10,858                            |      |   |      |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey. |  |                        |       |                                   |      |   |      |
| <b>E) Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36  | Number of Vasectomies performed  | 4                      |       | 0                                 |      | Total unmet need                        | 33.0 |
| 37  | Number of Tubectomies performed  | 1,226                  |       | 690                               |      | Spacing                                 | 25.2 |
| 38  | Number of IUD insertion  | 720                    |       | 342                               |      | Women using any method                  | 12.1 |
| 39  | Number of IUD removals   | 982                    |       | 467                               |      | Women using modern method               | 10.6 |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 40  | IPD cases per 10,000 population ***  | 1410                   |       | 579                               |      |   |      |
| 41  | General OPD cases per 10,000 population ***                                | 16797                  |       | 8366                              |      |   |      |
| 42  | Ayush OPD cases per 10,000 population ***                                  | 788                    |       | 294                               |      |   |      |
| <b>G) Mortality Details</b>   |  |                        |       |                                   |      |   |      |
| <b>I)</b>   | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 43  | Neonatal death within 24 hours   | 121                    |       | 99                                |      |   |      |
| 44  | Neonatal Deaths up to 4 weeks of birth                                     | 384                    |       | 265                               |      |   |      |
| 45  | <b>Total Neonatal Death</b>  | <b>505</b>             |       | <b>364</b>                        |      |   |      |
| 46  | Deaths between (1 - 11) months   | 368                    |       | 322                               |      |   |      |
| 47  | <b>Total reported infant deaths</b>  | <b>873</b>             |       | <b>686</b>                        |      |   |      |
| <b>II)</b>  | <b>Maternal Mortality</b>  |                        |       |                                   |      |   |      |



|    | Maternal Deaths (In Number)                      | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |  |
|----|--|-----------------|---------------------------|--|
| 48 | Due to Abortion                                  | 1               | 1                         |  |
| 49 | Due to Obstructed/prolonged labour               | 2               | 2                         |  |
| 50 | Due to Severe hypertension/fits                  | 1               | 4                         |  |
| 51 | Due to Bleeding                                  | 6               | 2                         |  |
| 52 | Due to High fever                                | 1               | 0                         |  |
| 53 | Due to Other Causes (including causes not known) | 37              | 39                        |  |
| 54 | <b>Total reported maternal deaths</b>            | <b>48</b>       | <b>48</b>                 |  |

### North Garo Hills Factsheet

#### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)                          |                        |                |                                   |           |                                 |      |
|--|--|------------------------|----------------|-----------------------------------|-----------|---------------------------------|------|
| 1  | Population 2011  | 317,917                |                |                                   |           |                                 |      |
| 2  | Sex Ratio  | 968                    |                |                                   |           |                                 |      |
| <b>B) Infrastructure Details (RHS 2018-19)</b> |  | <b>Numbers</b>         |                |                                   |           |                                 |      |
| 3  | Sub Centers (SC)   | 52                     |                |                                   |           |                                 |      |
| 4  | Sub Centers (SC)- HWC  | 0                      |                |                                   |           |                                 |      |
| 5  | Primary Health Centers (PHC)                                     | 9                      |                |                                   |           |                                 |      |
| 6  | Primary Health Centers (PHC)-HWC                                 | 0                      |                |                                   |           |                                 |      |
| 7  | Community Health Centers (CHC)                                   | 1                      |                |                                   |           |                                 |      |
| 8  | SDH  | 0                      |                |                                   |           |                                 |      |
| 9  | DH   | 0                      |                |                                   |           |                                 |      |
| <b>C) Maternal Health:</b>                     |  | <b>2019-20</b>         | <b>2020-21</b> |                                   |           |                                 |      |
| 10   | Expected number of PW  | 4,693                  | 4,666          |                                   |           |                                 |      |
| 11   | Expected number of Delivery                                      | 4,394                  | 4,369          |                                   |           |                                 |      |
|  |  | <b>HMIS ( 2019-20)</b> |                | <b>HMIS (2020-21)<br/>3rd QTR</b> |           | <b>NFHS-5 (2019-20)</b>         |      |
|  |  | <b>Number</b>          | <b>PC</b>      | <b>Number</b>                     | <b>PC</b> |                                 |      |
| 12   | PW register for ANC  | 5,364                  | 114.3          | 3,975                             | 85.2      | ANC Check up in first trimester | 40.3 |
| 13   | Mothers registered in the first trimester                        | 1,912                  | 35.6           | 1,542                             | 38.8      | At least 4ANC check up          | 24.3 |
| 14   | Mothers who had 4 or more ANC check ups                          | 2,993                  | 55.8           | 2,730                             | 68.7      | Neonatal tetanus received       | 55.5 |
| 15   | PW who got TT 2 / Booster injection                              | 3,918                  | 73.0           | 3,310                             | 83.3      | 100 IFA tablets consumed        | 23.7 |
| 16   | PW who consumed 180 IFA tablets                                  | 2,470                  | 46.0           | 2,776                             | 69.8      | Home Delivery                   | 38.5 |
| 17   | Home Delivery against expected delivery *                        | 1,824                  | 41.5           | 1,024                             | 23.4      | Institutional Delivery          | 61.5 |
| 18   | Institutional Delivery Against expected delivery *               | 1,736                  | 39.5           | 1,545                             | 35.4      | Home Delivery by SBA            | 5.9  |
| 19   | Home Delivery against reported delivery **                       | 1,824                  | 51.2           | 1,024                             | 39.9      | PNC within 2days of delivery    | 40.5 |
| 20   | Institutional Delivery against reported delivery **              | 1,736                  | 48.8           | 1,545                             | 60.1      |                                 |      |
| 21   | Total reported Deliveries  | 3,560                  |                | 2,569                             |           |                                 |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 193                    | 10.6           | 83                                | 8.1       |                                 |      |

|  |  |                        |       |                                   |      |   |       |
|--|--|------------------------|-------|-----------------------------------|------|---|-------|
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,001                  | 56.2  | 1,529                             | 59.5 |   |       |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |       |                                   |      |   |       |
| 24   | Expected number of Live Birth  | 4,266                  |       | 4,242                             |      |   |       |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 25   | Total reported live births   | 3,576                  | 83.8  | 2,534                             | 59.7 | Breastfed within 1 hour of birth        | 62.3  |
| 26   | Total Still Birth  | 55                     | 1.3   | 39                                | 0.9  | BCG                                     | -65.9 |
| 27   | PC of newborn weighted at birth to live birth  | 3,407                  | 95.3  | 2,425                             | 95.7 | 3 dose of DPT                           | -57.9 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 99                     | 2.9   | 92                                | 3.8  | Measles First dose                      | -58.1 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 3,406                  | 95.2  | 2,440                             | 96.3 | 3 doses of penta or hepatitis B vaccine | -39.5 |
| 30   | Children fully immunized   | 3,677                  | 86.2  | 3,328                             | 78.5 | Full Immunization                       | -47.5 |
| 31   | Children who have received BCG   | 4,330                  | 101.5 | 2,824                             | 66.6 |   |       |
| 32   | Children who have received Pentavalent 1   | 4,548                  | 106.6 | 3,054                             | 72.0 |   |       |
| 33   | Children who have received Pentavalent 3   | 4,005                  | 93.9  | 3,097                             | 73.0 |   |       |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 3,717                  | 87.1  | 3,320                             | 78.3 |   |       |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 1,670                  |       | 626                               |      |   |       |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |       |                                   |      |   |       |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 36   | Number of Vasectomies performed  | 0                      |       | 0                                 |      | Total unmet need                        | 25.2  |
| 37   | Number of Tubectomies performed  | 1                      |       | 0                                 |      | Spacing                                 | 12.9  |
| 38   | Number of IUD insertion  | 48                     |       | 21                                |      | Women using any method                  | 19.2  |
| 39   | Number of IUD removals   | 58                     |       | 32                                |      | Women using modern method               | 17.7  |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |       |
| 40   | IPD cases per 10,000 population ***  | 394                    |       | 186                               |      |   |       |
| 41   | General OPD cases per 10,000 population ***  | 6003                   |       | 2958                              |      |   |       |
| 42   | Ayush OPD cases per 10,000 population ***  | 180                    |       | 33                                |      |   |       |
| <b>G) Mortality Details</b>  |  |                        |       |                                   |      |   |       |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |       |
| 43   | Neonatal death within 24 hours   | 7                      |       | 11                                |      |   |       |
| 44   | Neonatal Deaths up to 4 weeks of birth   | 23                     |       | 14                                |      |   |       |
| 45   | <b>Total Neonatal Death</b>  | <b>30</b>              |       | <b>25</b>                         |      |   |       |
| 46   | Deaths between (1 - 11) months   | 33                     |       | 33                                |      |   |       |

|            |  |                       |                                   |  |
|------------|--|-----------------------|-----------------------------------|--|
| 47         | <b>Total reported infant deaths</b>              | <b>63</b>             | <b>58</b>                         |  |
| <b>II)</b> | <b>Maternal Mortality</b>                        |                       |                                   |  |
|            | <b>Maternal Deaths (In Number)</b>               | <b>HMIS (2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 48         | Due to Abortion                                  | 0                     | 0                                 |  |
| 49         | Due to Obstructed/prolonged labour               | 0                     | 2                                 |  |
| 50         | Due to Severe hypertension/fits                  | 0                     | 1                                 |  |
| 51         | Due to Bleeding                                  | 1                     | 2                                 |  |
| 52         | Due to High fever                                | 0                     | 0                                 |  |
| 53         | Due to Other Causes (including causes not known) | 2                     | 3                                 |  |
| 54         | <b>Total reported maternal deaths</b>            | <b>3</b>              | <b>8</b>                          |  |

### Ri Bhoi Factsheet

#### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)             |                |                           |        |                  |                                 |      |
|---|---|----------------|---------------------------|--------|------------------|---------------------------------|------|
| 1                                       | Population 2011                                     | <b>258,840</b> |                           |        |                  |                                 |      |
| 2                                       | Sex Ratio   | <b>951</b>     |                           |        |                  |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers        |                           |        |                  |                                 |      |
| 3                                       | Sub Centers (SC)                                    | <b>32</b>      |                           |        |                  |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                               | <b>10</b>      |                           |        |                  |                                 |      |
| 5                                       | Primary Health Centers (PHC)                        | <b>8</b>       |                           |        |                  |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                    | <b>2</b>       |                           |        |                  |                                 |      |
| 7                                       | Community Health Centers (CHC)                      | <b>3</b>       |                           |        |                  |                                 |      |
| 8                                       | SDH   | <b>0</b>       |                           |        |                  |                                 |      |
| 9                                       | DH  | <b>1</b>       |                           |        |                  |                                 |      |
| C) Maternal Health:                     |   | 2019-20        | 2020-21                   |        |                  |                                 |      |
| 10                                      | Expected number of PW                               | 8,468          | 8,487                     |        |                  |                                 |      |
| 11                                      | Expected number of Delivery                         | 7,929          | 7,947                     |        |                  |                                 |      |
|   |   | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |        | NFHS-5 (2019-20) |                                 |      |
|   |   | Number         | PC                        | Number | PC               |                                 |      |
| 12                                      | PW register for ANC                                 | 8,440          | 99.7                      | 5,988  | 70.6             | ANC Check up in first trimester | 56.1 |
| 13                                      | Mothers registered in the first trimester           | 4,031          | 47.8                      | 3,030  | 50.6             | At least 4ANC check up          | 61.0 |
| 14                                      | Mothers who had 4 or more ANC check ups             | 5,677          | 67.3                      | 3,507  | 58.6             | Neonatal tetanus received       | 86.2 |
| 15                                      | PW who got TT 2 / Booster injection                 | 5,996          | 71.0                      | 4,909  | 82.0             | 100 IFA tablets consumed        | 48.8 |
| 16                                      | PW who consumed 180 IFA tablets                     | 3,945          | 46.7                      | 3,418  | 57.1             | Home Delivery                   | 43.1 |
| 17                                      | Home Delivery against expected delivery *           | 3,172          | 40.0                      | 2,518  | 31.7             | Institutional Delivery          | 56.9 |
| 18                                      | Institutional Delivery Against expected delivery *  | 3,105          | 39.2                      | 2,358  | 29.7             | Home Delivery by SBA            | 8.4  |
| 19                                      | Home Delivery against reported delivery **          | 3,172          | 50.5                      | 2,518  | 51.6             | PNC within 2days of delivery    | 39.5 |
| 20                                      | Institutional Delivery against reported delivery ** | 3,105          | 49.5                      | 2,358  | 48.4             |                                 |      |
| 21                                      | Total reported Deliveries                           | 6,277          |                           | 4,876  |                  |                                 |      |

|  |  |                        |      |                                   |      |   |      |
|--|--|------------------------|------|-----------------------------------|------|---|------|
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 76                     | 2.4  | 64                                | 2.5  |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,507                  | 39.9 | 2,187                             | 44.9 |   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |      |                                   |      |   |      |
| 24   | Expected number of Live Birth  | 7,698                  |      | 7,716                             |      |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 6,235                  | 81.0 | 4,830                             | 62.6 | Breastfed within 1 hour of birth        | 85.9 |
| 26   | Total Still Birth  | 92                     | 1.2  | 101                               | 1.3  | BCG                                     | 94   |
| 27   | PC of newborn weighted at birth to live birth  | 6,089                  | 97.7 | 4,735                             | 98.0 | 3 dose of DPT                           | 82.8 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 275                    | 4.5  | 244                               | 5.2  | Measles First dose                      | 80.9 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 5,981                  | 95.9 | 4,580                             | 94.8 | 3 doses of penta or hepatitis B vaccine | 71.5 |
| 30   | Children fully immunized   | 5,819                  | 75.6 | 4,858                             | 63.0 | Full Immunization                       | 74.8 |
| 31   | Children who have received BCG   | 6,152                  | 79.9 | 4,538                             | 58.8 |   |      |
| 32   | Children who have received Pentavalent 1   | 7,159                  | 93.0 | 5,282                             | 68.5 |   |      |
| 33   | Children who have received Pentavalent 3   | 6,379                  | 82.9 | 4,963                             | 64.3 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 5,934                  | 77.1 | 4,860                             | 63.0 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 7,749                  |      | 4,468                             |      |   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |      |                                   |      |   |      |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36   | Number of Vasectomies performed  | 0                      |      | 0                                 |      | Total unmet need                        | 27.0 |
| 37   | Number of Tubectomies performed  | 69                     |      | 37                                |      | Spacing                                 | 18.4 |
| 38   | Number of IUD insertion  | 288                    |      | 226                               |      | Women using any method                  | 33.1 |
| 39   | Number of IUD removals   | 344                    |      | 217                               |      | Women using modern method               | 19.7 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 40   | IPD cases per 10,000 population ***  | 577                    |      | 223                               |      |   |      |
| 41   | General OPD cases per 10,000 population ***  | 11518                  |      | 6196                              |      |   |      |
| 42   | Ayush OPD cases per 10,000 population ***  | 1352                   |      | 519                               |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                                   |      |   |      |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 43   | Neonatal death within 24 hours   | 27                     |      | 35                                |      |   |      |
| 44   | Neonatal Deaths up to 4 weeks of birth   | 36                     |      | 44                                |      |   |      |
| 45   | <b>Total Neonatal Death</b>  | <b>63</b>              |      | <b>79</b>                         |      |   |      |

|                               |  |                       |                                   |  |
|-------------------------------|--|-----------------------|-----------------------------------|--|
| 46                            | Deaths between (1 - 11) months                   | 73                    | 78                                |  |
| 47                            | <b>Total reported infant deaths</b>              | <b>136</b>            | <b>157</b>                        |  |
| <b>II) Maternal Mortality</b> |  |                       |                                   |  |
|                               | <b>Maternal Deaths (In Number)</b>               | <b>HMIS (2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 48                            | Due to Abortion                                  | 0                     | 0                                 |  |
| 49                            | Due to Obstructed/prolonged labour               | 0                     | 1                                 |  |
| 50                            | Due to Severe hypertension/fits                  | 0                     | 1                                 |  |
| 51                            | Due to Bleeding                                  | 2                     | 2                                 |  |
| 52                            | Due to High fever                                | 0                     | 1                                 |  |
| 53                            | Due to Other Causes (including causes not known) | 10                    | 7                                 |  |
| 54                            | <b>Total reported maternal deaths</b>            | <b>12</b>             | <b>12</b>                         |  |

### South Garo Hills Factsheet

#### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)             |                |      |                           |      |                                 |      |
|---|---|----------------|------|---------------------------|------|---------------------------------|------|
| 1                                       | Population 2011                                     | 142,334        |      |                           |      |                                 |      |
| 2                                       | Sex Ratio   | 944            |      |                           |      |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers        |      |                           |      |                                 |      |
| 3                                       | Sub Centers (SC)                                    | 21             |      |                           |      |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                               | 0              |      |                           |      |                                 |      |
| 5                                       | Primary Health Centers (PHC)                        | 6              |      |                           |      |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                    | 0              |      |                           |      |                                 |      |
| 7                                       | Community Health Centers (CHC)                      | 1              |      |                           |      |                                 |      |
| 8                                       | SDH   | 0              |      |                           |      |                                 |      |
| 9                                       | DH  | 1              |      |                           |      |                                 |      |
| C) Maternal Health:                     |   | 2019-20        |      | 2020-21                   |      |                                 |      |
| 10                                      | Expected number of PW                               | 4,506          |      | 4,496                     |      |                                 |      |
| 11                                      | Expected number of Delivery                         | 4,219          |      | 4,209                     |      |                                 |      |
|   |   | HMIS (2019-20) |      | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                |      |
|   |   | Number         | PC   | Number                    | PC   |                                 |      |
| 12                                      | PW register for ANC                                 | 4,242          | 94.1 | 3,825                     | 85.1 | ANC Check up in first trimester | 68.7 |
| 13                                      | Mothers registered in the first trimester           | 1,307          | 30.8 | 1,340                     | 35.0 | At least 4ANC check up          | 33.3 |
| 14                                      | Mothers who had 4 or more ANC check ups             | 1,968          | 46.4 | 1,755                     | 45.9 | Neonatal tetanus received       | 86.0 |
| 15                                      | PW who got TT 2 / Booster injection                 | 2,319          | 54.7 | 2,729                     | 71.3 | 100 IFA tablets consumed        | 51.8 |
| 16                                      | PW who consumed 180 IFA tablets                     | 3,549          | 83.7 | 3,190                     | 83.4 | Home Delivery                   | 11.7 |
| 17                                      | Home Delivery against expected delivery *           | 1,907          | 45.2 | 1,423                     | 33.8 | Institutional Delivery          | 88.3 |
| 18                                      | Institutional Delivery Against expected delivery *  | 911            | 21.6 | 957                       | 22.7 | Home Delivery by SBA            | 3.9  |
| 19                                      | Home Delivery against reported delivery **          | 1,907          | 67.7 | 1,423                     | 59.8 | PNC within 2days of delivery    | 65.9 |
| 20                                      | Institutional Delivery against reported delivery ** | 911            | 32.3 | 957                       | 40.2 |                                 |      |

|   |  |                        |      |                                   |      |   |       |
|---|--|------------------------|------|-----------------------------------|------|---|-------|
| 21  | Total reported Deliveries  | 2,818                  |      | 2,380                             |      |   |       |
| 22  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 67                     | 3.5  | 67                                | 4.7  |   |       |
| 23  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,388                  | 49.3 | 1,155                             | 48.5 |   |       |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.   |  |                        |      |                                   |      |   |       |
| 24  | Expected number of Live Birth  | 4,096                  |      | 4,087                             |      |   |       |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 25  | Total reported live births   | 2,778                  | 67.8 | 2,334                             | 57.1 | Breastfed within 1 hour of birth        | 59.8  |
| 26  | Total Still Birth  | 52                     | 1.3  | 48                                | 1.2  | BCG                                     | -100  |
| 27  | PC of newborn weighted at birth to live birth  | 2,744                  | 98.8 | 2,323                             | 99.5 | 3 dose of DPT                           | -86.8 |
| 28  | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 149                    | 5.4  | 139                               | 6.0  | Measles First dose                      | -89.6 |
| 29  | PC of newborns breastfed within 1 hour to total reported live birth.                               | 2,742                  | 98.7 | 2,305                             | 98.8 | 3 doses of penta or hepatitis B vaccine | -86.8 |
| 30  | Children fully immunized   | 2,650                  | 64.7 | 2,524                             | 61.8 | Full Immunization                       | -86.8 |
| 31  | Children who have received BCG   | 3,285                  | 80.2 | 2,451                             | 60.0 |   |       |
| 32  | Children who have received Pentavalent 1   | 3,663                  | 89.4 | 2,595                             | 63.5 |   |       |
| 33  | Children who have received Pentavalent 3   | 3,019                  | 73.7 | 2,402                             | 58.8 |   |       |
| 34  | Children who have received Measles & Rubella (MR)- 1st Dose  | 2,680                  | 65.4 | 2,531                             | 61.9 |   |       |
| 35  | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 947                    |      | 360                               |      |   |       |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey. |  |                        |      |                                   |      |   |       |
| <b>E)Family Planning</b>  |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 36  | Number of Vasectomies performed  | 0                      |      | 0                                 |      | Total unmet need                        | 25.3  |
| 37  | Number of Tubectomies performed  | 0                      |      | 0                                 |      | Spacing                                 | 14.4  |
| 38  | Number of IUD insertion  | 12                     |      | 11                                |      | Women using any method                  | 37.6  |
| 39  | Number of IUD removals   | 29                     |      | 9                                 |      | Women using modern method               | 33.3  |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |       |
| 40  | IPD cases per 10,000 population ***  | 251                    |      | 160                               |      |   |       |
| 41  | General OPD cases per 10,000 population ***  | 4937                   |      | 2668                              |      |   |       |
| 42  | Ayush OPD cases per 10,000 population ***  | 373                    |      | 199                               |      |   |       |
| <b>G) Mortality Details</b>   |  |                        |      |                                   |      |   |       |
| <b>I)</b>   | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |      | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |       |
| 43  | Neonatal death within 24 hours   | 6                      |      | 18                                |      |   |       |
| 44  | Neonatal Deaths up to 4 weeks of birth   | 21                     |      | 35                                |      |   |       |

|                               |  |                       |                                   |  |
|-------------------------------|--|-----------------------|-----------------------------------|--|
| 45                            | <b>Total Neonatal Death</b>                      | <b>27</b>             | <b>53</b>                         |  |
| 46                            | Deaths between (1 - 11) months                   | 71                    | 93                                |  |
| 47                            | <b>Total reported infant deaths</b>              | <b>98</b>             | <b>146</b>                        |  |
| <b>II) Maternal Mortality</b> |  |                       |                                   |  |
|                               | <b>Maternal Deaths (In Number)</b>               | <b>HMIS (2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 48                            | Due to Abortion                                  | 0                     | 0                                 |  |
| 49                            | Due to Obstructed/prolonged labour               | 1                     | 2                                 |  |
| 50                            | Due to Severe hypertension/fits                  | 0                     | 0                                 |  |
| 51                            | Due to Bleeding                                  | 3                     | 1                                 |  |
| 52                            | Due to High fever                                | 0                     | 0                                 |  |
| 53                            | Due to Other Causes (including causes not known) | 8                     | 13                                |  |
| 54                            | <b>Total reported maternal deaths</b>            | <b>12</b>             | <b>16</b>                         |  |

### South West Garo Hills Factsheet

#### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)            |                |       |                           |       |                                 |      |
|---|--|----------------|-------|---------------------------|-------|---------------------------------|------|
| 1                                       | Population 2011                                    | <b>642,923</b> |       |                           |       |                                 |      |
| 2                                       | Sex Ratio  | <b>979</b>     |       |                           |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |       |                           |       |                                 |      |
| 3                                       | Sub Centers (SC)                                   | <b>27</b>      |       |                           |       |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                              | <b>0</b>       |       |                           |       |                                 |      |
| 5                                       | Primary Health Centers (PHC)                       | <b>9</b>       |       |                           |       |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                   | <b>0</b>       |       |                           |       |                                 |      |
| 7                                       | Community Health Centers (CHC)                     | <b>1</b>       |       |                           |       |                                 |      |
| 8                                       | SDH  | <b>0</b>       |       |                           |       |                                 |      |
| 9                                       | DH   | <b>1</b>       |       |                           |       |                                 |      |
| C) Maternal Health:                     |  | 2019-20        |       | 2020-21                   |       |                                 |      |
| 10                                      | Expected number of PW                              | 4,534          |       | 4,512                     |       |                                 |      |
| 11                                      | Expected number of Delivery                        | 4,245          |       | 4,225                     |       |                                 |      |
|   |  | HMIS (2019-20) |       | HMIS (2020-21)<br>3rd QTR |       | NFHS-5 (2019-20)                |      |
|   |  | Number         | PC    | Number                    | PC    |                                 |      |
| 12                                      | PW register for ANC                                | 4,831          | 106.6 | 3,590                     | 79.6  | ANC Check up in first trimester | 57.0 |
| 13                                      | Mothers registered in the first trimester          | 2,642          | 54.7  | 2,042                     | 56.9  | At least 4ANC check up          | 28.5 |
| 14                                      | Mothers who had 4 or more ANC check ups            | 4,331          | 89.7  | 3,284                     | 91.5  | Neonatal tetanus received       | 80.7 |
| 15                                      | PW who got TT 2 / Booster injection                | 4,453          | 92.2  | 3,153                     | 87.8  | 100 IFA tablets consumed        | 28.3 |
| 16                                      | PW who consumed 180 IFA tablets                    | 3,191          | 66.1  | 4,080                     | 113.6 | Home Delivery                   | 16.3 |
| 17                                      | Home Delivery against expected delivery *          | 911            | 21.5  | 480                       | 11.4  | Institutional Delivery          | 83.7 |
| 18                                      | Institutional Delivery Against expected delivery * | 3,117          | 73.4  | 2,381                     | 56.4  | Home Delivery by SBA            | 4.9  |
| 19                                      | Home Delivery against reported delivery **         | 911            | 22.6  | 480                       | 16.8  | PNC within 2days of delivery    | 60.6 |

|  |  |                        |       |                                   |      |   |      |
|--|--|------------------------|-------|-----------------------------------|------|---|------|
| 20   | Institutional Delivery against reported delivery **  | 3,117                  | 77.4  | 2,381                             | 83.2 |   |      |
| 21   | Total reported Deliveries  | 4,028                  |       | 2,861                             |      |   |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 39                     | 4.3   | 13                                | 2.7  |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,160                  | 53.6  | 1,684                             | 58.9 |   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |       |                                   |      |   |      |
| 24   | Expected number of Live Birth  | 4,122                  |       | 4,102                             |      |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 3,979                  | 96.5  | 2,804                             | 68.4 | Breastfed within 1 hour of birth        | 54.5 |
| 26   | Total Still Birth  | 57                     | 1.4   | 69                                | 1.7  | BCG                                     | 98.6 |
| 27   | PC of newborn weighted at birth to live birth  | 3,965                  | 99.6  | 2,790                             | 99.5 | 3 dose of DPT                           | 90.9 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 402                    | 10.1  | 230                               | 8.2  | Measles First dose                      | 92.1 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 3,964                  | 99.6  | 2,788                             | 99.4 | 3 doses of penta or hepatitis B vaccine | 89.5 |
| 30   | Children fully immunized   | 4,609                  | 111.8 | 3,304                             | 80.5 | Full Immunization                       | 85.4 |
| 31   | Children who have received BCG   | 4,233                  | 102.7 | 2,469                             | 60.2 |   |      |
| 32   | Children who have received Pentavalent 1   | 4,864                  | 118.0 | 2,897                             | 70.6 |   |      |
| 33   | Children who have received Pentavalent 3   | 4,764                  | 115.6 | 3,007                             | 73.3 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 4,710                  | 114.3 | 3,391                             | 82.7 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 1,750                  |       | 806                               |      |   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |       |                                   |      |   |      |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36   | Number of Vasectomies performed  | 0                      |       | 0                                 |      | Total unmet need                        | 30.4 |
| 37   | Number of Tubectomies performed  | 76                     |       | 54                                |      | Spacing                                 | 16.7 |
| 38   | Number of IUD insertion  | 327                    |       | 155                               |      | Women using any method                  | 36.7 |
| 39   | Number of IUD removals   | 177                    |       | 126                               |      | Women using modern method               | 32.3 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 40   | IPD cases per 10,000 population ***  | 575                    |       | 281                               |      |   |      |
| 41   | General OPD cases per 10,000 population ***  | 9894                   |       | 3407                              |      |   |      |
| 42   | Ayush OPD cases per 10,000 population ***  | 508                    |       | 105                               |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                                   |      |   |      |
| <b>I)</b>  | <b>Infant Deaths (In Number)</b>   | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |



|                               |  |                       |                                   |  |
|-------------------------------|--|-----------------------|-----------------------------------|--|
| 43                            | Neonatal death within 24 hours                   | 11                    | 11                                |  |
| 44                            | Neonatal Deaths up to 4 weeks of birth           | 28                    | 44                                |  |
| 45                            | <b>Total Neonatal Death</b>                      | <b>39</b>             | <b>55</b>                         |  |
| 46                            | Deaths between (1 - 11) months                   | 130                   | 127                               |  |
| 47                            | <b>Total reported infant deaths</b>              | <b>169</b>            | <b>182</b>                        |  |
| <b>II) Maternal Mortality</b> |  |                       |                                   |  |
|                               | <b>Maternal Deaths (In Number)</b>               | <b>HMIS (2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 48                            | Due to Abortion                                  | 0                     | 0                                 |  |
| 49                            | Due to Obstructed/prolonged labour               | 1                     | 0                                 |  |
| 50                            | Due to Severe hypertension/fits                  | 0                     | 1                                 |  |
| 51                            | Due to Bleeding                                  | 1                     | 3                                 |  |
| 52                            | Due to High fever                                | 0                     | 0                                 |  |
| 53                            | Due to Other Causes (including causes not known) | 2                     | 4                                 |  |
| 54                            | <b>Total reported maternal deaths</b>            | <b>4</b>              | <b>8</b>                          |  |

### South West Khasi Hills Factsheet

#### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)            |                |         |                           |       |                                 |      |
|---|--|----------------|---------|---------------------------|-------|---------------------------------|------|
| 1                                       | Population 2011                                    | <b>383,461</b> |         |                           |       |                                 |      |
| 2                                       | Sex Ratio  | <b>981</b>     |         |                           |       |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |  | Numbers        |         |                           |       |                                 |      |
| 3                                       | Sub Centers (SC)                                   | <b>19</b>      |         |                           |       |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                              | <b>0</b>       |         |                           |       |                                 |      |
| 5                                       | Primary Health Centers (PHC)                       | <b>4</b>       |         |                           |       |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC                   | <b>0</b>       |         |                           |       |                                 |      |
| 7                                       | Community Health Centers (CHC)                     | <b>2</b>       |         |                           |       |                                 |      |
| 8                                       | SDH  | <b>0</b>       |         |                           |       |                                 |      |
| 9                                       | DH   | <b>0</b>       |         |                           |       |                                 |      |
| C) Maternal Health:                     |  | 2019-20        | 2020-21 |                           |       |                                 |      |
| 10                                      | Expected number of PW                              | 3,041          | 3,036   |                           |       |                                 |      |
| 11                                      | Expected number of Delivery                        | 2,847          | 2,843   |                           |       |                                 |      |
|   |  | HMIS (2019-20) |         | HMIS (2020-21)<br>3rd QTR |       | NFHS-5 (2019-20)                |      |
|   |  | Number         | PC      | Number                    | PC    |                                 |      |
| 12                                      | PW register for ANC                                | 4,044          | 133.0   | 3,299                     | 108.6 | ANC Check up in first trimester | 48.5 |
| 13                                      | Mothers registered in the first trimester          | 1,002          | 24.8    | 896                       | 27.2  | At least 4ANC check up          | 63.4 |
| 14                                      | Mothers who had 4 or more ANC check ups            | 2,108          | 52.1    | 1,875                     | 56.8  | Neonatal tetanus received       | 85.6 |
| 15                                      | PW who got TT 2 / Booster injection                | 2,616          | 64.7    | 2,294                     | 69.5  | 100 IFA tablets consumed        | 53.8 |
| 16                                      | PW who consumed 180 IFA tablets                    | 2,816          | 69.6    | 2,864                     | 86.8  | Home Delivery                   | 58.3 |
| 17                                      | Home Delivery against expected delivery *          | 2,118          | 74.4    | 1,683                     | 59.2  | Institutional Delivery          | 41.7 |
| 18                                      | Institutional Delivery Against expected delivery * | 819            | 28.8    | 562                       | 19.8  | Home Delivery by SBA            | 7.6  |

|   |  |                        |       |                                   |      |   |      |
|---|--|------------------------|-------|-----------------------------------|------|---|------|
| 19  | Home Delivery against reported delivery **   | 2,118                  | 72.1  | 1,683                             | 75.0 | PNC within 2days of delivery            | 42.9 |
| 20  | Institutional Delivery against reported delivery **  | 819                    | 27.9  | 562                               | 25.0 |   |      |
| 21  | Total reported Deliveries  | 2,937                  |       | 2,245                             |      |   |      |
| 22  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 8                      | 0.4   | 24                                | 1.4  |   |      |
| 23  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,388                  | 47.3  | 1,026                             | 45.7 |   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.   |  |                        |       |                                   |      |   |      |
| 24  | Expected number of Live Birth  | 2,764                  |       | 2,760                             |      |   |      |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25  | Total reported live births   | 2,899                  | 104.9 | 2,211                             | 80.1 | Breastfed within 1 hour of birth        | 76.8 |
| 26  | Total Still Birth  | 82                     | 3.0   | 72                                | 2.6  | BCG                                     | 95.8 |
| 27  | PC of newborn weighted at birth to live birth  | 2,765                  | 95.4  | 2,120                             | 95.9 | 3 dose of DPT                           | 86.9 |
| 28  | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 129                    | 4.7   | 144                               | 6.8  | Measles First dose                      | 86.4 |
| 29  | PC of newborns breastfed within 1 hour to total reported live birth.                               | 2,820                  | 97.3  | 2,137                             | 96.7 | 3 doses of penta or hepatitis B vaccine | 82.4 |
| 30  | Children fully immunized   | 2,727                  | 98.7  | 2,352                             | 85.2 | Full Immunization                       | 78.8 |
| 31  | Children who have received BCG   | 3,019                  | 109.2 | 2,157                             | 78.1 |   |      |
| 32  | Children who have received Pentavalent 1   | 3,375                  | 122.1 | 2,405                             | 87.1 |   |      |
| 33  | Children who have received Pentavalent 3   | 3,100                  | 112.1 | 2,565                             | 92.9 |   |      |
| 34  | Children who have received Measles & Rubella (MR)- 1st Dose  | 2,784                  | 100.7 | 2,348                             | 85.1 |   |      |
| 35  | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 1,231                  |       | 899                               |      |   |      |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey. |  |                        |       |                                   |      |   |      |
| <b>E) Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36  | Number of Vasectomies performed  | 0                      |       | 0                                 |      | Total unmet need                        | 26.2 |
| 37  | Number of Tubectomies performed  | 0                      |       | 0                                 |      | Spacing                                 | 20.1 |
| 38  | Number of IUD insertion  | 16                     |       | 59                                |      | Women using any method                  | 26.5 |
| 39  | Number of IUD removals   | 13                     |       | 8                                 |      | Women using modern method               | 15.7 |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |      |
| 40  | IPD cases per 10,000 population ***  | 412                    |       | 212                               |      |   |      |
| 41  | General OPD cases per 10,000 population ***  | 6943                   |       | 4893                              |      |   |      |
| 42  | Ayush OPD cases per 10,000 population ***  | 963                    |       | 591                               |      |   |      |
| <b>G) Mortality Details</b>   |  |                        |       |                                   |      |   |      |

| I)  | Infant Deaths (In Number)                        | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |  |
|-----|--|----------------|---------------------------|--|
| 43  | Neonatal death within 24 hours                   | 20             | 10                        |  |
| 44  | Neonatal Deaths up to 4 weeks of birth           | 50             | 36                        |  |
| 45  | <b>Total Neonatal Death</b>                      | <b>70</b>      | <b>46</b>                 |  |
| 46  | Deaths between (1 - 11) months                   | 83             | 73                        |  |
| 47  | <b>Total reported infant deaths</b>              | <b>153</b>     | <b>119</b>                |  |
| II) | Maternal Mortality                               |                |                           |  |
|     | Maternal Deaths (In Number)                      | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |  |
| 48  | Due to Abortion                                  | 0              | 0                         |  |
| 49  | Due to Obstructed/prolonged labour               | 1              | 2                         |  |
| 50  | Due to Severe hypertension/fits                  | 1              | 2                         |  |
| 51  | Due to Bleeding                                  | 1              | 1                         |  |
| 52  | Due to High fever                                | 0              | 0                         |  |
| 53  | Due to Other Causes (including causes not known) | 6              | 7                         |  |
| 54  | <b>Total reported maternal deaths</b>            | <b>9</b>       | <b>12</b>                 |  |

## West Garo Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)   |                |         |                           |      |                                 |      |
|---|---|----------------|---------|---------------------------|------|---------------------------------|------|
| 1                                       | Population 2011                           | <b>642,923</b> |         |                           |      |                                 |      |
| 2                                       | Sex Ratio                                 | <b>979</b>     |         |                           |      |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers        |         |                           |      |                                 |      |
| 3                                       | Sub Centers (SC)                          | <b>64</b>      |         |                           |      |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                     | <b>10</b>      |         |                           |      |                                 |      |
| 5                                       | Primary Health Centers (PHC)              | <b>9</b>       |         |                           |      |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC          | <b>4</b>       |         |                           |      |                                 |      |
| 7                                       | Community Health Centers (CHC)            | <b>5</b>       |         |                           |      |                                 |      |
| 8                                       | SDH                                       | <b>0</b>       |         |                           |      |                                 |      |
| 9                                       | DH  | <b>2</b>       |         |                           |      |                                 |      |
| C) Maternal Health:                     |   | 2019-20        | 2020-21 |                           |      |                                 |      |
| 10                                      | Expected number of PW                     | 15,380         | 15,306  |                           |      |                                 |      |
| 11                                      | Expected number of Delivery               | 14,401         | 14,332  |                           |      |                                 |      |
|   |   | HMIS (2019-20) |         | HMIS (2020-21)<br>3rd QTR |      | NFHS-5 (2019-20)                |      |
|   |   | Number         | PC      | Number                    | PC   |                                 |      |
| 12                                      | PW register for ANC                       | 16,291         | 105.9   | 11,605                    | 75.8 | ANC Check up in first trimester | 65.1 |
| 13                                      | Mothers registered in the first trimester | 5,783          | 35.5    | 4,239                     | 36.5 | At least 4ANC check up          | 48.0 |
| 14                                      | Mothers who had 4 or more ANC check ups   | 10,625         | 65.2    | 6,461                     | 55.7 | Neonatal tetanus received       | 91.3 |
| 15                                      | PW who got TT 2 / Booster injection       | 11,644         | 71.5    | 9,038                     | 77.9 | 100 IFA tablets consumed        | 48.2 |
| 16                                      | PW who consumed 180 IFA tablets           | 13,026         | 80.0    | 8,917                     | 76.8 | Home Delivery                   | 10.4 |

|  |  |                        |       |                                   |      |   |       |
|--|--|------------------------|-------|-----------------------------------|------|---|-------|
| 17   | Home Delivery against expected delivery *  | 6,235                  | 43.3  | 4,222                             | 29.5 | Institutional Delivery                  | 89.6  |
| 18   | Institutional Delivery Against expected delivery *   | 8,552                  | 59.4  | 5,703                             | 39.8 | Home Delivery by SBA                    | 3.2   |
| 19   | Home Delivery against reported delivery **   | 6,235                  | 42.2  | 4,222                             | 42.5 | PNC within 2days of delivery            | 70.9  |
| 20   | Institutional Delivery against reported delivery **  | 8,552                  | 57.8  | 5,703                             | 57.5 |   |       |
| 21   | Total reported Deliveries  | 14,787                 |       | 9,925                             |      |   |       |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 100                    | 1.6   | 113                               | 2.7  |   |       |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,412                 | 70.4  | 7,093                             | 71.5 |   |       |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>   |  |                        |       |                                   |      |   |       |
| 24   | Expected number of Live Birth  | 13,982                 |       | 13,915                            |      |   |       |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 25   | Total reported live births   | 14,583                 | 104.3 | 9,695                             | 69.7 | Breastfed within 1 hour of birth        | 47.2  |
| 26   | Total Still Birth  | 342                    | 2.4   | 333                               | 2.4  | BCG                                     | -100  |
| 27   | PC of newborn weighted at birth to live birth  | 14,409                 | 98.8  | 9,609                             | 99.1 | 3 dose of DPT                           | -84.8 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 1,462                  | 10.1  | 935                               | 9.7  | Measles First dose                      | -87.4 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 14,287                 | 98.0  | 9,582                             | 98.8 | 3 doses of penta or hepatitis B vaccine | -78.5 |
| 30   | Children fully immunized   | 11,781                 | 84.3  | 8,486                             | 61.0 | Full Immunization                       | -77.1 |
| 31   | Children who have received BCG   | 14,853                 | 106.2 | 9,297                             | 66.8 |   |       |
| 32   | Children who have received Pentavalent 1   | 13,200                 | 94.4  | 8,416                             | 60.5 |   |       |
| 33   | Children who have received Pentavalent 3   | 11,746                 | 84.0  | 8,009                             | 57.6 |   |       |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 11,948                 | 85.5  | 8,489                             | 61.0 |   |       |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 3,910                  |       | 2,185                             |      |   |       |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |       |                                   |      |   |       |
| <b>E)Family Planning</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |       |
| 36   | Number of Vasectomies performed  | 0                      |       | 0                                 |      | Total unmet need                        | 19.7  |
| 37   | Number of Tubectomies performed  | 558                    |       | 334                               |      | Spacing                                 | 9.2   |
| 38   | Number of IUD insertion  | 397                    |       | 175                               |      | Women using any method                  | 44.1  |
| 39   | Number of IUD removals   | 537                    |       | 285                               |      | Women using modern method               | 39.9  |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      |   |       |
| 40   | IPD cases per 10,000 population ***  | 514                    |       | 234                               |      |   |       |
| 41   | General OPD cases per 10,000 population ***  | 7212                   |       | 3007                              |      |   |       |

|    |  |     |     |  |
|----|--|-----|-----|--|
| 42 | Ayush OPD cases per 10,000 population<br>*** | 458 | 123 |  |
|----|--|-----|-----|--|

### G) Mortality Details

| I)                     | Infant Deaths (In Number)                        | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |  |
|------------------------|--|-----------------|---------------------------|--|
| 43                     | Neonatal death within 24 hours                   | 48              | 43                        |  |
| 44                     | Neonatal Deaths up to 4 weeks of birth           | 120             | 137                       |  |
| 45                     | <b>Total Neonatal Death</b>                      | <b>168</b>      | <b>180</b>                |  |
| 46                     | Deaths between (1 - 11) months                   | 182             | 184                       |  |
| 47                     | <b>Total reported infant deaths</b>              | <b>350</b>      | <b>364</b>                |  |
| II) Maternal Mortality |  |                 |                           |  |
|                        | Maternal Deaths (In Number)                      | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |  |
| 48                     | Due to Abortion                                  | 1               | 0                         |  |
| 49                     | Due to Obstructed/prolonged labour               | 6               | 1                         |  |
| 50                     | Due to Severe hypertension/fits                  | 3               | 1                         |  |
| 51                     | Due to Bleeding                                  | 10              | 6                         |  |
| 52                     | Due to High fever                                | 0               | 0                         |  |
| 53                     | Due to Other Causes (including causes not known) | 29              | 30                        |  |
| 54                     | <b>Total reported maternal deaths</b>            | <b>49</b>       | <b>38</b>                 |  |

## West Jaintia Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011)   |                 |                           |        |                  |                                 |      |
|---|---|-----------------|---------------------------|--------|------------------|---------------------------------|------|
| 1                                       | Population 2011                           | 395,124         |                           |        |                  |                                 |      |
| 2                                       | Sex Ratio                                 | 1,008           |                           |        |                  |                                 |      |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers         |                           |        |                  |                                 |      |
| 3                                       | Sub Centers (SC)                          | 46              |                           |        |                  |                                 |      |
| 4                                       | Sub Centers (SC)- HWC                     | 0               |                           |        |                  |                                 |      |
| 5                                       | Primary Health Centers (PHC)              | 12              |                           |        |                  |                                 |      |
| 6                                       | Primary Health Centers (PHC)-HWC          | 0               |                           |        |                  |                                 |      |
| 7                                       | Community Health Centers (CHC)            | 3               |                           |        |                  |                                 |      |
| 8                                       | SDH                                       | 0               |                           |        |                  |                                 |      |
| 9                                       | DH  | 1               |                           |        |                  |                                 |      |
| C) Maternal Health:                     |   | 2019-20         | 2020-21                   |        |                  |                                 |      |
| 10                                      | Expected number of PW                     | 8,269           | 8,266                     |        |                  |                                 |      |
| 11                                      | Expected number of Delivery               | 7,743           | 7,740                     |        |                  |                                 |      |
|   |   | HMIS ( 2019-20) | HMIS (2020-21)<br>3rd QTR |        | NFHS-5 (2019-20) |                                 |      |
|   |   | Number          | PC                        | Number | PC               |                                 |      |
| 12                                      | PW register for ANC                       | 12,971          | 156.9                     | 7,276  | 88.0             | ANC Check up in first trimester | 44.0 |
| 13                                      | Mothers registered in the first trimester | 4,278           | 33.0                      | 2,927  | 40.2             | At least 4ANC check up          | 43.1 |
| 14                                      | Mothers who had 4 or more ANC check ups   | 3,196           | 24.6                      | 2,941  | 40.4             | Neonatal tetanus received       | 79.2 |
| 15                                      | PW who got TT 2 / Booster injection       | 8,105           | 62.5                      | 6,028  | 82.8             | 100 IFA tablets consumed        | 32.7 |

|    |  |        |      |       |      |                              |      |
|----|--|--------|------|-------|------|------------------------------|------|
| 16 | PW who consumed 180 IFA tablets  | 4,913  | 37.9 | 3,825 | 52.6 | Home Delivery                | 57.8 |
| 17 | Home Delivery against expected delivery *  | 4,248  | 54.9 | 2,983 | 38.5 | Institutional Delivery       | 42.2 |
| 18 | Institutional Delivery Against expected delivery *   | 6,239  | 80.6 | 4,658 | 60.2 | Home Delivery by SBA         | 7.7  |
| 19 | Home Delivery against reported delivery **   | 4,248  | 40.5 | 2,983 | 39.0 | PNC within 2days of delivery | 28.6 |
| 20 | Institutional Delivery against reported delivery **  | 6,239  | 59.5 | 4,658 | 61.0 |                              |      |
| 21 | Total reported Deliveries  | 10,487 |      | 7,641 |      |                              |      |
| 22 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 99     | 2.3  | 60    | 2.0  |                              |      |
| 23 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,085  | 29.4 | 2,252 | 29.5 |                              |      |

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

|                                |  |                       |       |                                   |      |   |      |
|--------------------------------|--|-----------------------|-------|-----------------------------------|------|---|------|
| 24                             | Expected number of Live Birth  | 7,517                 |       | 7,515                             |      |   |      |
| <b>D) Child Immunization :</b> |  | <b>HMIS (2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25                             | Total reported live births   | 10,429                | 138.7 | 7,499                             | 99.8 | Breastfed within 1 hour of birth        | 88.5 |
| 26                             | Total Still Birth  | 270                   | 3.6   | 226                               | 3.0  | BCG                                     | 90.9 |
| 27                             | PC of newborn weighted at birth to live birth                              | 10,035                | 96.2  | 6,782                             | 90.4 | 3 dose of DPT                           | 77   |
| 28                             | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 777                   | 7.7   | 649                               | 9.6  | Measles First dose                      | 72.3 |
| 29                             | PC of newborns breastfed within 1 hour to total reported live birth.       | 9,362                 | 89.8  | 6,206                             | 82.8 | 3 doses of penta or hepatitis B vaccine | 72   |
| 30                             | Children fully immunized   | 8,158                 | 108.5 | 6,508                             | 86.6 | Full Immunization                       | 59.7 |
| 31                             | Children who have received BCG   | 9,919                 | 132.0 | 7,158                             | 95.3 |   |      |
| 32                             | Children who have received Pentavalent 1                                   | 9,236                 | 122.9 | 6,761                             | 90.0 |   |      |
| 33                             | Children who have received Pentavalent 3                                   | 8,698                 | 115.7 | 6,905                             | 91.9 |   |      |
| 34                             | Children who have received Measles & Rubella (MR)- 1st Dose                | 8,317                 | 110.6 | 6,538                             | 87.0 |   |      |
| 35                             | Diarrhoea and Dehydration cases reported in children below 5 years         | 13,467                |       | 8,732                             |      |   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

|                            |                                     |                       |  |                                   |  |                           |      |
|----------------------------|-------------------------------------|-----------------------|--|-----------------------------------|--|---------------------------|------|
| <b>E) Family Planning</b>  |                                     | <b>HMIS (2019-20)</b> |  | <b>HMIS (2020-21)<br/>3rd QTR</b> |  | <b>NFHS-5 (2019-20)</b>   |      |
| 36                         | Number of Vasectomies performed     | 0                     |  | 0                                 |  | Total unmet need          | 29.3 |
| 37                         | Number of Tubectomies performed     | 405                   |  | 292                               |  | Spacing                   | 21.7 |
| 38                         | Number of IUD insertion             | 188                   |  | 121                               |  | Women using any method    | 19.3 |
| 39                         | Number of IUD removals              | 111                   |  | 90                                |  | Women using modern method | 17.5 |
| <b>F) Service delivery</b> |                                     | <b>HMIS (2019-20)</b> |  | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |                           |      |
| 40                         | IPD cases per 10,000 population *** | 902                   |  | 467                               |  |                           |      |

|    |   |       |      |  |
|----|---|-------|------|--|
| 41 | General OPD cases per 10,000 population *** | 11623 | 7134 |  |
| 42 | Ayush OPD cases per 10,000 population ***   | 1009  | 728  |  |

### G) Mortality Details

| I) | Infant Deaths (In Number)              | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |  |
|----|--|----------------|---------------------------|--|
| 43 | Neonatal death within 24 hours         | 67             | 42                        |  |
| 44 | Neonatal Deaths up to 4 weeks of birth | 97             | 109                       |  |
| 45 | <b>Total Neonatal Death</b>            | <b>164</b>     | <b>151</b>                |  |
| 46 | Deaths between (1 - 11) months         | 124            | 89                        |  |
| 47 | <b>Total reported infant deaths</b>    | <b>288</b>     | <b>240</b>                |  |

### II) Maternal Mortality

|    | Maternal Deaths (In Number)                      | HMIS (2019-20) | HMIS (2020-21)<br>3rd QTR |  |
|----|--|----------------|---------------------------|--|
| 48 | Due to Abortion                                  | 1              | 0                         |  |
| 49 | Due to Obstructed/prolonged labour               | 0              | 0                         |  |
| 50 | Due to Severe hypertension/fits                  | 3              | 1                         |  |
| 51 | Due to Bleeding                                  | 2              | 1                         |  |
| 52 | Due to High fever                                | 0              | 0                         |  |
| 53 | Due to Other Causes (including causes not known) | 1              | 3                         |  |
| 54 | <b>Total reported maternal deaths</b>            | <b>7</b>       | <b>5</b>                  |  |

## West Khasi Hills Factsheet

### Key Indicators

| SL No                                   | A) Demographic Indicators (Census 2011) |         |  |
|---|---|---------|--|
| 1                                       | Population 2011                         | 383,461 |  |
| 2                                       | Sex Ratio                               | 981     |  |
| B) Infrastructure Details (RHS 2018-19) |   | Numbers |  |
| 3                                       | Sub Centers (SC)                        | 46      |  |
| 4                                       | Sub Centers (SC)- HWC                   | 0       |  |
| 5                                       | Primary Health Centers (PHC)            | 15      |  |
| 6                                       | Primary Health Centers (PHC)-HWC        | 0       |  |
| 7                                       | Community Health Centers (CHC)          | 2       |  |
| 8                                       | SDH                                     | 0       |  |
| 9                                       | DH                                      | 2       |  |

### C) Maternal Health:

|    |   | 2019-20        |       | 2020-21                   |       |                                 |      |
|----|---|----------------|-------|---------------------------|-------|---------------------------------|------|
|    |   | Number         | PC    | Number                    | PC    | NFHS-5 (2019-20)                |      |
| 10 | Expected number of PW                     | 9,236          |       | 9,223                     |       |                                 |      |
| 11 | Expected number of Delivery               | 8,648          |       | 8,636                     |       |                                 |      |
|    |   | HMIS (2019-20) |       | HMIS (2020-21)<br>3rd QTR |       |                                 |      |
|    |   | Number         | PC    | Number                    | PC    |                                 |      |
| 12 | PW register for ANC                       | 13,461         | 145.7 | 9,501                     | 103.0 | ANC Check up in first trimester | 45.3 |
| 13 | Mothers registered in the first trimester | 4,707          | 35.0  | 3,523                     | 37.1  | At least 4ANC check up          | 64.0 |
| 14 | Mothers who had 4 or more ANC check ups   | 8,946          | 66.5  | 6,414                     | 67.5  | Neonatal tetanus received       | 81.6 |

|  |  |                       |       |                                   |      |   |      |
|--|--|-----------------------|-------|-----------------------------------|------|---|------|
| 15   | PW who got TT 2 / Booster injection  | 10,241                | 76.1  | 7,281                             | 76.6 | 100 IFA tablets consumed                | 51.6 |
| 16   | PW who consumed 180 IFA tablets  | 2,995                 | 22.2  | 4,120                             | 43.4 | Home Delivery                           | 58.3 |
| 17   | Home Delivery against expected delivery *  | 5,727                 | 66.2  | 4,306                             | 49.9 | Institutional Delivery                  | 41.7 |
| 18   | Institutional Delivery Against expected delivery *   | 5,274                 | 61.0  | 3,759                             | 43.5 | Home Delivery by SBA                    | 7.2  |
| 19   | Home Delivery against reported delivery **   | 5,727                 | 52.1  | 4,306                             | 53.4 | PNC within 2days of delivery            | 42.0 |
| 20   | Institutional Delivery against reported delivery **  | 5,274                 | 47.9  | 3,759                             | 46.6 |   |      |
| 21   | Total reported Deliveries  | 11,001                |       | 8,065                             |      |   |      |
| 22   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 456                   | 8.0   | 231                               | 5.4  |   |      |
| 23   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,757                 | 34.2  | 2,697                             | 33.4 |   |      |
| <p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>   |  |                       |       |                                   |      |   |      |
| 24   | Expected number of Live Birth  | 8,396                 |       | 8,385                             |      |   |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 25   | Total reported live births   | 10,917                | 130.0 | 7,911                             | 94.4 | Breastfed within 1 hour of birth        | 81.2 |
| 26   | Total Still Birth  | 210                   | 2.5   | 195                               | 2.3  | BCG                                     | 86.7 |
| 27   | PC of newborn weighted at birth to live birth  | 10,406                | 95.3  | 7,711                             | 97.5 | 3 dose of DPT                           | 68.2 |
| 28   | PC of newborn having weight less than 2.5 kg to newborn weighted at birth.                         | 486                   | 4.7   | 331                               | 4.3  | Measles First dose                      | 71.5 |
| 29   | PC of newborns breastfed within 1 hour to total reported live birth.                               | 10,382                | 95.1  | 7,565                             | 95.6 | 3 doses of penta or hepatitis B vaccine | 66.4 |
| 30   | Children fully immunized   | 9,946                 | 118.5 | 7,847                             | 93.6 | Full Immunization                       | 62.5 |
| 31   | Children who have received BCG   | 11,279                | 134.3 | 7,637                             | 91.1 |   |      |
| 32   | Children who have received Pentavalent 1   | 11,243                | 133.9 | 7,923                             | 94.5 |   |      |
| 33   | Children who have received Pentavalent 3   | 10,117                | 120.5 | 7,632                             | 91.0 |   |      |
| 34   | Children who have received Measles & Rubella (MR)- 1st Dose  | 10,050                | 119.7 | 7,860                             | 93.7 |   |      |
| 35   | Diarrhoea and Dehydration cases reported in children below 5 years                                 | 11,567                |       | 6,482                             |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                       |       |                                   |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2019-20)</b> |       | <b>HMIS (2020-21)<br/>3rd QTR</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 36   | Number of Vasectomies performed  | 0                     |       | 0                                 |      | Total unmet need                        | 25.8 |
| 37   | Number of Tubectomies performed  | 208                   |       | 125                               |      | Spacing                                 | 21.1 |
| 38   | Number of IUD insertion  | 221                   |       | 164                               |      | Women using any method                  | 26.3 |
| 39   | Number of IUD removals   | 129                   |       | 122                               |      | Women using modern method               | 15.3 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2019-20)</b> |       | <b>HMIS (2020-21)</b>             |      |   |      |



|                             |  | 3rd QTR                |                                   |  |
|-----------------------------|--|------------------------|-----------------------------------|--|
| 40                          | IPD cases per 10,000 population ***              | 677                    | 351                               |  |
| 41                          | General OPD cases per 10,000 population ***      | 11566                  | 7081                              |  |
| 42                          | Ayush OPD cases per 10,000 population ***        | 1738                   | 1171                              |  |
| <b>G) Mortality Details</b> |  |                        |                                   |  |
| <b>I)</b>                   | <b>Infant Deaths (In Number)</b>                 | <b>HMIS ( 2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 43                          | Neonatal death within 24 hours                   | 66                     | 41                                |  |
| 44                          | Neonatal Deaths up to 4 weeks of birth           | 77                     | 61                                |  |
| 45                          | <b>Total Neonatal Death</b>                      | <b>143</b>             | <b>102</b>                        |  |
| 46                          | Deaths between (1 - 11) months                   | 107                    | 107                               |  |
| 47                          | <b>Total reported infant deaths</b>              | <b>250</b>             | <b>209</b>                        |  |
| <b>II)</b>                  | <b>Maternal Mortality</b>                        |                        |                                   |  |
|                             | <b>Maternal Deaths (In Number)</b>               | <b>HMIS ( 2019-20)</b> | <b>HMIS (2020-21)<br/>3rd QTR</b> |  |
| 48                          | Due to Abortion                                  | 0                      | 0                                 |  |
| 49                          | Due to Obstructed/prolonged labour               | 0                      | 1                                 |  |
| 50                          | Due to Severe hypertension/fits                  | 2                      | 1                                 |  |
| 51                          | Due to Bleeding                                  | 7                      | 4                                 |  |
| 52                          | Due to High fever                                | 0                      | 0                                 |  |
| 53                          | Due to Other Causes (including causes not known) | 7                      | 19                                |  |
| 54                          | <b>Total reported maternal deaths</b>            | <b>16</b>              | <b>25</b>                         |  |