

## Mizoram Factsheet

Key Indicators							
<b>Sl No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	370					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	65					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	9					
	<b>C) Maternal Health:</b>	<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	21,679		21,551			
11	Expected number of Delivery	19,944		19,827			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFSH-5 ( 20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	23,614	108.9	16,422	76.2	ANC Check up in first trimester	72.7
13	Mothers registered in the first trimester	17,764	75.2	12,362	75.3	At least 4ANC check up	58.0
14	Mothers who had 4 or more ANC check ups	13,490	57.1	9,229	56.2	Neonatal tetanus received	80.0
15	PW who got TT 2 / Booster injection	20,886	88.4	14,649	89.2	100 IFA tablets consumed	61.9
16	PW who consumed 180 IFA tablets	11,977	50.7	11,483	69.9	Home Delivery	14.2
17	Home Delivery against expected delivery *	2,236	11.2	1,762	8.9	Institutional Delivery	85.8
18	Institutional Delivery Against expected delivery *	18,492	92.7	10,292	51.9	Home Delivery by SBA	3.5
19	Reported Home Delivery **	2,236	10.8	1,762	14.6	PNC within 2days of delivery	68.0
20	Reported institutional Delivery **	18,492	89.2	10,292	85.4		
21	Total reported Deliveries	20,728		12,054			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	436	19.5	324	18.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,211	15.5	1,948	16.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	19,708		19,592			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21)</b>		<b>NFSH-5 ( 20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	20,577	104.4	12,003	61.3	Breastfed within 1 hour of birth	60.1
26	Total Still Birth	156	0.8	137	0.7	BCG	83.4

27	PC of newborn weighted at birth to live birth	19,821	96.3	11,443	95.3	3 dose of DPT	80.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,009	5.1	512	4.5	Measles First dose	80.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,687	95.7	11,501	95.8	3 doses of penta or hepatitis B vaccine	84.2
30	Children fully immunized	17,870	90.7	13,364	68.2	Full Immunization	72.5
31	Children who have received BCG	20,503	104.0	11,583	59.1		
32	Children who have received Pentavalent 1	20,678	104.9	13,896	70.9		
33	Children who have received Pentavalent 3	20,136	102.2	13,521	69.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,940	91.0	13,447	68.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10,577		3,664			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.9
37	Number of Tubectomies performed	1,564	726	Spacing	12.8
38	Number of IUD insertion	1,554	743	Women using any method	31.2
39	Number of IUD removals	1,118	571	Women using modern method	30.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	674	316		
41	General OPD cases per 10,000 population ***	11775	6126		
42	Ayush OPD cases per 10,000 population ***	315	200		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	42	52		
44	Neonatal Deaths up to 4 weeks of birth	156	105		
45	<b>Total Neonatal Death</b>	198	157		
46	Deaths between (1 - 11) months	171	120		
47	<b>Total reported infant deaths</b>	369	277		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	2		
51	Due to Bleeding	2	2		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	9	10		

54	Total reported maternal deaths	14	14	
----	--------------------------------	----	----	--

## Aizawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	400,309				
2	Sex Ratio	1,009				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	94				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers (PHC)	18				
6	Primary Health Centers (PHC)-HWC	4				
7	Community Health Centers (CHC)	2				
8	SDH	1				
9	DH	2				
C) Maternal Health:		2019-20	2020-21			
10	Expected number of PW	7,989	8,456			
11	Expected number of Delivery	7,350	7,780			
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC	
12	PW register for ANC	8,474	106.1	4,960	58.7	ANC Check up in first trimester 82.8
13	Mothers registered in the first trimester	6,887	81.3	4,108	82.8	At least 4ANC check up 68.5
14	Mothers who had 4 or more ANC check ups	7,016	82.8	3,746	75.5	Neonatal tetanus received 82.3
15	PW who got TT 2 / Booster injection	7,624	90.0	4,576	92.3	100 IFA tablets consumed 58.5
16	PW who consumed 180 IFA tablets	4,157	49.1	3,962	79.9	Home Delivery 2.6
17	Home Delivery against expected delivery *	20	0.3	15	0.2	Institutional Delivery 97.4
18	Institutional Delivery Against expected delivery *	9,486	129.1	3,363	43.2	Home Delivery by SBA 0.3
19	Reported Home Delivery **	20	0.2	15	0.4	PNC within 2days of delivery 73.4
20	Reported institutional Delivery **	9,486	99.8	3,363	99.6	
21	Total reported Deliveries	9,506		3,378		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	60.0	11	73.3	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	690	7.3	11	0.3	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>						
24	Expected number of Live Birth	7,263		7,688		
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	9,443	130.0	3,333	43.4	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	63	0.9	44	0.6	BCG	81.6
27	PC of newborn weighted at birth to live birth	9,276	98.2	3,322	99.7	3 dose of DPT	79.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	546	5.9	190	5.7	Measles First dose	77.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	9,216	97.6	3,319	99.6	3 doses of penta or hepatitis B vaccine	76.4
30	Children fully immunized	6,994	96.3	4,372	56.9	Full Immunization	66.4
31	Children who have received BCG	8,035	110.6	3,045	39.6		
32	Children who have received Pentavalent 1	7,643	105.2	4,273	55.6		
33	Children who have received Pentavalent 3	7,752	106.7	4,322	56.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,993	96.3	4,364	56.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,805		708			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	24
37	Number of Tubectomies performed	968	382	Spacing	14
38	Number of IUD insertion	679	213	Women using any method	21.6
39	Number of IUD removals	526	201	Women using modern method	21
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	856	221		
41	General OPD cases per 10,000 population ***	16734	5952		
42	Ayush OPD cases per 10,000 population ***	271	127		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	13	33		
44	Neonatal Deaths up to 4 weeks of birth	75	56		
45	<b>Total Neonatal Death</b>	88	89		
46	Deaths between (1 - 11) months	54	22		
47	<b>Total reported infant deaths</b>	142	111		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		

51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	5	
54	<b>Total reported maternal deaths</b>	<b>3</b>	<b>6</b>	

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	59					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	2,361		1,313			
11	Expected number of Delivery	2,173		1,208			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,742	116.1	1,211	92.2	ANC Check up in first trimester	80.0
13	Mothers registered in the first trimester	2,357	86.0	1,011	83.5	At least 4ANC check up	63.4
14	Mothers who had 4 or more ANC check ups	1,287	46.9	730	60.3	Neonatal tetanus received	85.9
15	PW who got TT 2 / Booster injection	2,408	87.8	1,090	90.0	100 IFA tablets consumed	74.3
16	PW who consumed 180 IFA tablets	1,327	48.4	817	67.5	Home Delivery	3.3
17	Home Delivery against expected delivery *	64	2.9	35	2.9	Institutional Delivery	96.7
18	Institutional Delivery Against expected delivery *	1,848	85.1	1,198	99.2	Home Delivery by SBA	1.6
19	Reported Home Delivery **	64	3.3	35	2.8	PNC within 2days of delivery	72.3
20	Reported institutional Delivery **	1,848	96.7	1,198	97.2		
21	Total reported Deliveries	1,912		1,233			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	25.0	11	31.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	25	2.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,147		1,193			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,897	88.4	1,213	101.6	Breastfed within 1 hour of birth	70.7
26	Total Still Birth	16	0.7	21	1.8	BCG	97.6
27	PC of newborn weighted at birth to live birth	1,878	99.0	1,213	100.0	3 dose of DPT	90.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	6.3	79	6.5	Measles First dose	92.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,749	92.2	1,073	88.5	3 doses of penta or hepatitis B vaccine	71.4
30	Children fully immunized	2,196	102.3	1,026	86.0	Full Immunization	85.3
31	Children who have received BCG	2,117	98.6	1,256	105.2		
32	Children who have received Pentavalent 1	2,338	108.9	1,100	92.2		
33	Children who have received Pentavalent 3	2,307	107.5	1,069	89.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,191	102.1	1,030	86.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,272		275			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	11.2
37	Number of Tubectomies performed	65		56		Spacing	8.3
38	Number of IUD insertion	259		113		Women using any method	50
39	Number of IUD removals	216		109		Women using modern method	49.6
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	567		547			
41	General OPD cases per 10,000 population ***	7348		6247			
42	Ayush OPD cases per 10,000 population ***	420		133			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
43	Neonatal death within 24 hours	5		5			
44	Neonatal Deaths up to 4 weeks of birth	9		9			
45	<b>Total Neonatal Death</b>	14		14			
46	Deaths between (1 - 11) months	26		12			
47	<b>Total reported infant deaths</b>	40		26			
<b>II)</b>	<b>Maternal Mortality</b>						

	Maternal Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	<b>Total reported maternal deaths</b>	<b>3</b>	<b>1</b>	

## Hnahthial Factsheet

### Key Indicators

Sl No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Sub Centers (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	NA	418				
11	Expected number of Delivery	NA	385				
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	NA	NA	258	61.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	202	78.3	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	210	81.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	262	101.6	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	260	100.8	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	27	7.0	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	NA	NA	210	54.6	Home Delivery by SBA	NA
19	Reported Home Delivery **	NA	NA	27	11.4	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	210	88.6		
21	Total reported Deliveries	NA		237			



22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	16	59.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	35	14.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	NA		380			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	NA	NA	238	62.6	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	231	97.1	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	7	3.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	226	95.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	275	72.4	Full Immunization	NA
31	Children who have received BCG	NA	NA	186	49.0		
32	Children who have received Pentavalent 1	NA	NA	289	76.1		
33	Children who have received Pentavalent 3	NA	NA	280	73.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	276	72.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		60			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		2		Spacing	NA
38	Number of IUD insertion	NA		9		Women using any method	NA
39	Number of IUD removals	NA		8		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	NA		416			
41	General OPD cases per 10,000 population ***	NA		9927			
42	Ayush OPD cases per 10,000 population ***	NA		447			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
43	Neonatal death within 24 hours	NA		0			
44	Neonatal Deaths up to 4 weeks of birth	NA		1			



45	<b>Total Neonatal Death</b>	0	1	
46	Deaths between (1 - 11) months	NA	0	
47	<b>Total reported infant deaths</b>	0	1	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	0	
54	<b>Total reported maternal deaths</b>	0	<b>0</b>	

<b>Khawzawl Factsheet</b>							
<b>Key Indicators</b>							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	NA					
2	Sex Ratio	NA					
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Sub Centers (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
	<b>C) Maternal Health:</b>	<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW	NA	704				
11	Expected number of Delivery	NA	648				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>			<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	NA	NA	521	74.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	453	86.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	267	51.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	490	94.0	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	349	67.0	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	7	1.1	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	NA	NA	267	41.2	Home Delivery by SBA	NA

19	Reported Home Delivery **	NA	NA	7	2.6	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	267	97.4		
21	Total reported Deliveries	NA		274			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	28.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	36	13.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	NA		640			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	NA	NA	275	42.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.2	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	273	99.3	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	6	2.2	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	272	98.9	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	514	80.3	Full Immunization	NA
31	Children who have received BCG	NA	NA	326	50.9		
32	Children who have received Pentavalent 1	NA	NA	497	77.6		
33	Children who have received Pentavalent 3	NA	NA	495	77.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	512	80.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		195			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	NA		0		Total unmet need	NA
37	Number of Tubectomies performed	NA		0		Spacing	NA
38	Number of IUD insertion	NA		42		Women using any method	NA
39	Number of IUD removals	NA		30		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	NA		228			
41	General OPD cases per 10,000 population ***	NA		5064			
42	Ayush OPD cases per 10,000 population ***	NA		553			
<b>G) Mortality Details</b>							

I)	Infant Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21) 3rd QTR	
43	Neonatal death within 24 hours	NA	0	
44	Neonatal Deaths up to 4 weeks of birth	NA	2	
45	<b>Total Neonatal Death</b>	0	2	
46	Deaths between (1 - 11) months	NA	4	
47	<b>Total reported infant deaths</b>	0	6	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2019-20)	HMIS ( 2020-21) 3rd QTR	
48	Due to Abortion	NA	0	
49	Due to Obstructed/prolonged labour	NA	0	
50	Due to Severe hypertension/fits	NA	0	
51	Due to Bleeding	NA	0	
52	Due to High fever	NA	0	
53	Due to Other Causes (including causes not known)	NA	1	
54	<b>Total reported maternal deaths</b>	0	<b>1</b>	

### Kolasib Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>83,955</b>					
2	Sex Ratio	<b>956</b>					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	<b>26</b>					
4	Sub Centers (SC)- HWC	<b>0</b>					
5	Primary Health Centers (PHC)	<b>5</b>					
6	Primary Health Centers (PHC)-HWC	<b>0</b>					
7	Community Health Centers (CHC)	<b>1</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	1,700	1,486				
11	Expected number of Delivery	1,564	1,367				
		HMIS ( 2019-20)	HMIS ( 2020-21) 3rd QTR		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	1,918	112.8	1,332	89.7	ANC Check up in first trimester	72.7
13	Mothers registered in the first trimester	1,511	78.8	1,037	77.9	At least 4ANC check up	66.0
14	Mothers who had 4 or more ANC check ups	1,079	56.3	801	60.1	Neonatal tetanus received	76.4
15	PW who got TT 2 / Booster injection	1,701	88.7	1,252	94.0	100 IFA tablets consumed	67.7
16	PW who consumed 180 IFA tablets	1,019	53.1	857	64.3	Home Delivery	8.6

17	Home Delivery against expected delivery *	71	4.5	50	3.7	Institutional Delivery	91.4
18	Institutional Delivery Against expected delivery *	1,141	73.0	949	69.4	Home Delivery by SBA	2.7
19	Reported Home Delivery **	71	5.9	50	5.0	PNC within 2days of delivery	71.5
20	Reported institutional Delivery **	1,141	94.1	949	95.0		
21	Total reported Deliveries	1,212		999			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	40.8	26	52.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	856	70.6	668	66.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,545		1,351			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,208	78.2	983	72.8	Breastfed within 1 hour of birth	63
26	Total Still Birth	10	0.6	14	1.0	BCG	88.1
27	PC of newborn weighted at birth to live birth	1,205	99.8	984	100.1	3 dose of DPT	85.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	86	7.1	51	5.2	Measles First dose	83.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,202	99.5	983	100.0	3 doses of penta or hepatitis B vaccine	90.5
30	Children fully immunized	1,356	87.7	1,048	77.6	Full Immunization	80.4
31	Children who have received BCG	1,410	91.2	1,039	76.9		
32	Children who have received Pentavalent 1	1,536	99.4	1,161	86.0		
33	Children who have received Pentavalent 3	1,467	94.9	1,052	77.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,356	87.7	1,048	77.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,867		564			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	15.6
37	Number of Tubectomies performed	216		99		Spacing	11.7
38	Number of IUD insertion	50		33		Women using any method	38.1
39	Number of IUD removals	62		24		Women using modern method	37.9
<b>F) Service delivery</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	604		487			

41	General OPD cases per 10,000 population ***	9064	6441	
42	Ayush OPD cases per 10,000 population ***	466	273	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21) 3rd QTR</b>	
43	Neonatal death within 24 hours	7	0	
44	Neonatal Deaths up to 4 weeks of birth	13	3	
45	<b>Total Neonatal Death</b>	20	3	
46	Deaths between (1 - 11) months	19	12	
47	<b>Total reported infant deaths</b>	39	15	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21) 3rd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	1	

## Lawngtlai Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	117,894				
2	Sex Ratio	945				
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	37				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers (PHC)	5				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	1				
8	SDH	0				
9	DH	1				
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>			
10	Expected number of PW	2,543	2,247			
11	Expected number of Delivery	2,340	2,068			
		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21) 3rd QTR</b>	<b>NFSH-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
12	PW register for ANC	2,926	115.0	2,269	101.0	ANC Check up in first trimester 51.5
13	Mothers registered in the first trimester	1,450	49.6	1,151	50.7	At least 4ANC check up 33.0

14	Mothers who had 4 or more ANC check ups	661	22.6	557	24.5	Neonatal tetanus received	72.3
15	PW who got TT 2 / Booster injection	2,240	76.6	1,587	69.9	100 IFA tablets consumed	50.7
16	PW who consumed 180 IFA tablets	1,589	54.3	1,150	50.7	Home Delivery	46.3
17	Home Delivery against expected delivery *	886	37.9	777	37.6	Institutional Delivery	53.7
18	Institutional Delivery Against expected delivery *	1,208	51.6	832	40.2	Home Delivery by SBA	9.3
19	Reported Home Delivery **	886	42.3	777	48.3	PNC within 2days of delivery	46.2
20	Reported institutional Delivery **	1,208	57.7	832	51.7		
21	Total reported Deliveries	2,094		1,609			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	81	9.1	60	7.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	246	11.7	346	21.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,312		2,043			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,067	89.4	1,644	80.5	Breastfed within 1 hour of birth	60.9
26	Total Still Birth	24	1.0	26	1.3	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,710	82.7	1,213	73.8	3 dose of DPT	74.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.0	34	2.8	Measles First dose	76.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,896	91.7	1,471	89.5	3 doses of penta or hepatitis B vaccine	79.9
30	Children fully immunized	1,698	73.4	1,306	63.9	Full Immunization	70.2
31	Children who have received BCG	2,525	109.2	1,526	74.7		
32	Children who have received Pentavalent 1	2,625	113.5	1,649	80.7		
33	Children who have received Pentavalent 3	2,358	102.0	1,475	72.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,767	76.4	1,340	65.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,384		620			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	53		19		Spacing	13
38	Number of IUD insertion	78		55		Women using any method	29.7

39	Number of IUD removals	60	54	Women using modern method	29.1
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
40	IPD cases per 10,000 population ***	457	304		
41	General OPD cases per 10,000 population ***	6770	4415		
42	Ayush OPD cases per 10,000 population ***	44	83		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
43	Neonatal death within 24 hours	3	1		
44	Neonatal Deaths up to 4 weeks of birth	16	10		
45	<b>Total Neonatal Death</b>	19	11		
46	Deaths between (1 - 11) months	23	20		
47	<b>Total reported infant deaths</b>	42	31		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	1		
54	<b>Total reported maternal deaths</b>	2	1		

## Lunglei Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>				
1	Population 2011	161,428			
2	Sex Ratio	944			
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	70			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	11			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	1			
9	DH	1			
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>		
10	Expected number of PW	2,937	2,179		
11	Expected number of Delivery	2,702	2,005		
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>	<b>NFSH-5 (2019-20)</b>	



		Number	PC	Number	PC		
12	PW register for ANC	2,922	99.5	1,723	79.1	ANC Check up in first trimester	68.8
13	Mothers registered in the first trimester	2,039	69.8	1,200	69.6	At least 4ANC check up	56.7
14	Mothers who had 4 or more ANC check ups	1,414	48.4	859	49.9	Neonatal tetanus received	79.9
15	PW who got TT 2 / Booster injection	2,991	102.4	1,685	97.8	100 IFA tablets consumed	64.7
16	PW who consumed 180 IFA tablets	1,451	49.7	1,249	72.5	Home Delivery	17.3
17	Home Delivery against expected delivery *	490	18.1	328	16.4	Institutional Delivery	82.7
18	Institutional Delivery Against expected delivery *	2,150	79.6	1,022	51.0	Home Delivery by SBA	3.9
19	Reported Home Delivery **	490	18.6	328	24.3	PNC within 2days of delivery	67.1
20	Reported institutional Delivery **	2,150	81.4	1,022	75.7		
21	Total reported Deliveries	2,640		1,350			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	22.4	57	17.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	45.0	522	38.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,670		1,981			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,623	98.2	1,343	67.8	Breastfed within 1 hour of birth	63.8
26	Total Still Birth	13	0.5	13	0.7	BCG	79.3
27	PC of newborn weighted at birth to live birth	2,508	95.6	1,313	97.8	3 dose of DPT	85
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	82	3.3	51	3.9	Measles First dose	85
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,371	90.4	1,248	92.9	3 doses of penta or hepatitis B vaccine	72.6
30	Children fully immunized	2,253	84.4	1,371	69.2	Full Immunization	73.8
31	Children who have received BCG	2,631	98.5	1,128	56.9		
32	Children who have received Pentavalent 1	2,538	95.1	1,445	72.9		
33	Children who have received Pentavalent 3	2,486	93.1	1,395	70.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,255	84.5	1,394	70.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	729		155			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2019-20)</b>	<b>HMIS ( 2020-21) 3rd QTR</b>	<b>NFHS-5 (2019-20)</b>
--------------------------	--	------------------------	------------------------------------	-------------------------

36	Number of Vasectomies performed	0	0	Total unmet need	15.4
37	Number of Tubectomies performed	120	43	Spacing	12.5
38	Number of IUD insertion	159	60	Women using any method	33
39	Number of IUD removals	85	18	Women using modern method	33
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
40	IPD cases per 10,000 population ***	724	344		
41	General OPD cases per 10,000 population ***	12826	7518		
42	Ayush OPD cases per 10,000 population ***	437	191		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
43	Neonatal death within 24 hours	7	3		
44	Neonatal Deaths up to 4 weeks of birth	21	9		
45	<b>Total Neonatal Death</b>	28	12		
46	Deaths between (1 - 11) months	15	19		
47	<b>Total reported infant deaths</b>	43	31		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	2	0		
54	<b>Total reported maternal deaths</b>	3	1		

## Mamit Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>				
1	Population 2011	<b>86,364</b>			
2	Sex Ratio	<b>924</b>			
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	<b>33</b>			
4	Sub Centers (SC)- HWC	<b>0</b>			
5	Primary Health Centers (PHC)	<b>6</b>			
6	Primary Health Centers (PHC)-HWC	<b>0</b>			
7	Community Health Centers (CHC)	<b>1</b>			
8	SDH	<b>0</b>			
9	DH	<b>1</b>			
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>		

10	Expected number of PW	1,900		1,634			
11	Expected number of Delivery	1,748		1,503			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,970	103.7	1,593	97.5	ANC Check up in first trimester	64.5
13	Mothers registered in the first trimester	1,338	67.9	1,159	72.8	At least 4ANC check up	52.5
14	Mothers who had 4 or more ANC check ups	906	46.0	778	48.8	Neonatal tetanus received	80.7
15	PW who got TT 2 / Booster injection	1,645	83.5	1,383	86.8	100 IFA tablets consumed	68.8
16	PW who consumed 180 IFA tablets	1,163	59.0	1,175	73.8	Home Delivery	25.0
17	Home Delivery against expected delivery *	445	25.5	360	23.9	Institutional Delivery	75.0
18	Institutional Delivery Against expected delivery *	848	48.5	718	47.8	Home Delivery by SBA	7.1
19	Reported Home Delivery **	445	34.4	360	33.4	PNC within 2days of delivery	63.9
20	Reported institutional Delivery **	848	65.6	718	66.6		
21	Total reported Deliveries	1,293		1,078			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	100	22.5	113	31.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	188	14.5	161	14.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,727		1,485			
	<b>D) Child Immunization :</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,277	73.9	1,071	72.1	Breastfed within 1 hour of birth	56.8
26	Total Still Birth	16	0.9	8	0.5	BCG	98.5
27	PC of newborn weighted at birth to live birth	1,182	92.6	999	93.3	3 dose of DPT	95.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	3.8	32	3.2	Measles First dose	95.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,219	95.5	1,028	96.0	3 doses of penta or hepatitis B vaccine	85
30	Children fully immunized	1,359	78.7	1,209	81.4	Full Immunization	85.9
31	Children who have received BCG	1,602	92.8	1,012	68.1		
32	Children who have received Pentavalent 1	1,746	101.1	1,214	81.7		
33	Children who have received Pentavalent 3	1,570	90.9	1,174	79.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,364	79.0	1,241	83.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,322		456			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning					
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	17
37	Number of Tubectomies performed	20	20	Spacing	14
38	Number of IUD insertion	59	34	Women using any method	41.6
39	Number of IUD removals	41	39	Women using modern method	41.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	405	286		
41	General OPD cases per 10,000 population ***	6971	6647		
42	Ayush OPD cases per 10,000 population ***	156	97		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	4	4		
44	Neonatal Deaths up to 4 weeks of birth	3	1		
45	<b>Total Neonatal Death</b>	7	5		
46	Deaths between (1 - 11) months	9	10		
47	<b>Total reported infant deaths</b>	16	15		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	1	1		

## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	56,574	
2	Sex Ratio	978	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	24	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers (PHC)	4	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	0	

8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	1,091		1,113			
11	Expected number of Delivery	1,004		1,024			
		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,481	135.7	1,099	98.8	ANC Check up in first trimester	60.7
13	Mothers registered in the first trimester	1,209	81.6	870	79.2	At least 4ANC check up	35.5
14	Mothers who had 4 or more ANC check ups	697	47.1	532	48.4	Neonatal tetanus received	72.6
15	PW who got TT 2 / Booster injection	1,265	85.4	996	90.6	100 IFA tablets consumed	51.4
16	PW who consumed 180 IFA tablets	1,009	68.1	704	64.1	Home Delivery	26.2
17	Home Delivery against expected delivery *	245	24.4	138	13.5	Institutional Delivery	73.8
18	Institutional Delivery Against expected delivery *	1,148	114.4	805	78.6	Home Delivery by SBA	10.0
19	Reported Home Delivery **	245	17.6	138	14.6	PNC within 2days of delivery	59.6
20	Reported institutional Delivery **	1,148	82.4	805	85.4		
21	Total reported Deliveries	1,393		943			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	29.8	13	9.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44	3.2	48	5.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	992		1,011			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,388	139.9	945	93.4	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	10	1.0	8	0.8	BCG	69.9
27	PC of newborn weighted at birth to live birth	1,388	100.0	944	99.9	3 dose of DPT	60.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	43	3.1	26	2.8	Measles First dose	65.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,364	98.3	943	99.8	3 doses of penta or hepatitis B vaccine	91.1
30	Children fully immunized	1,097	110.6	883	87.3	Full Immunization	60.3
31	Children who have received BCG	1,294	130.4	1,024	101.2		
32	Children who have received Pentavalent 1	1,234	124.4	928	91.8		
33	Children who have received Pentavalent 3	1,188	119.8	962	95.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,097	110.6	885	87.5		

35	Diarrhoea and Dehydration cases reported in children below 5 years	511	228		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>	<b>NFSH-5 (2019-20)</b>	
36	Number of Vasectomies performed	0	0	Total unmet need	22.5
37	Number of Tubectomies performed	101	96	Spacing	15.2
38	Number of IUD insertion	217	126	Women using any method	22.6
39	Number of IUD removals	58	36	Women using modern method	21.7
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
40	IPD cases per 10,000 population ***	540	363		
41	General OPD cases per 10,000 population ***	8128	5358		
42	Ayush OPD cases per 10,000 population ***	410	254		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	16	10		
45	<b>Total Neonatal Death</b>	16	11		
46	Deaths between (1 - 11) months	25	16		
47	<b>Total reported infant deaths</b>	41	27		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	2		
54	<b>Total reported maternal deaths</b>	1	2		

## Saitual Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	NA	
4	Sub Centers (SC)- HWC	NA	

5	Primary Health Centers (PHC)	NA					
6	Primary Health Centers (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2019-20</b>		<b>2020-21</b>			
10	Expected number of PW	NA		907			
11	Expected number of Delivery	NA		835			
		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	NA	NA	591	65.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	NA	NA	496	83.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	NA	NA	360	60.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	NA	NA	564	95.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	NA	NA	527	89.2	Home Delivery	NA
17	Home Delivery against expected delivery *	NA	NA	8	1.0	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	NA	NA	359	43.0	Home Delivery by SBA	NA
19	Reported Home Delivery **	NA	NA	8	2.2	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	NA	NA	359	97.8		
21	Total reported Deliveries	NA		367			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	44	12.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	NA		825			
<b>D) Child Immunization :</b>		<b>HMIS ( 2019-20)</b>		<b>HMIS ( 2020-21) 3rd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	NA	NA	372	45.1	Breastfed within 1 hour of birth	NA
26	Total Still Birth	NA	NA	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	NA	NA	370	99.5	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	14	3.8	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	363	97.6	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	NA	NA	571	69.2	Full Immunization	NA
31	Children who have received BCG	NA	NA	402	48.7		
32	Children who have received Pentavalent 1	NA	NA	586	71.0		



33	Children who have received Pentavalent 3	NA	NA	545	66.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	569	69.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	NA		198			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	NA	0	Total unmet need	NA
37	Number of Tubectomies performed	NA	0	Spacing	NA
38	Number of IUD insertion	NA	21	Women using any method	NA
39	Number of IUD removals	NA	16	Women using modern method	NA
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	NA	341		
41	General OPD cases per 10,000 population ***	NA	4973		
42	Ayush OPD cases per 10,000 population ***	NA	187		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	NA	2		
44	Neonatal Deaths up to 4 weeks of birth	NA	2		
45	<b>Total Neonatal Death</b>	0	4		
46	Deaths between (1 - 11) months	NA	4		
47	<b>Total reported infant deaths</b>	0	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	NA	0		
49	Due to Obstructed/prolonged labour	NA	0		
50	Due to Severe hypertension/fits	NA	0		
51	Due to Bleeding	NA	0		
52	Due to High fever	NA	0		
53	Due to Other Causes (including causes not known)	NA	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	<b>64,937</b>	
2	Sex Ratio	<b>976</b>	

B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	1,247		1,093			
11	Expected number of Delivery	1,147		1,005			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,181	94.7	865	79.1	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	973	82.4	675	78.0	At least 4ANC check up	60.3
14	Mothers who had 4 or more ANC check ups	430	36.4	389	45.0	Neonatal tetanus received	85.1
15	PW who got TT 2 / Booster injection	1,012	85.7	764	88.3	100 IFA tablets consumed	73.0
16	PW who consumed 180 IFA tablets	262	22.2	433	50.1	Home Delivery	3.8
17	Home Delivery against expected delivery *	15	1.3	17	1.7	Institutional Delivery	96.2
18	Institutional Delivery Against expected delivery *	663	57.8	569	56.6	Home Delivery by SBA	0.6
19	Reported Home Delivery **	15	2.2	17	2.9	PNC within 2days of delivery	86.2
20	Reported institutional Delivery **	663	97.8	569	97.1		
21	Total reported Deliveries	678		586			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	100.0	13	76.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	52	8.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,133		994			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	674	59.5	586	59.0	Breastfed within 1 hour of birth	58.8
26	Total Still Birth	4	0.4	1	0.1	BCG	89.8
27	PC of newborn weighted at birth to live birth	674	100.0	581	99.1	3 dose of DPT	84.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	3.0	22	3.8	Measles First dose	85.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	670	99.4	575	98.1	3 doses of penta or hepatitis B vaccine	58.2
30	Children fully immunized	917	80.9	789	79.4	Full Immunization	84.7

31	Children who have received BCG	889	78.4	639	64.3		
32	Children who have received Pentavalent 1	1,018	89.8	754	75.9		
33	Children who have received Pentavalent 3	1,008	88.9	752	75.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	917	80.9	788	79.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	687		205			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	15.9
37	Number of Tubectomies performed	21	9	Spacing	11.8
38	Number of IUD insertion	53	37	Women using any method	40
39	Number of IUD removals	70	36	Women using modern method	39.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	608	484		
41	General OPD cases per 10,000 population ***	9451	7152		
42	Ayush OPD cases per 10,000 population ***	602	783		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	3	3		
44	Neonatal Deaths up to 4 weeks of birth	3	2		
45	<b>Total Neonatal Death</b>	6	5		
46	Deaths between (1 - 11) months	0	1		
47	<b>Total reported infant deaths</b>	6	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	1	0		