

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,978,502						
2	Sex Ratio	931						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	397						
4	Sub Centers (SC)- HWC	56						
5	Primary Health Centers (PHC)	126						
6	Primary Health Centers (PHC)-HWC	5						
7	Community Health Centers (CHC)	21						
8	SDH	0						
9	DH	11						
C) Maternal Health:		2011-12	2011-12					
10	Expected number of PW	37,433	37,433					
11	Expected number of Delivery	34,439	34,439					
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
12	PW register for ANC	39,442	105.4	23,566	63.0	ANC Check up in first trimester	49.5	
13	Mothers registered in the first trimester	10,777	27.3	6,473	27.5	At least 4ANC check up	20.7	
14	Mothers who had 4 or more ANC check ups	9,052	23.0	4,209	17.9	Neonatal tetanus received	81.3	
15	PW who got TT 2 / Booster injection	15,984	40.5	10,576	44.9	100 IFA tablets consumed	10.2	
16	PW who consumed 180 IFA tablets	9,070	23.0	9,375	39.8	Home Delivery	54.3	
17	Home Delivery against expected delivery *	3,668	10.7	2,913	8.5	Institutional Delivery	45.7	
18	Institutional Delivery against expected delivery *	17,107	49.7	9,309	27.0	Home Delivery by SBA	10.4	
19	Home Delivery against reported delivery **	3,668	17.7	2,913	23.8	PNC within 2days of delivery	43.9	
20	Institutional Delivery against reported delivery **	17,107	82.3	9,309	60.3			
21	Total reported Deliveries	20,775		12,222				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,014	54.9	1,774	60.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,300	40.0	6,062	49.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	34,030		34,030				
D) Child Immunization :		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
25	Total reported live births	20,574	60.5	12,065	35.5	Breastfed within 1 hour of birth	57.9	

26	Total Still Birth	306	0.9	217	0.6	BCG	85.5
27	PC of newborn weighted at birth to live birth	20,227	98.3	11,394	94.4	3 dose of DPT	71.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	896	4.4	410	3.6	Measles First dose	73.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,703	81.2	9,737	80.7	3 doses of penta or hepatitis B vaccine	66.4
30	Children fully immunized	16,291	47.9	11,725	34.5	Full Immunization	57.9
31	Children who have received BCG	22,701	66.7	15,195	44.7		
32	Children who have received Pentavalent 1	23,433	68.9	15,125	44.4		
33	Children who have received Pentavalent 3	20,710	60.9	12,972	38.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,806	52.3	12,348	36.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,776		1,463			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)
36	Number of Vasectomies performed	3	1	Total unmet need 9.1
37	Number of Tubectomies performed	1,349	443	Spacing 4.5
38	Number of IUD insertion	3,846	2,129	Women using any method 57.4
39	Number of IUD removals	1,484	873	Women using modern method 45.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	521	171	
41	General OPD cases per 10,000 population ***	6242	3466	
42	Ayush OPD cases per 10,000 population ***	160	56	
G) Mortality Details				
I) Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	38	26	
44	Neonatal Deaths up to 4 weeks of birth	72	52	
45	Total Neonatal Death	110	78	
46	Deaths between (1 - 11) months	64	30	
47	Total reported infant deaths	174	108	
II) Maternal Mortality				
Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	2	0	
50	Due to Severe hypertension/fits	5	1	
51	Due to Bleeding	7	3	
52	Due to High fever	0	0	

53	Due to Other Causes (including causes not known)	7	5	
54	Total reported maternal deaths	22	9	

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	7,167		7,167			
11	Expected number of Delivery	6,594		6,594			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	20,265	282.8	9,769	136.3	ANC Check up in first trimester	71.4
13	Mothers registered in the first trimester	6,021	29.7	3,197	32.7	At least 4ANC check up	50.1
14	Mothers who had 4 or more ANC check ups	3,912	19.3	2,107	21.6	Neonatal tetanus received	86.4
15	PW who got TT 2 / Booster injection	6,116	30.2	3,609	36.9	100 IFA tablets consumed	14.9
16	PW who consumed 180 IFA tablets	2,659	13.1	3,140	32.1	Home Delivery	26.3
17	Home Delivery against expected delivery *	446	6.8	333	5.1	Institutional Delivery	73.7
18	Institutional Delivery against expected delivery *	7,468	113.3	3,401	51.6	Home Delivery by SBA	9.4
19	Home Delivery against reported delivery **	446	5.6	333	8.9	PNC within 2days of delivery	68.7
20	Institutional Delivery against reported delivery **	7,468	94.4	3,401	89.7		
21	Total reported Deliveries	7,914		3,734			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	261		188		56.5	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,310		1,835		49.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	7,798	119.7	3,675	56.4	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	167	2.6	103	1.6	BCG	-85.1
27	PC of newborn weighted at birth to live birth	7,745	99.3	3,434	93.4	3 dose of DPT	-73.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	503	6.5	229	6.7	Measles First dose	-74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,640	72.3	2,643	71.9	3 doses of penta or hepatitis B vaccine	-71.1
30	Children fully immunized	4,029	61.8	2,841	43.6	Full Immunization	-55.9
31	Children who have received BCG	7,295	112.0	4,539	69.7		
32	Children who have received Pentavalent 1	7,583	116.4	4,278	65.7		
33	Children who have received Pentavalent 3	6,099	93.6	3,418	52.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,902	75.2	3,189	48.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,954		290			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	3	1	Total unmet need	14.3
37	Number of Tubectomies performed	383	180	Spacing	5.8
38	Number of IUD insertion	339	110	Women using any method	46.9
39	Number of IUD removals	377	81	Women using modern method	38.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	1657	409		
41	General OPD cases per 10,000 population ***	13435	6115		
42	Ayush OPD cases per 10,000 population ***	186	43		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	21	6		
44	Neonatal Deaths up to 4 weeks of birth	25	23		
45	Total Neonatal Death	46	29		
46	Deaths between (1 - 11) months	40	15		
47	Total reported infant deaths	86	44		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	2	0		

52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	4	
54	Total reported maternal deaths	8	5	

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	1,400	1,400				
11	Expected number of Delivery	1,288	1,288				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,053	75.2	704	50.3	ANC Check up in first trimester	27.2
13	Mothers registered in the first trimester	291	27.6	215	30.5	At least 4ANC check up	5.8
14	Mothers who had 4 or more ANC check ups	324	30.8	263	37.4	Neonatal tetanus received	63
15	PW who got TT 2 / Booster injection	739	70.2	512	72.7	100 IFA tablets consumed	1.6
16	PW who consumed 180 IFA tablets	327	31.1	310	44.0	Home Delivery	65.2
17	Home Delivery against expected delivery *	188	14.6	114	8.8	Institutional Delivery	34.8
18	Institutional Delivery against expected delivery *	545	42.3	420	32.6	Home Delivery by SBA	11.9
19	Home Delivery against reported delivery **	188	25.6	114	21.3	PNC within 2days of delivery	31.9
20	Institutional Delivery against reported delivery **	545	74.4	420	62.2		
21	Total reported Deliveries	733		534			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	30.9	29	25.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	460	62.8	161	30.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	727	57.1	526	41.3	Breastfed within 1 hour of birth	55.5
26	Total Still Birth	5	0.4	8	0.6	BCG	82.1
27	PC of newborn weighted at birth to live birth	723	99.4	522	99.2	3 dose of DPT	60.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.9	6	1.1	Measles First dose	66.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	721	99.2	525	99.8	3 doses of penta or hepatitis B vaccine	49.3
30	Children fully immunized	792	62.2	551	43.3	Full Immunization	42.8
31	Children who have received BCG	961	75.5	704	55.3		
32	Children who have received Pentavalent 1	1,043	81.9	674	53.0		
33	Children who have received Pentavalent 3	980	77.0	646	50.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	840	66.0	623	48.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	308		205			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	38		2		Spacing	10.2
38	Number of IUD insertion	217		178		Women using any method	42.5
39	Number of IUD removals	88		86		Women using modern method	32.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	188		114			
41	General OPD cases per 10,000 population ***	5377		3780			
42	Ayush OPD cases per 10,000 population ***	181		60			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	6		4			
44	Neonatal Deaths up to 4 weeks of birth	5		4			
45	Total Neonatal Death	11		8			
46	Deaths between (1 - 11) months	5		3			
47	Total reported infant deaths	16		11			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	1	
54	Total reported maternal deaths	1	2	

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	40					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	14					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	5,070		5,070			
11	Expected number of Delivery	4,665		4,665			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,723	73.4	2,287	45.1	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	867	23.3	362	15.8	At least 4ANC check up	28.3
14	Mothers who had 4 or more ANC check ups	2,881	77.4	399	17.4	Neonatal tetanus received	94.3
15	PW who got TT 2 / Booster injection	1,408	37.8	758	33.1	100 IFA tablets consumed	17.2
16	PW who consumed 180 IFA tablets	1,210	32.5	817	35.7	Home Delivery	33.1
17	Home Delivery against expected delivery *	137	2.9	105	2.3	Institutional Delivery	66.9
18	Institutional Delivery against expected delivery *	2,652	56.9	1,385	29.7	Home Delivery by SBA	12.2
19	Home Delivery against reported delivery **	137	4.9	105	7.0	PNC within 2days of delivery	58.9
20	Institutional Delivery against reported delivery **	2,652	95.1	1,385	78.3		
21	Total reported Deliveries	2,789		1,490			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	57.7	52	49.5		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	903	32.4	334	22.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,609		4,609			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,748	59.6	1,473	32.0	Breastfed within 1 hour of birth	60.3
26	Total Still Birth	41	0.9	15	0.3	BCG	-100
27	PC of newborn weighted at birth to live birth	2,683	97.6	1,260	85.5	3 dose of DPT	-88.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	235	8.8	76	6.0	Measles First dose	-86.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,488	54.1	575	39.0	3 doses of penta or hepatitis B vaccine	-88.7
30	Children fully immunized	2,678	58.1	1,502	32.6	Full Immunization	-82.8
31	Children who have received BCG	3,188	69.2	1,945	42.2		
32	Children who have received Pentavalent 1	3,015	65.4	1,787	38.8		
33	Children who have received Pentavalent 3	2,783	60.4	1,594	34.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,735	59.3	1,564	33.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	620		69			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	9.1
37	Number of Tubectomies performed	156		29		Spacing	7.2
38	Number of IUD insertion	910		299		Women using any method	60.7
39	Number of IUD removals	206		106		Women using modern method	46.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	407		179			
41	General OPD cases per 10,000 population ***	9231		3548			
42	Ayush OPD cases per 10,000 population ***	118		9			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	2		2			
44	Neonatal Deaths up to 4 weeks of birth	23		8			
45	Total Neonatal Death	25		10			
46	Deaths between (1 - 11) months	10		4			
47	Total reported infant deaths	35		14			

II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	0	
54	Total reported maternal deaths	5	0	

Longleng Factsheet							
Key Indicators							
SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	8					
4	Sub Centers (SC)- HWC	3					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12	2011-12				
10	Expected number of PW	955	955				
11	Expected number of Delivery	879	879				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
12	PW register for ANC	685	71.7	522	54.7	ANC Check up in first trimester	42.3
13	Mothers registered in the first trimester	194	28.3	149	28.5	At least 4ANC check up	15.4
14	Mothers who had 4 or more ANC check ups	133	19.4	89	17.0	Neonatal tetanus received	75.5
15	PW who got TT 2 / Booster injection	300	43.8	286	54.8	100 IFA tablets consumed	2.6
16	PW who consumed 180 IFA tablets	452	66.0	246	47.1	Home Delivery	61.3
17	Home Delivery against expected delivery *	129	14.7	59	6.7	Institutional Delivery	38.7
18	Institutional Delivery against expected delivery *	365	41.5	316	36.0	Home Delivery by SBA	5.9
19	Home Delivery against reported delivery **	129	26.1	59	15.7	PNC within 2days of delivery	28.5

20	Institutional Delivery against reported delivery **	365	73.9	316	82.7		
21	Total reported Deliveries	494		375			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	75	58.1	26	44.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	373	75.5	283	75.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	868		868			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	496	57.1	370	42.6	Breastfed within 1 hour of birth	62.3
26	Total Still Birth	1	0.1	4	0.5	BCG	88.3
27	PC of newborn weighted at birth to live birth	477	96.2	361	97.6	3 dose of DPT	64.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.9	17	4.7	Measles First dose	73.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	477	96.2	364	98.4	3 doses of penta or hepatitis B vaccine	58.2
30	Children fully immunized	511	58.8	413	47.6	Full Immunization	53
31	Children who have received BCG	462	53.2	358	41.2		
32	Children who have received Pentavalent 1	580	66.8	413	47.6		
33	Children who have received Pentavalent 3	573	66.0	393	45.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	514	59.2	409	47.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	132		89			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	8		35		Spacing	2.9
38	Number of IUD insertion	282		172		Women using any method	66.5
39	Number of IUD removals	71		68		Women using modern method	56.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	187		123			
41	General OPD cases per 10,000 population ***	5195		4392			
42	Ayush OPD cases per 10,000 population ***	145		81			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

43	Neonatal death within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	1	
45	Total Neonatal Death	0	1	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	1	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Mokokchung Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2011-12	2011-12				
10	Expected number of PW	3,682	3,682				
11	Expected number of Delivery	3,388	3,388				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
12	PW register for ANC	1,591	43.2	1,063	28.9	ANC Check up in first trimester	51.6
13	Mothers registered in the first trimester	646	40.6	385	36.2	At least 4ANC check up	18.2
14	Mothers who had 4 or more ANC check ups	203	12.8	132	12.4	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	713	44.8	468	44.0	100 IFA tablets consumed	12.5
16	PW who consumed 180 IFA tablets	225	14.1	259	24.4	Home Delivery	48.5
17	Home Delivery against expected delivery *	163	4.8	147	4.3	Institutional Delivery	51.5

18	Institutional Delivery against expected delivery *	891	26.3	550	16.2	Home Delivery by SBA	12.2
19	Home Delivery against reported delivery **	163	15.5	147	21.1	PNC within 2days of delivery	47.4
20	Institutional Delivery against reported delivery **	891	84.5	550	72.4		
21	Total reported Deliveries	1,054		697			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	89.6	133	90.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	886	84.1	557	79.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,347		3,347			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,044	31.2	682	20.4	Breastfed within 1 hour of birth	56.5
26	Total Still Birth	15	0.4	21	0.6	BCG	-96.8
27	PC of newborn weighted at birth to live birth	1,045	100.1	659	96.6	3 dose of DPT	-99
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	2.4	19	2.9	Measles First dose	-100
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,030	98.7	604	88.6	3 doses of penta or hepatitis B vaccine	-96
30	Children fully immunized	1,103	32.9	723	21.6	Full Immunization	-92
31	Children who have received BCG	1,151	34.4	788	23.5		
32	Children who have received Pentavalent 1	1,176	35.1	835	24.9		
33	Children who have received Pentavalent 3	1,076	32.1	762	22.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,121	33.5	792	23.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	187		43			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	6.4
37	Number of Tubectomies performed	182		26		Spacing	3.4
38	Number of IUD insertion	224		84		Women using any method	66.7
39	Number of IUD removals	108		53		Women using modern method	52.5
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	369		172			
41	General OPD cases per 10,000 population ***	5275		3549			
42	Ayush OPD cases per 10,000 population	224		98			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	0	1	
44	Neonatal Deaths up to 4 weeks of birth	8	3	
45	Total Neonatal Death	8	4	
46	Deaths between (1 - 11) months	2	1	
47	Total reported infant deaths	10	5	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	1	

Mon Factsheet							
Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	50					
4	Sub Centers (SC)- HWC	7					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	4,735		4,735			
11	Expected number of Delivery	4,356		4,356			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,123	87.1	3,380	71.4	ANC Check up in first trimester	44.6
13	Mothers registered in the first trimester	806	19.5	586	17.3	At least 4ANC check up	9.7
14	Mothers who had 4 or more ANC check ups	365	8.9	223	6.6	Neonatal tetanus received	78

15	PW who got TT 2 / Booster injection	2,139	51.9	1,604	47.5	100 IFA tablets consumed	10.6
16	PW who consumed 180 IFA tablets	977	23.7	1,584	46.9	Home Delivery	78.6
17	Home Delivery against expected delivery *	1,078	24.7	811	18.6	Institutional Delivery	21.4
18	Institutional Delivery against expected delivery *	1,436	33.0	826	19.0	Home Delivery by SBA	9.5
19	Home Delivery against reported delivery **	1,078	42.9	811	49.5	PNC within 2days of delivery	25.6
20	Institutional Delivery against reported delivery **	1,436	57.1	826	76.9		
21	Total reported Deliveries	2,514		1,637			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	27.9	432	53.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	773	30.7	742	45.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,504	58.2	1,625	37.8	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	18	0.4	12	0.3	BCG	87.1
27	PC of newborn weighted at birth to live birth	2,454	98.0	1,596	98.2	3 dose of DPT	79.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	1.8	32	2.0	Measles First dose	83.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,446	97.7	1,559	95.9	3 doses of penta or hepatitis B vaccine	70.9
30	Children fully immunized	2,216	51.5	1,734	40.3	Full Immunization	62.4
31	Children who have received BCG	3,026	70.3	2,174	50.5		
32	Children who have received Pentavalent 1	3,057	71.0	2,165	50.3		
33	Children who have received Pentavalent 3	2,818	65.5	1,868	43.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,253	52.3	1,751	40.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	221		132			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	3.7
37	Number of Tubectomies performed	124		35		Spacing	0.6
38	Number of IUD insertion	652		628		Women using any method	68.7
39	Number of IUD removals	230		207		Women using modern method	55.6

F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	162	65	
41	General OPD cases per 10,000 population ***	2431	2107	
42	Ayush OPD cases per 10,000 population ***	187	71	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	2	5	
44	Neonatal Deaths up to 4 weeks of birth	1	6	
45	Total Neonatal Death	3	11	
46	Deaths between (1 - 11) months	4	3	
47	Total reported infant deaths	7	14	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	0	

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	163,418			
2	Sex Ratio	951			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	44			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	23			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	3			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2011-12	2011-12		
10	Expected number of PW	3,092	3,092		
11	Expected number of Delivery	2,845	2,845		
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
		Number	PC	Number	PC

12	PW register for ANC	2,024	65.5	1,591	51.5	ANC Check up in first trimester	50.1
13	Mothers registered in the first trimester	488	24.1	330	20.7	At least 4ANC check up	9.5
14	Mothers who had 4 or more ANC check ups	279	13.8	240	15.1	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	1,091	53.9	875	55.0	100 IFA tablets consumed	13.5
16	PW who consumed 180 IFA tablets	1,180	58.3	1,117	70.2	Home Delivery	67.8
17	Home Delivery against expected delivery *	557	19.6	461	16.2	Institutional Delivery	32.2
18	Institutional Delivery against expected delivery *	669	23.5	549	19.3	Home Delivery by SBA	18.5
19	Home Delivery against reported delivery **	557	45.4	461	45.6	PNC within 2days of delivery	39.6
20	Institutional Delivery against reported delivery **	669	54.6	549	55.2		
21	Total reported Deliveries	1,226		1,010			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	474	85.1	375	81.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	661	53.9	524	51.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,218	43.3	1,008	35.9	Breastfed within 1 hour of birth	64.8
26	Total Still Birth	9	0.3	8	0.3	BCG	87.6
27	PC of newborn weighted at birth to live birth	1,159	95.2	948	94.0	3 dose of DPT	65.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	0.7	6	0.6	Measles First dose	71.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,185	97.3	983	97.5	3 doses of penta or hepatitis B vaccine	57.3
30	Children fully immunized	1,159	41.2	993	35.3	Full Immunization	54.6
31	Children who have received BCG	1,502	53.4	1,114	39.6		
32	Children who have received Pentavalent 1	1,600	56.9	1,160	41.3		
33	Children who have received Pentavalent 3	1,463	52.0	979	34.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,228	43.7	995	35.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	213		80			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	6.5

37	Number of Tubectomies performed	52	20	Spacing	3.5
38	Number of IUD insertion	332	168	Women using any method	56.3
39	Number of IUD removals	133	105	Women using modern method	47.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	301	192		
41	General OPD cases per 10,000 population ***	3743	3378		
42	Ayush OPD cases per 10,000 population ***	184	91		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	2	3		
44	Neonatal Deaths up to 4 weeks of birth	3	6		
45	Total Neonatal Death	5	9		
46	Deaths between (1 - 11) months	0	1		
47	Total reported infant deaths	5	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	3	0		

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)				
1	Population 2011	95,219			
2	Sex Ratio	917			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	16			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2011-12	2011-12		
10	Expected number of PW	1,802	1,802		

11	Expected number of Delivery	1,657		1,657			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,385	76.9	1,104	61.3	ANC Check up in first trimester	45.1
13	Mothers registered in the first trimester	284	20.5	280	25.4	At least 4ANC check up	14.5
14	Mothers who had 4 or more ANC check ups	273	19.7	190	17.2	Neonatal tetanus received	85.1
15	PW who got TT 2 / Booster injection	901	65.1	619	56.1	100 IFA tablets consumed	6.1
16	PW who consumed 180 IFA tablets	590	42.6	524	47.5	Home Delivery	56.5
17	Home Delivery against expected delivery *	180	10.9	168	10.1	Institutional Delivery	43.5
18	Institutional Delivery against expected delivery *	634	38.3	413	24.9	Home Delivery by SBA	9.6
19	Home Delivery against reported delivery **	180	22.1	168	28.9	PNC within 2days of delivery	46.9
20	Institutional Delivery against reported delivery **	634	77.9	413	95.8		
21	Total reported Deliveries	814		581			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	52.2	63	37.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	240	29.5	201	34.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,638		1,638			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	799	48.8	571	34.9	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	17	1.0	12	0.7	BCG	86.8
27	PC of newborn weighted at birth to live birth	742	92.9	527	92.3	3 dose of DPT	71.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.6	5	0.9	Measles First dose	74.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	665	83.2	499	87.4	3 doses of penta or hepatitis B vaccine	65.1
30	Children fully immunized	718	43.8	503	30.7	Full Immunization	63.3
31	Children who have received BCG	1,037	63.3	731	44.6		
32	Children who have received Pentavalent 1	1,151	70.3	760	46.4		
33	Children who have received Pentavalent 3	974	59.5	659	40.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	830	50.7	539	32.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	132		54			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning						HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed			0	0	Total unmet need	6.2		
37	Number of Tubectomies performed			31	0	Spacing	4.5		
38	Number of IUD insertion			108	73	Women using any method	58.6		
39	Number of IUD removals			57	33	Women using modern method	42		
F) Service delivery				HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
40	IPD cases per 10,000 population ***			148	84				
41	General OPD cases per 10,000 population ***			2876	2450				
42	Ayush OPD cases per 10,000 population ***			255	99				
G) Mortality Details									
I)	Infant Deaths (In Numbers)			HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
43	Neonatal death within 24 hours			0	0				
44	Neonatal Deaths up to 4 weeks of birth			0	0				
45	Total Neonatal Death			0	0				
46	Deaths between (1 - 11) months			1	2				
47	Total reported infant deaths			1	2				
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)			HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
48	Due to Abortion			0	0				
49	Due to Obstructed/prolonged labour			0	0				
50	Due to Severe hypertension/fits			0	0				
51	Due to Bleeding			0	1				
52	Due to High fever			0	0				
53	Due to Other Causes (including causes not known)			0	0				
54	Total reported maternal deaths			0	1				

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)		
1	Population 2011	196,596	
2	Sex Ratio	930	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	38	
4	Sub Centers (SC)- HWC	11	
5	Primary Health Centers (PHC)	13	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	2	

8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	3,720		3,720			
11	Expected number of Delivery	3,422		3,422			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,201	59.2	1,473	39.6	ANC Check up in first trimester	27.1
13	Mothers registered in the first trimester	354	16.1	292	19.8	At least 4ANC check up	4.4
14	Mothers who had 4 or more ANC check ups	108	4.9	165	11.2	Neonatal tetanus received	69
15	PW who got TT 2 / Booster injection	1,161	52.7	850	57.7	100 IFA tablets consumed	3.3
16	PW who consumed 180 IFA tablets	628	28.5	554	37.6	Home Delivery	65.2
17	Home Delivery against expected delivery *	420	12.3	391	11.4	Institutional Delivery	34.8
18	Institutional Delivery against expected delivery *	1,009	29.5	528	15.4	Home Delivery by SBA	4.8
19	Home Delivery against reported delivery **	420	29.4	391	42.5	PNC within 2days of delivery	29.5
20	Institutional Delivery against reported delivery **	1,009	70.6	528	98.6		
21	Total reported Deliveries	1,429		919			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	319	76.0	284	72.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	483	33.8	401	43.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,439	42.6	907	26.8	Breastfed within 1 hour of birth	69.4
26	Total Still Birth	16	0.5	17	0.5	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,419	98.6	884	97.5	3 dose of DPT	56.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	1.8	6	0.7	Measles First dose	53.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,374	95.5	874	96.4	3 doses of penta or hepatitis B vaccine	49.1
30	Children fully immunized	1,598	47.3	1,163	34.4	Full Immunization	39.9
31	Children who have received BCG	2,051	60.7	1,428	42.2		
32	Children who have received Pentavalent 1	2,142	63.3	1,605	47.5		
33	Children who have received Pentavalent 3	1,982	58.6	1,357	40.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,685	49.8	1,176	34.8		

35	Diarrhoea and Dehydration cases reported in children below 5 years	93	32		
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>					
E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	12.9
37	Number of Tubectomies performed	134	59	Spacing	5.9
38	Number of IUD insertion	145	154	Women using any method	52.6
39	Number of IUD removals	92	42	Women using modern method	37.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	228	73		
41	General OPD cases per 10,000 population ***	2304	1676		
42	Ayush OPD cases per 10,000 population ***	72	34		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	2	0		
45	Total Neonatal Death	2	1		
46	Deaths between (1 - 11) months	2	1		
47	Total reported infant deaths	4	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	1	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)		
1	Population 2011	166,343	
2	Sex Ratio	969	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	37	
4	Sub Centers (SC)- HWC	0	

5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	3,147		3,147			
11	Expected number of Delivery	2,895		2,895			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,226	39.0	819	26.0	ANC Check up in first trimester	57.8
13	Mothers registered in the first trimester	539	44.0	335	40.9	At least 4ANC check up	34.7
14	Mothers who had 4 or more ANC check ups	388	31.6	174	21.2	Neonatal tetanus received	77.6
15	PW who got TT 2 / Booster injection	1,010	82.4	542	66.2	100 IFA tablets consumed	12.9
16	PW who consumed 180 IFA tablets	693	56.5	463	56.5	Home Delivery	56.4
17	Home Delivery against expected delivery *	149	5.1	143	4.9	Institutional Delivery	43.6
18	Institutional Delivery against expected delivery *	765	26.4	470	16.2	Home Delivery by SBA	19.9
19	Home Delivery against reported delivery **	149	16.3	143	23.3	PNC within 2days of delivery	50.7
20	Institutional Delivery against reported delivery **	765	83.7	470	84.9		
21	Total reported Deliveries	914		613			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	28.2	38	26.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	837	91.6	572	93.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,861		2,861			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	915	32.0	607	21.2	Breastfed within 1 hour of birth	48.5
26	Total Still Birth	4	0.1	5	0.2	BCG	-73.3
27	PC of newborn weighted at birth to live birth	906	99.0	601	99.0	3 dose of DPT	-61.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.2	2	0.3	Measles First dose	-66.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	906	99.0	599	98.7	3 doses of penta or hepatitis B vaccine	-55.1
30	Children fully immunized	817	28.6	672	23.5	Full Immunization	-42.8
31	Children who have received BCG	1,049	36.7	719	25.1		
32	Children who have received Pentavalent 1	995	34.8	692	24.2		

33	Children who have received Pentavalent 3	915	32.0	621	21.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	841	29.4	683	23.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	303		103			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	3.2
37	Number of Tubectomies performed	106	6	Spacing	1.4
38	Number of IUD insertion	363	74	Women using any method	64.6
39	Number of IUD removals	19	15	Women using modern method	50.1
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	140	46		
41	General OPD cases per 10,000 population ***	3339	2258		
42	Ayush OPD cases per 10,000 population ***	113	51		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	3	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)		
1	Population 2011	140,757	
2	Sex Ratio	981	

B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	47					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	2,663		2,663			
11	Expected number of Delivery	2,450		2,450			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,166	43.8	854	32.1	ANC Check up in first trimester	46.5
13	Mothers registered in the first trimester	287	24.6	342	40.0	At least 4ANC check up	11.2
14	Mothers who had 4 or more ANC check ups	186	16.0	227	26.6	Neonatal tetanus received	81.3
15	PW who got TT 2 / Booster injection	406	34.8	453	53.0	100 IFA tablets consumed	5.5
16	PW who consumed 180 IFA tablets	129	11.1	361	42.3	Home Delivery	65
17	Home Delivery against expected delivery *	221	9.0	181	7.4	Institutional Delivery	35
18	Institutional Delivery against expected delivery *	673	27.5	451	18.4	Home Delivery by SBA	6.3
19	Home Delivery against reported delivery **	221	24.7	181	28.6	PNC within 2days of delivery	24.9
20	Institutional Delivery against reported delivery **	673	75.3	451	92.8		
21	Total reported Deliveries	894		632			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	165	74.7	154	85.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	374	41.8	452	71.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	886	36.6	621	25.7	Breastfed within 1 hour of birth	38.4
26	Total Still Birth	13	0.5	12	0.5	BCG	-82.2
27	PC of newborn weighted at birth to live birth	874	98.6	602	96.9	3 dose of DPT	-72.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.1	12	2.0	Measles First dose	-76.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	771	87.0	512	82.4	3 doses of penta or hepatitis B vaccine	-72.3

30	Children fully immunized	670	27.7	630	26.0	Full Immunization	-60.7
31	Children who have received BCG	979	40.4	695	28.7		
32	Children who have received Pentavalent 1	1,091	45.1	756	31.2		
33	Children who have received Pentavalent 3	1,047	43.2	675	27.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	857	35.4	627	25.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	613		366			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	2.8
37	Number of Tubectomies performed	135	51	Spacing	0.7
38	Number of IUD insertion	274	189	Women using any method	68.8
39	Number of IUD removals	103	77	Women using modern method	56.5
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	194	62		
41	General OPD cases per 10,000 population ***	4242	2704		
42	Ayush OPD cases per 10,000 population ***	119	46		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	5	4		
44	Neonatal Deaths up to 4 weeks of birth	2	1		
45	Total Neonatal Death	7	5		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	7	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	2	0		