

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	148					
4	Sub Centers (SC)- HWC	28					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	4					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	12,152	12,227				
11	Expected number of Delivery #	11,180	11,249				
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	9,343	76.9	5,772	47.2	ANC Check up in first trimester	63.7
13	Mothers registered in the first trimester	7,184	76.9	4,622	80.1	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	6,294	67.4	4,582	79.4	Neonatal tetanus received	92.0
15	PW who got TT 2 / Booster injection	7,282	77.9	5,514	95.5	100 IFA tablets consumed	54.7
16	PW who consumed 180 IFA tablets	5,960	63.8	5,424	94.0	Home Delivery	5.3
17	Home Delivery against expected delivery *	46	0.4	63	0.6	Institutional Delivery	94.7
18	Institutional Delivery against expected delivery *	7,065	63.2	5,716	50.8	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery **	46	0.6	63	1.1	PNC within 2days of delivery	69.3
20	Institutional Delivery against reported delivery **	7,065	99.4	5,716	98.9		
21	Total reported Deliveries	7,111		5,779			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	54.3	34	54.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,829	82.0	4,596	79.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	11,048		11,116			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,188	65.1	5,691	51.2	Breastfed within 1 hour of birth	33

26	Total Still Birth	113	1.0	143	1.3	BCG	96.6
27	PC of newborn weighted at birth to live birth	6,797	94.6	5,591	98.2	3 dose of DPT	91.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	621	9.1	513	9.2	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,766	66.3	3,735	65.6	3 doses of penta or hepatitis B vaccine	89.1
30	Children fully immunized	6,807	61.6	5,566	50.1	Full Immunization	80.6
31	Children who have received BCG	6,605	59.8	5,448	49.0		
32	Children who have received Pentavalent 1	7,405	67.0	5,460	49.1		
33	Children who have received Pentavalent 3	7,306	66.1	5,285	47.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,721	60.8	5,524	49.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,607		1,551			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	11.9
37	Number of Tubectomies performed	77	100	Spacing	4.9
38	Number of IUD insertion	296	187	Women using any method	69.1
39	Number of IUD removals	473	290	Women using modern method	54.9
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	407	223		
41	General OPD cases per 10,000 population ***	13491	6877		
42	Ayush OPD cases per 10,000 population ***	259	122		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	9	13		
44	Neonatal Deaths up to 4 weeks of birth	13	12		
45	<b>Total Neonatal Death</b>	22	25		
46	Deaths between (1 - 11) months	69	39		
47	<b>Total reported infant deaths</b>	91	64		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	2		
51	Due to Bleeding	1	2		
52	Due to High fever	0	1		

53	Due to Other Causes (including causes not known)	13	12	
54	<b>Total reported maternal deaths</b>	<b>15</b>	<b>17</b>	

### East Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	48					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	5,754		5,803			
11	Expected number of Delivery #	5,294		5,339			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,064	88.0	2,569	44.3	ANC Check up in first trimester	53.4
13	Mothers registered in the first trimester	3,525	69.6	1,856	72.2	At least 4ANC check up	43.8
14	Number of PW received 4 or more ANC check ups	2,832	55.9	1,966	76.5	Neonatal tetanus received	90.3
15	PW who got TT 2 / Booster injection	3,337	65.9	2,338	91.0	100 IFA tablets consumed	48.3
16	PW who consumed 180 IFA tablets	2,413	47.7	2,532	98.6	Home Delivery	8.2
17	Home Delivery against expected delivery *	20	0.4	21	0.4	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	5,147	97.2	3,729	69.8	Home Delivery by SBA	3.9
19	Home Delivery against reported delivery **	20	0.4	21	0.6	PNC within 2days of delivery	65.8
20	Institutional Delivery against reported delivery **	5,147	99.6	3,729	99.4		
21	Total reported Deliveries	5,167		3,750			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	60.0	12	57.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,958	57.2	2,304	61.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth #	5,231		5,276			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	5,192	99.3	3,716	70.4	Breastfed within 1 hour of birth	27.1
26	Total Still Birth	82	1.6	86	1.6	BCG	*
27	PC of newborn weighted at birth to live birth	4,845	93.3	3,625	97.6	3 dose of DPT	*
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	521	10.8	403	11.1	Measles First dose	*
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,896	55.8	1,802	48.5	3 doses of penta or hepatitis B vaccine	*
30	Children fully immunized	3,262	62.4	2,673	50.7	Full Immunization	*
31	Children who have received BCG	4,834	92.4	3,530	66.9		
32	Children who have received Pentavalent 1	3,645	69.7	2,596	49.2		
33	Children who have received Pentavalent 3	3,517	67.2	2,546	48.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,253	62.2	2,693	51.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,428		529			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)
36	Number of Vasectomies performed	0	0	Total unmet need 17.7
37	Number of Tubectomies performed	20	20	Spacing 7.2
38	Number of IUD insertion	155	84	Women using any method 54.3
39	Number of IUD removals	121	73	Women using modern method 42.8
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	273	114	
41	General OPD cases per 10,000 population ***	10437	5342	
42	Ayush OPD cases per 10,000 population ***	176	92	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	4	1	
44	Neonatal Deaths up to 4 weeks of birth	5	5	
45	<b>Total Neonatal Death</b>	9	6	
46	Deaths between (1 - 11) months	45	15	
47	<b>Total reported infant deaths</b>	54	21	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	1	

51	Due to Bleeding	1	1
52	Due to High fever	0	1
53	Due to Other Causes (including causes not known)	9	9
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>12</b>

### North Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	825		825			
11	Expected number of Delivery #	759		759			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	606	73.5	493	59.8	ANC Check up in first trimester	66.2
13	Mothers registered in the first trimester	501	82.7	399	80.9	At least 4ANC check up	59.4
14	Number of PW received 4 or more ANC check ups	503	83.0	415	84.2	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	582	96.0	493	100.0	100 IFA tablets consumed	74.0
16	PW who consumed 180 IFA tablets	531	87.6	451	91.5	Home Delivery	2.7
17	Home Delivery against expected delivery *	1	0.1	2	0.3	Institutional Delivery	97.3
18	Institutional Delivery against expected delivery *	166	21.9	160	21.1	Home Delivery by SBA	1.5
19	Home Delivery against reported delivery **	1	0.6	2	1.2	PNC within 2days of delivery	71.3
20	Institutional Delivery against reported delivery **	166	99.4	160	98.8		
21	Total reported Deliveries	167		162			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	1	50.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	388	232.3	386	238.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth #	750		750			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	208	27.7	163	21.7	Breastfed within 1 hour of birth	26.1
26	Total Still Birth	1	0.1	3	0.4	BCG	100
27	PC of newborn weighted at birth to live birth	177	85.1	163	100.0	3 dose of DPT	100
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.5	7	4.3	Measles First dose	96.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	176	84.6	158	96.9	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	608	81.1	399	53.2	Full Immunization	90.8
31	Children who have received BCG	190	25.3	163	21.7		
32	Children who have received Pentavalent 1	548	73.1	441	58.8		
33	Children who have received Pentavalent 3	551	73.5	455	60.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	610	81.3	382	51.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	280		124			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	12.8
37	Number of Tubectomies performed	0		0		Spacing	6.9
38	Number of IUD insertion	10		15		Women using any method	75.7
39	Number of IUD removals	34		41		Women using modern method	61
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	315		236			
41	General OPD cases per 10,000 population ***	18615		11510			
42	Ayush OPD cases per 10,000 population ***	148		0			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	1		0			
45	<b>Total Neonatal Death</b>	1		0			
46	Deaths between (1 - 11) months	0		0			
47	<b>Total reported infant deaths</b>	1		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

### South Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>146,850</b>					
2	Sex Ratio	<b>914</b>					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	<b>39</b>					
4	Sub Centers (SC)- HWC	<b>14</b>					
5	Primary Health Centers (PHC)	<b>6</b>					
6	Primary Health Centers (PHC)-HWC	<b>3</b>					
7	Community Health Centers (CHC)	<b>1</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW #	2,905		2,920			
11	Expected number of Delivery #	2,672		2,687			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,849	63.7	1,374	47.1	ANC Check up in first trimester	78.1
13	Mothers registered in the first trimester	1,602	86.6	1,222	88.9	At least 4ANC check up	84.5
14	Number of PW received 4 or more ANC check ups	1,492	80.7	1,065	77.5	Neonatal tetanus received	92.3
15	PW who got TT 2 / Booster injection	1,640	88.7	1,340	97.5	100 IFA tablets consumed	71.3
16	PW who consumed 180 IFA tablets	1,450	78.4	1,207	87.8	Home Delivery	2.6
17	Home Delivery against expected delivery *	16	0.6	20	0.7	Institutional Delivery	97.4
18	Institutional Delivery against expected delivery *	1,054	39.4	1,104	41.1	Home Delivery by SBA	2.0
19	Home Delivery against reported delivery **	16	1.5	20	1.8	PNC within 2days of delivery	83.1
20	Institutional Delivery against reported delivery **	1,054	98.5	1,104	98.2		
21	Total reported Deliveries	1,070		1,124			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	37.5	7	35.0		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,414	132.1	1,044	92.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,640		2,655			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,073	40.6	1,103	41.5	Breastfed within 1 hour of birth	28.2
26	Total Still Birth	17	0.6	26	1.0	BCG	89.5
27	PC of newborn weighted at birth to live birth	1,061	98.9	1,101	99.8	3 dose of DPT	89.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	4.5	61	5.5	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	992	92.5	1,077	97.6	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	1,493	56.5	1,254	47.2	Full Immunization	86.4
31	Children who have received BCG	875	33.1	1,095	41.2		
32	Children who have received Pentavalent 1	1,643	62.2	1,238	46.6		
33	Children who have received Pentavalent 3	1,669	63.2	1,134	42.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,488	56.4	1,247	47.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	727		329			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	5.2
37	Number of Tubectomies performed	57		80		Spacing	2.8
38	Number of IUD insertion	45		19		Women using any method	85
39	Number of IUD removals	142		65		Women using modern method	67.6
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	664		379			
41	General OPD cases per 10,000 population ***	15908		7584			
42	Ayush OPD cases per 10,000 population ***	369		198			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
43	Neonatal death within 24 hours	1		3			
44	Neonatal Deaths up to 4 weeks of birth	1		3			
45	<b>Total Neonatal Death</b>	2		6			



46	Deaths between (1 - 11) months	4	3	
47	<b>Total reported infant deaths</b>	6	9	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	1	
54	<b>Total reported maternal deaths</b>	3	2	

### West Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	42					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2019-20</b>	<b>2020-21</b>				
10	Expected number of PW #	2,678	2,690				
11	Expected number of Delivery #	2,463	2,474				
		<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,824	68.1	1,336	49.7	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	1,556	85.3	1,145	85.7	At least 4ANC check up	70.4
14	Number of PW received 4 or more ANC check ups	1,467	80.4	1,136	85.0	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	1,723	94.5	1,343	100.5	100 IFA tablets consumed	48.6
16	PW who consumed 180 IFA tablets	1,566	85.9	1,234	92.4	Home Delivery	0.7
17	Home Delivery against expected delivery *	9	0.4	20	0.8	Institutional Delivery	99.3
18	Institutional Delivery against expected delivery *	698	28.3	723	29.2	Home Delivery by SBA	0.0
19	Home Delivery against reported delivery **	9	1.3	20	2.7	PNC within 2days of delivery	63.6
20	Institutional Delivery against reported delivery **	698	98.7	723	97.3		
21	Total reported Deliveries	707		743			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	66.7	14	70.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,069	151.2	862	116.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,434		2,445			
<b>D) Child Immunization :</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	715	29.4	709	29.0	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	13	0.5	28	1.1	BCG	96.9
27	PC of newborn weighted at birth to live birth	714	99.9	702	99.0	3 dose of DPT	98.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	6.2	42	6.0	Measles First dose	98.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	702	98.2	698	98.4	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	1,444	59.3	1,240	50.7	Full Immunization	96.9
31	Children who have received BCG	706	29.0	660	27.0		
32	Children who have received Pentavalent 1	1,569	64.5	1,185	48.5		
33	Children who have received Pentavalent 3	1,569	64.5	1,150	47.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,370	56.3	1,202	49.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,172		569			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	0		0		Spacing	1.1
38	Number of IUD insertion	86		69		Women using any method	88.2
39	Number of IUD removals	176		111		Women using modern method	70.8
<b>F) Service delivery</b>		<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
40	IPD cases per 10,000 population ***	445		285			
41	General OPD cases per 10,000 population ***	15807		7972			
42	Ayush OPD cases per 10,000 population ***	352		140			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>		<b>HMIS (2020-21) 3rd QTR</b>			
43	Neonatal death within 24 hours	4		9			
44	Neonatal Deaths up to 4 weeks of birth	6		4			
45	<b>Total Neonatal Death</b>	10		13			
46	Deaths between (1 - 11) months	20		21			

47	<b>Total reported infant deaths</b>	30	34	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2019-20)</b>	<b>HMIS (2020-21) 3rd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	2	
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>	