

Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers(SC)	966					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	82					
6	Primary Health Centers (PHC)-HWC	31					
7	Community Health Centers (CHC)	22					
8	SDH	12					
9	DH	7					
	C) Maternal Health:	2019-20		2020-21			
10	Expected number of PW	59,890		60,773			
11	Expected number of Delivery	55,534		56,353			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	67,065	112.0	47,833	79.9	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	47,227	70.4	34,035	71.2	At least 4ANC check up	52.8
14	Number of PW received 4 or more ANC check ups	46,588	69.5	31,290	65.4	Neonatal tetanus received	90.2
15	PW who got TT 2 / Booster injection	51,405	76.6	37,658	78.7	100 IFA tablets consumed	18.8
16	PW who consumed 180 IFA tablets	31,354	46.8	18,688	39.1	Home Delivery	12.3
17	Home Delivery against expected delivery *	3,254	5.9	3,019	5.4	Institutional Delivery	87.7
18	Institutional Delivery against expected delivery *	48,904	88.1	35,268	62.6	Home Delivery by SBA	1.1
19	Home Delivery against reported delivery **	3,254	6.2	3,019	7.9	PNC within 2days of delivery	72.1
20	Institutional Delivery against reported delivery **	48,904	93.8	35,268	92.1		
21	Total reported Deliveries	52,158		38,287			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	0.4	9	0.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,417	66.0	28,237	73.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	54,445		55,248			
	D) Child Immunization :	HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	51,339	94.3	37,859	68.5	Breastfed within 1 hour of birth	46.4

26	Total Still Birth	850	1.6	703	1.3	BCG	97.6
27	PC of newborn weighted at birth to live birth	50,529	98.4	37,536	99.1	3 dose of DPT	89.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,012	11.9	4,316	11.5	Measles First dose	84.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	47,011	91.6	34,964	92.4	3 doses of penta or hepatitis B vaccine	86.8
30	Children fully immunized	48,546	89.2	35,069	63.5	Full Immunization	70.3
31	Children who have received BCG	50,390	92.6	32,815	59.4		
32	Children who have received Pentavalent 1	54,073	99.3	37,390	67.7		
33	Children who have received Pentavalent 3	50,905	93.5	34,962	63.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	49,098	90.2	35,242	63.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	11,469		2,283			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)
36	Number of Vasectomies performed	40	4	Total unmet need 15.3
37	Number of Tubectomies performed	2,961	1,259	Spacing 3.9
38	Number of IUD insertion	494	201	Women using any method 58.9
39	Number of IUD removals	214	141	Women using modern method 44.2
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	1037	456	
41	General OPD cases per 10,000 population ***	10521	4608	
42	Ayush OPD cases per 10,000 population ***	714	308	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	190	140	
44	Neonatal Deaths up to 4 weeks of birth	377	284	
45	Total Neonatal Death	567	424	
46	Deaths between (1 - 12) months	415	328	
47	Total reported infant deaths	982	752	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	3	0	
49	Due to Obstructed/prolonged labour	1	1	
50	Due to Severe hypertension/fits	2	0	
51	Due to Bleeding	6	3	
52	Due to High fever	0	1	

53	Due to Other Causes (including causes not known)	35	33	
54	Total reported maternal deaths	47	38	

Dhalai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	121					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	10					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	6,620		6,771			
11	Expected number of Delivery	6,138		6,278			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,750	117.1	5,690	86.0	ANC Check up in first trimester	58.1
13	Mothers registered in the first trimester	4,736	61.1	3,432	60.3	At least 4ANC check up	52.0
14	Number of PW received 4 or more ANC check ups	4,360	56.3	2,997	52.7	Neonatal tetanus received	97.8
15	PW who got TT 2 / Booster injection	6,331	81.7	4,614	81.1	100 IFA tablets consumed	26.0
16	PW who consumed 180 IFA tablets	4,529	58.4	2,859	50.2	Home Delivery	12.7
17	Home Delivery against expected delivery *	538	8.8	554	8.8	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	5,117	83.4	3,512	55.9	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	538	9.5	554	13.6	PNC within 2days of delivery	72.4
20	Institutional Delivery against reported delivery **	5,117	90.5	3,512	86.4		
21	Total reported Deliveries	5,655		4,066			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	9	1.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,901	33.6	1,678	41.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,018		6,155			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	5,592	92.9	4,064	66.0	Breastfed within 1 hour of birth	44.0
26	Total Still Birth	83	1.4	63	1.0	BCG	97.6
27	PC of newborn weighted at birth to live birth	5,515	98.6	3,985	98.1	3 dose of DPT	89.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	610	11.1	422	10.6	Measles First dose	90.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,331	95.3	3,906	96.1	3 doses of penta or hepatitis B vaccine	86.2
30	Children fully immunized	5,505	91.5	3,323	54.0	Full Immunization	73.7
31	Children who have received BCG	5,829	96.9	3,012	48.9		
32	Children who have received Pentavalent 1	6,773	112.5	4,182	67.9		
33	Children who have received Pentavalent 3	5,958	99.0	3,564	57.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,625	93.5	3,360	54.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,218		282			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)
36	Number of Vasectomies performed	0	0	Total unmet need 4.0
37	Number of Tubectomies performed	15	25	Spacing 1.8
38	Number of IUD insertion	95	29	Women using any method 80.9
39	Number of IUD removals	42	39	Women using modern method 53.3
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
40	IPD cases per 10,000 population ***	958	357	
41	General OPD cases per 10,000 population ***	8983	4220	
42	Ayush OPD cases per 10,000 population ***	417	133	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	15	16	
44	Neonatal Deaths up to 4 weeks of birth	29	16	
45	Total Neonatal Death	44	32	
46	Deaths between (1 - 12) months	65	50	
47	Total reported infant deaths	109	82	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	0	

51	Due to Bleeding	2	2	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	3	
54	Total reported maternal deaths	7	5	

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	147					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,082		7,181			
11	Expected number of Delivery	6,567		6,659			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	6,806	96.1	4,924	69.5	ANC Check up in first trimester	54.2
13	Mothers registered in the first trimester	5,555	81.6	4,007	81.4	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	4,149	61.0	2,949	59.9	Neonatal tetanus received	89.4
15	PW who got TT 2 / Booster injection	6,083	89.4	4,542	92.2	100 IFA tablets consumed	29.5
16	PW who consumed 180 IFA tablets	3,771	55.4	1,522	30.9	Home Delivery	10.3
17	Home Delivery against expected delivery *	147	2.2	176	2.6	Institutional Delivery	89.7
18	Institutional Delivery against expected delivery *	5,731	87.3	4,117	61.8	Home Delivery by SBA	0.7
19	Home Delivery against reported delivery **	147	2.5	176	4.1	PNC within 2days of delivery	68.0
20	Institutional Delivery against reported delivery **	5,731	97.5	4,117	95.9		
21	Total reported Deliveries	5,878		4,293			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.7	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,008	68.2	3,271	76.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	6,438		6,528			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,820	90.4	4,231	64.8	Breastfed within 1 hour of birth	15.8
26	Total Still Birth	94	1.5	80	1.2	BCG	89.0
27	PC of newborn weighted at birth to live birth	5,813	99.9	4,218	99.7	3 dose of DPT	81.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	561	9.7	611	14.5	Measles First dose	83.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,801	99.7	3,967	93.8	3 doses of penta or hepatitis B vaccine	72.7
30	Children fully immunized	5,585	86.7	4,138	63.4	Full Immunization	48.5
31	Children who have received BCG	6,079	94.4	4,232	64.8		
32	Children who have received Pentavalent 1	6,307	98.0	4,273	65.5		
33	Children who have received Pentavalent 3	5,992	93.1	4,166	63.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,602	87.0	4,151	63.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,418		233			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	15		0		Total unmet need	17.3
37	Number of Tubectomies performed	210		57		Spacing	3.7
38	Number of IUD insertion	19		4		Women using any method	50.7
39	Number of IUD removals	11		5		Women using modern method	40.3
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	1074		414			
41	General OPD cases per 10,000 population ***	9776		3267			
42	Ayush OPD cases per 10,000 population ***	550		200			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	29		18			
44	Neonatal Deaths up to 4 weeks of birth	19		25			
45	Total Neonatal Death	48		43			
46	Deaths between (1 - 12) months	23		23			
47	Total reported infant deaths	71		66			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			

48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	5	3	
54	Total reported maternal deaths	7	4	

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	104					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	5,236	5,301				
11	Expected number of Delivery	4,855	4,915				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	4,600	87.9	3,338	63.8	ANC Check up in first trimester	41.0
13	Mothers registered in the first trimester	3,214	69.9	2,384	71.4	At least 4ANC check up	24.6
14	Number of PW received 4 or more ANC check ups	2,842	61.8	1,934	57.9	Neonatal tetanus received	95.6
15	PW who got TT 2 / Booster injection	3,997	86.9	2,885	86.4	100 IFA tablets consumed	31.6
16	PW who consumed 180 IFA tablets	1,628	35.4	687	20.6	Home Delivery	28.5
17	Home Delivery against expected delivery *	110	2.3	106	2.2	Institutional Delivery	71.5
18	Institutional Delivery against expected delivery *	2,859	58.9	2,189	44.5	Home Delivery by SBA	2.9
19	Home Delivery against reported delivery **	110	3.7	106	4.6	PNC within 2days of delivery	44.5
20	Institutional Delivery against reported delivery **	2,859	96.3	2,189	95.4		
21	Total reported Deliveries	2,969		2,295			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	1.8	0	0.0		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,170	39.4	953	41.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,760		4,819			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,946	61.9	2,272	47.1	Breastfed within 1 hour of birth	21.7
26	Total Still Birth	39	0.8	30	0.6	BCG	85.1
27	PC of newborn weighted at birth to live birth	2,881	97.8	2,259	99.4	3 dose of DPT	78.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	447	15.5	323	14.3	Measles First dose	83.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,413	81.9	2,088	91.9	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	3,983	83.7	2,907	60.3	Full Immunization	58.3
31	Children who have received BCG	2,988	62.8	2,139	44.4		
32	Children who have received Pentavalent 1	4,184	87.9	2,934	60.9		
33	Children who have received Pentavalent 3	3,865	81.2	2,752	57.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,015	84.4	2,904	60.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	602		240			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	9.7
37	Number of Tubectomies performed	0		0		Spacing	3.7
38	Number of IUD insertion	25		18		Women using any method	66.8
39	Number of IUD removals	0		2		Women using modern method	40.2
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	666		358			
41	General OPD cases per 10,000 population ***	7405		3305			
42	Ayush OPD cases per 10,000 population ***	1011		341			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	5		8			
44	Neonatal Deaths up to 4 weeks of birth	5		7			
45	Total Neonatal Death	10		15			
46	Deaths between (1 - 12) months	16		17			

47	Total reported infant deaths	26	32	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	2	0	

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	95					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	14					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	6,942		7,062			
11	Expected number of Delivery	6,437		6,549			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,547	123.1	6,616	95.3	ANC Check up in first trimester	54.0
13	Mothers registered in the first trimester	5,560	65.1	4,830	73.0	At least 4ANC check up	40.6
14	Number of PW received 4 or more ANC check ups	5,492	64.3	4,342	65.6	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	7,275	85.1	5,541	83.8	100 IFA tablets consumed	22.0
16	PW who consumed 180 IFA tablets	1,978	23.1	2,367	35.8	Home Delivery	6.8
17	Home Delivery against expected delivery *	1,305	20.3	999	15.3	Institutional Delivery	93.2
18	Institutional Delivery against expected delivery *	4,111	63.9	3,515	53.7	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	1,305	24.1	999	22.1	PNC within 2days of delivery	66.3
20	Institutional Delivery against reported delivery **	4,111	75.9	3,515	77.9		

21	Total reported Deliveries	5,416		4,514			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	0.7	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,454	63.8	2,842	63.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,311		6,420			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,384	85.3	4,488	69.9	Breastfed within 1 hour of birth	24.8
26	Total Still Birth	41	0.6	73	1.1	BCG	91.8
27	PC of newborn weighted at birth to live birth	5,365	99.6	4,494	100.1	3 dose of DPT	83.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	434	8.1	378	8.4	Measles First dose	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,342	99.2	4,338	96.7	3 doses of penta or hepatitis B vaccine	80.6
30	Children fully immunized	6,334	100.4	4,811	74.9	Full Immunization	67.1
31	Children who have received BCG	5,992	94.9	3,934	61.3		
32	Children who have received Pentavalent 1	7,439	117.9	5,024	78.2		
33	Children who have received Pentavalent 3	7,066	112.0	4,381	68.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,436	102.0	4,819	75.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,136		317			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	12.1
37	Number of Tubectomies performed	53		0		Spacing	3.7
38	Number of IUD insertion	30		1		Women using any method	65.5
39	Number of IUD removals	0		1		Women using modern method	48.7
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	929		345			
41	General OPD cases per 10,000 population ***	8417		3008			
42	Ayush OPD cases per 10,000 population ***	438		151			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	13		10			

44	Neonatal Deaths up to 4 weeks of birth	26	15	
45	Total Neonatal Death	39	25	
46	Deaths between (1 - 12) months	41	32	
47	Total reported infant deaths	80	57	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	1	
53	Due to Other Causes (including causes not known)	4	5	
54	Total reported maternal deaths	5	6	

Sipahijala Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	146					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	7,744	7,840				
11	Expected number of Delivery	7,181	7,270				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	8,310	107.3	5,870	75.8	ANC Check up in first trimester	78.7
13	Mothers registered in the first trimester	6,249	75.2	4,243	72.3	At least 4ANC check up	61.2
14	Number of PW received 4 or more ANC check ups	4,727	56.9	3,762	64.1	Neonatal tetanus received	99.3
15	PW who got TT 2 / Booster injection	7,109	85.5	5,067	86.3	100 IFA tablets consumed	31.8
16	PW who consumed 180 IFA tablets	5,368	64.6	1,710	29.1	Home Delivery	4.7
17	Home Delivery against expected delivery *	244	3.4	371	5.1	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	3,512	48.9	2,697	37.1	Home Delivery by SBA	1.6

19	Home Delivery against reported delivery **	244	6.5	371	12.1	PNC within 2days of delivery	87.7
20	Institutional Delivery against reported delivery **	3,512	93.5	2,697	87.9		
21	Total reported Deliveries	3,756		3,068			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,946	131.7	3,499	114.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,040		7,128			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,732	53.0	3,042	42.7	Breastfed within 1 hour of birth	38.0
26	Total Still Birth	32	0.5	30	0.4	BCG	100.0
27	PC of newborn weighted at birth to live birth	3,696	99.0	3,022	99.3	3 dose of DPT	94.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	455	12.3	391	12.9	Measles First dose	94.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,340	89.5	3,007	98.8	3 doses of penta or hepatitis B vaccine	91.7
30	Children fully immunized	6,830	97.0	4,961	69.6	Full Immunization	88.4
31	Children who have received BCG	4,642	65.9	3,501	49.1		
32	Children who have received Pentavalent 1	7,263	103.2	5,434	76.2		
33	Children who have received Pentavalent 3	7,158	101.7	5,146	72.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,857	97.4	4,979	69.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	819		227			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	4		4		Total unmet need	2.5
37	Number of Tubectomies performed	131		28		Spacing	0.9
38	Number of IUD insertion	25		10		Women using any method	80.1
39	Number of IUD removals	6		2		Women using modern method	53.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	668		213			
41	General OPD cases per 10,000 population ***	9356		3373			
42	Ayush OPD cases per 10,000 population ***	1115		504			

G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
43	Neonatal death within 24 hours	6		1			
44	Neonatal Deaths up to 4 weeks of birth	16		4			
45	Total Neonatal Death	22		5			
46	Deaths between (1 - 12) months	11		16			
47	Total reported infant deaths	33		21			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	1		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	1		0			
South Tripura Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	110					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centers (PHC)-HWC	11					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	7,031		7,130			
11	Expected number of Delivery	6,520		6,611			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,006	99.6	5,230	74.4	ANC Check up in first trimester	57.2
13	Mothers registered in the first trimester	5,482	78.2	4,114	78.7	At least 4ANC check up	41.5
14	Number of PW received 4 or more ANC check ups	4,625	66.0	3,735	71.4	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	6,037	86.2	4,528	86.6	100 IFA tablets consumed	38.0
16	PW who consumed 180 IFA tablets	4,193	59.8	3,288	62.9	Home Delivery	4.3
17	Home Delivery against expected delivery *	197	3.0	168	2.5	Institutional	95.7

						Delivery	
18	Institutional Delivery against expected delivery *	4,307	66.1	3,377	51.1	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	197	4.4	168	4.7	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	4,307	95.6	3,377	95.3		
21	Total reported Deliveries	4,504		3,545			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,471	77.1	2,938	82.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,392		6,482			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,480	70.1	3,534	54.5	Breastfed within 1 hour of birth	20.9
26	Total Still Birth	40	0.6	41	0.6	BCG	96.1
27	PC of newborn weighted at birth to live birth	4,455	99.4	3,443	97.4	3 dose of DPT	87.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	506	11.4	313	9.1	Measles First dose	85.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,451	99.4	3,424	96.9	3 doses of penta or hepatitis B vaccine	85.7
30	Children fully immunized	5,875	91.9	4,422	68.2	Full Immunization	60.7
31	Children who have received BCG	4,861	76.0	3,439	53.1		
32	Children who have received Pentavalent 1	6,198	97.0	4,468	68.9		
33	Children who have received Pentavalent 3	5,919	92.6	4,372	67.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,886	92.1	4,423	68.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,142		346			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	4.1
37	Number of Tubectomies performed	86		48		Spacing	2.2
38	Number of IUD insertion	176		88		Women using any method	79.9
39	Number of IUD removals	71		53		Women using modern method	49.9
F) Service delivery		HMIS (2019-20)		HMIS (2020-21) 3rd QTR			
40	IPD cases per 10,000 population ***	1058		393			

41	General OPD cases per 10,000 population ***	10702	5609	
42	Ayush OPD cases per 10,000 population ***	607	346	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
43	Neonatal death within 24 hours	8	7	
44	Neonatal Deaths up to 4 weeks of birth	21	12	
45	Total Neonatal Death	29	19	
46	Deaths between (1 - 12) months	32	55	
47	Total reported infant deaths	61	74	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	1	
54	Total reported maternal deaths	2	1	

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	277,335	
2	Sex Ratio	0	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers(SC)	70	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers(PHC)	6	
6	Primary Health Centers (PHC)-HWC	5	
7	Community Health Centers (CHC)	1	
8	SDH	1	
9	DH	1	

C) Maternal Health:

		2019-20		2020-21			
10	Expected number of PW	4,629		4,709			
11	Expected number of Delivery	4,292		4,367			
		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,236	113.1	3,915	84.6	ANC Check up in first trimester	63.2
13	Mothers registered in the first trimester	3,432	65.5	2,765	70.6	At least 4ANC check up	52.7
14	Number of PW received 4 or more ANC check ups	3,377	64.5	2,430	62.1	Neonatal tetanus received	94.9

15	PW who got TT 2 / Booster injection	4,300	82.1	3,154	80.6	100 IFA tablets consumed	26.7
16	PW who consumed 180 IFA tablets	3,057	58.4	2,394	61.1	Home Delivery	10.8
17	Home Delivery against expected delivery *	568	13.2	462	10.6	Institutional Delivery	89.2
18	Institutional Delivery against expected delivery *	3,075	71.6	2,186	50.1	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	568	15.6	462	17.4	PNC within 2days of delivery	71.9
20	Institutional Delivery against reported delivery **	3,075	84.4	2,186	82.6		
21	Total reported Deliveries	3,643		2,648			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.2	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,162	31.9	1,179	44.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,208		4,281			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,466	82.4	2,617	61.1	Breastfed within 1 hour of birth	36.4
26	Total Still Birth	64	1.5	49	1.1	BCG	94.7
27	PC of newborn weighted at birth to live birth	3,171	91.5	2,514	96.1	3 dose of DPT	85.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	458	14.4	229	9.1	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,090	89.2	2,438	93.2	3 doses of penta or hepatitis B vaccine	82.5
30	Children fully immunized	3,925	93.3	3,133	73.2	Full Immunization	69.5
31	Children who have received BCG	3,485	82.8	2,383	55.7		
32	Children who have received Pentavalent 1	4,562	108.4	3,141	73.4		
33	Children who have received Pentavalent 3	4,209	100.0	2,930	68.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,070	96.7	3,172	74.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,610		457			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	19		0		Total unmet need	8.2
37	Number of Tubectomies performed	169		59		Spacing	2.5
38	Number of IUD insertion	25		5		Women using any method	71.2
39	Number of IUD removals	7		3		Women using modern method	49.1

F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
40	IPD cases per 10,000 population ***	812	351				
41	General OPD cases per 10,000 population ***	8746	3900				
42	Ayush OPD cases per 10,000 population ***	970	475				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
43	Neonatal death within 24 hours	16	13				
44	Neonatal Deaths up to 4 weeks of birth	19	18				
45	Total Neonatal Death	35	31				
46	Deaths between (1 - 12) months	56	35				
47	Total reported infant deaths	91	66				
II)	Maternal Mortality	HMIS (2019-20)	HMIS (2020-21) 3rd QTR				
	Maternal Deaths (In Numbers)						
48	Due to Abortion	1	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	5	6				
54	Total reported maternal deaths	6	6				
West Tripura Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	173					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	13					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	14,673	14,856				
11	Expected number of Delivery	13,606	13,776				
		HMIS (2019-20)	HMIS (2020-21) 3rd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
12	PW register for ANC	18,810	128.2	12,250	83.5	ANC Check up in first trimester	75.5
13	Mothers registered in the first trimester	12,999	69.1	8,260	67.4	At least 4ANC check up	67.1

14	Number of PW received 4 or more ANC check ups	17,016	90.5	9,141	74.6	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	10,273	54.6	7,327	59.8	100 IFA tablets consumed	17.3
16	PW who consumed 180 IFA tablets	6,830	36.3	3,861	31.5	Home Delivery	14.6
17	Home Delivery against expected delivery *	145	1.1	183	1.3	Institutional Delivery	85.4
18	Institutional Delivery against expected delivery *	20,192	148.4	13,675	99.3	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	145	0.7	183	1.3	PNC within 2days of delivery	76.6
20	Institutional Delivery against reported delivery **	20,192	99.3	13,675	98.7		
21	Total reported Deliveries	20,337		13,858			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,305	70.3	11,877	85.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	13,339		13,506			
D) Child Immunization :		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	19,919	149.3	13,611	100.8	Breastfed within 1 hour of birth	61.1
26	Total Still Birth	457	3.4	337	2.5	BCG	93.1
27	PC of newborn weighted at birth to live birth	19,633	98.6	13,601	99.9	3 dose of DPT	77.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,541	12.9	1,649	12.1	Measles First dose	74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,243	86.6	11,796	86.7	3 doses of penta or hepatitis B vaccine	74.6
30	Children fully immunized	10,509	78.8	7,374	54.6	Full Immunization	69.6
31	Children who have received BCG	16,514	123.8	10,175	75.3		
32	Children who have received Pentavalent 1	11,347	85.1	7,934	58.7		
33	Children who have received Pentavalent 3	10,738	80.5	7,651	56.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,607	79.5	7,434	55.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,524		181			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2019-20)		HMIS (2020-21) 3rd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2		0		Total unmet need	6.1
37	Number of Tubectomies performed	2,297		1,042		Spacing	2.5
38	Number of IUD insertion	99		46		Women using any method	78.3

39	Number of IUD removals	77	36	Women using modern method	54.4
F) Service delivery		HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
40	IPD cases per 10,000 population ***	1488	799		
41	General OPD cases per 10,000 population ***	14722	7032		
42	Ayush OPD cases per 10,000 population ***	707	327		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
43	Neonatal death within 24 hours	98	67		
44	Neonatal Deaths up to 4 weeks of birth	242	187		
45	Total Neonatal Death	340	254		
46	Deaths between (1 - 12) months	171	100		
47	Total reported infant deaths	511	354		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2019-20)	HMIS (2020-21) 3rd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	15	15		
54	Total reported maternal deaths	17	16		