

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	4,678					
4	Primary Health Centers (PHC)	1,001					
5	Community Health Centers (CHC)	199					
6	SDH	14					
7	DH	24					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	8,42,417		8,52,619			
9	Expected number of Delivery	7,84,979		7,94,485			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,58,707	78.2	6,55,125	76.8	ANC Check up in first trimester	63.8
11	Mothers registered in the first trimester	5,78,713	87.9	5,88,341	89.8	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,30,660	80.6	5,45,202	83.2	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	6,14,466	93.3	6,10,475	93.2	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,27,106	95.2	6,35,403	97.0	Home Delivery	15.9
15	Home Delivery against expected delivery *	61,127	7.8	50,052	6.3	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,19,522	66.2	5,23,369	65.9	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	61,127	10.5	50,052	8.7	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,19,522	89.5	5,23,369	91.3		
19	Total reported Deliveries	5,80,649		5,73,421			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,853	30.8	18,118	36.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,80,547	82.8	4,65,860	81.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,65,833		7,75,108			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	5,72,187	74.7	5,65,794	73.0	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	12,444	1.6	11,511	1.5	BCG	92.5

25	PC of newborn weighted at birth to live birth	5,63,651	98.5	5,56,071	98.3	3 dose of DPT	81.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	80,274	14.2	73,974	13.3	Measles First dose	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,53,829	96.8	5,52,190	97.6	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	5,99,110	78.2	6,06,444	78.2	Full Immunization	66.4
29	Children who have received BCG	6,23,380	81.4	6,15,331	79.4		
30	Children who have received Pentavalent 1	6,05,825	79.1	6,04,882	78.0		
31	Children who have received Pentavalent 3	5,88,261	76.8	5,86,017	75.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,07,861	79.4	6,07,799	78.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	48,332		29,058			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	562	466	Total unmet need	11
35	Number of Tubectomies performed	21,361	23,619	Spacing	4.1
36	Number of IUD insertion	46,259	46,733	Women using any method	60.8
37	Number of IUD removals	12,222	13,335	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	302	344		
39	General OPD cases per 10,000 population ***	5,862	6,806		
40	Ayush OPD cases per 10,000 population ***	365	365		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	1,643	1,231		
42	Neonatal Deaths up to 4 weeks of birth	5,837	4,673		
43	Total Neonatal Death	7,480	5,904		
44	Deaths between (1 - 11) months	2,910	2,001		
45	Total reported infant deaths	10,390	7,905		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	22	14		
47	Due to Obstructed/prolonged labour	29	11		
48	Due to Severe hypertension / fits	144	99		
49	Due to Bleeding	108	114		
50	Due to High fever	30	14		
51	Due to Other Causes (including causes not known)	709	500		
52	Total reported maternal deaths	1,042	752		

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	24,370	24,525				
9	Expected number of Delivery	22,708	22,853				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,653	64.2	15,313	62.4	ANC Check up in first trimester 61.1	
11	Mothers registered in the first trimester	13,792	88.1	13,976	91.3	At least 4ANC check up 56.0	
12	Mothers who had 4 or more ANC check ups	12,398	79.2	13,184	86.1	Neonatal tetanus received 95.0	
13	PW who got TT 2 / Booster injection	14,299	91.3	13,577	88.7	100 IFA tablets consumed 56.2	
14	PW who consumed 180 IFA tablets	14,460	92.4	14,699	96.0	Home Delivery 10.1	
15	Home Delivery against expected delivery *	386	1.7	276	1.2	Institutional Delivery 89.9	
16	Institutional Delivery against expected delivery *	7,329	32.3	6,759	29.6	Home Delivery by SBA 4.6	
17	Home Delivery against reported delivery **	386	5.0	276	3.9	PNC within 2days of delivery 65.0	
18	Institutional Delivery against reported delivery **	7,329	95.0	6,759	96.1		
19	Total reported Deliveries	7,715		7,035			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	295	76.4	191	69.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,765	165.5	10,632	151.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,154		22,296			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	7,630	34.4	6,922	31.0	Breastfed within 1 hour of birth 34.9	
24	Total Still Birth	141	0.6	129	0.6	BCG 93.6	

25	PC of newborn weighted at birth to live birth	7,561	99.1	6,920	100.0	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	916	12.1	829	12.0	Measles First dose	91.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,618	99.8	6,912	99.9	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	14,313	64.6	14,091	63.2	Full Immunization	70.5
29	Children who have received BCG	12,483	56.3	11,204	50.3		
30	Children who have received Pentavalent 1	14,508	65.5	13,769	61.8		
31	Children who have received Pentavalent 3	14,484	65.4	13,324	59.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,426	65.1	14,077	63.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	896		400			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	3	Total unmet need	12.5
35	Number of Tubectomies performed	527	186	Spacing	5.7
36	Number of IUD insertion	907	1,344	Women using any method	59.2
37	Number of IUD removals	455	570	Women using modern method	47.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	94	93		
39	General OPD cases per 10,000 population ***	3,477	4,104		
40	Ayush OPD cases per 10,000 population ***	961	832		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	15	11		
42	Neonatal Deaths up to 4 weeks of birth	64	52		
43	Total Neonatal Death	79	63		
44	Deaths between (1 - 11) months	99	76		
45	Total reported infant deaths	178	139		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	5	0		
49	Due to Bleeding	3	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	8	7		
52	Total reported maternal deaths	17	8		

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	16,93,622				
2	Sex Ratio	951				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	264				
4	Primary Health Centers (PHC)	48				
5	Community Health Centers (CHC)	11				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	47,561	48,349			
9	Expected number of Delivery	44,319	45,052			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	41,428	87.1	41,413	85.7	ANC Check up in first trimester 62.2
11	Mothers registered in the first trimester	37,842	91.3	38,418	92.8	At least 4ANC check up 43.6
12	Mothers who had 4 or more ANC check ups	34,872	84.2	35,311	85.3	Neonatal tetanus received 94.9
13	PW who got TT 2 / Booster injection	38,119	92.0	38,403	92.7	100 IFA tablets consumed 49.4
14	PW who consumed 180 IFA tablets	39,062	94.3	40,700	98.3	Home Delivery 12.4
15	Home Delivery against expected delivery *	5,684	12.8	4,809	10.7	Institutional Delivery 87.6
16	Institutional Delivery against expected delivery *	33,240	75.0	34,495	76.6	Home Delivery by SBA 0.6
17	Home Delivery against reported delivery **	5,684	14.6	4,809	12.2	PNC within 2days of delivery 70.5
18	Institutional Delivery against reported delivery **	33,240	85.4	34,495	87.8	
19	Total reported Deliveries	38,924		39,304		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,221	56.7	2,846	59.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,108	87.6	33,515	85.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	43,238		43,954		
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	38,168	88.3	38,432	87.4	Breastfed within 1 hour of birth 46.4
24	Total Still Birth	1,046	2.4	1,059	2.4	BCG 94.3

25	PC of newborn weighted at birth to live birth	38,160	100.0	38,427	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,210	13.7	5,482	14.3	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,835	99.1	38,225	99.5	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,466	84.3	36,701	83.5	Full Immunization	54.6
29	Children who have received BCG	41,199	95.3	40,217	91.5		
30	Children who have received Pentavalent 1	38,068	88.0	37,310	84.9		
31	Children who have received Pentavalent 3	37,118	85.8	36,411	82.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,132	85.9	36,713	83.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	795		544			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	3	Total unmet need	12.3
35	Number of Tubectomies performed	1,332	1,671	Spacing	3.9
36	Number of IUD insertion	2,947	2,598	Women using any method	57.3
37	Number of IUD removals	490	499	Women using modern method	47.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	285	326		
39	General OPD cases per 10,000 population ***	5,259	6,108		
40	Ayush OPD cases per 10,000 population ***	539	618		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	89	38		
42	Neonatal Deaths up to 4 weeks of birth	655	371		
43	Total Neonatal Death	744	409		
44	Deaths between (1 - 11) months	56	100		
45	Total reported infant deaths	800	509		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	3	0		
47	Due to Obstructed/prolonged labour	3	0		
48	Due to Severe hypertension / fits	26	19		
49	Due to Bleeding	6	9		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	57	63		
52	Total reported maternal deaths	95	91		

Biswanath Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,12,491					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	135					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	3					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	16,351		16,529			
9	Expected number of Delivery	15,236		15,402			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,935	85.2	13,581	82.2	ANC Check up in first trimester	41.2
11	Mothers registered in the first trimester	12,557	90.1	12,623	92.9	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	11,466	82.3	11,471	84.5	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	13,177	94.6	12,695	93.5	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	13,314	95.5	12,987	95.6	Home Delivery	15.7
15	Home Delivery against expected delivery *	436	2.9	388	2.5	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	9,921	65.1	8,906	57.8	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	436	4.2	388	4.2	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	9,921	95.8	8,906	95.8		
19	Total reported Deliveries	10,357		9,294			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	19.3	91	23.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,726	93.9	10,195	109.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,865		15,026			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	10,200	68.6	9,202	61.2	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	188	1.3	113	0.8	BCG	88.3

25	PC of newborn weighted at birth to live birth	10,197	100.0	9,120	99.1	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,184	11.6	1,108	12.1	Measles First dose	87.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,165	99.7	8,987	97.7	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,748	85.8	12,311	81.9	Full Immunization	66.2
29	Children who have received BCG	11,950	80.4	11,305	75.2		
30	Children who have received Pentavalent 1	12,770	85.9	12,293	81.8		
31	Children who have received Pentavalent 3	12,590	84.7	11,950	79.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	85.6	12,322	82.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	367		103			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	7	0	Total unmet need	5.3
35	Number of Tubectomies performed	296	23	Spacing	1.4
36	Number of IUD insertion	403	121	Women using any method	72.4
37	Number of IUD removals	116	69	Women using modern method	56.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	524	423		
39	General OPD cases per 10,000 population ***	10,897	10,070		
40	Ayush OPD cases per 10,000 population ***	159	103		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	54	30		
42	Neonatal Deaths up to 4 weeks of birth	92	62		
43	Total Neonatal Death	146	92		
44	Deaths between (1 - 11) months	108	51		
45	Total reported infant deaths	254	143		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	6	1		
49	Due to Bleeding	3	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	30	6		
52	Total reported maternal deaths	41	10		

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,38,804					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	108					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	20,417	20,718				
9	Expected number of Delivery	19,025	19,306				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,974	73.3	15,086	72.8	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	13,319	88.9	13,993	92.8	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	10,741	71.7	13,463	89.2	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	12,964	86.6	14,140	93.7	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	14,452	96.5	15,086	100.0	Home Delivery	15.5
15	Home Delivery against expected delivery *	853	4.5	456	2.4	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	13,177	69.3	13,371	69.3	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	853	6.1	456	3.3	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	13,177	93.9	13,371	96.7		
19	Total reported Deliveries	14,030		13,827			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	208	24.4	387	84.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,305	87.7	12,333	89.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,561		18,835			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	13,997	75.4	13,765	73.1	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	261	1.4	233	1.2	BCG	94.1

25	PC of newborn weighted at birth to live birth	13,463	96.2	13,584	98.7	3 dose of DPT	80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,074	15.4	1,715	12.6	Measles First dose	84.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,461	96.2	13,627	99.0	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	12,755	68.7	13,349	70.9	Full Immunization	67.9
29	Children who have received BCG	13,165	70.9	16,221	86.1		
30	Children who have received Pentavalent 1	13,742	74.0	13,925	73.9		
31	Children who have received Pentavalent 3	12,782	68.9	13,362	70.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	68.5	13,349	70.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	249		193			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	0	Total unmet need	16.1
35	Number of Tubectomies performed	439	559	Spacing	5.1
36	Number of IUD insertion	731	1,147	Women using any method	57.6
37	Number of IUD removals	177	212	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	169	360		
39	General OPD cases per 10,000 population ***	3,511	5,697		
40	Ayush OPD cases per 10,000 population ***	220	141		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	27	21		
42	Neonatal Deaths up to 4 weeks of birth	90	56		
43	Total Neonatal Death	117	77		
44	Deaths between (1 - 11) months	45	42		
45	Total reported infant deaths	162	119		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	3		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	16	1		
52	Total reported maternal deaths	21	6		

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	269					
4	Primary Health Centers (PHC)	32					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	48,243	48,983				
9	Expected number of Delivery	44,953	45,643				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	38,935	80.7	38,854	79.3	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	34,344	88.2	35,076	90.3	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	34,614	88.9	34,341	88.4	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	38,150	98.0	38,086	98.0	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	36,286	93.2	38,064	98.0	Home Delivery	20.8
15	Home Delivery against expected delivery *	1,372	3.1	767	1.7	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	40,084	89.2	41,891	91.8	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	1,372	3.3	767	1.8	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	40,084	96.7	41,891	98.2		
19	Total reported Deliveries	41,456		42,658			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	732	53.4	504	65.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,704	57.2	22,287	52.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	43,857		44,530			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	40,329	92.0	41,755	93.8	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	1,269	2.9	1,239	2.8	BCG	88.3

25	PC of newborn weighted at birth to live birth	40,132	99.5	41,361	99.1	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,140	15.3	6,769	16.4	Measles First dose	76.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	40,064	99.3	41,339	99.0	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	40,254	91.8	41,305	92.8	Full Immunization	70.4
29	Children who have received BCG	44,933	102.5	45,889	103.1		
30	Children who have received Pentavalent 1	39,376	89.8	43,524	97.7		
31	Children who have received Pentavalent 3	39,060	89.1	42,750	96.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	40,224	91.7	41,179	92.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,032		1,841			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	72	110	Total unmet need	15.6
35	Number of Tubectomies performed	1,161	1,416	Spacing	6.9
36	Number of IUD insertion	1,715	2,145	Women using any method	48
37	Number of IUD removals	150	197	Women using modern method	38.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	469	514		
39	General OPD cases per 10,000 population ***	6,572	9,811		
40	Ayush OPD cases per 10,000 population ***	25	16		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	108	122		
42	Neonatal Deaths up to 4 weeks of birth	303	327		
43	Total Neonatal Death	411	449		
44	Deaths between (1 - 11) months	124	188		
45	Total reported infant deaths	535	637		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	7	0		
48	Due to Severe hypertension / fits	16	7		
49	Due to Bleeding	23	4		
50	Due to High fever	20	3		
51	Due to Other Causes (including causes not known)	69	75		
52	Total reported maternal deaths	135	89		

Charaideo Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,58,615					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	70					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	11,576	11,630				
9	Expected number of Delivery	10,787	10,837				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,746	66.9	7,490	64.4	ANC Check up in first trimester 74.1	
11	Mothers registered in the first trimester	7,024	90.7	6,833	91.2	At least 4ANC check up 64.5	
12	Mothers who had 4 or more ANC check ups	6,165	79.6	6,316	84.3	Neonatal tetanus received 95.9	
13	PW who got TT 2 / Booster injection	7,060	91.1	6,739	90.0	100 IFA tablets consumed 51.7	
14	PW who consumed 180 IFA tablets	7,447	96.1	8,072	107.8	Home Delivery 11.8	
15	Home Delivery against expected delivery *	45	0.4	31	0.3	Institutional Delivery 88.2	
16	Institutional Delivery against expected delivery *	3,680	34.1	3,317	30.6	Home Delivery by SBA 2.2	
17	Home Delivery against reported delivery **	45	1.2	31	0.9	PNC within 2days of delivery 70.5	
18	Institutional Delivery against reported delivery **	3,680	98.8	3,317	99.1		
19	Total reported Deliveries	3,725		3,348			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	31	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,016	134.7	4,731	141.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	10,524		10,572			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	3,741	35.5	3,292	31.1	Breastfed within 1 hour of birth 58.3	
24	Total Still Birth	68	0.6	56	0.5	BCG 96.2	

25	PC of newborn weighted at birth to live birth	3,709	99.1	3,296	100.1	3 dose of DPT	90.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	548	14.8	558	16.9	Measles First dose	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,730	99.7	3,285	99.8	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	7,314	69.5	6,988	66.1	Full Immunization	74
29	Children who have received BCG	4,644	44.1	4,263	40.3		
30	Children who have received Pentavalent 1	7,411	70.4	7,048	66.7		
31	Children who have received Pentavalent 3	7,278	69.2	6,558	62.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,432	70.6	6,990	66.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	429		235			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	8.3
35	Number of Tubectomies performed	455	545	Spacing	3.7
36	Number of IUD insertion	455	1,030	Women using any method	67
37	Number of IUD removals	90	129	Women using modern method	43.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	140	109		
39	General OPD cases per 10,000 population ***	9,627	10,855		
40	Ayush OPD cases per 10,000 population ***	51	132		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	2	5		
42	Neonatal Deaths up to 4 weeks of birth	33	5		
43	Total Neonatal Death	35	10		
44	Deaths between (1 - 11) months	21	7		
45	Total reported infant deaths	56	17		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	1		
52	Total reported maternal deaths	2	1		

Chirang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	87					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	12,378	12,458				
9	Expected number of Delivery	11,534	11,608				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,617	77.7	9,294	74.6	ANC Check up in first trimester 55.9	
11	Mothers registered in the first trimester	7,628	79.3	7,782	83.7	At least 4ANC check up 56.5	
12	Mothers who had 4 or more ANC check ups	6,543	68.0	6,775	72.9	Neonatal tetanus received 96.1	
13	PW who got TT 2 / Booster injection	8,860	92.1	8,803	94.7	100 IFA tablets consumed 47.1	
14	PW who consumed 180 IFA tablets	8,142	84.7	8,814	94.8	Home Delivery 16.3	
15	Home Delivery against expected delivery *	1,692	14.7	1,407	12.1	Institutional Delivery 83.7	
16	Institutional Delivery against expected delivery *	5,923	51.4	6,189	53.3	Home Delivery by SBA 2.7	
17	Home Delivery against reported delivery **	1,692	22.2	1,407	18.5	PNC within 2days of delivery 59.7	
18	Institutional Delivery against reported delivery **	5,923	77.8	6,189	81.5		
19	Total reported Deliveries	7,615		7,596			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	5.4	78	5.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,734	62.2	4,149	54.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,252		11,325			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	7,520	66.8	7,538	66.6	Breastfed within 1 hour of birth 40.5	
24	Total Still Birth	120	1.1	93	0.8	BCG 98.2	

25	PC of newborn weighted at birth to live birth	7,519	100.0	7,527	99.9	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	988	13.1	865	11.5	Measles First dose	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,510	99.9	7,502	99.5	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,360	74.3	8,197	72.4	Full Immunization	71.1
29	Children who have received BCG	8,288	73.7	8,888	78.5		
30	Children who have received Pentavalent 1	8,854	78.7	8,432	74.5		
31	Children who have received Pentavalent 3	8,362	74.3	8,213	72.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,389	74.6	8,221	72.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	807		670			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	12	87	Spacing	3.7
36	Number of IUD insertion	696	809	Women using any method	65.8
37	Number of IUD removals	537	538	Women using modern method	55.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	280	293		
39	General OPD cases per 10,000 population ***	4,794	4,817		
40	Ayush OPD cases per 10,000 population ***	434	521		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	22	20		
42	Neonatal Deaths up to 4 weeks of birth	57	41		
43	Total Neonatal Death	79	61		
44	Deaths between (1 - 11) months	90	33		
45	Total reported infant deaths	169	94		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	11		
52	Total reported maternal deaths	12	14		

Darrang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	25,644		26,020			
9	Expected number of Delivery	23,895		24,246			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,817	85.1	21,999	84.5	ANC Check up in first trimester	56.5
11	Mothers registered in the first trimester	21,194	97.1	21,682	98.6	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	19,743	90.5	20,655	93.9	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	20,309	93.1	20,804	94.6	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	20,217	92.7	22,142	100.7	Home Delivery	15.6
15	Home Delivery against expected delivery *	352	1.5	108	0.4	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	18,545	77.6	19,008	78.4	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	352	1.9	108	0.6	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	18,545	98.1	19,008	99.4		
19	Total reported Deliveries	18,897		19,116			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	335	95.2	107	99.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,820	120.8	23,484	122.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,312		23,655			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	18,742	80.4	18,947	80.1	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	281	1.2	304	1.3	BCG	94.9

25	PC of newborn weighted at birth to live birth	18,675	99.6	18,897	99.7	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,723	19.9	1,878	9.9	Measles First dose	82.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,398	98.2	18,558	97.9	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,908	85.4	19,678	83.2	Full Immunization	57.1
29	Children who have received BCG	19,625	84.2	19,303	81.6		
30	Children who have received Pentavalent 1	19,899	85.4	19,706	83.3		
31	Children who have received Pentavalent 3	19,847	85.1	19,422	82.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,880	85.3	19,630	83.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,421		1,750			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	14.8
35	Number of Tubectomies performed	564	797	Spacing	5.8
36	Number of IUD insertion	1,673	2,325	Women using any method	46.8
37	Number of IUD removals	513	619	Women using modern method	36.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	391	376		
39	General OPD cases per 10,000 population ***	5,007	5,914		
40	Ayush OPD cases per 10,000 population ***	264	276		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	11	8		
42	Neonatal Deaths up to 4 weeks of birth	143	129		
43	Total Neonatal Death	154	137		
44	Deaths between (1 - 11) months	45	24		
45	Total reported infant deaths	199	161		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	2		
49	Due to Bleeding	4	5		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	8	12		
52	Total reported maternal deaths	15	19		

Dhemaji Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,86,133					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	19,082		19,378			
9	Expected number of Delivery	17,781		18,056			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,315	75.0	13,930	71.9	ANC Check up in first trimester	76.2
11	Mothers registered in the first trimester	13,365	93.4	13,160	94.5	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	12,310	86.0	11,515	82.7	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	13,291	92.8	12,786	91.8	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	14,241	99.5	14,157	101.6	Home Delivery	12.7
15	Home Delivery against expected delivery *	46	0.3	29	0.2	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	14,508	81.6	14,723	81.5	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	46	0.3	29	0.2	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	14,508	99.7	14,723	99.8		
19	Total reported Deliveries	14,554		14,752			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	43.5	19	65.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,939	95.8	11,891	80.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,348		17,616			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	14,395	83.0	14,650	83.2	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	247	1.4	224	1.3	BCG	96.7

25	PC of newborn weighted at birth to live birth	14,391	100.0	14,390	98.2	3 dose of DPT	94.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,533	10.7	1,527	10.6	Measles First dose	93.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,085	97.8	14,306	97.7	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	12,840	74.0	13,550	76.9	Full Immunization	89.7
29	Children who have received BCG	14,108	81.3	14,270	81.0		
30	Children who have received Pentavalent 1	12,891	74.3	13,396	76.0		
31	Children who have received Pentavalent 3	12,816	73.9	13,455	76.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,855	74.1	13,591	77.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,542		838			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	7.1
35	Number of Tubectomies performed	731	746	Spacing	3.5
36	Number of IUD insertion	1,552	853	Women using any method	72.6
37	Number of IUD removals	723	700	Women using modern method	45
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	235	288		
39	General OPD cases per 10,000 population ***	5,298	6,577		
40	Ayush OPD cases per 10,000 population ***	297	219		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	54	32		
42	Neonatal Deaths up to 4 weeks of birth	123	80		
43	Total Neonatal Death	177	112		
44	Deaths between (1 - 11) months	71	52		
45	Total reported infant deaths	248	164		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	2	0		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	10	9		
52	Total reported maternal deaths	15	11		

Dhubri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	187					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	40,198	40,984				
9	Expected number of Delivery	37,458	38,190				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	44,289	110.2	44,266	108.0	ANC Check up in first trimester 49.9	
11	Mothers registered in the first trimester	37,371	84.4	39,773	89.8	At least 4ANC check up 37.6	
12	Mothers who had 4 or more ANC check ups	36,965	83.5	40,429	91.3	Neonatal tetanus received 97.0	
13	PW who got TT 2 / Booster injection	45,582	102.9	42,537	96.1	100 IFA tablets consumed 47.6	
14	PW who consumed 180 IFA tablets	43,262	97.7	44,251	100.0	Home Delivery 35.8	
15	Home Delivery against expected delivery *	15,931	42.5	13,910	36.4	Institutional Delivery 64.2	
16	Institutional Delivery against expected delivery *	22,114	59.0	22,241	58.2	Home Delivery by SBA 5.8	
17	Home Delivery against reported delivery **	15,931	41.9	13,910	38.5	PNC within 2days of delivery 48.4	
18	Institutional Delivery against reported delivery **	22,114	58.1	22,241	61.5		
19	Total reported Deliveries	38,045		36,151			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,196	26.3	4,944	35.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,499	69.7	25,174	69.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	36,544		37,258			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	37,490	102.6	36,314	97.5	Breastfed within 1 hour of birth 57.9	
24	Total Still Birth	996	2.7	860	2.3	BCG 90.5	

25	PC of newborn weighted at birth to live birth	37,485	100.0	36,081	99.4	3 dose of DPT	82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,868	15.7	5,207	14.4	Measles First dose	84
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,997	98.7	35,736	98.4	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	36,645	100.3	38,756	104.0	Full Immunization	71.6
29	Children who have received BCG	39,552	108.2	38,431	103.1		
30	Children who have received Pentavalent 1	38,374	105.0	38,397	103.1		
31	Children who have received Pentavalent 3	36,121	98.8	37,856	101.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,332	102.2	39,510	106.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,365		2,135			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	13	Total unmet need	11.5
35	Number of Tubectomies performed	435	518	Spacing	4
36	Number of IUD insertion	5,464	5,299	Women using any method	64.1
37	Number of IUD removals	333	331	Women using modern method	53.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	243	262		
39	General OPD cases per 10,000 population ***	3,865	4,593		
40	Ayush OPD cases per 10,000 population ***	316	370		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	219	111		
42	Neonatal Deaths up to 4 weeks of birth	531	256		
43	Total Neonatal Death	750	367		
44	Deaths between (1 - 11) months	136	87		
45	Total reported infant deaths	886	454		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	7	2		
49	Due to Bleeding	4	5		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	44	12		
52	Total reported maternal deaths	57	20		

Dibrugarh Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	13,26,335				
2	Sex Ratio	952				
B) Infrastructure Details (RHS 2020-21)		Numbers				
3	Sub Centers (SC)	234				
4	Primary Health Centers (PHC)	31				
5	Community Health Centers (CHC)	10				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	34,285	34,534			
9	Expected number of Delivery	31,948	32,179			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	20,696	60.4	20,554	59.5	ANC Check up in first trimester 75.8
11	Mothers registered in the first trimester	18,150	87.7	17,982	87.5	At least 4ANC check up 75.6
12	Mothers who had 4 or more ANC check ups	16,753	80.9	15,206	74.0	Neonatal tetanus received 94.1
13	PW who got TT 2 / Booster injection	19,268	93.1	18,209	88.6	100 IFA tablets consumed 58.9
14	PW who consumed 180 IFA tablets	20,664	99.8	19,574	95.2	Home Delivery 6.9
15	Home Delivery against expected delivery *	57	0.2	47	0.1	Institutional Delivery 93.1
16	Institutional Delivery against expected delivery *	23,252	72.8	21,662	67.3	Home Delivery by SBA 1.2
17	Home Delivery against reported delivery **	57	0.2	47	0.2	PNC within 2days of delivery 82.1
18	Institutional Delivery against reported delivery **	23,252	99.8	21,662	99.8	
19	Total reported Deliveries	23,309		21,709		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	19.3	17	36.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,908	89.7	20,534	94.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	31,168		31,394		
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
23	Total reported live births	22,824	73.2	21,259	67.7	Breastfed within 1 hour of birth 52.6
24	Total Still Birth	638	2.0	657	2.1	BCG 97.8

25	PC of newborn weighted at birth to live birth	22,820	100.0	21,259	100.0	3 dose of DPT	93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,005	21.9	4,635	21.8	Measles First dose	97.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,069	96.7	20,936	98.5	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,747	66.6	19,910	63.4	Full Immunization	83.8
29	Children who have received BCG	22,961	73.7	21,430	68.3		
30	Children who have received Pentavalent 1	20,835	66.8	20,281	64.6		
31	Children who have received Pentavalent 3	20,584	66.0	18,723	59.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,751	66.6	19,912	63.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,186		1,257			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	67	76	Total unmet need	8.7
35	Number of Tubectomies performed	1,719	1,923	Spacing	4.8
36	Number of IUD insertion	504	842	Women using any method	64.6
37	Number of IUD removals	460	605	Women using modern method	43.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	515	604		
39	General OPD cases per 10,000 population ***	12,820	14,678		
40	Ayush OPD cases per 10,000 population ***	234	166		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	51	57		
42	Neonatal Deaths up to 4 weeks of birth	332	349		
43	Total Neonatal Death	383	406		
44	Deaths between (1 - 11) months	84	105		
45	Total reported infant deaths	467	511		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	4	6		
47	Due to Obstructed/prolonged labour	1	4		
48	Due to Severe hypertension / fits	18	27		
49	Due to Bleeding	1	12		
50	Due to High fever	0	7		
51	Due to Other Causes (including causes not known)	67	35		
52	Total reported maternal deaths	91	91		

Dima Hasao Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,14,102					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	76					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	5,608	5,657				
9	Expected number of Delivery	5,226	5,271				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,442	79.2	4,153	73.4	ANC Check up in first trimester	58.9
11	Mothers registered in the first trimester	3,165	71.3	3,125	75.2	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,464	55.5	2,246	54.1	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,739	84.2	3,622	87.2	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,890	87.6	3,587	86.4	Home Delivery	10.5
15	Home Delivery against expected delivery *	1,335	25.5	1,284	24.4	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,349	44.9	2,275	43.2	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	1,335	36.2	1,284	36.1	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,349	63.8	2,275	63.9		
19	Total reported Deliveries	3,684		3,559			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	521	39.0	452	35.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,354	36.8	1,169	32.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,098		5,143			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	3,627	71.1	3,503	68.1	Breastfed within 1 hour of birth	58
24	Total Still Birth	78	1.5	70	1.4	BCG	91.3

25	PC of newborn weighted at birth to live birth	3,536	97.5	3,492	99.7	3 dose of DPT	71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	202	5.7	217	6.2	Measles First dose	71.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,575	98.6	3,486	99.5	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,621	71.0	3,445	67.0	Full Immunization	63.6
29	Children who have received BCG	3,727	73.1	3,583	69.7		
30	Children who have received Pentavalent 1	3,735	73.3	3,469	67.5		
31	Children who have received Pentavalent 3	3,625	71.1	3,309	64.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,636	71.3	3,450	67.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,843		500			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	2	Total unmet need	9.7
35	Number of Tubectomies performed	4	0	Spacing	2.6
36	Number of IUD insertion	260	187	Women using any method	65.5
37	Number of IUD removals	179	162	Women using modern method	44.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	392	399		
39	General OPD cases per 10,000 population ***	5,361	6,465		
40	Ayush OPD cases per 10,000 population ***	407	346		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	11	13		
42	Neonatal Deaths up to 4 weeks of birth	29	23		
43	Total Neonatal Death	40	36		
44	Deaths between (1 - 11) months	36	34		
45	Total reported infant deaths	76	70		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	4		
52	Total reported maternal deaths	6	6		

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	28,648		29,161			
9	Expected number of Delivery	26,695		27,173			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	26,625	92.9	27,066	92.8	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,011	93.9	25,515	94.3	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	20,882	78.4	22,519	83.2	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	23,931	89.9	25,293	93.4	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,122	98.1	26,515	98.0	Home Delivery	7.7
15	Home Delivery against expected delivery *	1,189	4.5	844	3.1	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	24,549	92.0	25,032	92.1	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,189	4.6	844	3.3	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	24,549	95.4	25,032	96.7		
19	Total reported Deliveries	25,738		25,876			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,001	84.2	713	84.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,379	75.3	19,583	75.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,044		26,510			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	25,402	97.5	25,532	96.3	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	614	2.4	570	2.2	BCG	98.4

25	PC of newborn weighted at birth to live birth	25,176	99.1	25,372	99.4	3 dose of DPT	90.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,082	12.2	2,838	11.2	Measles First dose	90.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,221	99.3	25,275	99.0	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,552	86.6	22,727	85.7	Full Immunization	70.3
29	Children who have received BCG	25,955	99.7	25,970	98.0		
30	Children who have received Pentavalent 1	23,578	90.5	23,047	86.9		
31	Children who have received Pentavalent 3	22,533	86.5	22,455	84.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,896	87.9	23,618	89.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,038		753			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	28	18	Total unmet need	7.4
35	Number of Tubectomies performed	608	743	Spacing	2.2
36	Number of IUD insertion	6,172	6,469	Women using any method	66.8
37	Number of IUD removals	775	1,088	Women using modern method	55.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	441	528		
39	General OPD cases per 10,000 population ***	5,757	7,112		
40	Ayush OPD cases per 10,000 population ***	608	590		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	76	105		
42	Neonatal Deaths up to 4 weeks of birth	152	201		
43	Total Neonatal Death	228	306		
44	Deaths between (1 - 11) months	88	36		
45	Total reported infant deaths	316	342		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	6	3		
49	Due to Bleeding	5	6		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	28	15		
52	Total reported maternal deaths	39	24		

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	27,539		27,735			
9	Expected number of Delivery	25,662		25,844			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,484	67.1	18,020	65.0	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,738	90.6	16,757	93.0	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	14,047	76.0	15,347	85.2	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,294	88.2	16,860	93.6	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	15,741	85.2	17,295	96.0	Home Delivery	9.6
15	Home Delivery against expected delivery *	149	0.6	132	0.5	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	13,369	52.1	12,937	50.1	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	149	1.1	132	1.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	13,369	98.9	12,937	99.0		
19	Total reported Deliveries	13,518		13,069			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	32.2	53	40.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,268	83.4	9,955	76.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,036		25,213			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	13,340	53.3	12,931	51.3	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	294	1.2	212	0.8	BCG	92.6

25	PC of newborn weighted at birth to live birth	13,306	99.7	12,909	99.8	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,760	13.2	1,623	12.6	Measles First dose	87.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,277	92.0	12,807	99.0	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	16,496	65.9	16,323	64.7	Full Immunization	72.4
29	Children who have received BCG	14,036	56.1	13,589	53.9		
30	Children who have received Pentavalent 1	17,298	69.1	16,756	66.5		
31	Children who have received Pentavalent 3	16,436	65.6	16,269	64.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,130	64.4	16,304	64.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	762		667			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	26	Total unmet need	10.9
35	Number of Tubectomies performed	603	670	Spacing	4.7
36	Number of IUD insertion	649	677	Women using any method	61.6
37	Number of IUD removals	728	836	Women using modern method	35.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	190	250		
39	General OPD cases per 10,000 population ***	6,539	7,125		
40	Ayush OPD cases per 10,000 population ***	145	303		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	62	39		
42	Neonatal Deaths up to 4 weeks of birth	176	97		
43	Total Neonatal Death	238	136		
44	Deaths between (1 - 11) months	118	51		
45	Total reported infant deaths	356	187		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	4	0		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	26	9		
52	Total reported maternal deaths	33	11		

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	18,521		18,829			
9	Expected number of Delivery	17,258		17,545			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,116	103.2	19,593	104.1	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	16,837	88.1	17,268	88.1	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,107	84.3	17,127	87.4	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	17,660	92.4	18,949	96.7	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	18,832	98.5	19,539	99.7	Home Delivery	17.0
15	Home Delivery against expected delivery *	1,330	7.7	867	4.9	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	12,184	70.6	13,915	79.3	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	1,330	9.8	867	5.9	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	12,184	90.2	13,915	94.1		
19	Total reported Deliveries	13,514		14,782			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	695	52.3	460	53.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,386	91.7	13,610	92.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,838		17,117			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	13,238	78.6	14,559	85.1	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	323	1.9	303	1.8	BCG	95.4

25	PC of newborn weighted at birth to live birth	13,238	100.0	14,559	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	802	6.1	1,443	9.9	Measles First dose	85.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,744	96.3	13,992	96.1	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	16,391	97.3	16,753	97.9	Full Immunization	68.6
29	Children who have received BCG	16,966	100.8	17,572	102.7		
30	Children who have received Pentavalent 1	16,758	99.5	17,480	102.1		
31	Children who have received Pentavalent 3	16,439	97.6	16,765	97.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,391	97.3	16,765	97.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,810		3,017			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	30	Total unmet need	8.6
35	Number of Tubectomies performed	314	361	Spacing	4.2
36	Number of IUD insertion	4,257	3,660	Women using any method	66.8
37	Number of IUD removals	554	442	Women using modern method	49.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	297	375		
39	General OPD cases per 10,000 population ***	4,727	5,842		
40	Ayush OPD cases per 10,000 population ***	177	159		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	67	21		
42	Neonatal Deaths up to 4 weeks of birth	66	40		
43	Total Neonatal Death	133	61		
44	Deaths between (1 - 11) months	66	29		
45	Total reported infant deaths	199	90		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	14	5		
52	Total reported maternal deaths	16	7		

Hojai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	94					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	26,310		26,764			
9	Expected number of Delivery	24,517		24,939			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,355	81.2	21,458	80.2	ANC Check up in first trimester	52.7
11	Mothers registered in the first trimester	18,778	87.9	20,203	94.2	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	17,591	82.4	19,433	90.6	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	20,569	96.3	21,174	98.7	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	20,942	98.1	21,511	100.2	Home Delivery	17.9
15	Home Delivery against expected delivery *	2,383	9.7	1,281	5.1	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	14,197	57.9	14,041	56.3	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	2,383	14.4	1,281	8.4	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	14,197	85.6	14,041	91.6		
19	Total reported Deliveries	16,580		15,322			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.9	104	8.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,552	93.8	13,905	90.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,919		24,331			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	16,357	68.4	15,094	62.0	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	246	1.0	240	1.0	BCG	82.1

25	PC of newborn weighted at birth to live birth	16,343	99.9	15,063	99.8	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,597	9.8	1,072	7.1	Measles First dose	59.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,019	97.9	15,002	99.4	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	19,349	80.9	20,588	84.6	Full Immunization	55.5
29	Children who have received BCG	19,984	83.5	20,348	83.6		
30	Children who have received Pentavalent 1	19,446	81.3	21,716	89.3		
31	Children who have received Pentavalent 3	18,492	77.3	20,588	84.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,477	81.4	20,612	84.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,937		663			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	107	48	Spacing	4.9
36	Number of IUD insertion	383	256	Women using any method	61.1
37	Number of IUD removals	39	45	Women using modern method	48.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	71	74		
39	General OPD cases per 10,000 population ***	2,874	3,095		
40	Ayush OPD cases per 10,000 population ***	28	51		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	16	16		
42	Neonatal Deaths up to 4 weeks of birth	47	39		
43	Total Neonatal Death	63	55		
44	Deaths between (1 - 11) months	38	25		
45	Total reported infant deaths	101	80		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	11		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	2	1		
52	Total reported maternal deaths	2	14		

Jorhat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	23,315		23,418			
9	Expected number of Delivery	21,725		21,821			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,170	69.4	14,779	63.1	ANC Check up in first trimester	78.3
11	Mothers registered in the first trimester	15,409	95.3	14,110	95.5	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	13,236	81.9	11,444	77.4	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	15,037	93.0	13,645	92.3	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	16,018	99.1	13,920	94.2	Home Delivery	3.5
15	Home Delivery against expected delivery *	62	0.3	42	0.2	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,125	65.0	14,016	64.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	62	0.4	42	0.3	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,125	99.6	14,016	99.7		
19	Total reported Deliveries	14,187		14,058			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	75.8	34	81.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,370	122.4	15,289	108.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,195		21,289			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	13,958	65.9	13,990	65.7	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	276	1.3	240	1.1	BCG	100

25	PC of newborn weighted at birth to live birth	13,925	99.8	13,337	95.3	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,141	15.4	1,494	11.2	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,927	99.8	13,316	95.2	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	14,424	68.1	15,368	72.2	Full Immunization	69.2
29	Children who have received BCG	13,579	64.1	13,416	63.0		
30	Children who have received Pentavalent 1	14,404	68.0	14,779	69.4		
31	Children who have received Pentavalent 3	14,161	66.8	14,710	69.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,658	69.2	15,682	73.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	628		328			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	105	14	Total unmet need	10.4
35	Number of Tubectomies performed	1,288	907	Spacing	3.2
36	Number of IUD insertion	799	357	Women using any method	63.8
37	Number of IUD removals	152	132	Women using modern method	32.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	402	508		
39	General OPD cases per 10,000 population ***	8,569	10,327		
40	Ayush OPD cases per 10,000 population ***	24	23		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	34	29		
42	Neonatal Deaths up to 4 weeks of birth	343	286		
43	Total Neonatal Death	377	315		
44	Deaths between (1 - 11) months	107	91		
45	Total reported infant deaths	484	406		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	28	25		
52	Total reported maternal deaths	28	25		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	40,513		40,952			
9	Expected number of Delivery	37,750		38,160			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	30,779	76.0	30,583	74.7	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	28,073	91.2	28,944	94.6	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	25,495	82.8	26,550	86.8	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	27,239	88.5	28,558	93.4	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	28,751	93.4	30,466	99.6	Home Delivery	15.0
15	Home Delivery against expected delivery *	443	1.2	288	0.8	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	21,326	56.5	20,269	53.1	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	443	2.0	288	1.4	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	21,326	98.0	20,269	98.6		
19	Total reported Deliveries	21,769		20,557			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	182	41.1	138	47.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,730	99.8	21,849	106.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	36,830		37,229			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	21,683	58.9	20,451	54.9	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	149	0.4	143	0.4	BCG	90.5

25	PC of newborn weighted at birth to live birth	21,645	99.8	20,448	100.0	3 dose of DPT	86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,404	11.1	2,133	10.4	Measles First dose	83
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,631	99.8	20,286	99.2	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	28,925	78.5	27,801	74.7	Full Immunization	63.6
29	Children who have received BCG	21,880	59.4	20,596	55.3		
30	Children who have received Pentavalent 1	28,956	78.6	27,474	73.8		
31	Children who have received Pentavalent 3	28,485	77.3	27,267	73.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	28,962	78.6	27,803	74.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,216		842			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	37	37	Total unmet need	17.6
35	Number of Tubectomies performed	924	1,281	Spacing	7.7
36	Number of IUD insertion	1,634	2,679	Women using any method	38.7
37	Number of IUD removals	708	704	Women using modern method	32.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	132	137		
39	General OPD cases per 10,000 population ***	5,613	6,993		
40	Ayush OPD cases per 10,000 population ***	974	962		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	24	13		
42	Neonatal Deaths up to 4 weeks of birth	143	43		
43	Total Neonatal Death	167	56		
44	Deaths between (1 - 11) months	86	38		
45	Total reported infant deaths	253	94		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	2		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	20	7		
52	Total reported maternal deaths	24	9		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,53,938					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	34,461		34,948			
9	Expected number of Delivery	32,111		32,565			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,442	56.4	20,616	59.0	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	16,062	82.6	17,888	86.8	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	19,018	97.8	20,837	101.1	Neonatal tetanus received	96.3
13	PW who got TT 2 / Booster injection	17,623	90.6	19,524	94.7	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	18,456	94.9	20,591	99.9	Home Delivery	10.9
15	Home Delivery against expected delivery *	232	0.7	171	0.5	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	28,851	89.8	33,679	103.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	232	0.8	171	0.5	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	28,851	99.2	33,679	99.5		
19	Total reported Deliveries	29,083		33,850			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	26.7	18	10.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,354	66.5	33,200	98.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,328		31,771			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	28,323	90.4	33,139	104.3	Breastfed within 1 hour of birth	53
24	Total Still Birth	792	2.5	739	2.3	BCG	90.6

25	PC of newborn weighted at birth to live birth	28,046	99.0	33,120	99.9	3 dose of DPT	77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,536	23.3	6,391	19.3	Measles First dose	74.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	28,177	99.5	33,004	99.6	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	20,280	64.7	25,105	79.0	Full Immunization	53.6
29	Children who have received BCG	33,149	105.8	35,355	111.3		
30	Children who have received Pentavalent 1	19,441	62.1	21,940	69.1		
31	Children who have received Pentavalent 3	19,714	62.9	21,282	67.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,073	64.1	24,798	78.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	753		649			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	1	Total unmet need	8.8
35	Number of Tubectomies performed	2,868	3,197	Spacing	2.5
36	Number of IUD insertion	119	199	Women using any method	56.8
37	Number of IUD removals	373	494	Women using modern method	41.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	630	901		
39	General OPD cases per 10,000 population ***	5,164	6,644		
40	Ayush OPD cases per 10,000 population ***	593	578		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	239	106		
42	Neonatal Deaths up to 4 weeks of birth	799	593		
43	Total Neonatal Death	1,038	699		
44	Deaths between (1 - 11) months	218	183		
45	Total reported infant deaths	1,256	882		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	3	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	26	15		
49	Due to Bleeding	12	15		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	54	66		
52	Total reported maternal deaths	95	97		

Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	104					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	18,123		18,374			
9	Expected number of Delivery	16,887		17,121			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,337	84.6	16,241	88.4	ANC Check up in first trimester	64.8
11	Mothers registered in the first trimester	11,812	77.0	12,021	74.0	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	9,897	64.5	8,974	55.3	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	14,257	93.0	13,516	83.2	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	15,137	98.7	15,747	97.0	Home Delivery	25.1
15	Home Delivery against expected delivery *	1,349	8.0	1,079	6.3	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,858	58.4	9,378	54.8	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	1,349	12.0	1,079	10.3	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,858	88.0	9,378	89.7		
19	Total reported Deliveries	11,207		10,457			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	549	40.7	485	44.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,509	102.7	11,110	106.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,475		16,704			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	11,106	67.4	10,385	62.2	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	127	0.8	91	0.5	BCG	88.7

25	PC of newborn weighted at birth to live birth	11,089	99.8	10,376	99.9	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	730	6.6	671	6.5	Measles First dose	76.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,015	99.2	10,332	99.5	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	13,532	82.1	12,895	77.2	Full Immunization	64.3
29	Children who have received BCG	13,644	82.8	12,397	74.2		
30	Children who have received Pentavalent 1	13,385	81.2	12,575	75.3		
31	Children who have received Pentavalent 3	13,272	80.6	11,822	70.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,740	83.4	13,324	79.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	704		349			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	9.3
35	Number of Tubectomies performed	70	147	Spacing	2.4
36	Number of IUD insertion	1,195	955	Women using any method	66.3
37	Number of IUD removals	324	235	Women using modern method	41.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	238	253		
39	General OPD cases per 10,000 population ***	3,896	5,111		
40	Ayush OPD cases per 10,000 population ***	220	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	34	18		
42	Neonatal Deaths up to 4 weeks of birth	57	45		
43	Total Neonatal Death	91	63		
44	Deaths between (1 - 11) months	43	26		
45	Total reported infant deaths	134	89		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	2		
48	Due to Severe hypertension / fits	4	1		
49	Due to Bleeding	1	2		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	17	8		
52	Total reported maternal deaths	23	14		

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	34,305		34,850			
9	Expected number of Delivery	31,966		32,474			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	34,335	100.1	34,371	98.6	ANC Check up in first trimester	54.8
11	Mothers registered in the first trimester	31,120	90.6	31,908	92.8	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	31,861	92.8	33,543	97.6	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,394	97.3	33,984	98.9	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	34,315	99.9	34,356	100.0	Home Delivery	23.6
15	Home Delivery against expected delivery *	7,247	22.7	5,640	17.4	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	20,850	65.2	21,156	65.1	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	7,247	25.8	5,640	21.0	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	20,850	74.2	21,156	79.0		
19	Total reported Deliveries	28,097		26,796			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,330	32.2	2,706	48.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,509	33.8	91	0.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,186		31,682			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	27,348	87.7	26,257	82.9	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	864	2.8	687	2.2	BCG	95.5

25	PC of newborn weighted at birth to live birth	27,346	100.0	26,257	100.0	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,651	9.7	2,894	11.0	Measles First dose	85.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	26,734	97.8	25,991	99.0	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	29,668	95.1	31,136	98.3	Full Immunization	75.1
29	Children who have received BCG	34,534	110.7	34,613	109.3		
30	Children who have received Pentavalent 1	29,992	96.2	31,456	99.3		
31	Children who have received Pentavalent 3	28,744	92.2	30,435	96.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	29,687	95.2	31,135	98.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,226		3,607			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	36	0	Total unmet need	8.6
35	Number of Tubectomies performed	876	742	Spacing	4.2
36	Number of IUD insertion	2,366	1,847	Women using any method	64.3
37	Number of IUD removals	247	172	Women using modern method	54.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	263	273		
39	General OPD cases per 10,000 population ***	3,517	4,831		
40	Ayush OPD cases per 10,000 population ***	169	180		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	51	18		
42	Neonatal Deaths up to 4 weeks of birth	223	168		
43	Total Neonatal Death	274	186		
44	Deaths between (1 - 11) months	300	141		
45	Total reported infant deaths	574	327		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	4	0		
50	Due to High fever	3	1		
51	Due to Other Causes (including causes not known)	21	11		
52	Total reported maternal deaths	30	12		

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,87,142					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	21,573		21,582			
9	Expected number of Delivery	20,102		20,110			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,824	82.6	17,354	80.4	ANC Check up in first trimester	67.0
11	Mothers registered in the first trimester	14,509	81.4	14,330	82.6	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	12,505	70.2	12,281	70.8	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	16,682	93.6	15,944	91.9	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	17,204	96.5	16,006	92.2	Home Delivery	18.1
15	Home Delivery against expected delivery *	1,230	6.1	1,038	5.2	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,119	70.2	14,658	72.9	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	1,230	8.0	1,038	6.6	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,119	92.0	14,658	93.4		
19	Total reported Deliveries	15,349		15,696			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	210	17.1	127	12.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,505	75.0	10,507	66.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,611		19,620			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	15,295	78.0	15,539	79.2	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	286	1.5	250	1.3	BCG	95.3

25	PC of newborn weighted at birth to live birth	13,697	89.6	11,035	71.0	3 dose of DPT	76.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,341	9.8	1,293	11.7	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,199	99.4	15,348	98.8	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,452	78.8	15,285	77.9	Full Immunization	51.1
29	Children who have received BCG	16,519	84.2	15,827	80.7		
30	Children who have received Pentavalent 1	15,894	81.0	15,250	77.7		
31	Children who have received Pentavalent 3	15,253	77.8	15,168	77.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,472	78.9	15,264	77.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,380		937			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	283	75	Spacing	3.7
36	Number of IUD insertion	710	924	Women using any method	72.3
37	Number of IUD removals	628	613	Women using modern method	58
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	257	283		
39	General OPD cases per 10,000 population ***	3,584	4,595		
40	Ayush OPD cases per 10,000 population ***	762	707		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	50	60		
42	Neonatal Deaths up to 4 weeks of birth	183	212		
43	Total Neonatal Death	233	272		
44	Deaths between (1 - 11) months	229	146		
45	Total reported infant deaths	462	418		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	3	3		
48	Due to Severe hypertension / fits	4	4		
49	Due to Bleeding	13	4		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	26	14		
52	Total reported maternal deaths	48	25		

Lakhimpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	149					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	28,166		28,510			
9	Expected number of Delivery	26,245		26,566			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,797	77.4	22,262	78.1	ANC Check up in first trimester	61.0
11	Mothers registered in the first trimester	20,451	93.8	21,065	94.6	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	17,020	78.1	19,646	88.2	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	20,094	92.2	20,798	93.4	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	20,225	92.8	21,511	96.6	Home Delivery	3.8
15	Home Delivery against expected delivery *	190	0.7	62	0.2	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	18,249	69.5	17,744	66.8	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	190	1.0	62	0.3	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	18,249	99.0	17,744	99.7		
19	Total reported Deliveries	18,439		17,806			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	41.1	49	79.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,325	137.3	22,798	128.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,605		25,918			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	18,231	71.2	17,595	67.9	Breastfed within 1 hour of birth	59
24	Total Still Birth	306	1.2	295	1.1	BCG	94.5

25	PC of newborn weighted at birth to live birth	18,231	100.0	16,897	96.0	3 dose of DPT	87.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,623	14.4	2,364	14.0	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,892	98.1	16,450	93.5	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,831	77.4	19,759	76.2	Full Immunization	69
29	Children who have received BCG	17,396	67.9	17,197	66.4		
30	Children who have received Pentavalent 1	19,847	77.5	19,715	76.1		
31	Children who have received Pentavalent 3	19,097	74.6	19,923	76.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	26,533	103.6	19,713	76.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,743		1,300			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	24	17	Total unmet need	9.8
35	Number of Tubectomies performed	1,171	1,489	Spacing	4.5
36	Number of IUD insertion	1,144	1,078	Women using any method	67.1
37	Number of IUD removals	435	579	Women using modern method	43.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	297	346		
39	General OPD cases per 10,000 population ***	5,303	6,123		
40	Ayush OPD cases per 10,000 population ***	81	72		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	15	20		
42	Neonatal Deaths up to 4 weeks of birth	98	88		
43	Total Neonatal Death	113	108		
44	Deaths between (1 - 11) months	55	6		
45	Total reported infant deaths	168	114		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	0	1		
50	Due to High fever	1	1		
51	Due to Other Causes (including causes not known)	16	8		
52	Total reported maternal deaths	18	10		

Majuli Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	4,217		4,236			
9	Expected number of Delivery	3,930		3,947			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,500	83.0	3,052	72.1	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	3,319	94.8	2,788	91.3	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,306	65.9	2,110	69.1	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	3,026	86.5	2,758	90.4	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	3,101	88.6	2,921	95.7	Home Delivery	9.7
15	Home Delivery against expected delivery *	17	0.4	15	0.4	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,848	47.0	1,761	44.6	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	17	0.9	15	0.8	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,848	99.1	1,761	99.2		
19	Total reported Deliveries	1,865		1,776			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	10	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,183	117.1	1,628	91.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,834		3,851			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	1,847	48.2	1,782	46.3	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	25	0.7	20	0.5	BCG	95.2

25	PC of newborn weighted at birth to live birth	1,557	84.3	1,745	97.9	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	239	15.4	254	14.6	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,676	90.7	1,698	95.3	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	2,803	73.1	2,828	73.4	Full Immunization	78.6
29	Children who have received BCG	2,057	53.7	1,825	47.4		
30	Children who have received Pentavalent 1	2,817	73.5	2,990	77.6		
31	Children who have received Pentavalent 3	2,801	73.1	2,817	73.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,827	73.7	2,821	73.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	88		95			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	11.6
35	Number of Tubectomies performed	177	122	Spacing	4.7
36	Number of IUD insertion	542	254	Women using any method	63.7
37	Number of IUD removals	63	75	Women using modern method	31.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	188	250		
39	General OPD cases per 10,000 population ***	8,193	8,193		
40	Ayush OPD cases per 10,000 population ***	27	133		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	11	26		
42	Neonatal Deaths up to 4 weeks of birth	32	20		
43	Total Neonatal Death	43	46		
44	Deaths between (1 - 11) months	16	13		
45	Total reported infant deaths	59	59		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	Total reported maternal deaths	4	3		

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	27,362		27,869			
9	Expected number of Delivery	25,497		25,969			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,688	82.9	22,504	80.7	ANC Check up in first trimester	64.0
11	Mothers registered in the first trimester	18,927	83.4	18,909	84.0	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	16,850	74.3	16,650	74.0	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	20,885	92.1	21,146	94.0	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	22,613	99.7	22,382	99.5	Home Delivery	11.7
15	Home Delivery against expected delivery *	2,405	9.4	2,515	9.7	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,516	56.9	14,590	56.2	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2,405	14.2	2,515	14.7	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,516	85.8	14,590	85.3		
19	Total reported Deliveries	16,921		17,105			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	982	40.8	1,049	41.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,646	92.5	15,293	89.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,875		25,336			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	16,697	67.1	16,999	67.1	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	234	0.9	269	1.1	BCG	91.3

25	PC of newborn weighted at birth to live birth	16,750	100.3	16,793	98.8	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,774	16.6	2,262	13.5	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,455	92.6	16,259	95.6	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	19,845	79.8	19,472	76.9	Full Immunization	73.4
29	Children who have received BCG	19,847	79.8	21,049	83.1		
30	Children who have received Pentavalent 1	20,260	81.4	20,363	80.4		
31	Children who have received Pentavalent 3	19,167	77.1	19,311	76.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,890	80.0	19,750	78.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	715		292			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	3	Total unmet need	6.5
35	Number of Tubectomies performed	254	316	Spacing	1.9
36	Number of IUD insertion	2,715	1,129	Women using any method	70.6
37	Number of IUD removals	216	199	Women using modern method	56.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	220	205		
39	General OPD cases per 10,000 population ***	5,763	5,390		
40	Ayush OPD cases per 10,000 population ***	186	274		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	29	23		
42	Neonatal Deaths up to 4 weeks of birth	182	145		
43	Total Neonatal Death	211	168		
44	Deaths between (1 - 11) months	83	48		
45	Total reported infant deaths	294	216		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	3	7		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	13	10		
52	Total reported maternal deaths	16	18		

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	72					
5	Community Health Centers (CHC)	13					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	53,472		54,394			
9	Expected number of Delivery	49,826		50,685			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	42,460	79.4	42,107	77.4	ANC Check up in first trimester	73.1
11	Mothers registered in the first trimester	34,782	81.9	35,083	83.3	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	34,794	81.9	34,860	82.8	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	38,582	90.9	37,203	88.4	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	37,603	88.6	34,516	82.0	Home Delivery	16.3
15	Home Delivery against expected delivery *	2,512	5.0	2,451	4.8	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,458	79.2	39,945	78.8	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	2,512	6.0	2,451	5.8	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,458	94.0	39,945	94.2		
19	Total reported Deliveries	41,970		42,396			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	23.0	477	19.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,929	64.2	26,503	62.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	48,611		49,449			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	41,440	85.2	41,517	84.0	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	945	1.9	1,020	2.1	BCG	86.9

25	PC of newborn weighted at birth to live birth	40,814	98.5	40,375	97.2	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,198	12.7	5,352	13.3	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	39,028	94.2	37,382	90.0	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	37,974	78.1	38,419	77.7	Full Immunization	58.2
29	Children who have received BCG	38,934	80.1	39,856	80.6		
30	Children who have received Pentavalent 1	38,208	78.6	37,136	75.1		
31	Children who have received Pentavalent 3	37,219	76.6	35,443	71.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,947	78.1	38,306	77.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,907		1,415			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	4	Total unmet need	12.3
35	Number of Tubectomies performed	925	1,184	Spacing	3.1
36	Number of IUD insertion	1,567	1,708	Women using any method	58.6
37	Number of IUD removals	439	252	Women using modern method	46.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	254	227		
39	General OPD cases per 10,000 population ***	5,101	5,032		
40	Ayush OPD cases per 10,000 population ***	263	283		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	106	113		
42	Neonatal Deaths up to 4 weeks of birth	262	289		
43	Total Neonatal Death	368	402		
44	Deaths between (1 - 11) months	131	78		
45	Total reported infant deaths	499	480		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	4	0		
48	Due to Severe hypertension / fits	6	1		
49	Due to Bleeding	6	5		
50	Due to High fever	2	0		
51	Due to Other Causes (including causes not known)	28	19		
52	Total reported maternal deaths	46	25		

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	124					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	11					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	19,893	20,032				
9	Expected number of Delivery	18,537	18,666				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,983	65.3	12,727	63.5	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	12,209	94.0	11,964	94.0	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	10,811	83.3	11,178	87.8	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	12,303	94.8	12,356	97.1	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	12,906	99.4	12,723	100.0	Home Delivery	8.2
15	Home Delivery against expected delivery *	306	1.7	262	1.4	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	12,575	67.8	11,402	61.1	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	306	2.4	262	2.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	12,575	97.6	11,402	97.8		
19	Total reported Deliveries	12,881		11,664			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	300	98.0	232	88.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,694	106.3	9,925	85.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,085		18,211			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	12,948	71.6	11,641	63.9	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	117	0.6	95	0.5	BCG	89.9

25	PC of newborn weighted at birth to live birth	12,790	98.8	11,618	99.8	3 dose of DPT	85.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,306	18.0	1,624	14.0	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,622	97.5	11,502	98.8	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	14,477	80.1	13,981	76.8	Full Immunization	65.5
29	Children who have received BCG	14,095	77.9	12,485	68.6		
30	Children who have received Pentavalent 1	14,613	80.8	13,296	73.0		
31	Children who have received Pentavalent 3	13,890	76.8	12,618	69.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,238	78.7	13,174	72.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	992		841			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	10	Total unmet need	13.2
35	Number of Tubectomies performed	909	1,119	Spacing	4.8
36	Number of IUD insertion	1,027	1,659	Women using any method	53.3
37	Number of IUD removals	428	514	Women using modern method	38.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	234	237		
39	General OPD cases per 10,000 population ***	5,976	7,075		
40	Ayush OPD cases per 10,000 population ***	1,269	1166		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	30	26		
42	Neonatal Deaths up to 4 weeks of birth	87	104		
43	Total Neonatal Death	117	130		
44	Deaths between (1 - 11) months	50	36		
45	Total reported infant deaths	167	166		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	6		
52	Total reported maternal deaths	11	8		

Sivasagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	17,479		17,559			
9	Expected number of Delivery	16,287		16,362			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,817	56.2	9,949	56.7	ANC Check up in first trimester	85.1
11	Mothers registered in the first trimester	8,878	90.4	9,178	92.3	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	6,936	70.7	7,774	78.1	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	9,030	92.0	8,953	90.0	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	9,322	95.0	9,581	96.3	Home Delivery	4.7
15	Home Delivery against expected delivery *	41	0.3	12	0.1	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	8,635	53.0	8,384	51.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	41	0.5	12	0.1	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	8,635	99.5	8,384	99.9		
19	Total reported Deliveries	8,676		8,396			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	87.8	6	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,660	111.3	7,662	91.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,890		15,963			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	8,584	54.0	8,318	52.1	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	131	0.8	106	0.7	BCG	95.7

25	PC of newborn weighted at birth to live birth	8,574	99.9	8,301	99.8	3 dose of DPT	90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,554	18.1	1,467	17.7	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,495	99.0	7,994	96.1	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	10,279	64.7	9,413	59.0	Full Immunization	77.6
29	Children who have received BCG	8,832	55.6	8,186	51.3		
30	Children who have received Pentavalent 1	9,581	60.3	9,409	58.9		
31	Children who have received Pentavalent 3	9,647	60.7	9,213	57.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,292	64.8	9,417	59.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	883		285			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	462	343	Spacing	3.2
36	Number of IUD insertion	260	263	Women using any method	67.3
37	Number of IUD removals	240	324	Women using modern method	39.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	321	332		
39	General OPD cases per 10,000 population ***	9,189	8,600		
40	Ayush OPD cases per 10,000 population ***	247	145		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	18	12		
42	Neonatal Deaths up to 4 weeks of birth	37	23		
43	Total Neonatal Death	55	35		
44	Deaths between (1 - 11) months	16	5		
45	Total reported infant deaths	71	40		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	8	2		
52	Total reported maternal deaths	10	2		

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	35,015		35,395			
9	Expected number of Delivery	32,628		32,982			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,250	60.7	20,696	58.5	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,478	87.0	18,774	90.7	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	15,020	70.7	14,908	72.0	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	19,871	93.5	19,638	94.9	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	19,542	92.0	20,393	98.5	Home Delivery	16.5
15	Home Delivery against expected delivery *	2,663	8.2	1,703	5.2	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,470	65.8	21,739	65.9	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	2,663	11.0	1,703	7.3	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,470	89.0	21,739	92.7		
19	Total reported Deliveries	24,133		23,442			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	1.7	78	4.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,262	38.4	8,742	37.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,832		32,178			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	23,857	74.9	22,955	71.3	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	605	1.9	491	1.5	BCG	90.4

25	PC of newborn weighted at birth to live birth	20,616	86.4	22,211	96.8	3 dose of DPT	76.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,725	18.1	3,560	16.0	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,014	75.5	21,811	95.0	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	18,938	59.5	20,682	64.3	Full Immunization	70.9
29	Children who have received BCG	25,966	81.6	25,309	78.7		
30	Children who have received Pentavalent 1	18,937	59.5	19,698	61.2		
31	Children who have received Pentavalent 3	18,379	57.7	18,689	58.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,926	59.5	20,682	64.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	248		175			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	5.8
35	Number of Tubectomies performed	605	853	Spacing	2
36	Number of IUD insertion	297	489	Women using any method	74.4
37	Number of IUD removals	211	245	Women using modern method	58.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	351	411		
39	General OPD cases per 10,000 population ***	5,985	6,442		
40	Ayush OPD cases per 10,000 population ***	199	280		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	51	60		
42	Neonatal Deaths up to 4 weeks of birth	316	376		
43	Total Neonatal Death	367	436		
44	Deaths between (1 - 11) months	110	116		
45	Total reported infant deaths	477	552		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	3	3		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	3	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	29	23		
52	Total reported maternal deaths	38	29		

South Salmara Mancachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	16,006	16,319				
9	Expected number of Delivery	14,915	15,206				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,541	78.4	12,933	79.3	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,324	82.3	10,461	80.9	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	9,482	75.6	8,856	68.5	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	12,024	95.9	11,386	88.0	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	13,279	105.9	12,494	96.6	Home Delivery	28.3
15	Home Delivery against expected delivery *	5,957	39.9	5,638	37.1	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	4,920	33.0	4,614	30.3	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	5,957	54.8	5,638	55.0	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	4,920	45.2	4,614	45.0		
19	Total reported Deliveries	10,877		10,252			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	960	16.1	1,085	19.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,795	80.9	8,433	82.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,551		14,835			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	10,718	73.7	10,092	68.0	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	218	1.5	209	1.4	BCG	97

25	PC of newborn weighted at birth to live birth	10,718	100.0	10,092	100.0	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	853	8.0	614	6.1	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,663	99.5	10,092	100.0	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,834	74.5	10,110	68.1	Full Immunization	65.8
29	Children who have received BCG	11,321	77.8	9,933	67.0		
30	Children who have received Pentavalent 1	10,788	74.1	9,494	64.0		
31	Children who have received Pentavalent 3	9,691	66.6	8,057	54.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,898	74.9	10,138	68.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	450		409			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	0	0	Spacing	1.7
36	Number of IUD insertion	313	354	Women using any method	71.5
37	Number of IUD removals	48	50	Women using modern method	60.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	17	82		
39	General OPD cases per 10,000 population ***	1,366	2,794		
40	Ayush OPD cases per 10,000 population ***	728	1123		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	15	11		
42	Neonatal Deaths up to 4 weeks of birth	34	36		
43	Total Neonatal Death	49	47		
44	Deaths between (1 - 11) months	30	21		
45	Total reported infant deaths	79	68		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	1		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	1	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	8	7		
52	Total reported maternal deaths	11	12		

Tinsukia Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	35,088		35,428			
9	Expected number of Delivery	32,696		33,013			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	23,070	65.7	21,993	62.1	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	19,446	84.3	19,082	86.8	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	18,559	80.4	16,249	73.9	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	21,216	92.0	19,444	88.4	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	22,447	97.3	20,402	92.8	Home Delivery	17.4
15	Home Delivery against expected delivery *	900	2.8	591	1.8	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	20,313	62.1	19,199	58.2	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	900	4.2	591	3.0	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	20,313	95.8	19,199	97.0		
19	Total reported Deliveries	21,213		19,790			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	333	37.0	188	31.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,551	92.2	23,982	121.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,898		32,208			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	20,887	65.5	19,608	60.9	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	306	1.0	278	0.9	BCG	97.2

25	PC of newborn weighted at birth to live birth	20,312	97.2	19,615	100.0	3 dose of DPT	92.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,512	17.3	2,807	14.3	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,710	94.4	19,195	97.9	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	21,503	67.4	20,469	63.6	Full Immunization	75
29	Children who have received BCG	21,443	67.2	19,419	60.3		
30	Children who have received Pentavalent 1	21,694	68.0	20,240	62.8		
31	Children who have received Pentavalent 3	21,131	66.2	19,580	60.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	21,700	68.0	20,487	63.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,631		1,416			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	67	94	Total unmet need	11
35	Number of Tubectomies performed	1,242	1,530	Spacing	4.4
36	Number of IUD insertion	823	1,327	Women using any method	59.2
37	Number of IUD removals	681	886	Women using modern method	36.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	528	563		
39	General OPD cases per 10,000 population ***	10,351	10,180		
40	Ayush OPD cases per 10,000 population ***	310	120		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	25	29		
42	Neonatal Deaths up to 4 weeks of birth	84	58		
43	Total Neonatal Death	109	87		
44	Deaths between (1 - 11) months	69	41		
45	Total reported infant deaths	178	128		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	3	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	3		
49	Due to Bleeding	0	1		
50	Due to High fever	2	0		
51	Due to Other Causes (including causes not known)	13	12		
52	Total reported maternal deaths	20	16		

Udalguri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	21,066		21,171			
9	Expected number of Delivery	19,630		19,728			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,827	65.6	13,805	65.2	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	12,313	89.1	12,430	90.0	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	8,890	64.3	10,196	73.9	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	12,878	93.1	12,476	90.4	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	11,707	84.7	13,396	97.0	Home Delivery	13.8
15	Home Delivery against expected delivery *	563	2.9	393	2.0	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,123	31.2	6,460	32.7	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	563	8.4	393	5.7	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,123	91.6	6,460	94.3		
19	Total reported Deliveries	6,686		6,853			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	166	29.5	111	28.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,427	126.0	8,649	126.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,151		19,246			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	6,745	35.2	6,794	35.3	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	138	0.7	104	0.5	BCG	78.6

25	PC of newborn weighted at birth to live birth	6,339	94.0	6,579	96.8	3 dose of DPT	68
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	876	13.8	848	12.9	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,384	94.6	6,561	96.6	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,582	65.7	12,061	62.7	Full Immunization	38.3
29	Children who have received BCG	9,997	52.2	9,850	51.2		
30	Children who have received Pentavalent 1	12,589	65.7	12,510	65.0		
31	Children who have received Pentavalent 3	12,245	63.9	12,128	63.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,610	65.8	12,040	62.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	446		286			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	0	21	Spacing	6.4
36	Number of IUD insertion	1,142	1,133	Women using any method	50.2
37	Number of IUD removals	556	670	Women using modern method	36.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	125	206		
39	General OPD cases per 10,000 population ***	5,450	6,328		
40	Ayush OPD cases per 10,000 population ***	481	469		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	23	18		
42	Neonatal Deaths up to 4 weeks of birth	51	47		
43	Total Neonatal Death	74	65		
44	Deaths between (1 - 11) months	109	57		
45	Total reported infant deaths	183	122		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	3		
49	Due to Bleeding	1	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	17	12		
52	Total reported maternal deaths	18	19		

West Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	8,098		8,211			
9	Expected number of Delivery	7,546		7,651			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,460	92.1	7,083	86.3	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	5,486	73.5	5,240	74.0	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	4,319	57.9	3,808	53.8	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	7,053	94.5	6,469	91.3	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,406	99.3	7,005	98.9	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,770	23.5	1,516	19.8	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	3,865	51.2	3,613	47.2	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,770	31.4	1,516	29.6	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	3,865	68.6	3,613	70.4		
19	Total reported Deliveries	5,635		5,129			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	450	25.4	328	21.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,635	64.5	3,052	59.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,362		7,464			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	5,520	75.0	5,037	67.5	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	115	1.6	112	1.5	BCG	92.7

25	PC of newborn weighted at birth to live birth	5,491	99.5	5,015	99.6	3 dose of DPT	70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	179	3.3	180	3.6	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,439	98.5	4,994	99.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	7,004	95.1	6,988	93.6	Full Immunization	47.9
29	Children who have received BCG	6,611	89.8	5,535	74.2		
30	Children who have received Pentavalent 1	6,876	93.4	6,008	80.5		
31	Children who have received Pentavalent 3	6,798	92.3	6,144	82.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,023	95.4	7,022	94.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	843		266			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	838	616	Women using any method	69.9
37	Number of IUD removals	154	149	Women using modern method	43.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	141	146		
39	General OPD cases per 10,000 population ***	2,924	3,310		
40	Ayush OPD cases per 10,000 population ***	682	443		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths up to 4 weeks of birth	13	12		
43	Total Neonatal Death	17	12		
44	Deaths between (1 - 11) months	33	15		
45	Total reported infant deaths	50	27		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	3		
52	Total reported maternal deaths	5	6		