

ASSAM Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	31,205,576					
2	Sex Ratio	954					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	4,034					
4	Sub Centres (SC)- HWC	628					
5	Primary Health Centers (PHC)	704					
6	Primary Health Centres (PHC)-HWC	297					
7	Community Health Centers (CHC)	179					
8	SDH	14					
9	DH	25					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	842,417	852,619				
11	Expected number of Delivery	784,979	794,485				
		HMIS (2020-21)		HMIS (2021-22) Up to 2 nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	658,707	78.2	359,221	42.1	ANC Check up in first trimester	63.8
13	Mothers registered in the first trimester	578,713	87.9	317,885	88.5	At least 4ANC check up	50.7
14	Mothers who had 4 or more ANC check ups	530,660	80.6	247,037	68.8	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	614,466	93.3	330,823	92.1	100 IFA tablets consumed	47.5
16	PW who consumed 180 IFA tablets	627,106	95.2	344,065	95.8	Home Delivery	15.9
17	Home Delivery against expected delivery *	61,127	7.8	23,180	2.9	Institutional Delivery	84.1
18	Institutional Delivery against expected delivery *	519,522	66.2	220,646	27.8	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery **	61,127	10.5	23,180	9.5	PNC within 2days of delivery	65.3
20	Institutional Delivery against reported delivery **	519,522	89.5	220,646	90.5		
21	Total reported Deliveries	580,649		243,826			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,853	30.8	8,265	35.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	480,547	82.8	201,709	82.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	765,833		775,108			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) Up to 2 nd QTR		NFHS-5 (2019-20)		
25	Total reported live births	572,187	74.7	241,201	31.1	Breastfed within 1 hour of birth	49.1

26	Total Still Birth	12,444	1.6	5,483	0.7	BCG	92.5
27	PC of newborn weighted at birth to live birth	563,651	98.5	237,090	98.3	3 dose of DPT	81.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	80,274	14.2	31,603	13.3	Measles First dose	82.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	553,829	96.8	231,726	96.1	3 doses of penta or hepatitis B vaccine	75.1
30	Children fully immunized	599,110	78.2	293,631	37.9	Full Immunization	66.4
31	Children who have received BCG	623,380	81.4	259,691	33.5		
32	Children who have received Pentavalent 1	605,825	79.1	253,795	32.7		
33	Children who have received Pentavalent 3	588,261	76.8	280,394	36.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	607,861	79.4	294,316	38.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	48,332		15,556			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2 nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	562	151	Total unmet need	11
37	Number of Tubectomies performed	21,361	8,828	Spacing	4.1
38	Number of IUD insertion	46,259	28,839	Women using any method	60.8
39	Number of IUD removals	12,222	6,072	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2 nd QTR		
40	IPD cases per 10,000 population ***	302	154		
41	General OPD cases per 10,000 population ***	5,862	3,022		
42	Ayush OPD cases per 10,000 population ***	365	175		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2 nd QTR		
43	Neonatal death within 24 hours	1,643	602		
44	Neonatal Deaths up to 4 weeks of birth	5,837	2,098		
45	Total Neonatal Death	7,480	2,700		
46	Deaths between (1 - 11) months	2,910	867		
47	Total reported infant deaths	10,390	3,567		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2 nd QTR		
48	Due to Abortion	22	10		
49	Due to Obstructed/prolonged labour	29	7		
50	Due to Severe hypertension / fits	144	49		
51	Due to Bleeding	108	54		
52	Due to High fever	30	12		

53	Due to Other Causes (including causes not known)	709	247	
54	Total reported maternal deaths	1,042	379	

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	950,075					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	136					
4	Sub Centres (SC)- HWC	21					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centres (PHC)-HWC	11					
7	Community Health Centers (CHC)	6					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	24,370		24,525			
11	Expected number of Delivery	22,708		22,853			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	15,653	64.2	8,198	33.4	ANC Check up in first trimester	61.1
13	Mothers registered in the first trimester	13,792	88.1	7,452	90.9	At least 4ANC check up	56.0
14	Mothers who had 4 or more ANC check ups	12,398	79.2	4,802	58.6	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	14,299	91.3	7,670	93.6	100 IFA tablets consumed	56.2
16	PW who consumed 180 IFA tablets	14,460	92.4	7,002	85.4	Home Delivery	10.1
17	Home Delivery against expected delivery *	386	1.7	136	0.6	Institutional Delivery	89.9
18	Institutional Delivery against expected delivery *	7,329	32.3	2,860	12.5	Home Delivery by SBA	4.6
19	Home Delivery against reported delivery **	386	5.0	136	4.5	PNC within 2days of delivery	65.0
20	Institutional Delivery against reported delivery **	7,329	95.0	2,860	95.5		
21	Total reported Deliveries	7,715		2,996			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	295		76		55.9	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,765		165.5		4,656 155.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	22,154		22,296			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	

				Up to 2 nd QTR			
25	Total reported live births	7,630	34.4	2,934	13.2	Breastfed within 1 hour of birth	34.9
26	Total Still Birth	141	0.6	70	0.3	BCG	93.6
27	PC of newborn weighted at birth to live birth	7,561	99.1	2,928	99.8	3 dose of DPT	87.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	916	12.1	365	12.5	Measles First dose	91.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,618	99.8	2,920	99.5	3 doses of penta or hepatitis B vaccine	68.3
30	Children fully immunized	14,313	64.6	7,087	31.8	Full Immunization	70.5
31	Children who have received BCG	12,483	56.3	4,815	21.6		
32	Children who have received Pentavalent 1	14,508	65.5	5,645	25.3		
33	Children who have received Pentavalent 3	14,484	65.4	6,619	29.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	14,426	65.1	7,015	31.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	896		229			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	8		4		Total unmet need	12.5
37	Number of Tubectomies performed	527		23		Spacing	5.7
38	Number of IUD insertion	907		911		Women using any method	59.2
39	Number of IUD removals	455		242		Women using modern method	47.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	94		40			
41	General OPD cases per 10,000 population ***	3,477		1,995			
42	Ayush OPD cases per 10,000 population ***	961		398			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	15		7			
44	Neonatal Deaths up to 4 weeks of birth	64		27			
45	Total Neonatal Death	79		34			
46	Deaths between (1 - 11) months	99		34			
47	Total reported infant deaths	178		68			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	1		0			

50	Due to Severe hypertension / fits	5	2	
51	Due to Bleeding	3	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	8	4	
54	Total reported maternal deaths	17	7	

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,622					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	231					
4	Sub Centres (SC)- HWC	33					
5	Primary Health Centers (PHC)	33					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	11					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	47,561		48,349			
11	Expected number of Delivery	44,319		45,052			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	41,428	87.1	23,448	48.5	ANC Check up in first trimester	62.2
13	Mothers registered in the first trimester	37,842	91.3	21,441	91.4	At least 4ANC check up	43.6
14	Mothers who had 4 or more ANC check ups	34,872	84.2	15,859	67.6	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	38,119	92.0	21,448	91.5	100 IFA tablets consumed	49.4
16	PW who consumed 180 IFA tablets	39,062	94.3	21,445	91.5	Home Delivery	12.4
17	Home Delivery against expected delivery *	5,684	12.8	2,203	4.9	Institutional Delivery	87.6
18	Institutional Delivery against expected delivery *	33,240	75.0	14,321	31.8	Home Delivery by SBA	0.6
19	Home Delivery against reported delivery **	5,684	14.6	2,203	13.3	PNC within 2days of delivery	70.5
20	Institutional Delivery against reported delivery **	33,240	85.4	14,321	86.7		
21	Total reported Deliveries	38,924		16,524			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,221		1,304			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,108		14,119			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	43,238		43,954			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	38,168	88.3	16,142	36.7	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	1,046	2.4	473	1.1	BCG	94.3
27	PC of newborn weighted at birth to live birth	38,160	100.0	16,136	100.0	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,210	13.7	2,300	14.3	Measles First dose	83.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	37,835	99.1	16,102	99.8	3 doses of penta or hepatitis B vaccine	67.8
30	Children fully immunized	36,466	84.3	18,656	42.4	Full Immunization	54.6
31	Children who have received BCG	41,199	95.3	17,645	40.1		
32	Children who have received Pentavalent 1	38,068	88.0	15,883	36.1		
33	Children who have received Pentavalent 3	37,118	85.8	18,157	41.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	37,132	85.9	18,730	42.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	795		271			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2		0		Total unmet need	12.3
37	Number of Tubectomies performed	1,332		781		Spacing	3.9
38	Number of IUD insertion	2,947		1,495		Women using any method	57.3
39	Number of IUD removals	490		255		Women using modern method	47.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	285		140			
41	General OPD cases per 10,000 population ***	5,259		2,987			
42	Ayush OPD cases per 10,000 population ***	539		305			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	89		21			
44	Neonatal Deaths up to 4 weeks of birth	655		152			
45	Total Neonatal Death	744		173			
46	Deaths between (1 - 11) months	56		35			
47	Total reported infant deaths	800		208			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22)			
	Maternal Deaths (In Numbers)						

			UP TO 2ND QTR	
48	Due to Abortion	3	0	
49	Due to Obstructed/prolonged labour	3	0	
50	Due to Severe hypertension / fits	26	8	
51	Due to Bleeding	6	4	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	57	24	
54	Total reported maternal deaths	95	36	

Biswanath Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	612,491					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	16,351	16,529				
11	Expected number of Delivery	15,236	15,402				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	13,935	85.2	7,635	46.2	ANC Check up in first trimester	41.2
13	Mothers registered in the first trimester	12,557	90.1	6,757	88.5	At least 4ANC check up	46.5
14	Mothers who had 4 or more ANC check ups	11,466	82.3	3,999	52.4	Neonatal tetanus received	94.6
15	PW who got TT 2 / Booster injection	13,177	94.6	6,971	91.3	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	13,314	95.5	9,147	119.8	Home Delivery	15.7
17	Home Delivery against expected delivery *	436	2.9	196	1.3	Institutional Delivery	84.3
18	Institutional Delivery against expected delivery *	9,921	65.1	3,645	23.7	Home Delivery by SBA	0.6
19	Home Delivery against reported delivery **	436	4.2	196	5.1	PNC within 2days of delivery	56.5
20	Institutional Delivery against reported delivery **	9,921	95.8	3,645	94.9		
21	Total reported Deliveries	10,357		3,841			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	19.3	31	15.8		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,726	93.9	3,952	102.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	14,865		15,026			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	10,200	68.6	3,870	25.8	Breastfed within 1 hour of birth	62.7
26	Total Still Birth	188	1.3	57	0.4	BCG	88.3
27	PC of newborn weighted at birth to live birth	10,197	100.0	3,713	95.9	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,184	11.6	505	13.6	Measles First dose	87.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	10,165	99.7	3,731	96.4	3 doses of penta or hepatitis B vaccine	82.6
30	Children fully immunized	12,748	85.8	5,789	38.5	Full Immunization	66.2
31	Children who have received BCG	11,950	80.4	4,336	28.9		
32	Children who have received Pentavalent 1	12,770	85.9	4,877	32.5		
33	Children who have received Pentavalent 3	12,590	84.7	5,614	37.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	85.6	5,833	38.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	367		90			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	7		0		Total unmet need	5.3
37	Number of Tubectomies performed	296		2		Spacing	1.4
38	Number of IUD insertion	403		63		Women using any method	72.4
39	Number of IUD removals	116		37		Women using modern method	56.1
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	524		216			
41	General OPD cases per 10,000 population ***	10,897		4,393			
42	Ayush OPD cases per 10,000 population ***	159		69			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	54		17			
44	Neonatal Deaths up to 4 weeks of birth	92		24			
45	Total Neonatal Death	146		41			
46	Deaths between (1 - 11) months	108		20			

47	Total reported infant deaths	254	61	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension / fits	6	1	
51	Due to Bleeding	3	3	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	30	8	
54	Total reported maternal deaths	41	12	

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	738,804					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	85					
4	Sub Centres (SC)- HWC	23					
5	Primary Health Centers (PHC)	16					
6	Primary Health Centres (PHC)-HWC	13					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	20,417	20,718				
11	Expected number of Delivery	19,025	19,306				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	14,974	73.3	8,189	39.5	ANC Check up in first trimester	65.1
13	Mothers registered in the first trimester	13,319	88.9	7,468	91.2	At least 4ANC check up	33.9
14	Mothers who had 4 or more ANC check ups	10,741	71.7	5,874	71.7	Neonatal tetanus received	91.8
15	PW who got TT 2 / Booster injection	12,964	86.6	7,824	95.5	100 IFA tablets consumed	46.7
16	PW who consumed 180 IFA tablets	14,452	96.5	8,337	101.8	Home Delivery	15.5
17	Home Delivery against expected delivery *	853	4.5	228	1.2	Institutional Delivery	84.5
18	Institutional Delivery against expected delivery *	13,177	69.3	5,632	29.2	Home Delivery by SBA	4.9
19	Home Delivery against reported delivery **	853	6.1	228	3.9	PNC within 2days of delivery	57.0
20	Institutional Delivery against reported delivery **	13,177	93.9	5,632	96.1		

21	Total reported Deliveries	14,030		5,860			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	208	24.4	165	72.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,305	87.7	5,555	94.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	18,561		18,835			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,997	75.4	5,842	31.0	Breastfed within 1 hour of birth	46.7
26	Total Still Birth	261	1.4	130	0.7	BCG	94.1
27	PC of newborn weighted at birth to live birth	13,463	96.2	5,676	97.2	3 dose of DPT	80.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,074	15.4	636	11.2	Measles First dose	84.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,461	96.2	5,594	95.8	3 doses of penta or hepatitis B vaccine	71.3
30	Children fully immunized	12,755	68.7	6,807	36.1	Full Immunization	67.9
31	Children who have received BCG	13,165	70.9	5,420	28.8		
32	Children who have received Pentavalent 1	13,742	74.0	5,744	30.5		
33	Children who have received Pentavalent 3	12,782	68.9	6,307	33.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	68.5	6,829	36.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	249		92			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	8		0		Total unmet need	16.1
37	Number of Tubectomies performed	439		253		Spacing	5.1
38	Number of IUD insertion	731		429		Women using any method	57.6
39	Number of IUD removals	177		101		Women using modern method	45.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	169		80			
41	General OPD cases per 10,000 population ***	3,511		2,129			
42	Ayush OPD cases per 10,000 population ***	220		78			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	27		12			

44	Neonatal Deaths up to 4 weeks of birth	90	38
45	Total Neonatal Death	117	50
46	Deaths between (1 - 11) months	45	24
47	Total reported infant deaths	162	74

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension / fits	2	2
51	Due to Bleeding	3	1
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	16	0
54	Total reported maternal deaths	21	3

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,736,617				
2	Sex Ratio	958				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	255				
4	Sub Centres (SC)- HWC	15				
5	Primary Health Centers (PHC)	20				
6	Primary Health Centres (PHC)-HWC	12				
7	Community Health Centers (CHC)	6				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	48,243	48,983			
11	Expected number of Delivery	44,953	45,643			
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
12	PW register for ANC	38,935	80.7	22,310	45.5	ANC Check up in first trimester 52.0
13	Mothers registered in the first trimester	34,344	88.2	20,085	90.0	At least 4ANC check up 32.7
14	Mothers who had 4 or more ANC check ups	34,614	88.9	15,930	71.4	Neonatal tetanus received 90.0
15	PW who got TT 2 / Booster injection	38,150	98.0	19,712	88.4	100 IFA tablets consumed 35.6
16	PW who consumed 180 IFA tablets	36,286	93.2	21,031	94.3	Home Delivery 20.8
17	Home Delivery against expected delivery *	1,372	3.1	441	1.0	Institutional Delivery 79.2
18	Institutional Delivery against expected delivery *	40,084	89.2	17,516	38.4	Home Delivery by SBA 2.1
19	Home Delivery against reported delivery **	1,372	3.3	441	2.5	PNC within 2days of delivery 57.3

20	Institutional Delivery against reported delivery **	40,084	96.7	17,516	97.5		
21	Total reported Deliveries	41,456		17,957			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	732	53.4	265	60.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,704	57.2	10,046	55.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	43,857		44,530			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	40,329	92.0	17,531	39.4	Breastfed within 1 hour of birth	29.8
26	Total Still Birth	1,269	2.9	552	1.2	BCG	88.3
27	PC of newborn weighted at birth to live birth	40,132	99.5	17,207	98.2	3 dose of DPT	82.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,140	15.3	2,642	15.4	Measles First dose	76.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	40,064	99.3	17,280	98.6	3 doses of penta or hepatitis B vaccine	63.8
30	Children fully immunized	40,254	91.8	19,439	43.7	Full Immunization	70.4
31	Children who have received BCG	44,933	102.5	19,677	44.2		
32	Children who have received Pentavalent 1	39,376	89.8	18,823	42.3		
33	Children who have received Pentavalent 3	39,060	89.1	19,183	43.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	40,224	91.7	19,345	43.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,032		1,429			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	72		54		Total unmet need	15.6
37	Number of Tubectomies performed	1,161		773		Spacing	6.9
38	Number of IUD insertion	1,715		1,848		Women using any method	48
39	Number of IUD removals	150		101		Women using modern method	38.2
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	469		247			
41	General OPD cases per 10,000 population ***	6,572		4,201			
42	Ayush OPD cases per 10,000 population ***	25		11			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			

			UP TO 2ND QTR	
43	Neonatal death within 24 hours	108	51	
44	Neonatal Deaths up to 4 weeks of birth	303	141	
45	Total Neonatal Death	411	192	
46	Deaths between (1 - 11) months	124	74	
47	Total reported infant deaths	535	266	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	7	0	
50	Due to Severe hypertension / fits	16	5	
51	Due to Bleeding	23	2	
52	Due to High fever	20	3	
53	Due to Other Causes (including causes not known)	69	34	
54	Total reported maternal deaths	135	44	

Charaideo Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	458,615					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	11,576	11,630				
11	Expected number of Delivery	10,787	10,837				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	7,746	66.9	4,123	35.5	ANC Check up in first trimester	74.1
13	Mothers registered in the first trimester	7,024	90.7	3,651	88.6	At least 4ANC check up	64.5
14	Mothers who had 4 or more ANC check ups	6,165	79.6	2,815	68.3	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	7,060	91.1	3,632	88.1	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	7,447	96.1	3,898	94.5	Home Delivery	11.8
17	Home Delivery against expected delivery *	45	0.4	20	0.2	Institutional Delivery	88.2

18	Institutional Delivery against expected delivery *	3,680	34.1	1,375	12.7	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	45	1.2	20	1.4	PNC within 2days of delivery	70.5
20	Institutional Delivery against reported delivery **	3,680	98.8	1,375	98.6		
21	Total reported Deliveries	3,725		1,395			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	20	100.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,016	134.7	2,073	148.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	10,524		10,572			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,741	35.5	1,375	13.0	Breastfed within 1 hour of birth	58.3
26	Total Still Birth	68	0.6	30	0.3	BCG	96.2
27	PC of newborn weighted at birth to live birth	3,709	99.1	1,360	98.9	3 dose of DPT	90.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	548	14.8	175	12.9	Measles First dose	90
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,730	99.7	1,375	100.0	3 doses of penta or hepatitis B vaccine	79.6
30	Children fully immunized	7,314	69.5	3,623	34.3	Full Immunization	74
31	Children who have received BCG	4,644	44.1	1,767	16.7		
32	Children who have received Pentavalent 1	7,411	70.4	2,873	27.2		
33	Children who have received Pentavalent 3	7,278	69.2	3,464	32.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,432	70.6	3,610	34.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	429		102			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	12		0		Total unmet need	8.3
37	Number of Tubectomies performed	455		1		Spacing	3.7
38	Number of IUD insertion	455		736		Women using any method	67
39	Number of IUD removals	90		57		Women using modern method	43.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	140		46			
41	General OPD cases per 10,000 population ***	9,627		5,212			

42	Ayush OPD cases per 10,000 population ***	51	75				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR				
43	Neonatal death within 24 hours	2	3				
44	Neonatal Deaths up to 4 weeks of birth	33	5				
45	Total Neonatal Death	35	8				
46	Deaths between (1 - 11) months	21	2				
47	Total reported infant deaths	56	10				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension / fits	0	1				
51	Due to Bleeding	1	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	1	4				
54	Total reported maternal deaths	2	5				
Chirang Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	482,162					
2	Sex Ratio	969					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	78					
4	Sub Centres (SC)- HWC	9					
5	Primary Health Centers (PHC)	19					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	12,378	12,458				
11	Expected number of Delivery	11,534	11,608				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)			
		Number	PC	Number			
				PC			
12	PW register for ANC	9,617	77.7	5,188	41.6	ANC Check up in first trimester	55.9
13	Mothers registered in the first trimester	7,628	79.3	4,255	82.0	At least 4ANC check up	56.5
14	Mothers who had 4 or more ANC check ups	6,543	68.0	3,232	62.3	Neonatal tetanus received	96.1
15	PW who got TT 2 / Booster injection	8,860	92.1	4,914	94.7	100 IFA tablets consumed	47.1

16	PW who consumed 180 IFA tablets	8,142	84.7	4,750	91.6	Home Delivery	16.3
17	Home Delivery against expected delivery *	1,692	14.7	692	6.0	Institutional Delivery	83.7
18	Institutional Delivery against expected delivery *	5,923	51.4	2,670	23.0	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	1,692	22.2	692	20.6	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	5,923	77.8	2,670	79.4		
21	Total reported Deliveries	7,615		3,362			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	5.4	40	5.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,734	62.2	1,836	54.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	11,252		11,325			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	7,520	66.8	3,327	29.4	Breastfed within 1 hour of birth	40.5
26	Total Still Birth	120	1.1	46	0.4	BCG	98.2
27	PC of newborn weighted at birth to live birth	7,519	100.0	3,322	99.8	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	988	13.1	347	10.4	Measles First dose	89.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,510	99.9	3,303	99.3	3 doses of penta or hepatitis B vaccine	84.5
30	Children fully immunized	8,360	74.3	4,097	36.2	Full Immunization	71.1
31	Children who have received BCG	8,288	73.7	3,727	32.9		
32	Children who have received Pentavalent 1	8,854	78.7	3,669	32.4		
33	Children who have received Pentavalent 3	8,362	74.3	4,290	37.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	8,389	74.6	4,101	36.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	807		282			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	9.8
37	Number of Tubectomies performed	12		9		Spacing	3.7
38	Number of IUD insertion	696		264		Women using any method	65.8
39	Number of IUD removals	537		247		Women using modern method	55.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			

40	IPD cases per 10,000 population ***	280	106	
41	General OPD cases per 10,000 population ***	4,794	2,225	
42	Ayush OPD cases per 10,000 population ***	434	206	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
43	Neonatal death within 24 hours	22	8	
44	Neonatal Deaths up to 4 weeks of birth	57	13	
45	Total Neonatal Death	79	21	
46	Deaths between (1 - 11) months	90	19	
47	Total reported infant deaths	169	40	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	11	3	
54	Total reported maternal deaths	12	4	

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	928,500	
2	Sex Ratio	923	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	138	
4	Sub Centres (SC)- HWC	21	
5	Primary Health Centers (PHC)	29	
6	Primary Health Centres (PHC)-HWC	4	
7	Community Health Centers (CHC)	7	
8	SDH	0	
9	DH	1	

C) Maternal Health:

		2020-21		2021-22			
		Number	PC	Number	PC	NFHS-5 (2019-20)	
10	Expected number of PW	25,644		26,020			
11	Expected number of Delivery	23,895		24,246			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
		Number	PC	Number	PC		
12	PW register for ANC	21,817	85.1	11,884	45.7	ANC Check up in first trimester	56.5
13	Mothers registered in the first trimester	21,194	97.1	11,612	97.7	At least 4ANC check up	37.5
14	Mothers who had 4 or more ANC check ups	19,743	90.5	9,202	77.4	Neonatal tetanus received	91.1

15	PW who got TT 2 / Booster injection	20,309	93.1	11,308	95.2	100 IFA tablets consumed	43.3
16	PW who consumed 180 IFA tablets	20,217	92.7	10,729	90.3	Home Delivery	15.6
17	Home Delivery against expected delivery *	352	1.5	48	0.2	Institutional Delivery	84.4
18	Institutional Delivery against expected delivery *	18,545	77.6	8,498	35.0	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	352	1.9	48	0.6	PNC within 2days of delivery	53.2
20	Institutional Delivery against reported delivery **	18,545	98.1	8,498	99.4		
21	Total reported Deliveries	18,897		8,546			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	335	95.2	47	97.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,820	120.8	10,388	121.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	23,312		23,655			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	18,742	80.4	8,442	35.7	Breastfed within 1 hour of birth	51.7
26	Total Still Birth	281	1.2	160	0.7	BCG	94.9
27	PC of newborn weighted at birth to live birth	18,675	99.6	8,424	99.8	3 dose of DPT	76.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,723	19.9	858	10.2	Measles First dose	82.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,398	98.2	8,230	97.5	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	19,908	85.4	9,797	41.4	Full Immunization	57.1
31	Children who have received BCG	19,625	84.2	8,709	36.8		
32	Children who have received Pentavalent 1	19,899	85.4	8,400	35.5		
33	Children who have received Pentavalent 3	19,847	85.1	9,380	39.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,880	85.3	9,745	41.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,421		798			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	12		0		Total unmet need	14.8
37	Number of Tubectomies performed	564		249		Spacing	5.8
38	Number of IUD insertion	1,673		988		Women using any method	46.8
39	Number of IUD removals	513		337		Women using modern method	36.5

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
40	IPD cases per 10,000 population ***	391	188	
41	General OPD cases per 10,000 population ***	5,007	2,632	
42	Ayush OPD cases per 10,000 population ***	264	134	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
43	Neonatal death within 24 hours	11	7	
44	Neonatal Deaths up to 4 weeks of birth	143	82	
45	Total Neonatal Death	154	89	
46	Deaths between (1 - 11) months	45	20	
47	Total reported infant deaths	199	109	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	2	0	
51	Due to Bleeding	4	4	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	8	9	
54	Total reported maternal deaths	15	13	

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	686,133	
2	Sex Ratio	949	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	78	
4	Sub Centres (SC)- HWC	20	
5	Primary Health Centers (PHC)	15	
6	Primary Health Centres (PHC)-HWC	8	
7	Community Health Centers (CHC)	4	
8	SDH	0	
9	DH	1	

C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	19,082		19,378			
11	Expected number of Delivery	17,781		18,056			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	14,315	75.0	7,709	39.8	ANC Check up in first trimester	76.2
13	Mothers registered in the first trimester	13,365	93.4	7,154	92.8	At least 4ANC check up	62.2

14	Mothers who had 4 or more ANC check ups	12,310	86.0	5,132	66.6	Neonatal tetanus received	96.5
15	PW who got TT 2 / Booster injection	13,291	92.8	7,520	97.5	100 IFA tablets consumed	45.3
16	PW who consumed 180 IFA tablets	14,241	99.5	7,797	101.1	Home Delivery	12.7
17	Home Delivery against expected delivery *	46	0.3	16	0.1	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	14,508	81.6	6,417	35.5	Home Delivery by SBA	4.2
19	Home Delivery against reported delivery **	46	0.3	16	0.2	PNC within 2days of delivery	72.8
20	Institutional Delivery against reported delivery **	14,508	99.7	6,417	99.8		
21	Total reported Deliveries	14,554		6,433			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	43.5	11	68.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,939	95.8	5,394	83.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	17,348		17,616			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	14,395	83.0	6,435	36.5	Breastfed within 1 hour of birth	45.5
26	Total Still Birth	247	1.4	118	0.7	BCG	96.7
27	PC of newborn weighted at birth to live birth	14,391	100.0	6,299	97.9	3 dose of DPT	94.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,533	10.7	674	10.7	Measles First dose	93.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,085	97.8	6,289	97.7	3 doses of penta or hepatitis B vaccine	90
30	Children fully immunized	12,840	74.0	6,308	35.8	Full Immunization	89.7
31	Children who have received BCG	14,108	81.3	5,848	33.2		
32	Children who have received Pentavalent 1	12,891	74.3	5,405	30.7		
33	Children who have received Pentavalent 3	12,816	73.9	6,302	35.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,855	74.1	6,285	35.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,542		340			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	4		0		Total unmet need	7.1
37	Number of Tubectomies performed	731		394		Spacing	3.5
38	Number of IUD insertion	1,552		528		Women using any method	72.6

39	Number of IUD removals	723	306	Women using modern method	45	
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	235	128			
41	General OPD cases per 10,000 population ***	5,298	3,067			
42	Ayush OPD cases per 10,000 population ***	297	127			
G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	54	14			
44	Neonatal Deaths up to 4 weeks of birth	123	42			
45	Total Neonatal Death	177	56			
46	Deaths between (1 - 11) months	71	21			
47	Total reported infant deaths	248	77			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0	1			
49	Due to Obstructed/prolonged labour	2	0			
50	Due to Severe hypertension / fits	2	0			
51	Due to Bleeding	1	1			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	10	5			
54	Total reported maternal deaths	15	7			
Dhubri Factsheet						
Key Indicators						
SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,394,144				
2	Sex Ratio	952				
	B) Infrastructure Details (RHS 2018-19)	Numbers				
3	Sub Centers (SC)	184				
4	Sub Centres (SC)- HWC	47				
5	Primary Health Centers (PHC)	25				
6	Primary Health Centres (PHC)-HWC	19				
7	Community Health Centers (CHC)	6				
8	SDH	2				
9	DH	1				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	40,198	40,984			
11	Expected number of Delivery	37,458	38,190			
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
12	PW register for ANC	44,289	110.2	24,819	60.6	
				ANC Check up in first trimester	49.9	

13	Mothers registered in the first trimester	37,371	84.4	21,673	87.3	At least 4ANC check up	37.6
14	Mothers who had 4 or more ANC check ups	36,965	83.5	20,516	82.7	Neonatal tetanus received	97.0
15	PW who got TT 2 / Booster injection	45,582	102.9	22,453	90.5	100 IFA tablets consumed	47.6
16	PW who consumed 180 IFA tablets	43,262	97.7	23,272	93.8	Home Delivery	35.8
17	Home Delivery against expected delivery *	15,931	42.5	5,948	15.6	Institutional Delivery	64.2
18	Institutional Delivery against expected delivery *	22,114	59.0	9,036	23.7	Home Delivery by SBA	5.8
19	Home Delivery against reported delivery **	15,931	41.9	5,948	39.7	PNC within 2days of delivery	48.4
20	Institutional Delivery against reported delivery **	22,114	58.1	9,036	60.3		
21	Total reported Deliveries	38,045		14,984			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,196	26.3	2,165	36.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,499	69.7	10,161	67.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	36,544		37,258			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	37,490	102.6	15,093	40.5	Breastfed within 1 hour of birth	57.9
26	Total Still Birth	996	2.7	390	1.0	BCG	90.5
27	PC of newborn weighted at birth to live birth	37,485	100.0	14,841	98.3	3 dose of DPT	82.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,868	15.7	2,487	16.8	Measles First dose	84
29	PC of newborns breastfed within 1 hour to total reported live birth.	36,997	98.7	14,765	97.8	3 doses of penta or hepatitis B vaccine	81.4
30	Children fully immunized	36,645	100.3	18,410	49.4	Full Immunization	71.6
31	Children who have received BCG	39,552	108.2	16,189	43.5		
32	Children who have received Pentavalent 1	38,374	105.0	16,438	44.1		
33	Children who have received Pentavalent 3	36,121	98.8	18,189	48.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	37,332	102.2	19,074	51.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,365		984			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1		6		Total unmet need	11.5
37	Number of Tubectomies performed	435		262		Spacing	4

38	Number of IUD insertion	5,464	3,625	Women using any method	64.1	
39	Number of IUD removals	333	164	Women using modern method	53.2	
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	243	118			
41	General OPD cases per 10,000 population ***	3,865	1,944			
42	Ayush OPD cases per 10,000 population ***	316	200			
G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	219	54			
44	Neonatal Deaths up to 4 weeks of birth	531	100			
45	Total Neonatal Death	750	154			
46	Deaths between (1 - 11) months	136	52			
47	Total reported infant deaths	886	206			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0	1			
49	Due to Obstructed/prolonged labour	2	0			
50	Due to Severe hypertension / fits	7	0			
51	Due to Bleeding	4	2			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	44	11			
54	Total reported maternal deaths	57	14			
Dibrugarh Factsheet						
Key Indicators						
SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,326,335				
2	Sex Ratio	952				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	214				
4	Sub Centres (SC)- HWC	20				
5	Primary Health Centers (PHC)	21				
6	Primary Health Centres (PHC)-HWC	9				
7	Community Health Centers (CHC)	9				
8	SDH	0				
9	DH	0				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	34,285	34,534			
11	Expected number of Delivery	31,948	32,179			
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	

12	PW register for ANC	20,696	60.4	10,909	31.6	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	18,150	87.7	9,482	86.9	At least 4ANC check up	75.6
14	Mothers who had 4 or more ANC check ups	16,753	80.9	6,644	60.9	Neonatal tetanus received	94.1
15	PW who got TT 2 / Booster injection	19,268	93.1	10,130	92.9	100 IFA tablets consumed	58.9
16	PW who consumed 180 IFA tablets	20,664	99.8	10,205	93.5	Home Delivery	6.9
17	Home Delivery against expected delivery *	57	0.2	23	0.1	Institutional Delivery	93.1
18	Institutional Delivery against expected delivery *	23,252	72.8	9,238	28.7	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	57	0.2	23	0.2	PNC within 2days of delivery	82.1
20	Institutional Delivery against reported delivery **	23,252	99.8	9,238	99.8		
21	Total reported Deliveries	23,309		9,261			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	19.3	7	30.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,908	89.7	9,260	100.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	31,168		31,394			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	22,824	73.2	8,973	28.6	Breastfed within 1 hour of birth	52.6
26	Total Still Birth	638	2.0	348	1.1	BCG	97.8
27	PC of newborn weighted at birth to live birth	22,820	100.0	8,973	100.0	3 dose of DPT	93
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,005	21.9	1,913	21.3	Measles First dose	97.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	22,069	96.7	8,872	98.9	3 doses of penta or hepatitis B vaccine	93
30	Children fully immunized	20,747	66.6	10,247	32.6	Full Immunization	83.8
31	Children who have received BCG	22,961	73.7	8,630	27.5		
32	Children who have received Pentavalent 1	20,835	66.8	7,765	24.7		
33	Children who have received Pentavalent 3	20,584	66.0	9,249	29.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,751	66.6	10,260	32.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,186		636			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	67		58		Total unmet	8.7

				need	
37	Number of Tubectomies performed	1,719	306	Spacing	4.8
38	Number of IUD insertion	504	577	Women using any method	64.6
39	Number of IUD removals	460	278	Women using modern method	43.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	515	268		
41	General OPD cases per 10,000 population ***	12,820	6,003		
42	Ayush OPD cases per 10,000 population ***	234	71		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	51	28		
44	Neonatal Deaths up to 4 weeks of birth	332	165		
45	Total Neonatal Death	383	193		
46	Deaths between (1 - 11) months	84	39		
47	Total reported infant deaths	467	232		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	4	2		
49	Due to Obstructed/prolonged labour	1	3		
50	Due to Severe hypertension / fits	18	15		
51	Due to Bleeding	1	5		
52	Due to High fever	0	5		
53	Due to Other Causes (including causes not known)	67	22		
54	Total reported maternal deaths	91	52		
Dima Hasao Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	214,102			
2	Sex Ratio	931			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	62			
4	Sub Centres (SC)- HWC	10			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centres (PHC)-HWC	4			
7	Community Health Centers (CHC)	2			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	5,608	5,657		
11	Expected number of Delivery	5,226	5,271		

		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,442	79.2	2,156	38.1	ANC Check up in first trimester	58.9
13	Mothers registered in the first trimester	3,165	71.3	1,593	73.9	At least 4ANC check up	46.9
14	Mothers who had 4 or more ANC check ups	2,464	55.5	1,023	47.4	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	3,739	84.2	1,877	87.1	100 IFA tablets consumed	40.8
16	PW who consumed 180 IFA tablets	3,890	87.6	1,877	87.1	Home Delivery	10.5
17	Home Delivery against expected delivery *	1,335	25.5	631	12.0	Institutional Delivery	89.5
18	Institutional Delivery against expected delivery *	2,349	44.9	1,029	19.5	Home Delivery by SBA	1.8
19	Home Delivery against reported delivery **	1,335	36.2	631	38.0	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	2,349	63.8	1,029	62.0		
21	Total reported Deliveries	3,684		1,660			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	521	39.0	222	35.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,354	36.8	553	33.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	5,098		5,143			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,627	71.1	1,646	32.0	Breastfed within 1 hour of birth	58
26	Total Still Birth	78	1.5	36	0.7	BCG	91.3
27	PC of newborn weighted at birth to live birth	3,536	97.5	1,636	99.4	3 dose of DPT	71.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	202	5.7	93	5.7	Measles First dose	71.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,575	98.6	1,635	99.3	3 doses of penta or hepatitis B vaccine	69.9
30	Children fully immunized	3,621	71.0	1,713	33.3	Full Immunization	63.6
31	Children who have received BCG	3,727	73.1	1,622	31.5		
32	Children who have received Pentavalent 1	3,735	73.3	1,560	30.3		
33	Children who have received Pentavalent 3	3,625	71.1	1,607	31.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,636	71.3	1,712	33.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,843		350			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1	2	Total unmet need	9.7
37	Number of Tubectomies performed	4	0	Spacing	2.6
38	Number of IUD insertion	260	84	Women using any method	65.5
39	Number of IUD removals	179	81	Women using modern method	44.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	392	187		
41	General OPD cases per 10,000 population ***	5,361	3,078		
42	Ayush OPD cases per 10,000 population ***	407	164		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	11	9		
44	Neonatal Deaths up to 4 weeks of birth	29	9		
45	Total Neonatal Death	40	18		
46	Deaths between (1 - 11) months	36	13		
47	Total reported infant deaths	76	31		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	3		
54	Total reported maternal deaths	6	3		
Goalpara Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	1,008,183			
2	Sex Ratio	962			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	120			
4	Sub Centres (SC)- HWC	35			
5	Primary Health Centers (PHC)	19			
6	Primary Health Centres (PHC)-HWC	19			
7	Community Health Centers (CHC)	6			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		

10	Expected number of PW	28,648		29,161			
11	Expected number of Delivery	26,695		27,173			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	26,625	92.9	14,971	51.3	ANC Check up in first trimester	65.3
13	Mothers registered in the first trimester	25,011	93.9	13,896	92.8	At least 4ANC check up	44.1
14	Mothers who had 4 or more ANC check ups	20,882	78.4	10,207	68.2	Neonatal tetanus received	96.6
15	PW who got TT 2 / Booster injection	23,931	89.9	13,550	90.5	100 IFA tablets consumed	52.2
16	PW who consumed 180 IFA tablets	26,122	98.1	14,492	96.8	Home Delivery	7.7
17	Home Delivery against expected delivery *	1,189	4.5	428	1.6	Institutional Delivery	92.3
18	Institutional Delivery against expected delivery *	24,549	92.0	10,401	38.3	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	1,189	4.6	428	4.0	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	24,549	95.4	10,401	96.0		
21	Total reported Deliveries	25,738		10,829			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,001	84.2	351	82.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,379	75.3	8,353	77.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	26,044		26,510			
	D) Child Immunization :	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	25,402	97.5	10,657	40.2	Breastfed within 1 hour of birth	45.7
26	Total Still Birth	614	2.4	265	1.0	BCG	98.4
27	PC of newborn weighted at birth to live birth	25,176	99.1	10,486	98.4	3 dose of DPT	90.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,082	12.2	1,200	11.4	Measles First dose	90.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	25,221	99.3	10,574	99.2	3 doses of penta or hepatitis B vaccine	87.3
30	Children fully immunized	22,552	86.6	11,407	43.0	Full Immunization	70.3
31	Children who have received BCG	25,955	99.7	11,258	42.5		
32	Children who have received Pentavalent 1	23,578	90.5	10,116	38.2		
33	Children who have received Pentavalent 3	22,533	86.5	11,162	42.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	22,896	87.9	11,808	44.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,038		333			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	28	0	Total unmet need	7.4
37	Number of Tubectomies performed	608	356	Spacing	2.2
38	Number of IUD insertion	6,172	4,493	Women using any method	66.8
39	Number of IUD removals	775	606	Women using modern method	55.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	441	229		
41	General OPD cases per 10,000 population ***	5,757	3,608		
42	Ayush OPD cases per 10,000 population ***	608	282		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	76	47		
44	Neonatal Deaths up to 4 weeks of birth	152	98		
45	Total Neonatal Death	228	145		
46	Deaths between (1 - 11) months	88	20		
47	Total reported infant deaths	316	165		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	6	0		
51	Due to Bleeding	5	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	28	9		
54	Total reported maternal deaths	39	12		

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,066,888	
2	Sex Ratio	961	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	133	
4	Sub Centres (SC)- HWC	11	
5	Primary Health Centers (PHC)	35	
6	Primary Health Centres (PHC)-HWC	6	
7	Community Health Centers (CHC)	4	

8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	27,539		27,735			
11	Expected number of Delivery	25,662		25,844			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	18,484	67.1	9,608	34.6	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	16,738	90.6	8,793	91.5	At least 4ANC check up	65.7
14	Mothers who had 4 or more ANC check ups	14,047	76.0	6,236	64.9	Neonatal tetanus received	97.7
15	PW who got TT 2 / Booster injection	16,294	88.2	9,034	94.0	100 IFA tablets consumed	63.7
16	PW who consumed 180 IFA tablets	15,741	85.2	9,385	97.7	Home Delivery	9.6
17	Home Delivery against expected delivery *	149	0.6	62	0.2	Institutional Delivery	90.4
18	Institutional Delivery against expected delivery *	13,369	52.1	5,431	21.0	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	149	1.1	62	1.1	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	13,369	98.9	5,431	98.9		
21	Total reported Deliveries	13,518		5,493			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	32.2	18	29.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,268	83.4	4,307	78.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	25,036		25,213			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,340	53.3	5,474	21.7	Breastfed within 1 hour of birth	53.6
26	Total Still Birth	294	1.2	115	0.5	BCG	92.6
27	PC of newborn weighted at birth to live birth	13,306	99.7	5,338	97.5	3 dose of DPT	84.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,760	13.2	727	13.6	Measles First dose	87.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,277	92.0	4,719	86.2	3 doses of penta or hepatitis B vaccine	82.8
30	Children fully immunized	16,496	65.9	7,613	30.2	Full Immunization	72.4
31	Children who have received BCG	14,036	56.1	5,900	23.4		
32	Children who have received Pentavalent 1	17,298	69.1	6,206	24.6		
33	Children who have received Pentavalent 3	16,436	65.6	7,176	28.5		

34	Children who have received Measles & Rubella (MR)- 1st Dose	16,130	64.4	7,672	30.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	762		346			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	15	0	Total unmet need	10.9
37	Number of Tubectomies performed	603	149	Spacing	4.7
38	Number of IUD insertion	649	184	Women using any method	61.6
39	Number of IUD removals	728	263	Women using modern method	35.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	190	119		
41	General OPD cases per 10,000 population ***	6,539	3,048		
42	Ayush OPD cases per 10,000 population ***	145	61		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	62	18		
44	Neonatal Deaths up to 4 weeks of birth	176	51		
45	Total Neonatal Death	238	69		
46	Deaths between (1 - 11) months	118	27		
47	Total reported infant deaths	356	96		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	4	0		
51	Due to Bleeding	3	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	26	4		
54	Total reported maternal deaths	33	5		

Hailakandi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	659,296				
2	Sex Ratio	946				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	82				
4	Sub Centres (SC)- HWC	25				

5	Primary Health Centers(PHC)	11					
6	Primary Health Centres (PHC)-HWC	3					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	18,521		18,829			
11	Expected number of Delivery	17,258		17,545			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	19,116	103.2	11,351	60.3	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	16,837	88.1	9,944	87.6	At least 4ANC check up	43.1
14	Mothers who had 4 or more ANC check ups	16,107	84.3	7,781	68.5	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	17,660	92.4	10,114	89.1	100 IFA tablets consumed	29.0
16	PW who consumed 180 IFA tablets	18,832	98.5	11,287	99.4	Home Delivery	17.0
17	Home Delivery against expected delivery *	1,330	7.7	406	2.3	Institutional Delivery	83.0
18	Institutional Delivery against expected delivery *	12,184	70.6	5,920	33.7	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	1,330	9.8	406	6.4	PNC within 2days of delivery	68.8
20	Institutional Delivery against reported delivery **	12,184	90.2	5,920	93.6		
21	Total reported Deliveries	13,514		6,326			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	695	52.3	201	49.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,386	91.7	5,628	89.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	16,838		17,117			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,238	78.6	6,217	36.3	Breastfed within 1 hour of birth	24.4
26	Total Still Birth	323	1.9	148	0.9	BCG	95.4
27	PC of newborn weighted at birth to live birth	13,238	100.0	6,216	100.0	3 dose of DPT	78.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	802	6.1	433	7.0	Measles First dose	85.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,744	96.3	6,196	99.7	3 doses of penta or hepatitis B vaccine	77.4
30	Children fully immunized	16,391	97.3	7,890	46.1	Full Immunization	68.6
31	Children who have received BCG	16,966	100.8	7,424	43.4		
32	Children who have received Pentavalent 1	16,758	99.5	7,913	46.2		

33	Children who have received Pentavalent 3	16,439	97.6	8,191	47.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	16,391	97.3	7,890	46.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,810		1,482			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	17	22	Total unmet need	8.6
37	Number of Tubectomies performed	314	194	Spacing	4.2
38	Number of IUD insertion	4,257	1,845	Women using any method	66.8
39	Number of IUD removals	554	197	Women using modern method	49.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	297	159		
41	General OPD cases per 10,000 population ***	4,727	2,581		
42	Ayush OPD cases per 10,000 population ***	177	87		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	67	14		
44	Neonatal Deaths up to 4 weeks of birth	66	18		
45	Total Neonatal Death	133	32		
46	Deaths between (1 - 11) months	66	15		
47	Total reported infant deaths	199	47		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	14	2		
54	Total reported maternal deaths	16	2		

Hojai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	931,218	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	

3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers(PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	26,310		26,764			
11	Expected number of Delivery	24,517		24,939			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	21,355	81.2	11,197	41.8	ANC Check up in first trimester	52.7
13	Mothers registered in the first trimester	18,778	87.9	10,538	94.1	At least 4ANC check up	51.3
14	Mothers who had 4 or more ANC check ups	17,591	82.4	10,169	90.8	Neonatal tetanus received	96.2
15	PW who got TT 2 / Booster injection	20,569	96.3	10,541	94.1	100 IFA tablets consumed	50.5
16	PW who consumed 180 IFA tablets	20,942	98.1	10,975	98.0	Home Delivery	17.9
17	Home Delivery against expected delivery *	2,383	9.7	744	3.0	Institutional Delivery	82.1
18	Institutional Delivery against expected delivery *	14,197	57.9	5,878	23.6	Home Delivery by SBA	4.1
19	Home Delivery against reported delivery **	2,383	14.4	744	11.2	PNC within 2days of delivery	63.9
20	Institutional Delivery against reported delivery **	14,197	85.6	5,878	88.8		
21	Total reported Deliveries	16,580		6,622			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.9	81	10.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,552	93.8	6,310	95.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	23,919		24,331			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	16,357	68.4	6,508	26.7	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	246	1.0	122	0.5	BCG	82.1
27	PC of newborn weighted at birth to live birth	16,343	99.9	6,490	99.7	3 dose of DPT	60.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,597	9.8	535	8.2	Measles First dose	59.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,019	97.9	6,444	99.0	3 doses of penta or hepatitis B vaccine	55.6
30	Children fully immunized	19,349	80.9	9,095	37.4	Full Immunization	55.5

31	Children who have received BCG	19,984	83.5	8,661	35.6		
32	Children who have received Pentavalent 1	19,446	81.3	8,615	35.4		
33	Children who have received Pentavalent 3	18,492	77.3	8,546	35.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,477	81.4	9,092	37.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,937		357			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	13.2
37	Number of Tubectomies performed	107	25	Spacing	4.9
38	Number of IUD insertion	383	91	Women using any method	61.1
39	Number of IUD removals	39	8	Women using modern method	48.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	71	29		
41	General OPD cases per 10,000 population ***	2,874	1,395		
42	Ayush OPD cases per 10,000 population ***	28	43		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	16	5		
44	Neonatal Deaths up to 4 weeks of birth	47	16		
45	Total Neonatal Death	63	21		
46	Deaths between (1 - 11) months	38	12		
47	Total reported infant deaths	101	33		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	0	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	Total reported maternal deaths	2	6		

Jorhat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	924,952	

2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	110					
4	Sub Centres (SC)- HWC	35					
5	Primary Health Centers(PHC)	24					
6	Primary Health Centres (PHC)-HWC	18					
7	Community Health Centers (CHC)	6					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	23,315	23,418				
11	Expected number of Delivery	21,725	21,821				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	16,170	69.4	7,616	32.5	ANC Check up in first trimester	78.3
13	Mothers registered in the first trimester	15,409	95.3	7,231	94.9	At least 4ANC check up	67.0
14	Mothers who had 4 or more ANC check ups	13,236	81.9	5,027	66.0	Neonatal tetanus received	97.4
15	PW who got TT 2 / Booster injection	15,037	93.0	7,293	95.8	100 IFA tablets consumed	52.1
16	PW who consumed 180 IFA tablets	16,018	99.1	7,219	94.8	Home Delivery	3.5
17	Home Delivery against expected delivery *	62	0.3	23	0.1	Institutional Delivery	96.5
18	Institutional Delivery against expected delivery *	14,125	65.0	6,022	27.6	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	62	0.4	23	0.4	PNC within 2days of delivery	81.4
20	Institutional Delivery against reported delivery **	14,125	99.6	6,022	99.6		
21	Total reported Deliveries	14,187		6,045			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	75.8	20	87.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,370	122.4	6,750	111.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	21,195		21,289			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
25	Total reported live births	13,958	65.9	6,040	28.4	Breastfed within 1 hour of birth	51.6
26	Total Still Birth	276	1.3	113	0.5	BCG	100
27	PC of newborn weighted at birth to live birth	13,925	99.8	5,508	91.2	3 dose of DPT	79.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,141	15.4	584	10.6	Measles First dose	83.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,927	99.8	5,496	91.0	3 doses of penta or hepatitis B vaccine	78.4

30	Children fully immunized	14,424	68.1	7,042	33.1	Full Immunization	69.2
31	Children who have received BCG	13,579	64.1	5,507	25.9		
32	Children who have received Pentavalent 1	14,404	68.0	5,786	27.2		
33	Children who have received Pentavalent 3	14,161	66.8	6,251	29.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	14,658	69.2	7,277	34.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	628		158			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	105	0	Total unmet need	10.4
37	Number of Tubectomies performed	1,288	142	Spacing	3.2
38	Number of IUD insertion	799	214	Women using any method	63.8
39	Number of IUD removals	152	65	Women using modern method	32.3

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	402	231		
41	General OPD cases per 10,000 population ***	8,569	4,193		
42	Ayush OPD cases per 10,000 population ***	24	19		

G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	34	17		
44	Neonatal Deaths up to 4 weeks of birth	343	126		
45	Total Neonatal Death	377	143		
46	Deaths between (1 - 11) months	107	28		
47	Total reported infant deaths	484	171		

II) Maternal Mortality

Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	28	17		
54	Total reported maternal deaths	28	20		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census)		
-------	------------------------------------	--	--

	2011)							
1	Population 2011	1,517,542						
2	Sex Ratio	946						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	253						
4	Sub Centres (SC)- HWC	26						
5	Primary Health Centers(PHC)	55						
6	Primary Health Centres (PHC)-HWC	10						
7	Community Health Centers (CHC)	13						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	40,513	40,952					
11	Expected number of Delivery	37,750	38,160					
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
12	PW register for ANC	30,779	76.0	16,863	41.2	ANC Check up in first trimester	57.0	
13	Mothers registered in the first trimester	28,073	91.2	15,620	92.6	At least 4ANC check up	46.9	
14	Mothers who had 4 or more ANC check ups	25,495	82.8	12,396	73.5	Neonatal tetanus received	85.9	
15	PW who got TT 2 / Booster injection	27,239	88.5	15,652	92.8	100 IFA tablets consumed	42.5	
16	PW who consumed 180 IFA tablets	28,751	93.4	16,832	99.8	Home Delivery	15.0	
17	Home Delivery against expected delivery *	443	1.2	168	0.4	Institutional Delivery	85.0	
18	Institutional Delivery against expected delivery *	21,326	56.5	8,425	22.1	Home Delivery by SBA	4.3	
19	Home Delivery against reported delivery **	443	2.0	168	2.0	PNC within 2days of delivery	61.4	
20	Institutional Delivery against reported delivery **	21,326	98.0	8,425	98.0			
21	Total reported Deliveries	21,769		8,593				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	182	41.1	87	51.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,730	99.8	9,417	109.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	36,830		37,229				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)			
25	Total reported live births	21,683	58.9	8,619	23.2	Breastfed within 1 hour of birth	45.5	
26	Total Still Birth	149	0.4	75	0.2	BCG	90.5	
27	PC of newborn weighted at birth to live birth	21,645	99.8	11,100	128.8	3 dose of DPT	86.1	
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,404	11.1	995	9.0	Measles First dose	83	

29	PC of newborns breastfed within 1 hour to total reported live birth.	21,631	99.8	8,530	99.0	3 doses of penta or hepatitis B vaccine	73.2
30	Children fully immunized	28,925	78.5	14,052	37.7	Full Immunization	63.6
31	Children who have received BCG	21,880	59.4	8,614	23.1		
32	Children who have received Pentavalent 1	28,956	78.6	11,341	30.5		
33	Children who have received Pentavalent 3	28,485	77.3	13,379	35.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	28,962	78.6	14,127	37.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,216		546			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	37	0	Total unmet need	17.6
37	Number of Tubectomies performed	924	578	Spacing	7.7
38	Number of IUD insertion	1,634	1,728	Women using any method	38.7
39	Number of IUD removals	708	345	Women using modern method	32.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	132	56		
41	General OPD cases per 10,000 population ***	5,613	3,215		
42	Ayush OPD cases per 10,000 population ***	974	468		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	24	13		
44	Neonatal Deaths up to 4 weeks of birth	143	34		
45	Total Neonatal Death	167	47		
46	Deaths between (1 - 11) months	86	18		
47	Total reported infant deaths	253	65		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	2	2		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	20	1		
54	Total reported maternal deaths	24	3		

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,253,938					
2	Sex Ratio	922					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	48					
4	Sub Centres (SC)- HWC	3					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centres (PHC)-HWC	34					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2020-21		2021-22			
10	Expected number of PW	34,461		34,948			
11	Expected number of Delivery	32,111		32,565			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	19,442	56.4	10,362	29.7	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	16,062	82.6	8,720	84.2	At least 4ANC check up	68.9
14	Mothers who had 4 or more ANC check ups	19,018	97.8	11,090	107.0	Neonatal tetanus received	96.3
15	PW who got TT 2 / Booster injection	17,623	90.6	9,787	94.5	100 IFA tablets consumed	51.7
16	PW who consumed 180 IFA tablets	18,456	94.9	10,845	104.7	Home Delivery	10.9
17	Home Delivery against expected delivery *	232	0.7	96	0.3	Institutional Delivery	89.1
18	Institutional Delivery against expected delivery *	28,851	89.8	14,493	44.5	Home Delivery by SBA	2.2
19	Home Delivery against reported delivery **	232	0.8	96	0.7	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	28,851	99.2	14,493	99.3		
21	Total reported Deliveries	29,083		14,589			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	26.7	5	5.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,354	66.5	13,302	91.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	31,328		31,771			
	D) Child Immunization :	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	28,323	90.4	14,527	45.7	Breastfed within 1 hour of birth	53
26	Total Still Birth	792	2.5	341	1.1	BCG	90.6
27	PC of newborn weighted at birth to live birth	28,046	99.0	14,387	99.0	3 dose of DPT	77

28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,536	23.3	2,746	19.1	Measles First dose	74.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	28,177	99.5	12,250	84.3	3 doses of penta or hepatitis B vaccine	71.2
30	Children fully immunized	20,280	64.7	10,954	34.5	Full Immunization	53.6
31	Children who have received BCG	33,149	105.8	16,443	51.8		
32	Children who have received Pentavalent 1	19,441	62.1	9,480	29.8		
33	Children who have received Pentavalent 3	19,714	62.9	10,073	31.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	20,073	64.1	10,728	33.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	753		298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	3	0	Total unmet need	8.8
37	Number of Tubectomies performed	2,868	1,422	Spacing	2.5
38	Number of IUD insertion	119	70	Women using any method	56.8
39	Number of IUD removals	373	201	Women using modern method	41.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	630	401		
41	General OPD cases per 10,000 population ***	5,164	2,565		
42	Ayush OPD cases per 10,000 population ***	593	284		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	239	50		
44	Neonatal Deaths up to 4 weeks of birth	799	275		
45	Total Neonatal Death	1,038	325		
46	Deaths between (1 - 11) months	218	78		
47	Total reported infant deaths	1,256	403		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	3	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	26	5		
51	Due to Bleeding	12	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	54	30		
54	Total reported maternal deaths	95	39		

Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	660,955						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	124						
4	Sub Centres (SC)- HWC	30						
5	Primary Health Centers (PHC)	26						
6	Primary Health Centres (PHC)-HWC	15						
7	Community Health Centers (CHC)	8						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	18,123	18,374					
11	Expected number of Delivery	16,887	17,121					
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	15,337	84.6	8,480	46.2	ANC Check up in first trimester	64.8	
13	Mothers registered in the first trimester	11,812	77.0	6,138	72.4	At least 4ANC check up	63.9	
14	Mothers who had 4 or more ANC check ups	9,897	64.5	4,356	51.4	Neonatal tetanus received	90.9	
15	PW who got TT 2 / Booster injection	14,257	93.0	7,078	83.5	100 IFA tablets consumed	35.3	
16	PW who consumed 180 IFA tablets	15,137	98.7	7,926	93.5	Home Delivery	25.1	
17	Home Delivery against expected delivery *	1,349	8.0	585	3.4	Institutional Delivery	74.9	
18	Institutional Delivery against expected delivery *	9,858	58.4	4,133	24.1	Home Delivery by SBA	3.4	
19	Home Delivery against reported delivery **	1,349	12.0	585	12.4	PNC within 2days of delivery	56.9	
20	Institutional Delivery against reported delivery **	9,858	88.0	4,133	87.6			
21	Total reported Deliveries	11,207		4,718				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	549	40.7	258	44.1			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,509	102.7	4,857	102.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	16,475		16,704				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
25	Total reported live births	11,106	67.4	4,681	28.0	Breastfed within 1 hour of birth	50.3	

26	Total Still Birth	127	0.8	43	0.3	BCG	88.7
27	PC of newborn weighted at birth to live birth	11,089	99.8	4,678	99.9	3 dose of DPT	75.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	730	6.6	275	5.9	Measles First dose	76.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	11,015	99.2	4,643	99.2	3 doses of penta or hepatitis B vaccine	66.9
30	Children fully immunized	13,532	82.1	6,161	36.9	Full Immunization	64.3
31	Children who have received BCG	13,644	82.8	5,637	33.7		
32	Children who have received Pentavalent 1	13,385	81.2	5,245	31.4		
33	Children who have received Pentavalent 3	13,272	80.6	5,911	35.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	13,740	83.4	6,162	36.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	704		324			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1	0	Total unmet need	9.3
37	Number of Tubectomies performed	70	62	Spacing	2.4
38	Number of IUD insertion	1,195	435	Women using any method	66.3
39	Number of IUD removals	324	119	Women using modern method	41.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	238	103		
41	General OPD cases per 10,000 population ***	3,896	2,244		
42	Ayush OPD cases per 10,000 population ***	220	121		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	34	10		
44	Neonatal Deaths up to 4 weeks of birth	57	29		
45	Total Neonatal Death	91	39		
46	Deaths between (1 - 11) months	43	14		
47	Total reported infant deaths	134	53		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	2		
50	Due to Severe hypertension / fits	4	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	1		

53	Due to Other Causes (including causes not known)	17	4	
54	Total reported maternal deaths	23	9	

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,228,686					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	185					
4	Sub Centres (SC)- HWC	37					
5	Primary Health Centers (PHC)	22					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	34,305		34,850			
11	Expected number of Delivery	31,966		32,474			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	34,335	100.1	19,484	55.9	ANC Check up in first trimester	54.8
13	Mothers registered in the first trimester	31,120	90.6	17,959	92.2	At least 4ANC check up	42.8
14	Mothers who had 4 or more ANC check ups	31,861	92.8	16,436	84.4	Neonatal tetanus received	94.2
15	PW who got TT 2 / Booster injection	33,394	97.3	18,464	94.8	100 IFA tablets consumed	39.9
16	PW who consumed 180 IFA tablets	34,315	99.9	19,463	99.9	Home Delivery	23.6
17	Home Delivery against expected delivery *	7,247	22.7	2,634	8.1	Institutional Delivery	76.4
18	Institutional Delivery against expected delivery *	20,850	65.2	8,768	27.0	Home Delivery by SBA	2.4
19	Home Delivery against reported delivery **	7,247	25.8	2,634	23.1	PNC within 2days of delivery	63.9
20	Institutional Delivery against reported delivery **	20,850	74.2	8,768	76.9		
21	Total reported Deliveries	28,097		11,402			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,330		1,244			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,509		3,329			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	31,186		31,682			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	

				UP TO 2ND QTR			
25	Total reported live births	27,348	87.7	11,154	35.2	Breastfed within 1 hour of birth	40.3
26	Total Still Birth	864	2.8	302	1.0	BCG	95.5
27	PC of newborn weighted at birth to live birth	27,346	100.0	10,872	97.5	3 dose of DPT	84
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,651	9.7	1,251	11.5	Measles First dose	85.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	26,734	97.8	10,834	97.1	3 doses of penta or hepatitis B vaccine	80.2
30	Children fully immunized	29,668	95.1	15,093	47.6	Full Immunization	75.1
31	Children who have received BCG	34,534	110.7	14,954	47.2		
32	Children who have received Pentavalent 1	29,992	96.2	14,852	46.9		
33	Children who have received Pentavalent 3	28,744	92.2	15,187	47.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	29,687	95.2	14,964	47.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,226		2,086			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	36		0		Total unmet need	8.6
37	Number of Tubectomies performed	876		513		Spacing	4.2
38	Number of IUD insertion	2,366		1,506		Women using any method	64.3
39	Number of IUD removals	247		71		Women using modern method	54.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	263		131			
41	General OPD cases per 10,000 population ***	3,517		2,320			
42	Ayush OPD cases per 10,000 population ***	169		81			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	51		13			
44	Neonatal Deaths up to 4 weeks of birth	223		60			
45	Total Neonatal Death	274		73			
46	Deaths between (1 - 11) months	300		54			
47	Total reported infant deaths	574		127			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	1		0			

50	Due to Severe hypertension / fits	1	0	
51	Due to Bleeding	4	0	
52	Due to High fever	3	1	
53	Due to Other Causes (including causes not known)	21	1	
54	Total reported maternal deaths	30	2	

Kokrajhar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	887,142					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	135					
4	Sub Centres (SC)- HWC	27					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	21,573		21,582			
11	Expected number of Delivery	20,102		20,110			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	17,824	82.6	9,632	44.6	ANC Check up in first trimester	67.0
13	Mothers registered in the first trimester	14,509	81.4	7,910	82.1	At least 4ANC check up	36.9
14	Mothers who had 4 or more ANC check ups	12,505	70.2	5,435	56.4	Neonatal tetanus received	95.8
15	PW who got TT 2 / Booster injection	16,682	93.6	8,787	91.2	100 IFA tablets consumed	61.1
16	PW who consumed 180 IFA tablets	17,204	96.5	9,411	97.7	Home Delivery	18.1
17	Home Delivery against expected delivery *	1,230	6.1	517	2.6	Institutional Delivery	81.9
18	Institutional Delivery against expected delivery *	14,119	70.2	6,167	30.7	Home Delivery by SBA	0.9
19	Home Delivery against reported delivery **	1,230	8.0	517	7.7	PNC within 2days of delivery	68.3
20	Institutional Delivery against reported delivery **	14,119	92.0	6,167	92.3		
21	Total reported Deliveries	15,349		6,684			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	210		42		8.1	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,505		75.0		4,587 68.6	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	19,611		19,620			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	15,295	78.0	6,591	33.6	Breastfed within 1 hour of birth	56.4
26	Total Still Birth	286	1.5	128	0.7	BCG	95.3
27	PC of newborn weighted at birth to live birth	13,697	89.6	4,844	73.5	3 dose of DPT	76.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,341	9.8	547	11.3	Measles First dose	79.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,199	99.4	6,470	98.2	3 doses of penta or hepatitis B vaccine	70.4
30	Children fully immunized	15,452	78.8	7,814	39.8	Full Immunization	51.1
31	Children who have received BCG	16,519	84.2	6,489	33.1		
32	Children who have received Pentavalent 1	15,894	81.0	6,548	33.4		
33	Children who have received Pentavalent 3	15,253	77.8	7,726	39.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	15,472	78.9	7,811	39.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,380		498			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	10
37	Number of Tubectomies performed	283		35		Spacing	3.7
38	Number of IUD insertion	710		342		Women using any method	72.3
39	Number of IUD removals	628		315		Women using modern method	58
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	257		120			
41	General OPD cases per 10,000 population ***	3,584		2,078			
42	Ayush OPD cases per 10,000 population ***	762		365			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	50		37			
44	Neonatal Deaths up to 4 weeks of birth	183		111			
45	Total Neonatal Death	233		148			
46	Deaths between (1 - 11) months	229		75			
47	Total reported infant deaths	462		223			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22)			
	Maternal Deaths (In Numbers)						

			UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	3	1	
50	Due to Severe hypertension / fits	4	0	
51	Due to Bleeding	13	2	
52	Due to High fever	1	1	
53	Due to Other Causes (including causes not known)	26	4	
54	Total reported maternal deaths	48	8	

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,042,137					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	137					
4	Sub Centres (SC)- HWC	19					
5	Primary Health Centers (PHC)	17					
6	Primary Health Centres (PHC)-HWC	9					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	28,166	28,510				
11	Expected number of Delivery	26,245	26,566				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR				NFHS-5 (2019-20)
		Number	PC	Number	PC		
12	PW register for ANC	21,797	77.4	11,727	41.1	ANC Check up in first trimester	61.0
13	Mothers registered in the first trimester	20,451	93.8	10,722	91.4	At least 4ANC check up	51.7
14	Mothers who had 4 or more ANC check ups	17,020	78.1	8,101	69.1	Neonatal tetanus received	97.3
15	PW who got TT 2 / Booster injection	20,094	92.2	11,026	94.0	100 IFA tablets consumed	42.2
16	PW who consumed 180 IFA tablets	20,225	92.8	11,359	96.9	Home Delivery	3.8
17	Home Delivery against expected delivery *	190	0.7	21	0.1	Institutional Delivery	96.2
18	Institutional Delivery against expected delivery *	18,249	69.5	7,423	27.9	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	190	1.0	21	0.3	PNC within 2days of delivery	67.7
20	Institutional Delivery against reported delivery **	18,249	99.0	7,423	99.7		
21	Total reported Deliveries	18,439		7,444			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	41.1	12	57.1		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,325	137.3	10,016	134.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	25,605		25,918			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	18,231	71.2	7,574	29.2	Breastfed within 1 hour of birth	59
26	Total Still Birth	306	1.2	140	0.5	BCG	94.5
27	PC of newborn weighted at birth to live birth	18,231	100.0	6,903	91.1	3 dose of DPT	87.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,623	14.4	1,105	16.0	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,892	98.1	7,146	94.3	3 doses of penta or hepatitis B vaccine	84.6
30	Children fully immunized	19,831	77.4	9,877	38.1	Full Immunization	69
31	Children who have received BCG	17,396	67.9	7,334	28.3		
32	Children who have received Pentavalent 1	19,847	77.5	8,250	31.8		
33	Children who have received Pentavalent 3	19,097	74.6	9,360	36.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	26,533	103.6	9,846	38.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,743		681			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	24		0		Total unmet need	9.8
37	Number of Tubectomies performed	1,171		493		Spacing	4.5
38	Number of IUD insertion	1,144		546		Women using any method	67.1
39	Number of IUD removals	435		203		Women using modern method	43.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	297		145			
41	General OPD cases per 10,000 population ***	5,303		2,647			
42	Ayush OPD cases per 10,000 population ***	81		34			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	15		10			
44	Neonatal Deaths up to 4 weeks of birth	98		41			
45	Total Neonatal Death	113		51			
46	Deaths between (1 - 11) months	55		4			

47	Total reported infant deaths	168	55	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	1	0	
51	Due to Bleeding	0	1	
52	Due to High fever	1	1	
53	Due to Other Causes (including causes not known)	16	0	
54	Total reported maternal deaths	18	2	

Majuli Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	167,304					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	NA					
4	Sub Centres (SC)- HWC	NA					
5	Primary Health Centers (PHC)	NA					
6	Primary Health Centres (PHC)-HWC	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,217	4,236				
11	Expected number of Delivery	3,930	3,947				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	3,500	83.0	1,609	38.0	ANC Check up in first trimester	76.1
13	Mothers registered in the first trimester	3,319	94.8	1,464	91.0	At least 4ANC check up	72.2
14	Mothers who had 4 or more ANC check ups	2,306	65.9	707	43.9	Neonatal tetanus received	97.2
15	PW who got TT 2 / Booster injection	3,026	86.5	1,570	97.6	100 IFA tablets consumed	56.7
16	PW who consumed 180 IFA tablets	3,101	88.6	1,656	102.9	Home Delivery	9.7
17	Home Delivery against expected delivery *	17	0.4	12	0.3	Institutional Delivery	90.3
18	Institutional Delivery against expected delivery *	1,848	47.0	861	21.8	Home Delivery by SBA	3.2
19	Home Delivery against reported delivery **	17	0.9	12	1.4	PNC within 2days of delivery	73.5
20	Institutional Delivery against reported delivery **	1,848	99.1	861	98.6		

21	Total reported Deliveries	1,865		873			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	9	75.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,183	117.1	834	95.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,834		3,851			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	1,847	48.2	862	22.4	Breastfed within 1 hour of birth	51.1
26	Total Still Birth	25	0.7	14	0.4	BCG	95.2
27	PC of newborn weighted at birth to live birth	1,557	84.3	847	98.3	3 dose of DPT	86.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	239	15.4	101	11.9	Measles First dose	90.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,676	90.7	815	94.5	3 doses of penta or hepatitis B vaccine	80.3
30	Children fully immunized	2,803	73.1	1,452	37.7	Full Immunization	78.6
31	Children who have received BCG	2,057	53.7	870	22.6		
32	Children who have received Pentavalent 1	2,817	73.5	1,213	31.5		
33	Children who have received Pentavalent 3	2,801	73.1	1,355	35.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,827	73.7	1,436	37.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	88		51			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	3		0		Total unmet need	11.6
37	Number of Tubectomies performed	177		0		Spacing	4.7
38	Number of IUD insertion	542		64		Women using any method	63.7
39	Number of IUD removals	63		36		Women using modern method	31.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	188		102			
41	General OPD cases per 10,000 population ***	8,193		3,448			
42	Ayush OPD cases per 10,000 population ***	27		6			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	11		12			

44	Neonatal Deaths up to 4 weeks of birth	32	7	
45	Total Neonatal Death	43	19	
46	Deaths between (1 - 11) months	16	3	
47	Total reported infant deaths	59	22	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	1	1	
51	Due to Bleeding	0	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	1	
54	Total reported maternal deaths	4	3	

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,423					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	104					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	30					
6	Primary Health Centres (PHC)-HWC	5					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	27,362	27,869				
11	Expected number of Delivery	25,497	25,969				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	22,688	82.9	12,383	44.4	ANC Check up in first trimester	64.0
13	Mothers registered in the first trimester	18,927	83.4	10,317	83.3	At least 4ANC check up	42.0
14	Mothers who had 4 or more ANC check ups	16,850	74.3	7,094	57.3	Neonatal tetanus received	94.8
15	PW who got TT 2 / Booster injection	20,885	92.1	11,290	91.2	100 IFA tablets consumed	53.4
16	PW who consumed 180 IFA tablets	22,613	99.7	12,375	99.9	Home Delivery	11.7
17	Home Delivery against expected delivery *	2,405	9.4	1,042	4.0	Institutional Delivery	88.3
18	Institutional Delivery against expected delivery *	14,516	56.9	5,745	22.1	Home Delivery by SBA	1.7
19	Home Delivery against reported delivery **	2,405	14.2	1,042	15.4	PNC within 2days of delivery	67.9

20	Institutional Delivery against reported delivery **	14,516	85.8	5,745	84.6		
21	Total reported Deliveries	16,921		6,787			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	982	40.8	437	41.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,646	92.5	5,504	81.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	24,875		25,336			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	16,697	67.1	6,690	26.4	Breastfed within 1 hour of birth	62.2
26	Total Still Birth	234	0.9	106	0.4	BCG	91.3
27	PC of newborn weighted at birth to live birth	16,750	100.3	6,356	95.0	3 dose of DPT	87.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,774	16.6	892	14.0	Measles First dose	87
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,455	92.6	6,201	92.7	3 doses of penta or hepatitis B vaccine	83
30	Children fully immunized	19,845	79.8	8,968	35.4	Full Immunization	73.4
31	Children who have received BCG	19,847	79.8	7,484	29.5		
32	Children who have received Pentavalent 1	20,260	81.4	8,160	32.2		
33	Children who have received Pentavalent 3	19,167	77.1	8,678	34.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,890	80.0	9,107	35.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	715		104			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	17		0		Total unmet need	6.5
37	Number of Tubectomies performed	254		80		Spacing	1.9
38	Number of IUD insertion	2,715		541		Women using any method	70.6
39	Number of IUD removals	216		110		Women using modern method	56.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	220		88			
41	General OPD cases per 10,000 population ***	5,763		2,253			
42	Ayush OPD cases per 10,000 population ***	186		108			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			

			UP TO 2ND QTR	
43	Neonatal death within 24 hours	29	9	
44	Neonatal Deaths up to 4 weeks of birth	182	42	
45	Total Neonatal Death	211	51	
46	Deaths between (1 - 11) months	83	27	
47	Total reported infant deaths	294	78	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	3	3	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	13	3	
54	Total reported maternal deaths	16	6	

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,892,550					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	299					
4	Sub Centres (SC)- HWC	52					
5	Primary Health Centers (PHC)	58					
6	Primary Health Centres (PHC)-HWC	20					
7	Community Health Centers (CHC)	18					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	53,472	54,394				
11	Expected number of Delivery	49,826	50,685				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	42,460	79.4	23,413	43.0	ANC Check up in first trimester	73.1
13	Mothers registered in the first trimester	34,782	81.9	19,249	82.2	At least 4ANC check up	59.4
14	Mothers who had 4 or more ANC check ups	34,794	81.9	14,715	62.8	Neonatal tetanus received	97.1
15	PW who got TT 2 / Booster injection	38,582	90.9	20,701	88.4	100 IFA tablets consumed	46.5
16	PW who consumed 180 IFA tablets	37,603	88.6	18,657	79.7	Home Delivery	16.3
17	Home Delivery against expected delivery *	2,512	5.0	1,214	2.4	Institutional Delivery	83.7

18	Institutional Delivery against expected delivery *	39,458	79.2	16,908	33.4	Home Delivery by SBA	2.7
19	Home Delivery against reported delivery **	2,512	6.0	1,214	6.7	PNC within 2days of delivery	62.0
20	Institutional Delivery against reported delivery **	39,458	94.0	16,908	93.3		
21	Total reported Deliveries	41,970		18,122			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	23.0	195	16.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,929	64.2	11,458	63.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	48,611		49,449			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	41,440	85.2	17,722	35.8	Breastfed within 1 hour of birth	61.6
26	Total Still Birth	945	1.9	523	1.1	BCG	86.9
27	PC of newborn weighted at birth to live birth	40,814	98.5	16,945	95.6	3 dose of DPT	73.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,198	12.7	2,509	14.8	Measles First dose	67.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	39,028	94.2	16,416	92.6	3 doses of penta or hepatitis B vaccine	64.6
30	Children fully immunized	37,974	78.1	18,003	36.4	Full Immunization	58.2
31	Children who have received BCG	38,934	80.1	16,689	33.7		
32	Children who have received Pentavalent 1	38,208	78.6	15,273	30.9		
33	Children who have received Pentavalent 3	37,219	76.6	16,646	33.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	37,947	78.1	17,757	35.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,907		651			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		3		Total unmet need	12.3
37	Number of Tubectomies performed	925		594		Spacing	3.1
38	Number of IUD insertion	1,567		1,228		Women using any method	58.6
39	Number of IUD removals	439		120		Women using modern method	46.8
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	254		97			
41	General OPD cases per 10,000 population ***	5,101		1,954			

42	Ayush OPD cases per 10,000 population ***	263	111				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR				
43	Neonatal death within 24 hours	106	39				
44	Neonatal Deaths up to 4 weeks of birth	262	127				
45	Total Neonatal Death	368	166				
46	Deaths between (1 - 11) months	131	37				
47	Total reported infant deaths	499	203				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	4	0				
50	Due to Severe hypertension / fits	6	0				
51	Due to Bleeding	6	2				
52	Due to High fever	2	0				
53	Due to Other Causes (including causes not known)	28	8				
54	Total reported maternal deaths	46	10				
Nalbari Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	771,639					
2	Sex Ratio	945					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	103					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	33					
6	Primary Health Centres (PHC)-HWC	11					
7	Community Health Centers (CHC)	11					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	19,893	20,032				
11	Expected number of Delivery	18,537	18,666				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)			
		Number	PC	Number			
				PC			
12	PW register for ANC	12,983	65.3	7,058	35.2	ANC Check up in first trimester	70.7
13	Mothers registered in the first trimester	12,209	94.0	6,570	93.1	At least 4ANC check up	55.9
14	Mothers who had 4 or more ANC check ups	10,811	83.3	4,945	70.1	Neonatal tetanus received	92.8
15	PW who got TT 2 / Booster injection	12,303	94.8	6,898	97.7	100 IFA tablets consumed	38.6

16	PW who consumed 180 IFA tablets	12,906	99.4	7,096	100.5	Home Delivery	8.2
17	Home Delivery against expected delivery *	306	1.7	125	0.7	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	12,575	67.8	5,015	26.9	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	306	2.4	125	2.4	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	12,575	97.6	5,015	97.6		
21	Total reported Deliveries	12,881		5,140			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	300	98.0	122	97.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,694	106.3	4,298	83.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	18,085		18,211			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	12,948	71.6	5,116	28.1	Breastfed within 1 hour of birth	41.8
26	Total Still Birth	117	0.6	58	0.3	BCG	89.9
27	PC of newborn weighted at birth to live birth	12,790	98.8	5,106	99.8	3 dose of DPT	85.2
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,306	18.0	743	14.6	Measles First dose	87.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,622	97.5	5,063	99.0	3 doses of penta or hepatitis B vaccine	71.1
30	Children fully immunized	14,477	80.1	7,127	39.1	Full Immunization	65.5
31	Children who have received BCG	14,095	77.9	5,540	30.4		
32	Children who have received Pentavalent 1	14,613	80.8	5,666	31.1		
33	Children who have received Pentavalent 3	13,890	76.8	6,375	35.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	14,238	78.7	6,792	37.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	992		403			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	15		0		Total unmet need	13.2
37	Number of Tubectomies performed	909		505		Spacing	4.8
38	Number of IUD insertion	1,027		1,110		Women using any method	53.3
39	Number of IUD removals	428		219		Women using modern method	38.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			

40	IPD cases per 10,000 population ***	234	113	
41	General OPD cases per 10,000 population ***	5,976	3,386	
42	Ayush OPD cases per 10,000 population ***	1,269	554	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
43	Neonatal death within 24 hours	30	12	
44	Neonatal Deaths up to 4 weeks of birth	87	36	
45	Total Neonatal Death	117	48	
46	Deaths between (1 - 11) months	50	17	
47	Total reported infant deaths	167	65	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension / fits	0	1	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	9	3	
54	Total reported maternal deaths	11	4	

Sivasagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	692,435	
2	Sex Ratio	951	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	202	
4	Sub Centres (SC)- HWC	18	
5	Primary Health Centers (PHC)	38	
6	Primary Health Centres (PHC)-HWC	7	
7	Community Health Centers (CHC)	4	
8	SDH	2	
9	DH	1	

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	Expected number of PW	17,479		17,559			
11	Expected number of Delivery	16,287		16,362			
12	PW register for ANC	9,817	56.2	5,385	30.7	ANC Check up in first trimester	85.1
13	Mothers registered in the first trimester	8,878	90.4	4,909	91.2	At least 4ANC check up	80.9
14	Mothers who had 4 or more ANC check ups	6,936	70.7	3,325	61.7	Neonatal tetanus received	96.5

15	PW who got TT 2 / Booster injection	9,030	92.0	5,189	96.4	100 IFA tablets consumed	53.7
16	PW who consumed 180 IFA tablets	9,322	95.0	5,474	101.7	Home Delivery	4.7
17	Home Delivery against expected delivery *	41	0.3	9	0.1	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	8,635	53.0	3,440	21.0	Home Delivery by SBA	0.4
19	Home Delivery against reported delivery **	41	0.5	9	0.3	PNC within 2days of delivery	73.8
20	Institutional Delivery against reported delivery **	8,635	99.5	3,440	99.7		
21	Total reported Deliveries	8,676		3,449			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	87.8	4	44.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,660	111.3	3,409	98.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	15,890		15,963			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	8,584	54.0	3,423	21.4	Breastfed within 1 hour of birth	54.9
26	Total Still Birth	131	0.8	48	0.3	BCG	95.7
27	PC of newborn weighted at birth to live birth	8,574	99.9	3,405	99.5	3 dose of DPT	90.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,554	18.1	554	16.3	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,495	99.0	3,333	97.4	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	10,279	64.7	4,866	30.5	Full Immunization	77.6
31	Children who have received BCG	8,832	55.6	3,363	21.1		
32	Children who have received Pentavalent 1	9,581	60.3	3,734	23.4		
33	Children who have received Pentavalent 3	9,647	60.7	4,401	27.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,292	64.8	4,866	30.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	883		154			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	8.3
37	Number of Tubectomies performed	462		75		Spacing	3.2
38	Number of IUD insertion	260		127		Women using any method	67.3
39	Number of IUD removals	240		95		Women using modern method	39.5

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
40	IPD cases per 10,000 population ***	321	156	
41	General OPD cases per 10,000 population ***	9,189	3,965	
42	Ayush OPD cases per 10,000 population ***	247	59	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
43	Neonatal death within 24 hours	18	6	
44	Neonatal Deaths up to 4 weeks of birth	37	11	
45	Total Neonatal Death	55	17	
46	Deaths between (1 - 11) months	16	0	
47	Total reported infant deaths	71	17	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension / fits	0	0	
51	Due to Bleeding	2	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	8	1	
54	Total reported maternal deaths	10	1	

Sonitpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,311,619	
2	Sex Ratio	946	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	263	
4	Sub Centres (SC)- HWC	18	
5	Primary Health Centers (PHC)	46	
6	Primary Health Centres (PHC)-HWC	10	
7	Community Health Centers (CHC)	9	
8	SDH	2	
9	DH	1	

C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	35,015		35,395			
11	Expected number of Delivery	32,628		32,982			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	21,250	60.7	11,483	32.4	ANC Check up in first trimester	48.8
13	Mothers registered in the first trimester	18,478	87.0	10,310	89.8	At least 4ANC check up	45.5

14	Mothers who had 4 or more ANC check ups	15,020	70.7	6,435	56.0	Neonatal tetanus received	99.2
15	PW who got TT 2 / Booster injection	19,871	93.5	10,894	94.9	100 IFA tablets consumed	56.4
16	PW who consumed 180 IFA tablets	19,542	92.0	11,921	103.8	Home Delivery	16.5
17	Home Delivery against expected delivery *	2,663	8.2	875	2.7	Institutional Delivery	83.5
18	Institutional Delivery against expected delivery *	21,470	65.8	9,199	27.9	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	2,663	11.0	875	8.7	PNC within 2days of delivery	63.5
20	Institutional Delivery against reported delivery **	21,470	89.0	9,199	91.3		
21	Total reported Deliveries	24,133		10,074			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	1.7	47	5.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,262	38.4	3,852	38.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	31,832		32,178			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	23,857	74.9	9,981	31.0	Breastfed within 1 hour of birth	49.8
26	Total Still Birth	605	1.9	203	0.6	BCG	90.4
27	PC of newborn weighted at birth to live birth	20,616	86.4	9,606	96.2	3 dose of DPT	76.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,725	18.1	1,484	15.4	Measles First dose	80.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,014	75.5	9,287	93.0	3 doses of penta or hepatitis B vaccine	75
30	Children fully immunized	18,938	59.5	9,664	30.0	Full Immunization	70.9
31	Children who have received BCG	25,966	81.6	10,759	33.4		
32	Children who have received Pentavalent 1	18,937	59.5	7,975	24.8		
33	Children who have received Pentavalent 3	18,379	57.7	9,135	28.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	18,926	59.5	9,667	30.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	248		90			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	5.8
37	Number of Tubectomies performed	605		239		Spacing	2
38	Number of IUD insertion	297		346		Women using any method	74.4

39	Number of IUD removals	211	99	Women using modern method	58.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	351	197		
41	General OPD cases per 10,000 population ***	5,985	3,041		
42	Ayush OPD cases per 10,000 population ***	199	90		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	51	30		
44	Neonatal Deaths up to 4 weeks of birth	316	145		
45	Total Neonatal Death	367	175		
46	Deaths between (1 - 11) months	110	29		
47	Total reported infant deaths	477	204		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	3	2		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	2	1		
51	Due to Bleeding	3	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	29	16		
54	Total reported maternal deaths	38	21		

South Salmara Mancachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	555,114				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	NA				
4	Sub Centres (SC)- HWC	NA				
5	Primary Health Centers (PHC)	NA				
6	Primary Health Centres (PHC)-HWC	NA				
7	Community Health Centers (CHC)	NA				
8	SDH	NA				
9	DH	NA				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	16,006	16,319			
11	Expected number of Delivery	14,915	15,206			
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
12	PW register for ANC	12,541	78.4	7,066	43.3	ANC Check up in first trimester 60.1

13	Mothers registered in the first trimester	10,324	82.3	5,699	80.7	At least 4ANC check up	35.3
14	Mothers who had 4 or more ANC check ups	9,482	75.6	3,233	45.8	Neonatal tetanus received	93.0
15	PW who got TT 2 / Booster injection	12,024	95.9	5,624	79.6	100 IFA tablets consumed	47.4
16	PW who consumed 180 IFA tablets	13,279	105.9	6,598	93.4	Home Delivery	28.3
17	Home Delivery against expected delivery *	5,957	39.9	2,315	15.2	Institutional Delivery	71.7
18	Institutional Delivery against expected delivery *	4,920	33.0	1,693	11.1	Home Delivery by SBA	8.1
19	Home Delivery against reported delivery **	5,957	54.8	2,315	57.8	PNC within 2days of delivery	62.6
20	Institutional Delivery against reported delivery **	4,920	45.2	1,693	42.2		
21	Total reported Deliveries	10,877		4,008			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	960	16.1	427	18.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,795	80.9	3,459	86.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	14,551		14,835			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	10,718	73.7	3,954	26.7	Breastfed within 1 hour of birth	50.4
26	Total Still Birth	218	1.5	90	0.6	BCG	97
27	PC of newborn weighted at birth to live birth	10,718	100.0	3,943	99.7	3 dose of DPT	81.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	853	8.0	270	6.8	Measles First dose	85.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	10,663	99.5	3,933	99.5	3 doses of penta or hepatitis B vaccine	73.7
30	Children fully immunized	10,834	74.5	4,692	31.6	Full Immunization	65.8
31	Children who have received BCG	11,321	77.8	3,712	25.0		
32	Children who have received Pentavalent 1	10,788	74.1	3,992	26.9		
33	Children who have received Pentavalent 3	9,691	66.6	3,846	25.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,898	74.9	4,761	32.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	450		210			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	8
37	Number of Tubectomies performed	0		0		Spacing	1.7

38	Number of IUD insertion	313	222	Women using any method	71.5
39	Number of IUD removals	48	23	Women using modern method	60.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	17	24		
41	General OPD cases per 10,000 population ***	1,366	1,266		
42	Ayush OPD cases per 10,000 population ***	728	648		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	15	6		
44	Neonatal Deaths up to 4 weeks of birth	34	13		
45	Total Neonatal Death	49	19		
46	Deaths between (1 - 11) months	30	7		
47	Total reported infant deaths	79	26		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	1	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	0		
54	Total reported maternal deaths	11	3		
Tinsukia Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	1,327,929			
2	Sex Ratio	948			
	B) Infrastructure Details (RHS 2018-19)	Numbers			
3	Sub Centers (SC)	146			
4	Sub Centres (SC)- HWC	20			
5	Primary Health Centers (PHC)	15			
6	Primary Health Centres (PHC)-HWC	7			
7	Community Health Centers (CHC)	8			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	35,088	35,428		
11	Expected number of Delivery	32,696	33,013		
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
		Number	PC	Number	PC

12	PW register for ANC	23,070	65.7	11,966	33.8	ANC Check up in first trimester	70.7
13	Mothers registered in the first trimester	19,446	84.3	10,057	84.0	At least 4ANC check up	63.1
14	Mothers who had 4 or more ANC check ups	18,559	80.4	8,446	70.6	Neonatal tetanus received	93.9
15	PW who got TT 2 / Booster injection	21,216	92.0	11,428	95.5	100 IFA tablets consumed	43.8
16	PW who consumed 180 IFA tablets	22,447	97.3	11,156	93.2	Home Delivery	17.4
17	Home Delivery against expected delivery *	900	2.8	286	0.9	Institutional Delivery	82.6
18	Institutional Delivery against expected delivery *	20,313	62.1	8,224	24.9	Home Delivery by SBA	1.0
19	Home Delivery against reported delivery **	900	4.2	286	3.4	PNC within 2days of delivery	73.6
20	Institutional Delivery against reported delivery **	20,313	95.8	8,224	96.6		
21	Total reported Deliveries	21,213		8,510			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	333	37.0	109	38.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,551	92.2	8,741	102.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	31,898		32,208			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	20,887	65.5	8,446	26.2	Breastfed within 1 hour of birth	51.6
26	Total Still Birth	306	1.0	128	0.4	BCG	97.2
27	PC of newborn weighted at birth to live birth	20,312	97.2	8,424	99.7	3 dose of DPT	92.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,512	17.3	1,176	14.0	Measles First dose	95.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,710	94.4	8,232	97.5	3 doses of penta or hepatitis B vaccine	90.2
30	Children fully immunized	21,503	67.4	10,581	32.9	Full Immunization	75
31	Children who have received BCG	21,443	67.2	8,097	25.1		
32	Children who have received Pentavalent 1	21,694	68.0	8,384	26.0		
33	Children who have received Pentavalent 3	21,131	66.2	9,772	30.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	21,700	68.0	10,684	33.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,631		883			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	67		2		Total unmet	11

				need	
37	Number of Tubectomies performed	1,242	297	Spacing	4.4
38	Number of IUD insertion	823	1,023	Women using any method	59.2
39	Number of IUD removals	681	380	Women using modern method	36.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	528	292		
41	General OPD cases per 10,000 population ***	10,351	5,132		
42	Ayush OPD cases per 10,000 population ***	310	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	25	12		
44	Neonatal Deaths up to 4 weeks of birth	84	27		
45	Total Neonatal Death	109	39		
46	Deaths between (1 - 11) months	69	23		
47	Total reported infant deaths	178	62		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	3	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	1		
51	Due to Bleeding	0	0		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	13	5		
54	Total reported maternal deaths	20	6		
Udalguri Factsheet					
Key Indicators					
Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	831,668			
2	Sex Ratio	966			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	129			
4	Sub Centres (SC)- HWC	17			
5	Primary Health Centers (PHC)	15			
6	Primary Health Centres (PHC)-HWC	7			
7	Community Health Centers (CHC)	6			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	21,066	21,171		
11	Expected number of Delivery	19,630	19,728		

		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	13,827	65.6	7,303	34.5	ANC Check up in first trimester	50.1
13	Mothers registered in the first trimester	12,313	89.1	6,482	88.8	At least 4ANC check up	49.8
14	Mothers who had 4 or more ANC check ups	8,890	64.3	4,145	56.8	Neonatal tetanus received	91.0
15	PW who got TT 2 / Booster injection	12,878	93.1	7,044	96.5	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	11,707	84.7	6,794	93.0	Home Delivery	13.8
17	Home Delivery against expected delivery *	563	2.9	226	1.1	Institutional Delivery	86.2
18	Institutional Delivery against expected delivery *	6,123	31.2	2,605	13.2	Home Delivery by SBA	1.9
19	Home Delivery against reported delivery **	563	8.4	226	8.0	PNC within 2days of delivery	53.1
20	Institutional Delivery against reported delivery **	6,123	91.6	2,605	92.0		
21	Total reported Deliveries	6,686		2,831			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	166	29.5	63	27.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,427	126.0	3,818	134.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	19,151		19,246			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	6,745	35.2	2,929	15.2	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	138	0.7	58	0.3	BCG	78.6
27	PC of newborn weighted at birth to live birth	6,339	94.0	2,706	92.4	3 dose of DPT	68
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	876	13.8	364	13.5	Measles First dose	75.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	6,384	94.6	2,638	90.1	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	12,582	65.7	6,060	31.5	Full Immunization	38.3
31	Children who have received BCG	9,997	52.2	4,236	22.0		
32	Children who have received Pentavalent 1	12,589	65.7	5,076	26.4		
33	Children who have received Pentavalent 3	12,245	63.9	5,647	29.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	12,610	65.8	6,073	31.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	446		109			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	14.6
37	Number of Tubectomies performed	0	16	Spacing	6.4
38	Number of IUD insertion	1,142	634	Women using any method	50.2
39	Number of IUD removals	556	310	Women using modern method	36.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	125	93		
41	General OPD cases per 10,000 population ***	5,450	2,717		
42	Ayush OPD cases per 10,000 population ***	481	237		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	23	11		
44	Neonatal Deaths up to 4 weeks of birth	51	24		
45	Total Neonatal Death	74	35		
46	Deaths between (1 - 11) months	109	23		
47	Total reported infant deaths	183	58		
48	Deaths between (1 - 11) months	109	23		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	3		
51	Due to Bleeding	1	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	17	9		
54	Total reported maternal deaths	18	15		
West Karbi Anglong Factsheet					
<u>Key Indicators</u>					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	295,358			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	NA			
4	Sub Centres (SC)- HWC	NA			
5	Primary Health Centers (PHC)	NA			
6	Primary Health Centres (PHC)-HWC	NA			
7	Community Health Centers (CHC)	NA			
8	SDH	NA			
9	DH	NA			
C) Maternal Health:		2020-21	2021-22		

10	Expected number of PW	8,098		8,211			
11	Expected number of Delivery	7,546		7,651			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,460	92.1	3,696	45.0	ANC Check up in first trimester	55.5
13	Mothers registered in the first trimester	5,486	73.5	2,734	74.0	At least 4ANC check up	46.7
14	Mothers who had 4 or more ANC check ups	4,319	57.9	1,730	46.8	Neonatal tetanus received	87.6
15	PW who got TT 2 / Booster injection	7,053	94.5	3,400	92.0	100 IFA tablets consumed	39.9
16	PW who consumed 180 IFA tablets	7,406	99.3	3,654	98.9	Home Delivery	27.5
17	Home Delivery against expected delivery *	1,770	23.5	810	10.6	Institutional Delivery	72.5
18	Institutional Delivery against expected delivery *	3,865	51.2	1,658	21.7	Home Delivery by SBA	12.0
19	Home Delivery against reported delivery **	1,770	31.4	810	32.8	PNC within 2days of delivery	55.7
20	Institutional Delivery against reported delivery **	3,865	68.6	1,658	67.2		
21	Total reported Deliveries	5,635		2,468			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	450	25.4	180	22.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,635	64.5	1,487	60.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,362		7,464			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	5,520	75.0	2,426	32.5	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	115	1.6	53	0.7	BCG	92.7
27	PC of newborn weighted at birth to live birth	5,491	99.5	2,415	99.5	3 dose of DPT	70.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	179	3.3	117	4.8	Measles First dose	66.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,439	98.5	2,410	99.3	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	7,004	95.1	3,247	43.5	Full Immunization	47.9
31	Children who have received BCG	6,611	89.8	2,335	31.3		
32	Children who have received Pentavalent 1	6,876	93.4	2,888	38.7		
33	Children who have received Pentavalent 3	6,798	92.3	3,216	43.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,023	95.4	3,257	43.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	843		189			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	7.1
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	838	542	Women using any method	69.9
39	Number of IUD removals	154	81	Women using modern method	43.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	141	67		
41	General OPD cases per 10,000 population ***	2,924	1,549		
42	Ayush OPD cases per 10,000 population ***	682	243		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	4	0		
44	Neonatal Deaths up to 4 weeks of birth	13	9		
45	Total Neonatal Death	17	9		
46	Deaths between (1 - 11) months	33	3		
47	Total reported infant deaths	50	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	2		
54	Total reported maternal deaths	5	2		