

## ASSAM Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	31,205,576						
2	Sex Ratio	954						
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	4,680						
4	Primary Health Centers (PHC)	1,002						
5	Community Health Centers (CHC)	192						
6	SDH	14						
7	DH	24						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	842,417	852,619					
9	Expected number of Delivery	784,979	794,485					
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	658,707	78.2	489,256	57.4	ANC Check up in first trimester	63.8	
11	Mothers registered in the first trimester	578,713	87.9	432,217	88.3	At least 4ANC check up	50.7	
12	Mothers who had 4 or more ANC check ups	530,660	80.6	390,837	79.9	Neonatal tetanus received	94.5	
13	PW who got TT 2 / Booster injection	614,466	93.3	460,266	94.1	100 IFA tablets consumed	47.5	
14	PW who consumed 180 IFA tablets	627,106	95.2	478,269	97.8	Home Delivery	15.9	
15	Home Delivery against expected delivery *	61,127	7.8	37,067	4.7	Institutional Delivery	84.1	
16	Institutional Delivery against expected delivery *	519,522	66.2	383,433	48.3	Home Delivery by SBA	2.6	
17	Home Delivery against reported delivery **	61,127	10.5	37,067	8.8	PNC within 2days of delivery	65.3	
18	Institutional Delivery against reported delivery **	519,522	89.5	383,433	91.2			
19	Total reported Deliveries	580,649		420,500				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18,853	30.8	13,351	36.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	480,547	82.8	340,011	80.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	765,833		775,108				
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>			
23	Total reported live births	572,187	74.7	416,624	53.8	Breastfed within 1 hour of birth	49.1	
24	Total Still Birth	12,444	1.6	8,829	1.1	BCG	92.5	
25	PC of newborn weighted at birth to live birth	563,651	98.5	404,858	97.2	3 dose of DPT	81.7	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	80,274	14.2	55,739	13.8	Measles First dose	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	553,829	96.8	402,075	96.5	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	599,110	78.2	445,798	57.5	Full Immunization	66.4
29	Children who have received BCG	623,380	81.4	435,806	56.2		
30	Children who have received Pentavalent 1	605,825	79.1	406,269	52.4		
31	Children who have received Pentavalent 3	588,261	76.8	397,527	51.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	607,861	79.4	447,077	57.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	48,332		21,301			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	562	391	Total unmet need	11
35	Number of Tubectomies performed	21,361	15,652	Spacing	4.1
36	Number of IUD insertion	46,259	37,305	Women using any method	60.8
37	Number of IUD removals	12,222	9,487	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	302	248		
39	General OPD cases per 10,000 population ***	5,862	4,877		
40	Ayush OPD cases per 10,000 population ***	365	273		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	1,643	953		
42	Neonatal Deaths up to 4 weeks of birth	5,837	3,469		
43	<b>Total Neonatal Death</b>	<b>7,480</b>	<b>4,422</b>		
44	Deaths between (1 - 11) months	2,910	1,434		
45	<b>Total reported infant deaths</b>	<b>10,390</b>	<b>5,856</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	22	14		
47	Due to Obstructed/prolonged labour	29	13		
48	Due to Severe hypertension / fits	144	83		
49	Due to Bleeding	108	83		
50	Due to High fever	30	13		
51	Due to Other Causes (including causes not known)	709	418		
52	<b>Total reported maternal deaths</b>	<b>1,042</b>	<b>624</b>		

## Baksa Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	950,075					
2	Sex Ratio	967					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	24,370		24,525			
9	Expected number of Delivery	22,708		22,853			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	15,653	64.2	11,061	45.1	ANC Check up in first trimester	61.1
11	Mothers registered in the first trimester	13,792	88.1	10,076	91.1	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	12,398	79.2	7,645	69.1	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	14,299	91.3	10,435	94.3	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	14,460	92.4	10,420	94.2	Home Delivery	10.1
15	Home Delivery against expected delivery *	386	1.7	215	0.9	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	7,329	32.3	4,950	21.7	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	386	5.0	215	4.2	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	7,329	95.0	4,950	95.8		
19	Total reported Deliveries	7,715		5,165			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	295		128			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,765		165.5			
		7,656		148.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	22,154		22,296			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	

23	Total reported live births	7,630	34.4	5,078	22.8	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	141	0.6	101	0.5	BCG	93.6
25	PC of newborn weighted at birth to live birth	7,561	99.1	5,070	99.8	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	916	12.1	623	12.3	Measles First dose	91.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,618	99.8	5,054	99.5	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	14,313	64.6	10,445	46.8	Full Immunization	70.5
29	Children who have received BCG	12,483	56.3	7,624	34.2		
30	Children who have received Pentavalent 1	14,508	65.5	9,032	40.5		
31	Children who have received Pentavalent 3	14,484	65.4	9,084	40.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,426	65.1	10,402	46.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	896		310			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	4	Total unmet need	12.5
35	Number of Tubectomies performed	527	41	Spacing	5.7
36	Number of IUD insertion	907	1,155	Women using any method	59.2
37	Number of IUD removals	455	384	Women using modern method	47.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	94	67		
39	General OPD cases per 10,000 population ***	3,477	3,151		
40	Ayush OPD cases per 10,000 population ***	961	630		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	15	9		
42	Neonatal Deaths up to 4 weeks of birth	64	45		
43	<b>Total Neonatal Death</b>	<b>79</b>	<b>54</b>		
44	Deaths between (1 - 11) months	99	68		
45	<b>Total reported infant deaths</b>	<b>178</b>	<b>122</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	5	2		

49	Due to Bleeding	3	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	8	14	
52	<b>Total reported maternal deaths</b>	<b>17</b>	<b>16</b>	

## Barpeta Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>1,693,622</b>					
2	Sex Ratio	<b>951</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>264</b>					
4	Primary Health Centers (PHC)	<b>48</b>					
5	Community Health Centers (CHC)	<b>11</b>					
6	SDH	<b>1</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	47,561		48,349			
9	Expected number of Delivery	44,319		45,052			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	41,428	87.1	31,194	64.5	ANC Check up in first trimester	62.2
11	Mothers registered in the first trimester	37,842	91.3	28,655	91.9	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	34,872	84.2	25,795	82.7	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	38,119	92.0	28,977	92.9	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	39,062	94.3	29,971	96.1	Home Delivery	12.4
15	Home Delivery against expected delivery *	5,684	12.8	3,676	8.2	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	33,240	75.0	25,362	56.3	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	5,684	14.6	3,676	12.7	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	33,240	85.4	25,362	87.3		
19	Total reported Deliveries	38,924		29,038			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,221		2,131			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,108		24,855			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	43,238		43,954			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	38,168	88.3	28,406	64.6	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	1,046	2.4	801	1.8	BCG	94.3
25	PC of newborn weighted at birth to live birth	38,160	100.0	28,394	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,210	13.7	4,100	14.4	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,835	99.1	28,316	99.7	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,466	84.3	27,968	63.6	Full Immunization	54.6
29	Children who have received BCG	41,199	95.3	28,954	65.9		
30	Children who have received Pentavalent 1	38,068	88.0	25,605	58.3		
31	Children who have received Pentavalent 3	37,118	85.8	25,569	58.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,132	85.9	28,112	64.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	795		387			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	2		3		Total unmet need	12.3
35	Number of Tubectomies performed	1,332		1,259		Spacing	3.9
36	Number of IUD insertion	2,947		2,113		Women using any method	57.3
37	Number of IUD removals	490		374		Women using modern method	47.4
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	285		235			
39	General OPD cases per 10,000 population ***	5,259		4,587			
40	Ayush OPD cases per 10,000 population ***	539		473			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	89		29			
42	Neonatal Deaths up to 4 weeks of birth	655		292			
43	<b>Total Neonatal Death</b>	<b>744</b>		<b>321</b>			
44	Deaths between (1 - 11) months	56		71			
45	<b>Total reported infant deaths</b>	<b>800</b>		<b>392</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
	<b>Maternal Deaths (In Numbers)</b>						

			3rd QTR	
46	Due to Abortion	3	0	
47	Due to Obstructed/prolonged labour	3	0	
48	Due to Severe hypertension / fits	26	10	
49	Due to Bleeding	6	5	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	57	58	
52	<b>Total reported maternal deaths</b>	<b>95</b>	<b>73</b>	

Biswanath Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	612,491					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	16,351	16,529				
9	Expected number of Delivery	15,236	15,402				
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,935	85.2	10,309	62.4	ANC Check up in first trimester	41.2
11	Mothers registered in the first trimester	12,557	90.1	9,118	88.4	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	11,466	82.3	6,250	60.6	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	13,177	94.6	9,650	93.6	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	13,314	95.5	11,865	115.1	Home Delivery	15.7
15	Home Delivery against expected delivery *	436	2.9	310	2.0	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	9,921	65.1	6,393	41.5	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	436	4.2	310	4.6	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	9,921	95.8	6,393	95.4		
19	Total reported Deliveries	10,357		6,703			

20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	19.3	45	14.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,726	93.9	6,191	92.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	14,865		15,026			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	10,200	68.6	6,780	45.1	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	188	1.3	100	0.7	BCG	88.3
25	PC of newborn weighted at birth to live birth	10,197	100.0	6,528	96.3	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,184	11.6	878	13.4	Measles First dose	87.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,165	99.7	6,526	96.3	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,748	85.8	8,979	59.8	Full Immunization	66.2
29	Children who have received BCG	11,950	80.4	7,167	47.7		
30	Children who have received Pentavalent 1	12,770	85.9	8,216	54.7		
31	Children who have received Pentavalent 3	12,590	84.7	7,892	52.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	85.6	9,052	60.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	367		103			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	7		0		Total unmet need	5.3
35	Number of Tubectomies performed	296		9		Spacing	1.4
36	Number of IUD insertion	403		84		Women using any method	72.4
37	Number of IUD removals	116		51		Women using modern method	56.1
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	524		327			
39	General OPD cases per 10,000 population ***	10,897		6,913			
40	Ayush OPD cases per 10,000 population ***	159		88			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	54		21			
42	Neonatal Deaths up to 4 weeks of birth	92		37			
43	<b>Total Neonatal Death</b>	<b>146</b>		<b>58</b>			



44	Deaths between (1 - 11) months	108	33	
45	<b>Total reported infant deaths</b>	<b>254</b>	<b>91</b>	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>	
46	Due to Abortion	1	0	
47	Due to Obstructed/prolonged labour	1	0	
48	Due to Severe hypertension / fits	6	1	
49	Due to Bleeding	3	3	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	30	10	
52	<b>Total reported maternal deaths</b>	<b>41</b>	<b>14</b>	

## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>738,804</b>						
2	Sex Ratio	<b>961</b>						
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	<b>108</b>						
4	Primary Health Centers (PHC)	<b>29</b>						
5	Community Health Centers (CHC)	<b>4</b>						
6	SDH	<b>0</b>						
7	DH	<b>1</b>						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	20,417	20,718					
9	Expected number of Delivery	19,025	19,306					
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	14,974	73.3	11,106	53.6	ANC Check up in first trimester	65.1	
11	Mothers registered in the first trimester	13,319	88.9	10,242	92.2	At least 4ANC check up	33.9	
12	Mothers who had 4 or more ANC check ups	10,741	71.7	9,557	86.1	Neonatal tetanus received	91.8	
13	PW who got TT 2 / Booster injection	12,964	86.6	10,801	97.3	100 IFA tablets consumed	46.7	
14	PW who consumed 180 IFA tablets	14,452	96.5	11,296	101.7	Home Delivery	15.5	
15	Home Delivery against expected delivery *	853	4.5	375	1.9	Institutional Delivery	84.5	
16	Institutional Delivery against expected delivery *	13,177	69.3	9,729	50.4	Home Delivery by SBA	4.9	
17	Home Delivery against reported delivery **	853	6.1	375	3.7	PNC within 2days of delivery	57.0	

18	Institutional Delivery against reported delivery **	13,177	93.9	9,729	96.3		
19	Total reported Deliveries	14,030		10,104			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	208	24.4	306	81.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,305	87.7	9,385	92.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	18,561		18,835			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	13,997	75.4	10,100	53.6	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	261	1.4	190	1.0	BCG	94.1
25	PC of newborn weighted at birth to live birth	13,463	96.2	9,893	98.0	3 dose of DPT	80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,074	15.4	1,339	13.5	Measles First dose	84.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,461	96.2	9,757	96.6	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	12,755	68.7	9,967	52.9	Full Immunization	67.9
29	Children who have received BCG	13,165	70.9	11,623	61.7		
30	Children who have received Pentavalent 1	13,742	74.0	9,379	49.8		
31	Children who have received Pentavalent 3	12,782	68.9	9,125	48.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,717	68.5	10,137	53.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	249		131			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	8		0		Total unmet need	16.1
35	Number of Tubectomies performed	439		422		Spacing	5.1
36	Number of IUD insertion	731		799		Women using any method	57.6
37	Number of IUD removals	177		143		Women using modern method	45.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	169		150			
39	General OPD cases per 10,000 population ***	3,511		3,612			
40	Ayush OPD cases per 10,000 population ***	220		119			
<b>G) Mortality Details</b>							

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
41	Neonatal death within 24 hours	27	17	
42	Neonatal Deaths up to 4 weeks of birth	90	53	
43	<b>Total Neonatal Death</b>	<b>117</b>	<b>70</b>	
44	Deaths between (1 - 11) months	45	40	
45	<b>Total reported infant deaths</b>	<b>162</b>	<b>110</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	2	2	
49	Due to Bleeding	3	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	16	0	
52	<b>Total reported maternal deaths</b>	<b>21</b>	<b>3</b>	

## Cachar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>1,736,617</b>						
2	Sex Ratio	<b>958</b>						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	<b>270</b>						
4	Primary Health Centers (PHC)	<b>31</b>						
5	Community Health Centers (CHC)	<b>7</b>						
6	SDH	<b>0</b>						
7	DH	<b>1</b>						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	48,243	48,983					
9	Expected number of Delivery	44,953	45,643					
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	38,935	80.7	30,034	61.3	ANC Check up in first trimester	52.0	
11	Mothers registered in the first trimester	34,344	88.2	26,900	89.6	At least 4ANC check up	32.7	
12	Mothers who had 4 or more ANC check ups	34,614	88.9	24,832	82.7	Neonatal tetanus received	90.0	
13	PW who got TT 2 / Booster injection	38,150	98.0	27,547	91.7	100 IFA tablets consumed	35.6	
14	PW who consumed 180 IFA tablets	36,286	93.2	29,954	99.7	Home Delivery	20.8	

15	Home Delivery against expected delivery *	1,372	3.1	615	1.3	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	40,084	89.2	30,625	67.1	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	1,372	3.3	615	2.0	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	40,084	96.7	30,625	98.0		
19	Total reported Deliveries	41,456		31,240			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	732	53.4	383	62.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,704	57.2	16,536	52.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	43,857		44,530			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	40,329	92.0	30,567	68.6	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	1,269	2.9	937	2.1	BCG	88.3
25	PC of newborn weighted at birth to live birth	40,132	99.5	30,169	98.7	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,140	15.3	5,155	17.1	Measles First dose	76.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	40,064	99.3	30,022	98.2	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	40,254	91.8	30,302	68.0	Full Immunization	70.4
29	Children who have received BCG	44,933	102.5	32,859	73.8		
30	Children who have received Pentavalent 1	39,376	89.8	28,387	63.7		
31	Children who have received Pentavalent 3	39,060	89.1	26,964	60.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	40,224	91.7	30,185	67.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,032		1,646			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	72		109		Total unmet need	15.6
35	Number of Tubectomies performed	1,161		1,090		Spacing	6.9
36	Number of IUD insertion	1,715		2,004		Women using any method	48
37	Number of IUD removals	150		147		Women using modern method	38.2
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	469		385			

39	General OPD cases per 10,000 population ***	6,572	7,235	
40	Ayush OPD cases per 10,000 population ***	25	13	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
41	Neonatal death within 24 hours	108	95	
42	Neonatal Deaths up to 4 weeks of birth	303	277	
43	<b>Total Neonatal Death</b>	<b>411</b>	<b>372</b>	
44	Deaths between (1 - 11) months	124	133	
45	<b>Total reported infant deaths</b>	<b>535</b>	<b>505</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	7	0	
48	Due to Severe hypertension / fits	16	7	
49	Due to Bleeding	23	4	
50	Due to High fever	20	3	
51	Due to Other Causes (including causes not known)	69	66	
52	<b>Total reported maternal deaths</b>	<b>135</b>	<b>80</b>	

<b>Charaideo Factsheet</b>							
<b>Key Indicators</b>							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	458,615					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	11,576	11,630				
9	Expected number of Delivery	10,787	10,837				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	<b>NFHS-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	7,746	66.9	5,494	47.2	ANC Check up in first trimester	74.1
11	Mothers registered in the first trimester	7,024	90.7	4,849	88.3	At least 4ANC check up	64.5
12	Mothers who had 4 or more ANC check ups	6,165	79.6	4,148	75.5	Neonatal tetanus received	95.9

13	PW who got TT 2 / Booster injection	7,060	91.1	5,139	93.5	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	7,447	96.1	5,416	98.6	Home Delivery	11.8
15	Home Delivery against expected delivery *	45	0.4	29	0.3	Institutional Delivery	88.2
16	Institutional Delivery against expected delivery *	3,680	34.1	2,362	21.8	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	45	1.2	29	1.2	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	3,680	98.8	2,362	98.8		
19	Total reported Deliveries	3,725		2,391			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	29	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,016	134.7	3,610	151.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	10,524		10,572			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	3,741	35.5	2,365	22.4	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	68	0.6	47	0.4	BCG	96.2
25	PC of newborn weighted at birth to live birth	3,709	99.1	2,319	98.1	3 dose of DPT	90.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	548	14.8	255	11.0	Measles First dose	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,730	99.7	2,361	99.8	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	7,314	69.5	5,178	49.0	Full Immunization	74
29	Children who have received BCG	4,644	44.1	2,790	26.4		
30	Children who have received Pentavalent 1	7,411	70.4	4,424	41.8		
31	Children who have received Pentavalent 3	7,278	69.2	4,500	42.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,432	70.6	5,177	49.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	429		164			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	12		0		Total unmet need	8.3
35	Number of Tubectomies performed	455		70		Spacing	3.7
36	Number of IUD insertion	455		925		Women using any method	67
37	Number of IUD removals	90		92		Women using modern method	43.9

F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
38	IPD cases per 10,000 population ***	140	80	
39	General OPD cases per 10,000 population ***	9,627	7,647	
40	Ayush OPD cases per 10,000 population ***	51	107	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
41	Neonatal death within 24 hours	2	3	
42	Neonatal Deaths up to 4 weeks of birth	33	5	
43	<b>Total Neonatal Death</b>	<b>35</b>	<b>8</b>	
44	Deaths between (1 - 11) months	21	7	
45	<b>Total reported infant deaths</b>	<b>56</b>	<b>15</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	1	
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>	

## Chirang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	482,162				
2	Sex Ratio	969				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	87				
4	Primary Health Centers (PHC)	24				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	12,378	12,458			
9	Expected number of Delivery	11,534	11,608			
		HMIS ( 2020-21)		HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	9,617	77.7	6,915	55.5	ANC Check up in first trimester 55.9
11	Mothers registered in the first trimester	7,628	79.3	5,700	82.4	At least 4ANC check up 56.5

12	Mothers who had 4 or more ANC check ups	6,543	68.0	4,928	71.3	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	8,860	92.1	6,865	99.3	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	8,142	84.7	6,393	92.5	Home Delivery	16.3
15	Home Delivery against expected delivery *	1,692	14.7	1,092	9.4	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	5,923	51.4	4,496	38.7	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,692	22.2	1,092	19.5	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	5,923	77.8	4,496	80.5		
19	Total reported Deliveries	7,615		5,588			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	5.4	65	6.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,734	62.2	2,986	53.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	11,252		11,325			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	7,520	66.8	5,534	48.9	Breastfed within 1 hour of birth	40.5
24	Total Still Birth	120	1.1	76	0.7	BCG	98.2
25	PC of newborn weighted at birth to live birth	7,519	100.0	5,527	99.9	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	988	13.1	668	12.1	Measles First dose	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,510	99.9	5,502	99.4	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,360	74.3	6,192	54.7	Full Immunization	71.1
29	Children who have received BCG	8,288	73.7	6,205	54.8		
30	Children who have received Pentavalent 1	8,854	78.7	5,779	51.0		
31	Children who have received Pentavalent 3	8,362	74.3	5,956	52.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,389	74.6	6,198	54.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	807		430			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	9.8
35	Number of Tubectomies performed	12		61		Spacing	3.7
36	Number of IUD insertion	696		471		Women using any method	65.8



37	Number of IUD removals	537	380	Women using modern method	55.6
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
38	IPD cases per 10,000 population ***	280	211		
39	General OPD cases per 10,000 population ***	4,794	3,544		
40	Ayush OPD cases per 10,000 population ***	434	361		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
41	Neonatal death within 24 hours	22	12		
42	Neonatal Deaths up to 4 weeks of birth	57	27		
43	<b>Total Neonatal Death</b>	<b>79</b>	<b>39</b>		
44	Deaths between (1 - 11) months	90	28		
45	<b>Total reported infant deaths</b>	<b>169</b>	<b>67</b>		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	10		
52	<b>Total reported maternal deaths</b>	<b>12</b>	<b>11</b>		

## Darrang Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>928,500</b>				
2	Sex Ratio	<b>923</b>				
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	<b>159</b>				
4	Primary Health Centers (PHC)	<b>33</b>				
5	Community Health Centers (CHC)	<b>7</b>				
6	SDH	<b>0</b>				
7	DH	<b>1</b>				
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>			
8	Expected number of PW	25,644	26,020			
9	Expected number of Delivery	23,895	24,246			
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	

10	PW register for ANC	21,817	85.1	16,297	62.6	ANC Check up in first trimester	56.5
11	Mothers registered in the first trimester	21,194	97.1	16,008	98.2	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	19,743	90.5	14,912	91.5	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	20,309	93.1	15,659	96.1	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	20,217	92.7	16,188	99.3	Home Delivery	15.6
15	Home Delivery against expected delivery *	352	1.5	83	0.3	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	18,545	77.6	14,269	58.9	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	352	1.9	83	0.6	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	18,545	98.1	14,269	99.4		
19	Total reported Deliveries	18,897		14,352			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	335	95.2	82	98.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,820	120.8	17,355	120.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	23,312		23,655			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	18,742	80.4	14,190	60.0	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	281	1.2	251	1.1	BCG	94.9
25	PC of newborn weighted at birth to live birth	18,675	99.6	14,167	99.8	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,723	19.9	1,473	10.4	Measles First dose	82.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,398	98.2	13,911	98.0	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,908	85.4	14,824	62.7	Full Immunization	57.1
29	Children who have received BCG	19,625	84.2	14,455	61.1		
30	Children who have received Pentavalent 1	19,899	85.4	13,570	57.4		
31	Children who have received Pentavalent 3	19,847	85.1	13,511	57.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,880	85.3	14,775	62.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,421		1,127			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	12		0		Total unmet	14.8

				need	
35	Number of Tubectomies performed	564	446	Spacing	5.8
36	Number of IUD insertion	1,673	1,362	Women using any method	46.8
37	Number of IUD removals	513	504	Women using modern method	36.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
38	IPD cases per 10,000 population ***	391	280		
39	General OPD cases per 10,000 population ***	5,007	4,109		
40	Ayush OPD cases per 10,000 population ***	264	196		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
41	Neonatal death within 24 hours	11	9		
42	Neonatal Deaths up to 4 weeks of birth	143	120		
43	<b>Total Neonatal Death</b>	<b>154</b>	<b>129</b>		
44	Deaths between (1 - 11) months	45	26		
45	<b>Total reported infant deaths</b>	<b>199</b>	<b>155</b>		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	2	1		
49	Due to Bleeding	4	5		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	8	10		
52	<b>Total reported maternal deaths</b>	<b>15</b>	<b>16</b>		

<b>Dhemaji Factsheet</b>					
<b>Key Indicators</b>					
<b>SL No</b>	<b>A)Demographic Indicators (Census 2011)</b>				
1	Population 2011	<b>686,133</b>			
2	Sex Ratio	<b>949</b>			
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	<b>98</b>			
4	Primary Health Centers(PHC)	<b>24</b>			
5	Community Health Centers (CHC)	<b>4</b>			
6	SDH	<b>0</b>			
7	DH	<b>1</b>			
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>		
8	Expected number of PW	19,082	19,378		

9	Expected number of Delivery	17,781		18,056			
		HMIS ( 2020-21)		HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,315	75.0	10,104	52.1	ANC Check up in first trimester	76.2
11	Mothers registered in the first trimester	13,365	93.4	9,413	93.2	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	12,310	86.0	8,352	82.7	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	13,291	92.8	9,857	97.6	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	14,241	99.5	10,537	104.3	Home Delivery	12.7
15	Home Delivery against expected delivery *	46	0.3	27	0.1	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	14,508	81.6	11,004	60.9	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	46	0.3	27	0.2	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	14,508	99.7	11,004	99.8		
19	Total reported Deliveries	14,554		11,031			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	43.5	18	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,939	95.8	8,946	81.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	17,348		17,616			
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	14,395	83.0	10,956	62.2	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	247	1.4	178	1.0	BCG	96.7
25	PC of newborn weighted at birth to live birth	14,391	100.0	10,796	98.5	3 dose of DPT	94.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,533	10.7	1,292	12.0	Measles First dose	93.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,085	97.8	10,714	97.8	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	12,840	74.0	9,653	54.8	Full Immunization	89.7
29	Children who have received BCG	14,108	81.3	10,092	57.3		
30	Children who have received Pentavalent 1	12,891	74.3	8,898	50.5		
31	Children who have received Pentavalent 3	12,816	73.9	9,001	51.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,855	74.1	9,606	54.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,542		524			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning						HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed					4	0	Total unmet need	7.1
35	Number of Tubectomies performed					731	531	Spacing	3.5
36	Number of IUD insertion					1,552	677	Women using any method	72.6
37	Number of IUD removals					723	493	Women using modern method	45
F) Service delivery						HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***					235	207		
39	General OPD cases per 10,000 population ***					5,298	4,810		
40	Ayush OPD cases per 10,000 population ***					297	196		
G) Mortality Details									
I)	Infant Deaths (In Numbers)					HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours					54	24		
42	Neonatal Deaths up to 4 weeks of birth					123	64		
43	<b>Total Neonatal Death</b>					<b>177</b>	<b>88</b>		
44	Deaths between (1 - 11) months					71	37		
45	<b>Total reported infant deaths</b>					<b>248</b>	<b>125</b>		
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)					HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion					0	1		
47	Due to Obstructed/prolonged labour					2	0		
48	Due to Severe hypertension / fits					2	0		
49	Due to Bleeding					1	1		
50	Due to High fever					0	0		
51	Due to Other Causes (including causes not known)					10	5		
52	<b>Total reported maternal deaths</b>					<b>15</b>	<b>7</b>		

## Dhubri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)			
1	Population 2011	1,394,144		
2	Sex Ratio	952		
B) Infrastructure Details (RHS 2019-20)		Numbers		
3	Sub Centers (SC)	231		
4	Primary Health Centers (PHC)	43		
5	Community Health Centers (CHC)	8		
6	SDH	2		

7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	40,198		40,984			
9	Expected number of Delivery	37,458		38,190			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		Number	PC	Number	PC		
10	PW register for ANC	44,289	110.2	33,427	81.6	ANC Check up in first trimester	49.9
11	Mothers registered in the first trimester	37,371	84.4	29,091	87.0	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	36,965	83.5	30,601	91.5	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	45,582	102.9	32,044	95.9	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	43,262	97.7	32,057	95.9	Home Delivery	35.8
15	Home Delivery against expected delivery *	15,931	42.5	9,638	25.2	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	22,114	59.0	15,884	41.6	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	15,931	41.9	9,638	37.8	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	22,114	58.1	15,884	62.2		
19	Total reported Deliveries	38,045		25,522			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,196	26.3	3,610	37.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,499	69.7	17,102	67.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	36,544		37,258			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	37,490	102.6	25,734	69.1	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	996	2.7	628	1.7	BCG	90.5
25	PC of newborn weighted at birth to live birth	37,485	100.0	25,473	99.0	3 dose of DPT	82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,868	15.7	4,033	15.8	Measles First dose	84
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,997	98.7	25,282	98.2	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	36,645	100.3	28,402	76.2	Full Immunization	71.6
29	Children who have received BCG	39,552	108.2	26,499	71.1		
30	Children who have received Pentavalent 1	38,374	105.0	25,858	69.4		
31	Children who have received Pentavalent 3	36,121	98.8	25,780	69.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,332	102.2	28,926	77.6		

33	Diarrhoea and Dehydration reported in children below 5 years of age	3,365	1,432		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	1	11	Total unmet need	11.5
35	Number of Tubectomies performed	435	301	Spacing	4
36	Number of IUD insertion	5,464	4,572	Women using any method	64.1
37	Number of IUD removals	333	239	Women using modern method	53.2
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
38	IPD cases per 10,000 population ***	243	192		
39	General OPD cases per 10,000 population ***	3,865	3,301		
40	Ayush OPD cases per 10,000 population ***	316	308		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
41	Neonatal death within 24 hours	219	87		
42	Neonatal Deaths up to 4 weeks of birth	531	197		
43	<b>Total Neonatal Death</b>	<b>750</b>	<b>284</b>		
44	Deaths between (1 - 11) months	136	77		
45	<b>Total reported infant deaths</b>	<b>886</b>	<b>361</b>		
<b>II) Maternal Mortality</b>					
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	2	0		
48	Due to Severe hypertension / fits	7	3		
49	Due to Bleeding	4	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	44	18		
52	<b>Total reported maternal deaths</b>	<b>57</b>	<b>25</b>		

## Dibrugarh Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>1,326,335</b>	
2	Sex Ratio	<b>952</b>	
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>	

3	Sub Centers (SC)	234					
4	Primary Health Centers(PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	34,285		34,534			
9	Expected number of Delivery	31,948		32,179			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	20,696	60.4	15,052	43.6	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	18,150	87.7	13,081	86.9	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	16,753	80.9	10,709	71.1	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	19,268	93.1	13,967	92.8	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	20,664	99.8	14,620	97.1	Home Delivery	6.9
15	Home Delivery against expected delivery *	57	0.2	32	0.1	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	23,252	72.8	15,907	49.4	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	57	0.2	32	0.2	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	23,252	99.8	15,907	99.8		
19	Total reported Deliveries	23,309		15,939			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	19.3	10	31.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,908	89.7	15,580	97.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	31,168		31,394			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	22,824	73.2	15,626	49.8	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	638	2.0	527	1.7	BCG	97.8
25	PC of newborn weighted at birth to live birth	22,820	100.0	15,626	100.0	3 dose of DPT	93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,005	21.9	3,434	22.0	Measles First dose	97.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,069	96.7	15,445	98.8	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,747	66.6	15,268	48.6	Full Immunization	83.8
29	Children who have received BCG	22,961	73.7	15,096	48.1		
30	Children who have received Pentavalent 1	20,835	66.8	12,964	41.3		



31	Children who have received Pentavalent 3	20,584	66.0	12,833	40.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,751	66.6	15,267	48.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,186		969			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	67	76	Total unmet need	8.7
35	Number of Tubectomies performed	1,719	1,209	Spacing	4.8
36	Number of IUD insertion	504	747	Women using any method	64.6
37	Number of IUD removals	460	448	Women using modern method	43.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	515	446		
39	General OPD cases per 10,000 population ***	12,820	9,606		
40	Ayush OPD cases per 10,000 population ***	234	116		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	51	46		
42	Neonatal Deaths up to 4 weeks of birth	332	277		
43	<b>Total Neonatal Death</b>	<b>383</b>	<b>323</b>		
44	Deaths between (1 - 11) months	84	63		
45	<b>Total reported infant deaths</b>	<b>467</b>	<b>386</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	4	4		
47	Due to Obstructed/prolonged labour	1	4		
48	Due to Severe hypertension / fits	18	22		
49	Due to Bleeding	1	9		
50	Due to High fever	0	5		
51	Due to Other Causes (including causes not known)	67	28		
52	<b>Total reported maternal deaths</b>	<b>91</b>	<b>72</b>		

## Dima Hasao Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
-------	---	--	--

1	Population 2011	214,102					
2	Sex Ratio	931					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	76					
4	Primary Health Centers(PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	5,608	5,657				
9	Expected number of Delivery	5,226	5,271				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,442	79.2	3,081	54.5	ANC Check up in first trimester	58.9
11	Mothers registered in the first trimester	3,165	71.3	2,260	73.4	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,464	55.5	1,484	48.2	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,739	84.2	2,732	88.7	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,890	87.6	2,750	89.3	Home Delivery	10.5
15	Home Delivery against expected delivery *	1,335	25.5	1,002	19.0	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,349	44.9	1,696	32.2	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	1,335	36.2	1,002	37.1	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,349	63.8	1,696	62.9		
19	Total reported Deliveries	3,684		2,698			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	521	39.0	335	33.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,354	36.8	891	33.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	5,098		5,143			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (2019-20)</b>		
				<b>3rd QTR</b>			
23	Total reported live births	3,627	71.1	2,654	51.6	Breastfed within 1 hour of birth	58
24	Total Still Birth	78	1.5	58	1.1	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,536	97.5	2,643	99.6	3 dose of DPT	71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	202	5.7	152	5.8	Measles First dose	71.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,575	98.6	2,637	99.4	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,621	71.0	2,543	49.4	Full	63.6

						Immunization	
29	Children who have received BCG	3,727	73.1	2,651	51.5		
30	Children who have received Pentavalent 1	3,735	73.3	2,446	47.6		
31	Children who have received Pentavalent 3	3,625	71.1	2,342	45.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,636	71.3	2,546	49.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,843		410			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	2	Total unmet need	9.7
35	Number of Tubectomies performed	4	0	Spacing	2.6
36	Number of IUD insertion	260	139	Women using any method	65.5
37	Number of IUD removals	179	132	Women using modern method	44.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	392	296		
39	General OPD cases per 10,000 population ***	5,361	4,782		
40	Ayush OPD cases per 10,000 population ***	407	253		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	11	13		
42	Neonatal Deaths up to 4 weeks of birth	29	18		
43	<b>Total Neonatal Death</b>	<b>40</b>	<b>31</b>		
44	Deaths between (1 - 11) months	36	23		
45	<b>Total reported infant deaths</b>	<b>76</b>	<b>54</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	4		
52	<b>Total reported maternal deaths</b>	<b>6</b>	<b>6</b>		

Key Indicators							
SL No	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,008,183					
2	Sex Ratio	962					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	28,648		29,161			
9	Expected number of Delivery	26,695		27,173			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	26,625	92.9	20,379	69.9	ANC Check up in first trimester	65.3
11	Mothers registered in the first trimester	25,011	93.9	18,976	93.1	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	20,882	78.4	16,457	80.8	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	23,931	89.9	19,125	93.8	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	26,122	98.1	20,262	99.4	Home Delivery	7.7
15	Home Delivery against expected delivery *	1,189	4.5	637	2.3	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	24,549	92.0	18,137	66.7	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	1,189	4.6	637	3.4	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	24,549	95.4	18,137	96.6		
19	Total reported Deliveries	25,738		18,774			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,001	84.2	535	84.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,379	75.3	13,923	74.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,044		26,510			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	25,402	97.5	18,753	70.7	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	614	2.4	424	1.6	BCG	98.4
25	PC of newborn weighted at birth to live birth	25,176	99.1	18,556	98.9	3 dose of DPT	90.6

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,082	12.2	2,172	11.7	Measles First dose	90.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	25,221	99.3	18,484	98.6	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,552	86.6	17,402	65.6	Full Immunization	70.3
29	Children who have received BCG	25,955	99.7	18,847	71.1		
30	Children who have received Pentavalent 1	23,578	90.5	16,279	61.4		
31	Children who have received Pentavalent 3	22,533	86.5	16,179	61.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,896	87.9	17,969	67.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,038		497			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	28	0	Total unmet need	7.4
35	Number of Tubectomies performed	608	545	Spacing	2.2
36	Number of IUD insertion	6,172	5,408	Women using any method	66.8
37	Number of IUD removals	775	860	Women using modern method	55.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	441	381		
39	General OPD cases per 10,000 population ***	5,757	5,454		
40	Ayush OPD cases per 10,000 population ***	608	452		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	76	80		
42	Neonatal Deaths up to 4 weeks of birth	152	148		
43	<b>Total Neonatal Death</b>	<b>228</b>	<b>228</b>		
44	Deaths between (1 - 11) months	88	29		
45	<b>Total reported infant deaths</b>	<b>316</b>	<b>257</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	6	2		
49	Due to Bleeding	5	4		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	28	14		
52	<b>Total reported maternal deaths</b>	<b>39</b>	<b>20</b>		

## Golaghat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,066,888					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	143					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	5					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	27,539		27,735			
9	Expected number of Delivery	25,662		25,844			
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,484	67.1	12,937	46.6	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	16,738	90.6	11,767	91.0	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	14,047	76.0	10,342	79.9	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	16,294	88.2	12,153	93.9	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	15,741	85.2	12,402	95.9	Home Delivery	9.6
15	Home Delivery against expected delivery *	149	0.6	111	0.4	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	13,369	52.1	9,671	37.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	149	1.1	111	1.1	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	13,369	98.9	9,671	98.9		
19	Total reported Deliveries	13,518		9,782			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	32.2	41	36.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,268	83.4	7,337	75.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	25,036		25,213			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	

23	Total reported live births	13,340	53.3	9,660	38.3	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	294	1.2	173	0.7	BCG	92.6
25	PC of newborn weighted at birth to live birth	13,306	99.7	9,304	96.3	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,760	13.2	1,189	12.8	Measles First dose	87.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,277	92.0	8,936	92.5	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	16,496	65.9	11,770	46.7	Full Immunization	72.4
29	Children who have received BCG	14,036	56.1	9,649	38.3		
30	Children who have received Pentavalent 1	17,298	69.1	10,686	42.4		
31	Children who have received Pentavalent 3	16,436	65.6	10,297	40.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,130	64.4	11,860	47.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	762		446			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	18	Total unmet need	10.9
35	Number of Tubectomies performed	603	474	Spacing	4.7
36	Number of IUD insertion	649	395	Women using any method	61.6
37	Number of IUD removals	728	534	Women using modern method	35.7
F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	190	180		
39	General OPD cases per 10,000 population ***	6,539	5,030		
40	Ayush OPD cases per 10,000 population ***	145	181		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR		
41	Neonatal death within 24 hours	62	31		
42	Neonatal Deaths up to 4 weeks of birth	176	73		
43	<b>Total Neonatal Death</b>	<b>238</b>	<b>104</b>		
44	Deaths between (1 - 11) months	118	33		
45	<b>Total reported infant deaths</b>	<b>356</b>	<b>137</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	4	0		
49	Due to Bleeding	3	1		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	26	7	
52	<b>Total reported maternal deaths</b>	<b>33</b>	<b>8</b>	

## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,296					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	18,521		18,829			
9	Expected number of Delivery	17,258		17,545			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,116	103.2	15,393	81.8	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	16,837	88.1	13,451	87.4	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,107	84.3	12,619	82.0	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	17,660	92.4	14,473	94.0	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	18,832	98.5	15,323	99.5	Home Delivery	17.0
15	Home Delivery against expected delivery *	1,330	7.7	666	3.8	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	12,184	70.6	10,302	58.7	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	1,330	9.8	666	6.1	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	12,184	90.2	10,302	93.9		
19	Total reported Deliveries	13,514		10,968			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	695		321		48.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,386		9,837		89.7	

**Note:** In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.



22	Expected number of Live Birth	16,838		17,117			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	13,238	78.6	10,793	63.1	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	323	1.9	220	1.3	BCG	95.4
25	PC of newborn weighted at birth to live birth	13,238	100.0	10,790	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	802	6.1	666	6.2	Measles First dose	85.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,744	96.3	10,689	99.0	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	16,391	97.3	12,453	72.8	Full Immunization	68.6
29	Children who have received BCG	16,966	100.8	12,668	74.0		
30	Children who have received Pentavalent 1	16,758	99.5	12,297	71.8		
31	Children who have received Pentavalent 3	16,439	97.6	11,696	68.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,391	97.3	12,499	73.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,810		2,249			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	17		22		Total unmet need	8.6
35	Number of Tubectomies performed	314		259		Spacing	4.2
36	Number of IUD insertion	4,257		2,521		Women using any method	66.8
37	Number of IUD removals	554		282		Women using modern method	49.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	297		273			
39	General OPD cases per 10,000 population ***	4,727		4,217			
40	Ayush OPD cases per 10,000 population ***	177		127			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	67		17			
42	Neonatal Deaths up to 4 weeks of birth	66		24			
43	<b>Total Neonatal Death</b>	<b>133</b>		<b>41</b>			
44	Deaths between (1 - 11) months	66		20			
45	<b>Total reported infant deaths</b>	<b>199</b>		<b>61</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
46	Due to Abortion	0		0			

47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	2	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	14	3	
52	<b>Total reported maternal deaths</b>	<b>16</b>	<b>3</b>	

## Hojai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	931,218					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	26,310		26,764			
9	Expected number of Delivery	24,517		24,939			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,355	81.2	15,980	59.7	ANC Check up in first trimester	52.7
11	Mothers registered in the first trimester	18,778	87.9	14,963	93.6	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	17,591	82.4	14,585	91.3	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	20,569	96.3	15,056	94.2	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	20,942	98.1	15,823	99.0	Home Delivery	17.9
15	Home Delivery against expected delivery *	2,383	9.7	1,032	4.1	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	14,197	57.9	10,268	41.2	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	2,383	14.4	1,032	9.1	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	14,197	85.6	10,268	90.9		
19	Total reported Deliveries	16,580		11,300			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.9	107	10.4		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,552	93.8	10,566	93.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	23,919		24,331			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	16,357	68.4	11,207	46.1	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	246	1.0	199	0.8	BCG	82.1
25	PC of newborn weighted at birth to live birth	16,343	99.9	11,086	98.9	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,597	9.8	843	7.6	Measles First dose	59.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,019	97.9	11,023	98.4	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	19,349	80.9	13,531	55.6	Full Immunization	55.5
29	Children who have received BCG	19,984	83.5	14,026	57.6		
30	Children who have received Pentavalent 1	19,446	81.3	12,866	52.9		
31	Children who have received Pentavalent 3	18,492	77.3	12,016	49.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,477	81.4	13,535	55.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,937		519			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	13.2
35	Number of Tubectomies performed	107		34		Spacing	4.9
36	Number of IUD insertion	383		174		Women using any method	61.1
37	Number of IUD removals	39		21		Women using modern method	48.2
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	71		51			
39	General OPD cases per 10,000 population ***	2,874		2,195			
40	Ayush OPD cases per 10,000 population ***	28		49			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	16		10			
42	Neonatal Deaths up to 4 weeks of birth	47		35			
43	<b>Total Neonatal Death</b>	<b>63</b>		<b>45</b>			
44	Deaths between (1 - 11) months	38		13			

45	<b>Total reported infant deaths</b>	<b>101</b>	<b>58</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	1	
48	Due to Severe hypertension / fits	0	0	
49	Due to Bleeding	0	8	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	2	0	
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>9</b>	

<b>Jorhat Factsheet</b>							
<b>Key Indicators</b>							
<b>SL No</b>	<b>A)Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>924,952</b>					
2	Sex Ratio	<b>956</b>					
	<b>B) Infrastructure Details (RHS 2019-20)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	<b>145</b>					
4	Primary Health Centers(PHC)	<b>42</b>					
5	Community Health Centers (CHC)	<b>8</b>					
6	SDH	<b>2</b>					
7	DH	<b>0</b>					
	<b>C) Maternal Health:</b>	<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	23,315	23,418				
9	Expected number of Delivery	21,725	21,821				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>			<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	16,170	69.4	10,643	45.4	ANC Check up in first trimester	78.3
11	Mothers registered in the first trimester	15,409	95.3	10,075	94.7	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	13,236	81.9	8,438	79.3	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	15,037	93.0	9,999	93.9	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	16,018	99.1	10,591	99.5	Home Delivery	3.5
15	Home Delivery against expected delivery *	62	0.3	36	0.2	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,125	65.0	10,387	47.6	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	62	0.4	36	0.3	PNC within 2days of delivery	81.4

18	Institutional Delivery against reported delivery **	14,125	99.6	10,387	99.7		
19	Total reported Deliveries	14,187		10,423			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	75.8	30	83.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,370	122.4	11,591	111.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	21,195		21,289			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	13,958	65.9	10,465	49.2	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	276	1.3	184	0.9	BCG	100
25	PC of newborn weighted at birth to live birth	13,925	99.8	9,863	94.2	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,141	15.4	1,111	11.3	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,927	99.8	9,895	94.6	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	14,424	68.1	10,622	49.9	Full Immunization	69.2
29	Children who have received BCG	13,579	64.1	9,850	46.3		
30	Children who have received Pentavalent 1	14,404	68.0	9,671	45.4		
31	Children who have received Pentavalent 3	14,161	66.8	9,203	43.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,658	69.2	10,901	51.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	628		241			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	105		13		Total unmet need	10.4
35	Number of Tubectomies performed	1,288		532		Spacing	3.2
36	Number of IUD insertion	799		270		Women using any method	63.8
37	Number of IUD removals	152		86		Women using modern method	32.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	402		374			
39	General OPD cases per 10,000 population ***	8,569		6,814			
40	Ayush OPD cases per 10,000 population ***	24		30			
<b>G) Mortality Details</b>							

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
41	Neonatal death within 24 hours	34	25	
42	Neonatal Deaths up to 4 weeks of birth	343	225	
43	<b>Total Neonatal Death</b>	<b>377</b>	<b>250</b>	
44	Deaths between (1 - 11) months	107	60	
45	<b>Total reported infant deaths</b>	<b>484</b>	<b>310</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
46	Due to Abortion	0	1	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	0	2	
49	Due to Bleeding	0	2	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	28	23	
52	<b>Total reported maternal deaths</b>	<b>28</b>	<b>28</b>	

## Kamrup R Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>1,517,542</b>					
2	Sex Ratio	<b>946</b>					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	<b>279</b>					
4	Primary Health Centers (PHC)	<b>65</b>					
5	Community Health Centers (CHC)	<b>13</b>					
6	SDH	<b>1</b>					
7	DH	<b>1</b>					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	40,513	40,952				
9	Expected number of Delivery	37,750	38,160				
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	30,779	76.0	22,941	56.0	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	28,073	91.2	21,561	94.0	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	25,495	82.8	19,940	86.9	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	27,239	88.5	22,157	96.6	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	28,751	93.4	23,091	100.7	Home Delivery	15.0

15	Home Delivery against expected delivery *	443	1.2	234	0.6	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	21,326	56.5	14,716	38.6	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	443	2.0	234	1.6	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	21,326	98.0	14,716	98.4		
19	Total reported Deliveries	21,769		14,950			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	182	41.1	113	48.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,730	99.8	16,127	107.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	36,830		37,229			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	21,683	58.9	14,976	40.2	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	149	0.4	116	0.3	BCG	90.5
25	PC of newborn weighted at birth to live birth	21,645	99.8	14,974	100.0	3 dose of DPT	86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,404	11.1	1,588	10.6	Measles First dose	83
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,631	99.8	14,886	99.4	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	28,925	78.5	21,347	57.3	Full Immunization	63.6
29	Children who have received BCG	21,880	59.4	14,859	39.9		
30	Children who have received Pentavalent 1	28,956	78.6	18,687	50.2		
31	Children who have received Pentavalent 3	28,485	77.3	18,873	50.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	28,962	78.6	21,424	57.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,216		715			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	37		22		Total unmet need	17.6
35	Number of Tubectomies performed	924		958		Spacing	7.7
36	Number of IUD insertion	1,634		2,399		Women using any method	38.7
37	Number of IUD removals	708		519		Women using modern method	32.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	132		100			

39	General OPD cases per 10,000 population ***	5,613	5,205	
40	Ayush OPD cases per 10,000 population ***	974	719	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
41	Neonatal death within 24 hours	24	19	
42	Neonatal Deaths up to 4 weeks of birth	143	52	
43	<b>Total Neonatal Death</b>	<b>167</b>	<b>71</b>	
44	Deaths between (1 - 11) months	86	29	
45	<b>Total reported infant deaths</b>	<b>253</b>	<b>100</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
46	Due to Abortion	1	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	0	1	
49	Due to Bleeding	2	4	
50	Due to High fever	1	0	
51	Due to Other Causes (including causes not known)	20	9	
52	<b>Total reported maternal deaths</b>	<b>24</b>	<b>14</b>	

<b>Kamrup M Factsheet</b>							
<b>Key Indicators</b>							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,253,938					
2	Sex Ratio	922					
	<b>B) Infrastructure Details (RHS 2019-20)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	34,461	34,948				
9	Expected number of Delivery	32,111	32,565				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>			<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,442	56.4	15,361	44.0	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	16,062	82.6	12,995	84.6	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	19,018	97.8	16,383	106.7	Neonatal tetanus received	96.3



13	PW who got TT 2 / Booster injection	17,623	90.6	14,580	94.9	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	18,456	94.9	16,397	106.7	Home Delivery	10.9
15	Home Delivery against expected delivery *	232	0.7	146	0.4	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	28,851	89.8	24,498	75.2	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	232	0.8	146	0.6	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	28,851	99.2	24,498	99.4		
19	Total reported Deliveries	29,083		24,644			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	26.7	19	13.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,354	66.5	20,325	82.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	31,328		31,771			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	28,323	90.4	24,772	78.0	Breastfed within 1 hour of birth	53
24	Total Still Birth	792	2.5	551	1.7	BCG	90.6
25	PC of newborn weighted at birth to live birth	28,046	99.0	24,067	97.2	3 dose of DPT	77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,536	23.3	4,807	20.0	Measles First dose	74.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	28,177	99.5	21,484	86.7	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	20,280	64.7	16,489	51.9	Full Immunization	53.6
29	Children who have received BCG	33,149	105.8	25,833	81.3		
30	Children who have received Pentavalent 1	19,441	62.1	15,621	49.2		
31	Children who have received Pentavalent 3	19,714	62.9	15,249	48.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,073	64.1	16,003	50.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	753		429			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	3		1		Total unmet need	8.8
35	Number of Tubectomies performed	2,868		2,326		Spacing	2.5
36	Number of IUD insertion	119		134		Women using any method	56.8
37	Number of IUD removals	373		334		Women using modern method	41.5

F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
38	IPD cases per 10,000 population ***	630	597	
39	General OPD cases per 10,000 population ***	5,164	4,122	
40	Ayush OPD cases per 10,000 population ***	593	430	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
41	Neonatal death within 24 hours	239	69	
42	Neonatal Deaths up to 4 weeks of birth	799	329	
43	<b>Total Neonatal Death</b>	<b>1,038</b>	<b>398</b>	
44	Deaths between (1 - 11) months	218	119	
45	<b>Total reported infant deaths</b>	<b>1,256</b>	<b>517</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
46	Due to Abortion	3	1	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	26	11	
49	Due to Bleeding	12	6	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	54	38	
52	<b>Total reported maternal deaths</b>	<b>95</b>	<b>56</b>	

## Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	<b>660,955</b>				
2	Sex Ratio	<b>956</b>				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	<b>154</b>				
4	Primary Health Centers (PHC)	<b>42</b>				
5	Community Health Centers (CHC)	<b>8</b>				
6	SDH	<b>1</b>				
7	DH	<b>0</b>				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	18,123	18,374			
9	Expected number of Delivery	16,887	17,121			
		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	15,337	84.6	11,625	63.3	ANC Check up in first trimester 64.8

11	Mothers registered in the first trimester	11,812	77.0	8,554	73.6	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	9,897	64.5	6,571	56.5	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	14,257	93.0	10,010	86.1	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	15,137	98.7	10,997	94.6	Home Delivery	25.1
15	Home Delivery against expected delivery *	1,349	8.0	840	4.9	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,858	58.4	6,937	40.5	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	1,349	12.0	840	10.8	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,858	88.0	6,937	89.2		
19	Total reported Deliveries	11,207		7,777			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	549	40.7	377	44.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,509	102.7	8,072	103.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	16,475		16,704			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	11,106	67.4	7,759	46.5	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	127	0.8	70	0.4	BCG	88.7
25	PC of newborn weighted at birth to live birth	11,089	99.8	7,745	99.8	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	730	6.6	493	6.4	Measles First dose	76.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,015	99.2	7,700	99.2	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	13,532	82.1	9,165	54.9	Full Immunization	64.3
29	Children who have received BCG	13,644	82.8	9,390	56.2		
30	Children who have received Pentavalent 1	13,385	81.2	8,314	49.8		
31	Children who have received Pentavalent 3	13,272	80.6	8,336	49.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,740	83.4	9,226	55.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	704		400			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	1		0		Total unmet need	9.3
35	Number of Tubectomies performed	70		115		Spacing	2.4

36	Number of IUD insertion	1,195	575	Women using any method	66.3
37	Number of IUD removals	324	168	Women using modern method	41.1
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
38	IPD cases per 10,000 population ***	238	180		
39	General OPD cases per 10,000 population ***	3,896	3,669		
40	Ayush OPD cases per 10,000 population ***	220	180		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
41	Neonatal death within 24 hours	34	14		
42	Neonatal Deaths up to 4 weeks of birth	57	40		
43	<b>Total Neonatal Death</b>	<b>91</b>	<b>54</b>		
44	Deaths between (1 - 11) months	43	17		
45	<b>Total reported infant deaths</b>	<b>134</b>	<b>71</b>		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	1	2		
48	Due to Severe hypertension / fits	4	1		
49	Due to Bleeding	1	1		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	17	7		
52	<b>Total reported maternal deaths</b>	<b>23</b>	<b>13</b>		

## Karimganj Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>				
1	Population 2011	<b>1,228,686</b>			
2	Sex Ratio	<b>961</b>			
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	<b>230</b>			
4	Primary Health Centers (PHC)	<b>30</b>			
5	Community Health Centers (CHC)	<b>7</b>			
6	SDH	<b>0</b>			
7	DH	<b>1</b>			
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>		
8	Expected number of PW	34,305	34,850		
9	Expected number of Delivery	31,966	32,474		
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>	

				3rd QTR			
		Number	PC	Number	PC		
10	PW register for ANC	34,335	100.1	26,535	76.1	ANC Check up in first trimester	54.8
11	Mothers registered in the first trimester	31,120	90.6	24,453	92.2	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	31,861	92.8	25,311	95.4	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,394	97.3	25,989	97.9	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	34,315	99.9	26,536	100.0	Home Delivery	23.6
15	Home Delivery against expected delivery *	7,247	22.7	4,266	13.1	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	20,850	65.2	15,573	48.0	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	7,247	25.8	4,266	21.5	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	20,850	74.2	15,573	78.5		
19	Total reported Deliveries	28,097		19,839			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,330	32.2	2,023	47.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,509	33.8	5,118	25.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	31,186		31,682			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	27,348	87.7	19,467	61.4	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	864	2.8	497	1.6	BCG	95.5
25	PC of newborn weighted at birth to live birth	27,346	100.0	18,550	95.3	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,651	9.7	2,209	11.9	Measles First dose	85.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	26,734	97.8	18,952	97.4	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	29,668	95.1	22,713	71.7	Full Immunization	75.1
29	Children who have received BCG	34,534	110.7	24,432	77.1		
30	Children who have received Pentavalent 1	29,992	96.2	22,090	69.7		
31	Children who have received Pentavalent 3	28,744	92.2	21,015	66.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	29,687	95.2	22,924	72.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,226		2,749			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	36	0	Total unmet need	8.6
35	Number of Tubectomies performed	876	650	Spacing	4.2
36	Number of IUD insertion	2,366	1,657	Women using any method	64.3
37	Number of IUD removals	247	116	Women using modern method	54.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	263	198		
39	General OPD cases per 10,000 population ***	3,517	3,806		
40	Ayush OPD cases per 10,000 population ***	169	121		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	51	13		
42	Neonatal Deaths up to 4 weeks of birth	223	80		
43	<b>Total Neonatal Death</b>	<b>274</b>	<b>93</b>		
44	Deaths between (1 - 11) months	300	87		
45	<b>Total reported infant deaths</b>	<b>574</b>	<b>180</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	1	0		
49	Due to Bleeding	4	0		
50	Due to High fever	3	1		
51	Due to Other Causes (including causes not known)	21	4		
52	<b>Total reported maternal deaths</b>	<b>30</b>	<b>5</b>		

## Kokrajhar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	<b>887,142</b>	
2	Sex Ratio	<b>958</b>	
B) Infrastructure Details (RHS 2019-20)		Numbers	
3	Sub Centers (SC)	<b>162</b>	
4	Primary Health Centers (PHC)	<b>46</b>	
5	Community Health Centers (CHC)	<b>2</b>	
6	SDH	<b>1</b>	
7	DH	<b>1</b>	

<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	21,573		21,582			
9	Expected number of Delivery	20,102		20,110			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	17,824	82.6	12,969	60.1	ANC Check up in first trimester	67.0
11	Mothers registered in the first trimester	14,509	81.4	10,572	81.5	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	12,505	70.2	9,109	70.2	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	16,682	93.6	12,394	95.6	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	17,204	96.5	12,963	100.0	Home Delivery	18.1
15	Home Delivery against expected delivery *	1,230	6.1	811	4.0	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,119	70.2	10,566	52.5	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	1,230	8.0	811	7.1	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,119	92.0	10,566	92.9		
19	Total reported Deliveries	15,349		11,377			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	210	17.1	78	9.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,505	75.0	7,682	67.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	19,611		19,620			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	15,295	78.0	11,274	57.5	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	286	1.5	185	0.9	BCG	95.3
25	PC of newborn weighted at birth to live birth	13,697	89.6	8,093	71.8	3 dose of DPT	76.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,341	9.8	1,012	12.5	Measles First dose	79.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,199	99.4	11,085	98.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,452	78.8	11,865	60.5	Full Immunization	51.1
29	Children who have received BCG	16,519	84.2	11,290	57.5		
30	Children who have received Pentavalent 1	15,894	81.0	10,547	53.8		
31	Children who have received Pentavalent 3	15,253	77.8	10,774	54.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,472	78.9	11,848	60.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,380		690			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	283	74	Spacing	3.7
36	Number of IUD insertion	710	566	Women using any method	72.3
37	Number of IUD removals	628	450	Women using modern method	58
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	257	202		
39	General OPD cases per 10,000 population ***	3,584	3,113		
40	Ayush OPD cases per 10,000 population ***	762	559		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	50	50		
42	Neonatal Deaths up to 4 weeks of birth	183	173		
43	<b>Total Neonatal Death</b>	<b>233</b>	<b>223</b>		
44	Deaths between (1 - 11) months	229	122		
45	<b>Total reported infant deaths</b>	<b>462</b>	<b>345</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	3	2		
48	Due to Severe hypertension / fits	4	2		
49	Due to Bleeding	13	2		
50	Due to High fever	1	2		
51	Due to Other Causes (including causes not known)	26	11		
52	<b>Total reported maternal deaths</b>	<b>48</b>	<b>19</b>		

## Lakhimpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,042,137	
2	Sex Ratio	965	
B) Infrastructure Details (RHS 2019-20)		Numbers	
3	Sub Centers (SC)	157	
4	Primary Health Centers (PHC)	29	



5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	28,166		28,510			
9	Expected number of Delivery	26,245		26,566			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,797	77.4	15,986	56.1	ANC Check up in first trimester	61.0
11	Mothers registered in the first trimester	20,451	93.8	14,696	91.9	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	17,020	78.1	13,023	81.5	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	20,094	92.2	15,368	96.1	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	20,225	92.8	15,960	99.8	Home Delivery	3.8
15	Home Delivery against expected delivery *	190	0.7	43	0.2	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	18,249	69.5	13,207	49.7	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	190	1.0	43	0.3	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	18,249	99.0	13,207	99.7		
19	Total reported Deliveries	18,439		13,250			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	41.1	26	60.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,325	137.3	16,991	128.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	25,605		25,918			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	18,231	71.2	13,156	50.8	Breastfed within 1 hour of birth	59
24	Total Still Birth	306	1.2	222	0.9	BCG	94.5
25	PC of newborn weighted at birth to live birth	18,231	100.0	11,145	84.7	3 dose of DPT	87.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,623	14.4	1,708	15.3	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,892	98.1	11,280	85.7	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,831	77.4	15,156	58.5	Full Immunization	69
29	Children who have received BCG	17,396	67.9	12,549	48.4		
30	Children who have received Pentavalent 1	19,847	77.5	13,595	52.5		
31	Children who have received Pentavalent 3	19,097	74.6	13,274	51.2		

32	Children who have received Measles & Rubella (MR)- 1st Dose	26,533	103.6	15,175	58.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,743		897			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	24		2		Total unmet need	9.8
35	Number of Tubectomies performed	1,171		748		Spacing	4.5
36	Number of IUD insertion	1,144		787		Women using any method	67.1
37	Number of IUD removals	435		390		Women using modern method	43.6
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	297		250			
39	General OPD cases per 10,000 population ***	5,303		4,230			
40	Ayush OPD cases per 10,000 population ***	81		50			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	15		14			
42	Neonatal Deaths up to 4 weeks of birth	98		60			
43	<b>Total Neonatal Death</b>	<b>113</b>		<b>74</b>			
44	Deaths between (1 - 11) months	55		6			
45	<b>Total reported infant deaths</b>	<b>168</b>		<b>80</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension / fits	1		0			
49	Due to Bleeding	0		1			
50	Due to High fever	1		1			
51	Due to Other Causes (including causes not known)	16		0			
52	<b>Total reported maternal deaths</b>	<b>18</b>		<b>2</b>			

## Majuli Factsheet

### Key Indicators

SL No	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>167,304</b>	
2	Sex Ratio	<b>NA</b>	

B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers(PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	4,217		4,236			
9	Expected number of Delivery	3,930		3,947			
		HMIS ( 2020-21)		HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,500	83.0	2,168	51.2	ANC Check up in first trimester	76.1
11	Mothers registered in the first trimester	3,319	94.8	1,972	91.0	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,306	65.9	1,117	51.5	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	3,026	86.5	2,075	95.7	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	3,101	88.6	2,265	104.5	Home Delivery	9.7
15	Home Delivery against expected delivery *	17	0.4	14	0.4	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,848	47.0	1,397	35.4	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	17	0.9	14	1.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,848	99.1	1,397	99.0		
19	Total reported Deliveries	1,865		1,411			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	70.6	10	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,183	117.1	1,250	88.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,834		3,851			
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,847	48.2	1,418	36.8	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	25	0.7	19	0.5	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,557	84.3	1,391	98.1	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	239	15.4	205	14.7	Measles First dose	90.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,676	90.7	1,350	95.2	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	2,803	73.1	2,134	55.4	Full Immunization	78.6
29	Children who have received BCG	2,057	53.7	1,425	37.0		

30	Children who have received Pentavalent 1	2,817	73.5	1,969	51.1		
31	Children who have received Pentavalent 3	2,801	73.1	1,893	49.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,827	73.7	2,115	54.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	88		64			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	11.6
35	Number of Tubectomies performed	177	0	Spacing	4.7
36	Number of IUD insertion	542	102	Women using any method	63.7
37	Number of IUD removals	63	58	Women using modern method	31.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	188	183		
39	General OPD cases per 10,000 population ***	8,193	5,674		
40	Ayush OPD cases per 10,000 population ***	27	52		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	11	22		
42	Neonatal Deaths up to 4 weeks of birth	32	14		
43	<b>Total Neonatal Death</b>	<b>43</b>	<b>36</b>		
44	Deaths between (1 - 11) months	16	5		
45	<b>Total reported infant deaths</b>	<b>59</b>	<b>41</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	1	1		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	<b>Total reported maternal deaths</b>	<b>4</b>	<b>3</b>		

## Morigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,423					
2	Sex Ratio	974					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	27,362	27,869				
9	Expected number of Delivery	25,497	25,969				
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,688	82.9	16,553	59.4	ANC Check up in first trimester	64.0
11	Mothers registered in the first trimester	18,927	83.4	13,734	83.0	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	16,850	74.3	11,093	67.0	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	20,885	92.1	15,837	95.7	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	22,613	99.7	16,287	98.4	Home Delivery	11.7
15	Home Delivery against expected delivery *	2,405	9.4	1,806	7.0	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,516	56.9	10,271	39.6	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2,405	14.2	1,806	15.0	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,516	85.8	10,271	85.0		
19	Total reported Deliveries	16,921		12,077			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	982	40.8	771	42.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,646	92.5	10,417	86.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	24,875		25,336			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
23	Total reported live births	16,697	67.1	11,839	46.7	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	234	0.9	199	0.8	BCG	91.3
25	PC of newborn weighted at birth to live birth	16,750	100.3	11,777	99.5	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,774	16.6	1,614	13.7	Measles First dose	87
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,455	92.6	11,308	95.5	3 doses of penta or hepatitis B	83

						vaccine	
28	Children fully immunized	19,845	79.8	14,311	56.5	Full Immunization	73.4
29	Children who have received BCG	19,847	79.8	13,064	51.6		
30	Children who have received Pentavalent 1	20,260	81.4	13,514	53.3		
31	Children who have received Pentavalent 3	19,167	77.1	13,019	51.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,890	80.0	14,833	58.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	715		191			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	17	0	Total unmet need	6.5
35	Number of Tubectomies performed	254	168	Spacing	1.9
36	Number of IUD insertion	2,715	758	Women using any method	70.6
37	Number of IUD removals	216	149	Women using modern method	56.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	220	147		
39	General OPD cases per 10,000 population ***	5,763	3,870		
40	Ayush OPD cases per 10,000 population ***	186	173		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	29	18		
42	Neonatal Deaths up to 4 weeks of birth	182	86		
43	<b>Total Neonatal Death</b>	<b>211</b>	<b>104</b>		
44	Deaths between (1 - 11) months	83	32		
45	<b>Total reported infant deaths</b>	<b>294</b>	<b>136</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	3	6		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	13	7		
52	<b>Total reported maternal deaths</b>	<b>16</b>	<b>14</b>		

## Nagaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,892,550						
2	Sex Ratio	962						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	352						
4	Primary Health Centers (PHC)	78						
5	Community Health Centers (CHC)	18						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	53,472	54,394					
9	Expected number of Delivery	49,826	50,685					
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	42,460	79.4	31,504	57.9	ANC Check up in first trimester	73.1	
11	Mothers registered in the first trimester	34,782	81.9	25,809	81.9	At least 4ANC check up	59.4	
12	Mothers who had 4 or more ANC check ups	34,794	81.9	24,192	76.8	Neonatal tetanus received	97.1	
13	PW who got TT 2 / Booster injection	38,582	90.9	28,340	90.0	100 IFA tablets consumed	46.5	
14	PW who consumed 180 IFA tablets	37,603	88.6	24,415	77.5	Home Delivery	16.3	
15	Home Delivery against expected delivery *	2,512	5.0	1,871	3.7	Institutional Delivery	83.7	
16	Institutional Delivery against expected delivery *	39,458	79.2	29,149	57.5	Home Delivery by SBA	2.7	
17	Home Delivery against reported delivery **	2,512	6.0	1,871	6.0	PNC within 2days of delivery	62.0	
18	Institutional Delivery against reported delivery **	39,458	94.0	29,149	94.0			
19	Total reported Deliveries	41,970		31,020				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	579	23.0	308	16.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,929	64.2	18,857	60.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	48,611		49,449				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)		
23	Total reported live births	41,440	85.2	30,397	61.5	Breastfed within 1 hour of birth	61.6	
24	Total Still Birth	945	1.9	829	1.7	BCG	86.9	
25	PC of newborn weighted at birth to live birth	40,814	98.5	29,248	96.2	3 dose of DPT	73.6	

26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,198	12.7	4,151	14.2	Measles First dose	67.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	39,028	94.2	28,521	93.8	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	37,974	78.1	27,363	55.3	Full Immunization	58.2
29	Children who have received BCG	38,934	80.1	28,681	58.0		
30	Children who have received Pentavalent 1	38,208	78.6	24,175	48.9		
31	Children who have received Pentavalent 3	37,219	76.6	23,991	48.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,947	78.1	27,152	54.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,907		846			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	3	Total unmet need	12.3
35	Number of Tubectomies performed	925	907	Spacing	3.1
36	Number of IUD insertion	1,567	1,493	Women using any method	58.6
37	Number of IUD removals	439	187	Women using modern method	46.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	254	159		
39	General OPD cases per 10,000 population ***	5,101	3,679		
40	Ayush OPD cases per 10,000 population ***	263	197		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	106	80		
42	Neonatal Deaths up to 4 weeks of birth	262	230		
43	<b>Total Neonatal Death</b>	<b>368</b>	<b>310</b>		
44	Deaths between (1 - 11) months	131	57		
45	<b>Total reported infant deaths</b>	<b>499</b>	<b>367</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	4	0		
48	Due to Severe hypertension / fits	6	2		
49	Due to Bleeding	6	4		
50	Due to High fever	2	0		
51	Due to Other Causes (including causes not known)	28	14		
52	<b>Total reported maternal deaths</b>	<b>46</b>	<b>20</b>		



## Nalbari Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	771,639					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	122					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	11					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	19,893		20,032			
9	Expected number of Delivery	18,537		18,666			
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,983	65.3	9,469	47.3	ANC Check up in first trimester	70.7
11	Mothers registered in the first trimester	12,209	94.0	8,848	93.4	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	10,811	83.3	8,231	86.9	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	12,303	94.8	9,632	101.7	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	12,906	99.4	9,525	100.6	Home Delivery	8.2
15	Home Delivery against expected delivery *	306	1.7	186	1.0	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	12,575	67.8	8,459	45.3	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	306	2.4	186	2.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	12,575	97.6	8,459	97.8		
19	Total reported Deliveries	12,881		8,645			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	300	98.0	181	97.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,694	106.3	7,049	81.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	18,085		18,211			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)	

23	Total reported live births	12,948	71.6	8,625	47.4	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	117	0.6	74	0.4	BCG	89.9
25	PC of newborn weighted at birth to live birth	12,790	98.8	8,604	99.8	3 dose of DPT	85.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,306	18.0	1,162	13.5	Measles First dose	87.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,622	97.5	8,529	98.9	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	14,477	80.1	10,954	60.2	Full Immunization	65.5
29	Children who have received BCG	14,095	77.9	9,232	50.7		
30	Children who have received Pentavalent 1	14,613	80.8	9,365	51.4		
31	Children who have received Pentavalent 3	13,890	76.8	9,013	49.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,238	78.7	10,426	57.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	992		576			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	1	Total unmet need	13.2
35	Number of Tubectomies performed	909	787	Spacing	4.8
36	Number of IUD insertion	1,027	1,412	Women using any method	53.3
37	Number of IUD removals	428	368	Women using modern method	38.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
38	IPD cases per 10,000 population ***	234	180		
39	General OPD cases per 10,000 population ***	5,976	5,302		
40	Ayush OPD cases per 10,000 population ***	1,269	889		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
41	Neonatal death within 24 hours	30	18		
42	Neonatal Deaths up to 4 weeks of birth	87	67		
43	<b>Total Neonatal Death</b>	<b>117</b>	<b>85</b>		
44	Deaths between (1 - 11) months	50	26		
45	<b>Total reported infant deaths</b>	<b>167</b>	<b>111</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	1		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	9	5	
52	<b>Total reported maternal deaths</b>	<b>11</b>	<b>7</b>	

## Sivasagar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	692,435					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	220					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	17,479		17,559			
9	Expected number of Delivery	16,287		16,362			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	9,817	56.2	7,114	40.5	ANC Check up in first trimester	85.1
11	Mothers registered in the first trimester	8,878	90.4	6,451	90.7	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	6,936	70.7	5,449	76.6	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	9,030	92.0	6,999	98.4	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	9,322	95.0	7,303	102.7	Home Delivery	4.7
15	Home Delivery against expected delivery *	41	0.3	12	0.1	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	8,635	53.0	6,274	38.3	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	41	0.5	12	0.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	8,635	99.5	6,274	99.8		
19	Total reported Deliveries	8,676		6,286			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36		6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,660		5,667			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	15,890		15,963			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	8,584	54.0	6,231	39.0	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	131	0.8	86	0.5	BCG	95.7
25	PC of newborn weighted at birth to live birth	8,574	99.9	6,207	99.6	3 dose of DPT	90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,554	18.1	1,113	17.9	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,495	99.0	6,000	96.3	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	10,279	64.7	7,290	45.7	Full Immunization	77.6
29	Children who have received BCG	8,832	55.6	5,988	37.5		
30	Children who have received Pentavalent 1	9,581	60.3	6,369	39.9		
31	Children who have received Pentavalent 3	9,647	60.7	6,094	38.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,292	64.8	7,293	45.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	883		210			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	8.3
35	Number of Tubectomies performed	462		135		Spacing	3.2
36	Number of IUD insertion	260		393		Women using any method	67.3
37	Number of IUD removals	240		193		Women using modern method	39.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	321		248			
39	General OPD cases per 10,000 population ***	9,189		6,468			
40	Ayush OPD cases per 10,000 population ***	247		110			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	18		12			
42	Neonatal Deaths up to 4 weeks of birth	37		18			
43	<b>Total Neonatal Death</b>	<b>55</b>		<b>30</b>			
44	Deaths between (1 - 11) months	16		2			
45	<b>Total reported infant deaths</b>	<b>71</b>		<b>32</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
46	Due to Abortion	0		0			

47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	0	0	
49	Due to Bleeding	2	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	8	2	
52	<b>Total reported maternal deaths</b>	<b>10</b>	<b>2</b>	

## Sonitpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,311,619					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	281					
4	Primary Health Centers (PHC)	55					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	35,015		35,395			
9	Expected number of Delivery	32,628		32,982			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,250	60.7	15,329	43.3	ANC Check up in first trimester	48.8
11	Mothers registered in the first trimester	18,478	87.0	13,793	90.0	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	15,020	70.7	10,231	66.7	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	19,871	93.5	14,988	97.8	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	19,542	92.0	16,304	106.4	Home Delivery	16.5
15	Home Delivery against expected delivery *	2,663	8.2	1,312	4.0	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,470	65.8	15,897	48.2	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	2,663	11.0	1,312	7.6	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,470	89.0	15,897	92.4		
19	Total reported Deliveries	24,133		17,209			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	1.7	60	4.6		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,262	38.4	6,560	38.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	31,832		32,178			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	23,857	74.9	16,994	52.8	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	605	1.9	354	1.1	BCG	90.4
25	PC of newborn weighted at birth to live birth	20,616	86.4	16,433	96.7	3 dose of DPT	76.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,725	18.1	2,721	16.6	Measles First dose	80.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,014	75.5	16,337	96.1	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	18,938	59.5	14,678	45.6	Full Immunization	70.9
29	Children who have received BCG	25,966	81.6	17,735	55.1		
30	Children who have received Pentavalent 1	18,937	59.5	13,010	40.4		
31	Children who have received Pentavalent 3	18,379	57.7	13,025	40.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,926	59.5	14,387	44.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	248		103			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		3		Total unmet need	5.8
35	Number of Tubectomies performed	605		391		Spacing	2
36	Number of IUD insertion	297		412		Women using any method	74.4
37	Number of IUD removals	211		162		Women using modern method	58.9
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	351		311			
39	General OPD cases per 10,000 population ***	5,985		4,830			
40	Ayush OPD cases per 10,000 population ***	199		150			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
41	Neonatal death within 24 hours	51		55			
42	Neonatal Deaths up to 4 weeks of birth	316		282			
43	<b>Total Neonatal Death</b>	<b>367</b>		<b>337</b>			
44	Deaths between (1 - 11) months	110		67			

45	<b>Total reported infant deaths</b>	<b>477</b>	<b>404</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
46	Due to Abortion	3	4	
47	Due to Obstructed/prolonged labour	1	3	
48	Due to Severe hypertension / fits	2	1	
49	Due to Bleeding	3	3	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	29	22	
52	<b>Total reported maternal deaths</b>	<b>38</b>	<b>33</b>	

<b>South Salmara Mancachar Factsheet</b>							
<b>Key Indicators</b>							
<b>SL No</b>	<b>A)Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>555,114</b>					
2	Sex Ratio	<b>NA</b>					
	<b>B) Infrastructure Details (RHS 2019-20)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	<b>NA</b>					
4	Primary Health Centers(PHC)	<b>NA</b>					
5	Community Health Centers (CHC)	<b>NA</b>					
6	SDH	<b>NA</b>					
7	DH	<b>NA</b>					
	<b>C) Maternal Health:</b>	<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	16,006	16,319				
9	Expected number of Delivery	14,915	15,206				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>			<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	12,541	78.4	9,819	60.2	ANC Check up in first trimester	60.1
11	Mothers registered in the first trimester	10,324	82.3	7,815	79.6	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	9,482	75.6	6,079	61.9	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	12,024	95.9	8,726	88.9	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	13,279	105.9	9,314	94.9	Home Delivery	28.3
15	Home Delivery against expected delivery *	5,957	39.9	3,994	26.3	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	4,920	33.0	3,197	21.0	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	5,957	54.8	3,994	55.5	PNC within 2days of delivery	62.6

18	Institutional Delivery against reported delivery **	4,920	45.2	3,197	44.5		
19	Total reported Deliveries	10,877		7,191			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	960	16.1	694	17.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,795	80.9	5,927	82.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	14,551		14,835			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	10,718	73.7	7,135	48.1	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	218	1.5	160	1.1	BCG	97
25	PC of newborn weighted at birth to live birth	10,718	100.0	7,066	99.0	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	853	8.0	483	6.8	Measles First dose	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,663	99.5	7,035	98.6	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	10,834	74.5	7,670	51.7	Full Immunization	65.8
29	Children who have received BCG	11,321	77.8	6,675	45.0		
30	Children who have received Pentavalent 1	10,788	74.1	6,486	43.7		
31	Children who have received Pentavalent 3	9,691	66.6	5,938	40.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,898	74.9	7,794	52.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	450		273			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	8
35	Number of Tubectomies performed	0		0		Spacing	1.7
36	Number of IUD insertion	313		263		Women using any method	71.5
37	Number of IUD removals	48		38		Women using modern method	60.8
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	17		54			
39	General OPD cases per 10,000 population ***	1,366		2,129			
40	Ayush OPD cases per 10,000 population ***	728		924			
<b>G) Mortality Details</b>							



I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
41	Neonatal death within 24 hours	15	9	
42	Neonatal Deaths up to 4 weeks of birth	34	30	
43	<b>Total Neonatal Death</b>	<b>49</b>	<b>39</b>	
44	Deaths between (1 - 11) months	30	15	
45	<b>Total reported infant deaths</b>	<b>79</b>	<b>54</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	1	1	
48	Due to Severe hypertension / fits	1	1	
49	Due to Bleeding	1	3	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	8	6	
52	<b>Total reported maternal deaths</b>	<b>11</b>	<b>11</b>	

## Tinsukia Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>1,327,929</b>						
2	Sex Ratio	<b>948</b>						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	<b>166</b>						
4	Primary Health Centers (PHC)	<b>22</b>						
5	Community Health Centers (CHC)	<b>8</b>						
6	SDH	<b>0</b>						
7	DH	<b>1</b>						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	35,088	35,428					
9	Expected number of Delivery	32,696	33,013					
		HMIS (2020-21)		HMIS (2021-22) 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	23,070	65.7	16,112	45.5	ANC Check up in first trimester	70.7	
11	Mothers registered in the first trimester	19,446	84.3	13,726	85.2	At least 4ANC check up	63.1	
12	Mothers who had 4 or more ANC check ups	18,559	80.4	12,670	78.6	Neonatal tetanus received	93.9	
13	PW who got TT 2 / Booster injection	21,216	92.0	14,414	89.5	100 IFA tablets consumed	43.8	
14	PW who consumed 180 IFA tablets	22,447	97.3	15,504	96.2	Home Delivery	17.4	

15	Home Delivery against expected delivery *	900	2.8	467	1.4	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	20,313	62.1	14,524	44.0	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	900	4.2	467	3.1	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	20,313	95.8	14,524	96.9		
19	Total reported Deliveries	21,213		14,991			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	333	37.0	155	33.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,551	92.2	16,973	113.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	31,898		32,208			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	20,887	65.5	14,888	46.2	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	306	1.0	203	0.6	BCG	97.2
25	PC of newborn weighted at birth to live birth	20,312	97.2	14,862	99.8	3 dose of DPT	92.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,512	17.3	2,272	15.3	Measles First dose	95.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,710	94.4	14,542	97.7	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	21,503	67.4	15,236	47.3	Full Immunization	75
29	Children who have received BCG	21,443	67.2	12,782	39.7		
30	Children who have received Pentavalent 1	21,694	68.0	13,477	41.8		
31	Children who have received Pentavalent 3	21,131	66.2	12,546	39.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	21,700	68.0	15,292	47.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,631		1,177			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	67		101		Total unmet need	11
35	Number of Tubectomies performed	1,242		1,088		Spacing	4.4
36	Number of IUD insertion	823		1,161		Women using any method	59.2
37	Number of IUD removals	681		616		Women using modern method	36.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	528		451			

39	General OPD cases per 10,000 population ***	10,351	7,696	
40	Ayush OPD cases per 10,000 population ***	310	85	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
41	Neonatal death within 24 hours	25	19	
42	Neonatal Deaths up to 4 weeks of birth	84	46	
43	<b>Total Neonatal Death</b>	<b>109</b>	<b>65</b>	
44	Deaths between (1 - 11) months	69	33	
45	<b>Total reported infant deaths</b>	<b>178</b>	<b>98</b>	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>	
46	Due to Abortion	3	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	2	2	
49	Due to Bleeding	0	1	
50	Due to High fever	2	0	
51	Due to Other Causes (including causes not known)	13	8	
52	<b>Total reported maternal deaths</b>	<b>20</b>	<b>11</b>	

<b>Udalguri Factsheet</b>							
<b>Key Indicators</b>							
SL No	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>831,668</b>					
2	Sex Ratio	<b>966</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>150</b>					
4	Primary Health Centers (PHC)	<b>24</b>					
5	Community Health Centers (CHC)	<b>7</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	21,066	21,171				
9	Expected number of Delivery	19,630	19,728				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	13,827	65.6	11,214	53.0	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	12,313	89.1	8,805	78.5	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	8,890	64.3	7,057	62.9	Neonatal tetanus received	91.0

13	PW who got TT 2 / Booster injection	12,878	93.1	9,424	84.0	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	11,707	84.7	10,421	92.9	Home Delivery	13.8
15	Home Delivery against expected delivery *	563	2.9	316	1.6	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	6,123	31.2	4,646	23.6	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	563	8.4	316	6.4	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	6,123	91.6	4,646	93.6		
19	Total reported Deliveries	6,686		4,962			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	166	29.5	89	28.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,427	126.0	6,360	128.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	19,151		19,246			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	6,745	35.2	5,052	26.2	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	138	0.7	85	0.4	BCG	78.6
25	PC of newborn weighted at birth to live birth	6,339	94.0	4,724	93.5	3 dose of DPT	68
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	876	13.8	662	14.0	Measles First dose	75.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,384	94.6	4,747	94.0	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	12,582	65.7	9,118	47.4	Full Immunization	38.3
29	Children who have received BCG	9,997	52.2	6,916	35.9		
30	Children who have received Pentavalent 1	12,589	65.7	8,397	43.6		
31	Children who have received Pentavalent 3	12,245	63.9	8,008	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,610	65.8	9,194	47.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	446		162			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	14.6
35	Number of Tubectomies performed	0		22		Spacing	6.4
36	Number of IUD insertion	1,142		809		Women using any method	50.2
37	Number of IUD removals	556		446		Women using modern method	36.2

F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
38	IPD cases per 10,000 population ***	125	155	
39	General OPD cases per 10,000 population ***	5,450	4,503	
40	Ayush OPD cases per 10,000 population ***	481	362	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
41	Neonatal death within 24 hours	23	13	
42	Neonatal Deaths up to 4 weeks of birth	51	35	
43	<b>Total Neonatal Death</b>	<b>74</b>	<b>48</b>	
44	Deaths between (1 - 11) months	109	45	
45	<b>Total reported infant deaths</b>	<b>183</b>	<b>93</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR	
46	Due to Abortion	0	1	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension / fits	0	4	
49	Due to Bleeding	1	3	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	17	10	
52	<b>Total reported maternal deaths</b>	<b>18</b>	<b>18</b>	

## West Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	295,358				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	8,098	8,211			
9	Expected number of Delivery	7,546	7,651			
		HMIS ( 2020-21)	HMIS ( 2021-22) 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	7,460	92.1	5,151	62.7	ANC Check up in first trimester 55.5

11	Mothers registered in the first trimester	5,486	73.5	3,808	73.9	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	4,319	57.9	2,727	52.9	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	7,053	94.5	4,854	94.2	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,406	99.3	5,119	99.4	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,770	23.5	1,173	15.3	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	3,865	51.2	2,680	35.0	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,770	31.4	1,173	30.4	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	3,865	68.6	2,680	69.6		
19	Total reported Deliveries	5,635		3,853			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	450	25.4	265	22.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,635	64.5	2,289	59.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	7,362		7,464			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	5,520	75.0	3,773	50.5	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	115	1.6	85	1.1	BCG	92.7
25	PC of newborn weighted at birth to live birth	5,491	99.5	3,768	99.9	3 dose of DPT	70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	179	3.3	156	4.1	Measles First dose	66.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,439	98.5	3,765	99.8	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	7,004	95.1	4,810	64.4	Full Immunization	47.9
29	Children who have received BCG	6,611	89.8	3,900	52.2		
30	Children who have received Pentavalent 1	6,876	93.4	4,296	57.6		
31	Children who have received Pentavalent 3	6,798	92.3	4,531	60.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,023	95.4	4,844	64.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	843		234			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	7.1
35	Number of Tubectomies performed	0		0		Spacing	3.2

36	Number of IUD insertion	838	568	Women using any method	69.9
37	Number of IUD removals	154	123	Women using modern method	43.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
38	IPD cases per 10,000 population ***	141	104		
39	General OPD cases per 10,000 population ***	2,924	2,520		
40	Ayush OPD cases per 10,000 population ***	682	356		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths up to 4 weeks of birth	13	10		
43	<b>Total Neonatal Death</b>	<b>17</b>	<b>10</b>		
44	Deaths between (1 - 11) months	33	11		
45	<b>Total reported infant deaths</b>	<b>50</b>	<b>21</b>		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) 3rd QTR</b>		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension / fits	0	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	4	3		
52	<b>Total reported maternal deaths</b>	<b>5</b>	<b>4</b>		