

## Arunachal Pradesh Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,383,727					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	363					
5	Primary Health Centers (PHC)	124					
7	Community Health Centers (CHC)	60					
8	SDH	0					
9	DH	17					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	34,303		34,603			
11	Expected number of Delivery	31,808		32,086			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	31,636	92.2	16,270	47.0	ANC Check up in first trimester	37.0
13	Mothers registered in the first trimester	11,173	35.3	6,298	38.7	At least 4ANC check up	26.8
14	Mothers who had 4 or more ANC check ups	9,329	29.5	5,492	33.8	Neonatal tetanus received	64.1
15	PW who got TT 2 / Booster injection	17,990	56.9	9,168	56.3	100 IFA tablets consumed	8.3
16	PW who consumed 180 IFA tablets	17,189	54.3	9,021	55.4	Full ANC	3.6
17	Home Delivery against expected delivery *	1,754	5.5	938	2.9	Home Delivery	47.7
18	Institutional Delivery against expected delivery *	18,260	57.4	8,408	26.2	Institutional Delivery	52.3
19	Home Delivery against reported delivery **	1,754	8.8	938	10.0	Home Delivery by SBA(out of Total Deliveries)	2.1
20	Institutional Delivery against reported delivery **	18,260	91.2	8,408	90.0	PNC within 2days of delivery	28.9
21	Total reported Deliveries	20,014		9,346			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	800	45.6	429	45.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,071	35.3	2,486	26.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	31,185		31,457			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
25	Total reported live births	19,861	63.7	9,215	29.3	Breastfeed within 1 hour of birth	58.7
26	Total Still Birth	231	0.7	151	0.5	BCG	70.9
27	Newborn weighted at birth to live birth	19,418	97.8	8,765	95.1	3 dose of DPT	52.3

28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	926	4.8	498	5.7	Measles	54.6
29	Newborns breastfed within 1 hour to total reported live birth.	16,376	82.5	7,373	80.0	Full Immunization	38.2
30	Fully immunized	19,363	62.1	9,937	31.6		
31	Children who have received BCG	20,938	67.1	9,625	30.6		
32	Children who have received Pentavalent 1	21,814	70.0	9,448	30.0		
33	Children who have received Pentavalent 3	20,406	65.4	9,439	30.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	19,545	62.7	9,970	31.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,436		2,296			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	NFHS-4 ( 2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	21.6
37	Number of Tubectomies performed	621	346	Spacing	12.7
38	Number of IUD insertion	1,839	1,017	Women using any method	31.7
39	Number of IUD removals	1,268	579	Women using modern method	26.6
F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	295	169		
41	General OPD cases per 10,000 population ***	5838	3892		
42	Ayush OPD cases per 10,000 population ***	651	260		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	32	26		
44	Neonatal Deaths up to 4 weeks of birth	32	21		
45	<b>Total Neonatal Death</b>	64	47		
46	Deaths between (1 - 11) months	26	12		
47	<b>Total reported infant deaths</b>	90	59		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	6	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	3		
54	<b>Total reported maternal deaths</b>	10	4		

## Anjaw Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	8					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	471		470			
11	Expected number of Delivery	437		436			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	382	81.0	159	33.8	ANC Check up in first trimester	28.8
13	Mothers registered in the first trimester	158	41.4	73	45.9	At least 4ANC check up	20.2
14	Mothers who had 4 or more ANC check ups	58	15.2	33	20.8	Neonatal tetanus received	73.5
15	PW who got TT 2 / Booster injection	251	65.7	124	78.0	100 IFA tablets consumed	4.5
16	PW who consumed 180 IFA tablets	312	81.7	51	32.1	Full ANC	2.0
17	Home Delivery against expected delivery *	24	5.5	11	2.5	Home Delivery	48.6
18	Institutional Delivery against expected delivery *	84	19.2	34	7.8	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	24	22.2	11	24.4	Home Delivery by SBA(out of Total Deliveries)	6.8
20	Institutional Delivery against reported delivery **	84	77.8	34	75.6	PNC within 2days of delivery	21.3
21	Total reported Deliveries	108		45			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	9	81.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28	25.9	16	35.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	429		427			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
25	Total reported live births	108	25.2	46	10.8	Breastfeed within 1 hour of birth	53.9

26	Total Still Birth	1	0.2	0	0.0	BCG	75.4
27	Newborn weighted at birth to live birth	105	97.2	41	89.1	3 dose of DPT	52.8
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	10	9.5	4	9.8	Measles	56.8
29	Newborns breastfed within 1 hour to total reported live birth.	106	98.1	41	89.1	Full Immunization	35.8
30	Fully immunized	274	63.9	143	33.5		
31	Children who have received BCG	167	39.0	68	15.9		
32	Children who have received Pentavalent 1	298	69.5	144	33.7		
33	Children who have received Pentavalent 3	339	79.1	135	31.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	290	67.7	145	33.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	302		119			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.1
37	Number of Tubectomies performed	0	0	Spacing	14.7
38	Number of IUD insertion	15	4	Women using any method	24.5
39	Number of IUD removals	10	4	Women using modern method	23.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	131	57		
41	General OPD cases per 10,000 population ***	8127	5160		
42	Ayush OPD cases per 10,000 population ***	1774	344		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	1	0		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	1	0		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

## Changlang Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	<b>148,226</b>
2	Sex Ratio	<b>914</b>

#### B) Infrastructure Details (RHS 2019-20)

		Numbers
3	Sub Centers (SC)	<b>18</b>
5	Primary Health Centers (PHC)	<b>5</b>
7	Community Health Centers (CHC)	<b>5</b>
8	SDH	<b>0</b>
9	DH	<b>1</b>

#### C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	3,426		3,429			
11	Expected number of Delivery	3,177		3,179			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	3,120	91.1	1,721	50.2	ANC Check up in first trimester	48.2
13	Mothers registered in the first trimester	1,012	32.4	631	36.7	At least 4ANC check up	38.9
14	Mothers who had 4 or more ANC check ups	967	31.0	512	29.8	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	2,527	81.0	1,356	78.8	100 IFA tablets consumed	11.1
16	PW who consumed 180 IFA tablets	1,927	61.8	945	54.9	Full ANC	7.2
17	Home Delivery against expected delivery *	309	9.7	265	8.3	Home Delivery	48.5
18	Institutional Delivery against expected delivery *	1,272	40.0	592	18.6	Institutional Delivery	51.5
19	Home Delivery against reported delivery **	309	19.5	265	30.9	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	1,272	80.5	592	69.1	PNC within 2days of delivery	44.9
21	Total reported Deliveries	1,581		857			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	49.8	71	26.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	244	15.4	142	16.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	3,114		3,117			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	

25	Total reported live births	1,574	50.5	845	27.1	Breastfeed within 1 hour of birth	68.6
26	Total Still Birth	7	0.2	7	0.2	BCG	93.8
27	Newborn weighted at birth to live birth	1,571	99.8	846	100.1	3 dose of DPT	83.7
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.3	45	5.3	Measles	83.7
29	Newborns breastfed within 1 hour to total reported live birth.	1,562	99.2	845	100.0	Full Immunization	79.5
30	Fully immunized	2,391	76.8	1,145	36.7		
31	Children who have received BCG	2,506	80.5	975	31.3		
32	Children who have received Pentavalent 1	2,773	89.0	1,152	37.0		
33	Children who have received Pentavalent 3	2,516	80.8	1,179	37.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,410	77.4	1,156	37.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	121		91			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	10.7
37	Number of Tubectomies performed	0	0	Spacing	5.6
38	Number of IUD insertion	48	24	Women using any method	62.6
39	Number of IUD removals	57	16	Women using modern method	47.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	184	107		
41	General OPD cases per 10,000 population ***	2389	1519		
42	Ayush OPD cases per 10,000 population ***	906	451		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	2	0		
45	<b>Total Neonatal Death</b>	2	0		
46	Deaths between (1 - 11) months	1	2		
47	<b>Total reported infant deaths</b>	3	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		

51	Due to Bleeding	1	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>	

## Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>8,004</b>					
2	Sex Ratio	<b>808</b>					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	<b>5</b>					
5	Primary Health Centers (PHC)	<b>1</b>					
7	Community Health Centers (CHC)	<b>0</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	171		170			
11	Expected number of Delivery	159		158			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	134	78.2	51	30.0	ANC Check up in first trimester	44.7
13	Mothers registered in the first trimester	73	54.5	19	37.3	At least 4ANC check up	20.3
14	Mothers who had 4 or more ANC check ups	6	4.5	1	2.0	Neonatal tetanus received	58.7
15	PW who got TT 2 / Booster injection	69	51.5	23	45.1	100 IFA tablets consumed	24.0
16	PW who consumed 180 IFA tablets	99	73.9	44	86.3	Full ANC	7.3
17	Home Delivery against expected delivery *	6	3.8	2	1.3	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	28	17.6	5	3.2	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	6	17.6	2	28.6	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	28	82.4	5	71.4	PNC within 2days of delivery	35.3
21	Total reported Deliveries	34		7			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	100.0	1	50.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	14.7	0	0.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	156		155			



D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
25	Total reported live births	34	21.8	11	7.1	Breastfeed within 1 hour of birth	66.1
26	Total Still Birth	0	0.0	1	0.6	BCG	84.4
27	Newborn weighted at birth to live birth	19	55.9	3	27.3	3 dose of DPT	73.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles	70.4
29	Newborns breastfed within 1 hour to total reported live birth.	15	44.1	3	27.3	Full Immunization	40.8
30	Fully immunized	66	42.4	37	23.9		
31	Children who have received BCG	42	27.0	17	11.0		
32	Children who have received Pentavalent 1	60	38.5	27	17.5		
33	Children who have received Pentavalent 3	60	38.5	27	17.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	81	52.0	43	27.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	10		2			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	0		0		Spacing	12.6
38	Number of IUD insertion	0		0		Women using any method	44.4
39	Number of IUD removals	0		0		Women using modern method	44.4
F) Service delivery		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	180		32			
41	General OPD cases per 10,000 population ***	8826		4402			
42	Ayush OPD cases per 10,000 population ***	518		0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	<b>Total Neonatal Death</b>	0		0			
46	Deaths between (1 - 11) months	0		0			
47	<b>Total reported infant deaths</b>	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
48	Due to Abortion	0		0			



49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

## East Kameng Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	<b>63,332</b>
2	Sex Ratio	<b>1,012</b>

#### B) Infrastructure Details (RHS 2019-20)

		Numbers
3	Sub Centers (SC)	<b>25</b>
5	Primary Health Centers(PHC)	<b>11</b>
7	Community Health Centers (CHC)	<b>3</b>
8	SDH	<b>0</b>
9	DH	<b>1</b>

#### C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	1,731		1,766			
11	Expected number of Delivery	1,605		1,637			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,316	76.0	898	50.9	ANC Check up in first trimester	4.1
13	Mothers registered in the first trimester	968	73.6	582	64.8	At least 4ANC check up	0.8
14	Mothers who had 4 or more ANC check ups	928	70.5	502	55.9	Neonatal tetanus received	33.4
15	PW who got TT 2 / Booster injection	1,592	121.0	270	30.1	100 IFA tablets consumed	1.8
16	PW who consumed 180 IFA tablets	1,314	99.8	726	80.8	Full ANC	0.0
17	Home Delivery against expected delivery *	33	2.1	35	2.1	Home Delivery	66.2
18	Institutional Delivery against expected delivery *	890	55.4	494	30.2	Institutional Delivery	33.8
19	Home Delivery against reported delivery **	33	3.6	35	6.6	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	890	96.4	494	93.4	PNC within 2days of delivery	6.1
21	Total reported Deliveries	923		529			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	69.7	31	88.6		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	621	67.3	2	0.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,574		1,605			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	918	58.3	525	32.7	Breastfeed within 1 hour of birth	54.3
26	Total Still Birth	5	0.3	8	0.5	BCG	37.2
27	Newborn weighted at birth to live birth	918	100.0	459	87.4	3 dose of DPT	17.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	8	1.7	Measles	17.4
29	Newborns breastfed within 1 hour to total reported live birth.	918	100.0	462	88.0	Full Immunization	11.9
30	Fully immunized	936	59.5	587	36.6		
31	Children who have received BCG	972	61.8	568	35.4		
32	Children who have received Pentavalent 1	981	62.3	496	30.9		
33	Children who have received Pentavalent 3	936	59.5	495	30.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	936	59.5	590	36.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	109		68			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	30.7
37	Number of Tubectomies performed	0		0		Spacing	18.2
38	Number of IUD insertion	97		48		Women using any method	5.2
39	Number of IUD removals	38		10		Women using modern method	5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	208		98			
41	General OPD cases per 10,000 population ***	3735		1923			
42	Ayush OPD cases per 10,000 population ***	426		114			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	<b>Total Neonatal Death</b>	0		0			
46	Deaths between (1 - 11) months	1		0			
47	<b>Total reported infant deaths</b>	1		0			
<b>II)</b>	<b>Maternal Mortality</b>						

	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	

### East Siang Factsheet

#### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	11					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	1,574		1,568			
11	Expected number of Delivery	1,459		1,454			
		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,616	102.7	849	54.2	ANC Check up in first trimester	38.4
13	Mothers registered in the first trimester	870	53.8	452	53.2	At least 4ANC check up	35.0
14	Mothers who had 4 or more ANC check ups	453	28.0	206	24.3	Neonatal tetanus received	76.3
15	PW who got TT 2 / Booster injection	1,277	79.0	678	79.9	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,068	66.1	394	46.4	Full ANC	4.6
17	Home Delivery against expected delivery *	91	6.2	27	1.9	Home Delivery	31.4
18	Institutional Delivery against expected delivery *	1,849	126.7	826	56.8	Institutional Delivery	68.6
19	Home Delivery against reported delivery **	91	4.7	27	3.2	Home Delivery by SBA(out of Total Deliveries)	3.3
20	Institutional Delivery against reported delivery **	1,849	95.3	826	96.8	PNC within 2days of delivery	31.0
21	Total reported Deliveries	1,940		853			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	96.7	27	100.0		

23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,876	96.7	207	24.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,430		1,425			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	1,905	133.2	853	59.9	Breastfeed within 1 hour of birth	41
26	Total Still Birth	35	2.4	19	1.3	BCG	83.6
27	Newborn weighted at birth to live birth	1,907	100.1	851	99.8	3 dose of DPT	57.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	124	6.5	100	11.8	Measles	78.8
29	Newborns breastfed within 1 hour to total reported live birth.	1,889	99.2	833	97.7	Full Immunization	45.5
30	Fully immunized	1,205	84.2	674	47.3		
31	Children who have received BCG	1,939	135.6	889	62.4		
32	Children who have received Pentavalent 1	1,353	94.6	604	42.4		
33	Children who have received Pentavalent 3	1,338	93.5	567	39.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,208	84.4	679	47.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	43		41			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	19.6
37	Number of Tubectomies performed	93		73		Spacing	14.8
38	Number of IUD insertion	113		62		Women using any method	32.5
39	Number of IUD removals	51		29		Women using modern method	31.2
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	997		460			
41	General OPD cases per 10,000 population ***	10380		6014			
42	Ayush OPD cases per 10,000 population ***	322		174			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	13		5			
44	Neonatal Deaths up to 4 weeks of birth	13		12			
45	<b>Total Neonatal Death</b>	26		17			
46	Deaths between (1 - 11) months	10		0			

47	<b>Total reported infant deaths</b>	36	17	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	1	
54	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>	

## Kamle Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	<b>19,697</b>
2	Sex Ratio	<b>NA</b>

#### B) Infrastructure Details (RHS 2019-20)

		Numbers
3	Sub Centers (SC)	<b>NA</b>
5	Primary Health Centers (PHC)	<b>NA</b>
7	Community Health Centers (CHC)	<b>NA</b>
8	SDH	<b>NA</b>
9	DH	<b>NA</b>

#### C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	595		613			
11	Expected number of Delivery	551		569			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	325	54.6	139	22.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	108	33.2	43	30.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	14	4.3	10	7.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	151	46.5	59	42.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	197	60.6	68	48.9	Full ANC	NA
17	Home Delivery against expected delivery *	16	2.9	5	0.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	38	6.9	14	2.5	Institutional Delivery	NA
19	Home Delivery against reported delivery **	16	29.6	5	26.3	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	38	70.4	14	73.7	PNC within 2days of delivery	NA
21	Total reported Deliveries	54		19			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	25.0	3	60.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	29.6	6	31.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	541		557			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
25	Total reported live births	54	10.0	19	3.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	50	92.6	18	94.7	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	4.0	2	11.1	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	49	90.7	18	94.7	Full Immunization	NA
30	Fully immunized	183	33.8	103	18.5		
31	Children who have received BCG	102	18.9	30	5.4		
32	Children who have received Pentavalent 1	220	40.7	74	13.3		
33	Children who have received Pentavalent 3	202	37.4	74	13.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	184	34.0	102	18.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	167		89			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	8		0		Women using any method	NA
39	Number of IUD removals	6		0		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	572		245			
41	General OPD cases per 10,000 population ***	4336		2535			
42	Ayush OPD cases per 10,000 population ***	1667		498			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	1		1			

45	<b>Total Neonatal Death</b>	1	1	
46	Deaths between (1 - 11) months	0	1	
47	<b>Total reported infant deaths</b>	1	2	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	<b>0</b>	

## Kra Daadi Factsheet

### Key Indicators

<b>A) Demographic Indicators (Census 2011)</b>							
1	Population 2011	<b>46,704</b>					
2	Sex Ratio	<b>1,029</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>8</b>					
5	Primary Health Centers (PHC)	<b>4</b>					
7	Community Health Centers (CHC)	<b>1</b>					
8	SDH	<b>0</b>					
9	DH	<b>0</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	2,372		2,591			
11	Expected number of Delivery	2,199		2,402			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	385	16.2	163	6.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	265	68.8	119	73.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	263	68.3	105	64.4	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	140	36.4	54	33.1	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	369	95.8	161	98.8	Full ANC	NA
17	Home Delivery against expected delivery *	47	2.1	24	1.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	97	4.4	30	1.2	Institutional Delivery	NA
19	Home Delivery against reported delivery **	47	32.6	24	44.4	Home Delivery by SBA(out of Total Deliveries)	NA



20	Institutional Delivery against reported delivery **	97	67.4	30	55.6	PNC within 2days of delivery	NA
21	Total reported Deliveries	144		54			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	91.5	23	95.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	70.8	45	83.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	2,156		2,355			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
25	Total reported live births	143	6.6	54	2.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	151	105.6	54	100.0	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	5.3	0	0.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	151	105.6	54	100.0	Full Immunization	NA
30	Fully immunized	278	12.9	156	6.6		
31	Children who have received BCG	293	13.6	166	7.0		
32	Children who have received Pentavalent 1	301	14.0	166	7.0		
33	Children who have received Pentavalent 3	297	13.8	154	6.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	279	12.9	166	7.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	136		45			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		1		Spacing	NA
38	Number of IUD insertion	39		9		Women using any method	NA
39	Number of IUD removals	6		5		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	56		46			
41	General OPD cases per 10,000 population ***	1109		529			
42	Ayush OPD cases per 10,000 population ***	177		40			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			

43	Neonatal deaths within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	<b>Total Neonatal Death</b>	0	0	
46	Deaths between (1 - 11) months	0	0	
47	<b>Total reported infant deaths</b>	0	0	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

## Kurung Kumey Factsheet

### Key Indicators

<b>A) Demographic Indicators (Census 2011)</b>							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	20					
5	Primary Health Centers (PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
10	Expected number of PW	2,304	2,517				
11	Expected number of Delivery	2,136	2,334				
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	<b>NFSH-4 (2015-16)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	690	29.9	429	17.0	ANC Check up in first trimester	17.9
13	Mothers registered in the first trimester	312	45.2	96	22.4	At least 4ANC check up	7.9
14	Mothers who had 4 or more ANC check ups	215	31.2	90	21.0	Neonatal tetanus received	38.6
15	PW who got TT 2 / Booster injection	274	39.7	132	30.8	100 IFA tablets consumed	2.6
16	PW who consumed 180 IFA tablets	659	95.5	386	90.0	Full ANC	0.4
17	Home Delivery against expected delivery *	48	2.2	31	1.3	Home Delivery	70.4
18	Institutional Delivery against expected delivery *	230	10.8	94	4.0	Institutional Delivery	29.6

19	Home Delivery against reported delivery **	48	17.3	31	24.8	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	230	82.7	94	75.2	PNC within 2days of delivery	17.0
21	Total reported Deliveries	278		125			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	75.0	21	67.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	208	74.8	76	60.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	2,095		2,288			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	278	13.3	118	5.2	Breastfeed within 1 hour of birth	53.8
26	Total Still Birth	2	0.1	2	0.1	BCG	49.2
27	Newborn weighted at birth to live birth	277	99.6	124	105.1	3 dose of DPT	28.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.4	0	0.0	Measles	28.2
29	Newborns breastfed within 1 hour to total reported live birth.	277	99.6	124	105.1	Full Immunization	17.4
30	Fully immunized	391	18.7	323	14.1		
31	Children who have received BCG	349	16.7	229	10.0		
32	Children who have received Pentavalent 1	394	18.8	233	10.2		
33	Children who have received Pentavalent 3	391	18.7	311	13.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	390	18.6	327	14.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	361		160			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	21.3
37	Number of Tubectomies performed	0		0		Spacing	14.1
38	Number of IUD insertion	100		39		Women using any method	12.9
39	Number of IUD removals	44		26		Women using modern method	11.9
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	93		66			
41	General OPD cases per 10,000 population ***	1474		565			
42	Ayush OPD cases per 10,000 population ***	1		8			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR
43	Neonatal deaths within 24 hours	2		0
44	Neonatal Deaths up to 4 weeks of birth	3		0
45	<b>Total Neonatal Death</b>	5		0
46	Deaths between (1 - 11) months	2		0
47	<b>Total reported infant deaths</b>	7		0
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	0		0
50	Due to Severe hypertension/fits	0		0
51	Due to Bleeding	0		0
52	Due to High fever	0		0
53	Due to Other Causes (including causes not known)	0		0
54	<b>Total reported maternal deaths</b>	0		0

## Leparada Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	20,152					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
5	Primary Health Centers (PHC)	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	426		423			
11	Expected number of Delivery	395		392			
		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	306	71.8	129	30.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	136	44.4	60	46.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	90	29.4	71	55.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	148	48.4	55	42.6	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	74	24.2	28	21.7	Full ANC	NA

17	Home Delivery against expected delivery *	15	3.8	1	0.3	Home Delivery	NA
18	Institutional Delivery against expected delivery *	121	30.6	46	11.7	Institutional Delivery	NA
19	Home Delivery against reported delivery **	15	11.0	1	2.1	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	121	89.0	46	97.9	PNC within 2days of delivery	NA
21	Total reported Deliveries	136		47			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	1	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	2.9	0	0.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	388		384			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	135	34.8	53	13.8	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	1	0.3	BCG	NA
27	Newborn weighted at birth to live birth	127	94.1	49	92.5	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	3.9	3	6.1	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	133	98.5	49	92.5	Full Immunization	NA
30	Fully immunized	260	67.1	116	30.2		
31	Children who have received BCG	142	36.6	71	18.5		
32	Children who have received Pentavalent 1	242	62.4	109	28.4		
33	Children who have received Pentavalent 3	260	67.1	112	29.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	260	67.1	119	31.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	0		0			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	13		4		Women using any method	NA
39	Number of IUD removals	13		4		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	216		120			

41	General OPD cases per 10,000 population ***	7104	3339	
42	Ayush OPD cases per 10,000 population ***	393	204	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	
43	Neonatal deaths within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	<b>Total Neonatal Death</b>	0	0	
46	Deaths between (1 - 11) months	0	0	
47	<b>Total reported infant deaths</b>	0	0	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	<b>0</b>	

## Lohit Factsheet

### Key Indicators

#### **A) Demographic Indicators (Census 2011)**

1	Population 2011	<b>49,776</b>
2	Sex Ratio	<b>901</b>

#### **B) Infrastructure Details (RHS 2019-20)**

		<b>Numbers</b>
3	Sub Centers (SC)	<b>20</b>
5	Primary Health Centers (PHC)	<b>4</b>
7	Community Health Centers (CHC)	<b>2</b>
8	SDH	<b>0</b>
9	DH	<b>1</b>

#### **C) Maternal Health:**

		<b>2020-21</b>		<b>2021-22</b>			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	Expected number of PW	1,135		1,134			
11	Expected number of Delivery	1,052		1,052			
12	PW register for ANC	1,214	107.0	578	51.0	ANC Check up in first trimester	62.9
13	Mothers registered in the first trimester	534	44.0	249	43.1	At least 4ANC check up	49.2
14	Mothers who had 4 or more ANC check ups	752	61.9	248	42.9	Neonatal tetanus received	81.9

15	PW who got TT 2 / Booster injection	711	58.6	358	61.9	100 IFA tablets consumed	14.1
16	PW who consumed 180 IFA tablets	659	54.3	191	33.0	Full ANC	7.6
17	Home Delivery against expected delivery *	19	1.8	8	0.8	Home Delivery	53.0
18	Institutional Delivery against expected delivery *	1,239	117.7	466	44.3	Institutional Delivery	47.0
19	Home Delivery against reported delivery **	19	1.5	8	1.7	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	1,239	98.5	466	98.3	PNC within 2days of delivery	39.4
21	Total reported Deliveries	1,258		474			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	68.4	2	25.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.3	12	2.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,032		1,031			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
25	Total reported live births	1,241	120.3	465	45.1	Breastfeed within 1 hour of birth	80.2
26	Total Still Birth	31	3.0	11	1.1	BCG	84.5
27	Newborn weighted at birth to live birth	1,242	100.1	471	101.3	3 dose of DPT	72.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	112	9.0	36	7.6	Measles	66
29	Newborns breastfed within 1 hour to total reported live birth.	915	73.7	397	85.4	Full Immunization	56.5
30	Fully immunized	807	78.2	388	37.6		
31	Children who have received BCG	1,285	124.5	464	45.0		
32	Children who have received Pentavalent 1	886	85.9	323	31.3		
33	Children who have received Pentavalent 3	805	78.0	339	32.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	800	77.5	385	37.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	169		44			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	10.6
37	Number of Tubectomies performed	80		23		Spacing	4.3
38	Number of IUD insertion	58		34		Women using any method	66
39	Number of IUD removals	30		5		Women using modern method	51.8



F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	
40	IPD cases per 10,000 population ***	565	239	
41	General OPD cases per 10,000 population ***	8108	3721	
42	Ayush OPD cases per 10,000 population ***	569	160	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	
43	Neonatal deaths within 24 hours	1	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	<b>Total Neonatal Death</b>	1	0	
46	Deaths between (1 - 11) months	3	3	
47	<b>Total reported infant deaths</b>	4	3	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

## Longding Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	6					
5	Primary Health Centers (PHC)	1					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	1,244		1,238			
11	Expected number of Delivery	1,154		1,148			
		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 ( 2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,019	81.9	579	46.8	ANC Check up in first trimester	NA

13	Mothers registered in the first trimester	511	50.1	193	33.3	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	180	17.7	145	25.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	833	81.7	447	77.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	651	63.9	358	61.8	Full ANC	NA
17	Home Delivery against expected delivery *	92	8.0	109	9.5	Home Delivery	NA
18	Institutional Delivery against expected delivery *	363	31.5	203	17.7	Institutional Delivery	NA
19	Home Delivery against reported delivery **	92	20.2	109	34.9	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	363	79.8	203	65.1	PNC within 2days of delivery	NA
21	Total reported Deliveries	455		312			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	35.9	79	72.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40	8.8	25	8.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	1,131		1,125			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	455	40.2	306	27.2	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	2	0.2	7	0.6	BCG	NA
27	Newborn weighted at birth to live birth	434	95.4	276	90.2	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	1.6	1	0.4	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	451	99.1	288	94.1	Full Immunization	NA
30	Fully immunized	683	60.4	291	25.9		
31	Children who have received BCG	882	78.0	382	33.9		
32	Children who have received Pentavalent 1	1,043	92.2	479	42.6		
33	Children who have received Pentavalent 3	828	73.2	444	39.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	744	65.8	325	28.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	248		205			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA

38	Number of IUD insertion	30	5	Women using any method	NA
39	Number of IUD removals	4	3	Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
40	IPD cases per 10,000 population ***	67	74		
41	General OPD cases per 10,000 population ***	2771	2015		
42	Ayush OPD cases per 10,000 population ***	570	248		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	0	0		
46	Deaths between (1 - 11) months	0	1		
47	<b>Total reported infant deaths</b>	0	1		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Lower Dibang Valley Factsheet

### Key Indicators

#### **A) Demographic Indicators (Census 2011)**

1	Population 2011	<b>54,080</b>
2	Sex Ratio	<b>919</b>

#### **B) Infrastructure Details (RHS 2019-20)**

		<b>Numbers</b>
3	Sub Centers (SC)	<b>14</b>
5	Primary Health Centers (PHC)	<b>3</b>
7	Community Health Centers (CHC)	<b>4</b>
8	SDH	<b>0</b>
9	DH	<b>1</b>

#### **C) Maternal Health:**

		<b>2020-21</b>	<b>2021-22</b>	
10	Expected number of PW	1,134	1,123	
11	Expected number of Delivery	1,051	1,041	
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	<b>NFSH-4 ( 2015-16)</b>

		Number	PC	Number	PC		
12	PW register for ANC	1,156	101.9	526	46.8	ANC Check up in first trimester	27.7
13	Mothers registered in the first trimester	302	26.1	167	31.7	At least 4ANC check up	23.6
14	Mothers who had 4 or more ANC check ups	217	18.8	116	22.1	Neonatal tetanus received	64.7
15	PW who got TT 2 / Booster injection	675	58.4	375	71.3	100 IFA tablets consumed	10.9
16	PW who consumed 180 IFA tablets	192	16.6	113	21.5	Full ANC	2.0
17	Home Delivery against expected delivery *	65	6.2	13	1.2	Home Delivery	41.0
18	Institutional Delivery against expected delivery *	346	32.9	167	16.0	Institutional Delivery	59.0
19	Home Delivery against reported delivery **	65	15.8	13	7.2	Home Delivery by SBA(out of Total Deliveries)	0.7
20	Institutional Delivery against reported delivery **	346	84.2	167	92.8	PNC within 2days of delivery	24.1
21	Total reported Deliveries	411		180			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	80.0	10	76.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	85	20.7	27	15.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,031		1,021			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
25	Total reported live births	408	39.6	182	17.8	Breastfeed within 1 hour of birth	45.7
26	Total Still Birth	2	0.2	1	0.1	BCG	74.4
27	Newborn weighted at birth to live birth	406	99.5	179	98.4	3 dose of DPT	53
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.9	14	7.8	Measles	57.2
29	Newborns breastfed within 1 hour to total reported live birth.	409	100.2	176	96.7	Full Immunization	37.3
30	Fully immunized	726	70.4	411	40.3		
31	Children who have received BCG	712	69.1	305	29.9		
32	Children who have received Pentavalent 1	945	91.7	378	37.0		
33	Children who have received Pentavalent 3	821	79.6	403	39.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	732	71.0	412	40.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	129		57			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
--------------------	--	-----------------	--	----------------------------------	--	-------------------	--

36	Number of Vasectomies performed	0	0	Total unmet need	17.2
37	Number of Tubectomies performed	25	3	Spacing	10.3
38	Number of IUD insertion	22	19	Women using any method	31
39	Number of IUD removals	18	14	Women using modern method	28.2
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
40	IPD cases per 10,000 population ***	155	67		
41	General OPD cases per 10,000 population ***	7784	4470		
42	Ayush OPD cases per 10,000 population ***	254	83		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
43	Neonatal deaths within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	<b>Total Neonatal Death</b>	1	1		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	1	1		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Lower Siang Factsheet

### Key Indicators

<b>A) Demographic Indicators (Census 2011)</b>			
1	Population 2011	<b>22,630</b>	
2	Sex Ratio	<b>NA</b>	
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	<b>NA</b>	
5	Primary Health Centers (PHC)	<b>NA</b>	
7	Community Health Centers (CHC)	<b>NA</b>	
8	SDH	<b>NA</b>	
9	DH	<b>NA</b>	
<b>C) Maternal Health:</b>		<b>2020-21</b>	
10	Expected number of PW	479	475

11	Expected number of Delivery	444		440			
		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 ( 2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	253	52.8	137	28.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	115	45.5	80	58.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	44	17.4	31	22.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	184	72.7	118	86.1	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	523	206.7	1,142	833.6	Full ANC	NA
17	Home Delivery against expected delivery *	11	2.5	3	0.7	Home Delivery	NA
18	Institutional Delivery against expected delivery *	98	22.1	50	11.4	Institutional Delivery	NA
19	Home Delivery against reported delivery **	11	10.1	3	5.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	98	89.9	50	94.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	109		53			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	1	33.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	37.6	23	43.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	435		431			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	110	25.3	53	12.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	2	0.5	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	99	90.0	51	96.2	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	12.1	3	5.9	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	99	90.0	51	96.2	Full Immunization	NA
30	Fully immunized	241	55.4	116	26.9		
31	Children who have received BCG	130	29.9	52	12.1		
32	Children who have received Pentavalent 1	248	57.0	74	17.1		
33	Children who have received Pentavalent 3	208	47.8	89	20.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	236	54.2	119	27.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	63		23			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFSH-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							

E) Family Planning						HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	NFSH-4 (2015-16)	
36	Number of Vasectomies performed		0	0	Total unmet need	NA			
37	Number of Tubectomies performed		1	0	Spacing	NA			
38	Number of IUD insertion		21	8	Women using any method	NA			
39	Number of IUD removals		16	5	Women using modern method	NA			
F) Service delivery			HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR					
40	IPD cases per 10,000 population ***		258	213					
41	General OPD cases per 10,000 population ***		4912	3916					
42	Ayush OPD cases per 10,000 population ***		343	129					
G) Mortality Details									
I)	Infant Deaths (In Numbers)		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR					
43	Neonatal deaths within 24 hours		0	0					
44	Neonatal Deaths up to 4 weeks of birth		1	0					
45	<b>Total Neonatal Death</b>		1	0					
46	Deaths between (1 - 11) months		0	0					
47	<b>Total reported infant deaths</b>		1	0					
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR					
48	Due to Abortion		0	0					
49	Due to Obstructed/prolonged labour		0	0					
50	Due to Severe hypertension/fits		0	0					
51	Due to Bleeding		0	0					
52	Due to High fever		0	0					
53	Due to Other Causes (including causes not known)		0	0					
54	<b>Total reported maternal deaths</b>		0	0					

## Lower Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)		
1	Population 2011	67,751
2	Sex Ratio	975
B) Infrastructure Details (RHS 2019-20)		Numbers
3	Sub Centers (SC)	35
5	Primary Health Centers (PHC)	7
7	Community Health Centers (CHC)	3
8	SDH	0



9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	2,046		2,109			
11	Expected number of Delivery	1,897		1,956			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	670	32.8	332	15.7	ANC Check up in first trimester	33.6
13	Mothers registered in the first trimester	220	32.8	106	31.9	At least 4ANC check up	22.7
14	Mothers who had 4 or more ANC check ups	132	19.7	103	31.0	Neonatal tetanus received	44.0
15	PW who got TT 2 / Booster injection	408	60.9	232	69.9	100 IFA tablets consumed	9.6
16	PW who consumed 180 IFA tablets	265	39.6	97	29.2	Full ANC	3.0
17	Home Delivery against expected delivery *	30	1.6	13	0.7	Home Delivery	39.5
18	Institutional Delivery against expected delivery *	348	18.3	210	10.7	Institutional Delivery	60.5
19	Home Delivery against reported delivery **	30	7.9	13	5.8	Home Delivery by SBA(out of Total Deliveries)	4.2
20	Institutional Delivery against reported delivery **	348	92.1	210	94.2	PNC within 2days of delivery	17.6
21	Total reported Deliveries	378		223			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.7	5	38.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	54.0	96	43.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	1,860		1,918			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	372	20.0	217	11.3	Breastfeed within 1 hour of birth	55.7
26	Total Still Birth	6	0.3	8	0.4	BCG	68.8
27	Newborn weighted at birth to live birth	372	100.0	220	101.4	3 dose of DPT	56.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	5.9	14	6.4	Measles	53
29	Newborns breastfed within 1 hour to total reported live birth.	321	86.3	178	82.0	Full Immunization	40.1
30	Fully immunized	560	30.1	271	14.1		
31	Children who have received BCG	403	21.7	182	9.5		
32	Children who have received Pentavalent 1	522	28.1	238	12.4		
33	Children who have received Pentavalent 3	540	29.0	249	13.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	563	30.3	272	14.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	169		88			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.8
37	Number of Tubectomies performed	4	7	Spacing	12.3
38	Number of IUD insertion	50	15	Women using any method	10.6
39	Number of IUD removals	37	18	Women using modern method	10
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	134	92		
41	General OPD cases per 10,000 population ***	3179	1820		
42	Ayush OPD cases per 10,000 population ***	408	152		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	0	1		
46	Deaths between (1 - 11) months	1	0		
47	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		
54	<b>Total reported maternal deaths</b>	0	1		

## Namsai Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)				
1	Population 2011	95,950		
2	Sex Ratio	901		
B) Infrastructure Details (RHS 2019-20)		Numbers		
3	Sub Centers (SC)	17		
5	Primary Health Centers (PHC)	4		

7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	2,188		2,187			
11	Expected number of Delivery	2,029		2,028			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	2,203	100.7	1,025	46.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,292	58.6	697	68.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	1,467	66.6	659	64.3	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	1,967	89.3	931	90.8	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	1,783	80.9	467	45.6	Full ANC	NA
17	Home Delivery against expected delivery *	405	20.0	137	6.8	Home Delivery	NA
18	Institutional Delivery against expected delivery *	1,342	66.1	747	36.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	405	23.2	137	15.5	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,342	76.8	747	84.5	PNC within 2days of delivery	NA
21	Total reported Deliveries	1,747		884			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	13.6	22	16.1		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	431	24.7	198	22.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,989		1,988			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	1,742	87.6	863	43.4	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	30	1.5	23	1.2	BCG	NA
27	Newborn weighted at birth to live birth	1,421	81.6	815	94.4	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	105	7.4	58	7.1	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	1,657	95.1	819	94.9	Full Immunization	NA
30	Fully immunized	1,825	91.8	787	39.6		
31	Children who have received BCG	1,938	97.4	912	45.9		
32	Children who have received Pentavalent 1	2,007	100.9	747	37.6		
33	Children who have received Pentavalent 3	1,929	97.0	760	38.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,850	93.0	777	39.1		

35	Diarrhoea and Dehydration cases reported in children below 5 years	47	22		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	<b>NFSH-4 (2015-16)</b>	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	46	52	Spacing	NA
38	Number of IUD insertion	182	25	Women using any method	NA
39	Number of IUD removals	16	19	Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
40	IPD cases per 10,000 population ***	256	146		
41	General OPD cases per 10,000 population ***	4822	3258		
42	Ayush OPD cases per 10,000 population ***	517	285		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
43	Neonatal deaths within 24 hours	4	1		
44	Neonatal Deaths up to 4 weeks of birth	1	1		
45	<b>Total Neonatal Death</b>	5	2		
46	Deaths between (1 - 11) months	5	0		
47	<b>Total reported infant deaths</b>	10	2		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	2	0		

## Pakke-Kessang Factsheet

### Key Indicators

#### **A) Demographic Indicators (Census 2011)**

1	Population 2011	15,358
2	Sex Ratio	NA

#### **B) Infrastructure Details (RHS 2019-20)**

**Numbers**

3	Sub Centers (SC)	NA					
5	Primary Health Centers(PHC)	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C)Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	420		428			
11	Expected number of Delivery	389		397			
		<b>HMIS ( 2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	102	24.3	78	18.2	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	31	30.4	12	15.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	16	15.7	14	17.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	59	57.8	48	61.5	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	55	53.9	33	42.3	Full ANC	NA
17	Home Delivery against expected delivery *	5	1.3	4	1.0	Home Delivery	NA
18	Institutional Delivery against expected delivery *	15	3.9	16	4.0	Institutional Delivery	NA
19	Home Delivery against reported delivery **	5	25.0	4	20.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	15	75.0	16	80.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	20		20			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	2	50.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3	15.0	13	65.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	382		389			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	20	5.2	22	5.7	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live birth	22	110.0	23	104.5	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	13.6	1	4.3	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	17	85.0	22	100.0	Full Immunization	NA
30	Fully immunized	62	16.2	40	10.3		
31	Children who have received BCG	28	7.3	42	10.8		
32	Children who have received Pentavalent 1	77	20.2	47	12.1		
33	Children who have received	65	17.0	64	16.4		

	Pentavalent 3					
34	Children who have received Measles & Rubella (MR)- 1st Dose	64	16.8	46	11.8	
35	Diarrhoea and Dehydration cases reported in children below 5 years	42		37		
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.						
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
36	Number of Vasectomies performed	0	0		Total unmet need	NA
37	Number of Tubectomies performed	0	0		Spacing	NA
38	Number of IUD insertion	0	2		Women using any method	NA
39	Number of IUD removals	0	0		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	12	7			
41	General OPD cases per 10,000 population ***	1885	1350			
42	Ayush OPD cases per 10,000 population ***	76	55			
<b>G) Mortality Details</b>						
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	0	0			
44	Neonatal Deaths up to 4 weeks of birth	0	0			
45	<b>Total Neonatal Death</b>	0	0			
46	Deaths between (1 - 11) months	0	0			
47	<b>Total reported infant deaths</b>	0	0			
<b>II)</b>	<b>Maternal Mortality</b>					
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
48	Due to Abortion	0	0			
49	Due to Obstructed/prolonged labour	0	0			
50	Due to Severe hypertension/fits	0	0			
51	Due to Bleeding	0	0			
52	Due to High fever	0	0			
53	Due to Other Causes (including causes not known)	0	0			
54	<b>Total reported maternal deaths</b>	0	0			

## Papum Pare Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	176,573					
2	Sex Ratio	950					
<b>B)Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	34					
5	Primary Health Centers(PHC)	16					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	0					
<b>C)Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
10	Expected number of PW	5,148	5,287				
11	Expected number of Delivery	4,773	4,903				
		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>		<b>NFSH-4 (2015-16)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	8,567	166.4	4,398	83.2	ANC Check up in first trimester	33.4
13	Mothers registered in the first trimester	736	8.6	1,007	22.9	At least 4ANC check up	26.2
14	Mothers who had 4 or more ANC check ups	1,011	11.8	1,159	26.4	Neonatal tetanus received	74.1
15	PW who got TT 2 / Booster injection	2,001	23.4	1,423	32.4	100 IFA tablets consumed	11.8
16	PW who consumed 180 IFA tablets	2,050	23.9	1,606	36.5	Full ANC	2.3
17	Home Delivery against expected delivery *	38	0.8	13	0.3	Home Delivery	19.4
18	Institutional Delivery against expected delivery *	5,832	122.2	2,643	53.9	Institutional Delivery	80.6
19	Home Delivery against reported delivery **	38	0.6	13	0.5	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	5,832	99.4	2,643	99.5	PNC within 2days of delivery	35.9
21	Total reported Deliveries	5,870		2,656			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	68.4	10	76.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	19.9	826	31.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	4,680		4,807			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>		<b>NFSH-4 (2015-16)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	5,858	125.2	2,610	54.3	Breastfeed within 1 hour of birth	37.4
26	Total Still Birth	64	1.4	32	0.7	BCG	80.1
27	Newborn weighted at birth to live birth	5,869	100.2	2,606	99.8	3 dose of DPT	59.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	262	4.5	111	4.3	Measles	56.9
29	Newborns breastfed within 1 hour to total reported live birth.	3,455	59.0	1,370	52.5	Full Immunization	34.9
30	Fully immunized	3,033	64.8	1,644	34.2		



31	Children who have received BCG	4,209	89.9	2,171	45.2		
32	Children who have received Pentavalent 1	3,750	80.1	1,704	35.5		
33	Children who have received Pentavalent 3	3,318	70.9	1,530	31.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,040	65.0	1,609	33.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	526		290			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	NFHS-4 ( 2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	32.6
37	Number of Tubectomies performed	147	129	Spacing	20.4
38	Number of IUD insertion	189	258	Women using any method	12.8
39	Number of IUD removals	218	111	Women using modern method	12.6
F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	574	346		
41	General OPD cases per 10,000 population ***	11549	10346		
42	Ayush OPD cases per 10,000 population ***	1244	448		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	6	14		
44	Neonatal Deaths up to 4 weeks of birth	6	6		
45	<b>Total Neonatal Death</b>	12	20		
46	Deaths between (1 - 11) months	3	0		
47	<b>Total reported infant deaths</b>	15	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	1		
54	<b>Total reported maternal deaths</b>	2	1		

<b>Key Indicators</b>							
<b>A) Demographic Indicators (Census 2011)</b>							
1	Population 2011	13,310					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
5	Primary Health Centers (PHC)	NA					
7	Community Health Centers (CHC)	NA					
8	SDH	NA					
9	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	262		258			
11	Expected number of Delivery	243		239			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	177	67.5	126	48.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	84	47.5	53	42.1	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	25	14.1	15	11.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	106	59.9	76	60.3	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	111	62.7	65	51.6	Full ANC	NA
17	Home Delivery against expected delivery *	29	11.9	5	2.1	Home Delivery	NA
18	Institutional Delivery against expected delivery *	47	19.3	16	6.7	Institutional Delivery	NA
19	Home Delivery against reported delivery **	29	38.2	5	23.8	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	47	61.8	16	76.2	PNC within 2days of delivery	NA
21	Total reported Deliveries	76		21			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	41.4	1	20.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	21.1	2	9.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	238		234			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFSH-4 (2015-16)</b>	
25	Total reported live births	55	23.1	13	5.5	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	1	0.4	BCG	NA
27	Newborn weighted at birth to live birth	54	98.2	12	92.3	3 dose of DPT	NA
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.9	1	8.3	Measles	NA

29	Newborns breastfed within 1 hour to total reported live birth.	55	100.0	13	100.0	Full Immunization	NA
30	Fully immunized	171	71.8	80	34.2		
31	Children who have received BCG	114	47.8	37	15.8		
32	Children who have received Pentavalent 1	199	83.5	90	38.4		
33	Children who have received Pentavalent 3	201	84.4	116	49.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	171	71.8	94	40.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	125		91			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	27	15	Women using any method	NA
39	Number of IUD removals	10	10	Women using modern method	NA
F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	89	77		
41	General OPD cases per 10,000 population ***	7434	3976		
42	Ayush OPD cases per 10,000 population ***	663	452		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	0	0		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers(PHC)	7					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	619		617			
11	Expected number of Delivery	574		572			
		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 ( 2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	300	48.4	179	29.0	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	89	29.7	50	27.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	49	16.3	27	15.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	173	57.7	101	56.4	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	226	75.3	99	55.3	Full ANC	NA
17	Home Delivery against expected delivery *	34	5.9	16	2.8	Home Delivery	NA
18	Institutional Delivery against expected delivery *	85	14.8	39	6.8	Institutional Delivery	NA
19	Home Delivery against reported delivery **	34	28.6	16	29.1	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	85	71.4	39	70.9	PNC within 2days of delivery	NA
21	Total reported Deliveries	119		55			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	79.4	10	62.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	7.6	6	10.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	563		561			
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFSH-4 ( 2015-16)	
25	Total reported live births	117	20.8	52	9.3	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	2	0.4	2	0.4	BCG	NA
27	Newborn weighted at birth to live birth	113	96.6	53	101.9	3 dose of DPT	NA

28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.8	2	3.8	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	117	100.0	53	101.9	Full Immunization	NA
30	Fully immunized	255	45.3	152	27.1		
31	Children who have received BCG	144	25.6	66	11.8		
32	Children who have received Pentavalent 1	299	53.1	127	22.6		
33	Children who have received Pentavalent 3	300	53.3	147	26.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	255	45.3	153	27.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	21		7			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	10	9	Women using any method	NA
39	Number of IUD removals	1	4	Women using modern method	NA
F) Service delivery		HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	253	169		
41	General OPD cases per 10,000 population ***	5055	2930		
42	Ayush OPD cases per 10,000 population ***	371	116		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	0	0		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Tawang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	10					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	1,265		1,279			
11	Expected number of Delivery	1,173		1,186			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	807	63.8	446	34.9	ANC Check up in first trimester	29.5
13	Mothers registered in the first trimester	300	37.2	166	37.2	At least 4ANC check up	14.1
14	Mothers who had 4 or more ANC check ups	181	22.4	102	22.9	Neonatal tetanus received	39.4
15	PW who got TT 2 / Booster injection	533	66.0	348	78.0	100 IFA tablets consumed	8.6
16	PW who consumed 180 IFA tablets	687	85.1	343	76.9	Full ANC	2.6
17	Home Delivery against expected delivery *	154	13.1	87	7.3	Home Delivery	69.7
18	Institutional Delivery against expected delivery *	452	38.5	211	17.8	Institutional Delivery	30.3
19	Home Delivery against reported delivery **	154	25.4	87	29.2	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Institutional Delivery against reported delivery **	452	74.6	211	70.8	PNC within 2days of delivery	9.6
21	Total reported Deliveries	606		298			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	29.2	18	20.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	257	42.4	103	34.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	1,150		1,163			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
25	Total reported live births	598	52.0	293	25.2	Breastfeed within 1 hour of birth	48.7

26	Total Still Birth	10	0.9	5	0.4	BCG	65.3
27	Newborn weighted at birth to live birth	560	93.6	280	95.6	3 dose of DPT	38.8
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.4	6	2.1	Measles	46.8
29	Newborns breastfed within 1 hour to total reported live birth.	436	72.9	216	73.7	Full Immunization	27.8
30	Fully immunized	731	63.5	397	34.1		
31	Children who have received BCG	704	61.2	345	29.7		
32	Children who have received Pentavalent 1	752	65.4	354	30.4		
33	Children who have received Pentavalent 3	758	65.9	358	30.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	739	64.2	398	34.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	405		113			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	31.8
37	Number of Tubectomies performed	7	0	Spacing	16.9
38	Number of IUD insertion	98	84	Women using any method	22.3
39	Number of IUD removals	24	11	Women using modern method	21.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	216	143		
41	General OPD cases per 10,000 population ***	5435	3281		
42	Ayush OPD cases per 10,000 population ***	1187	335		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	3	1		
44	Neonatal Deaths up to 4 weeks of birth	3	0		
45	<b>Total Neonatal Death</b>	6	1		
46	Deaths between (1 - 11) months	0	1		
47	<b>Total reported infant deaths</b>	6	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		



53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

## Tirap Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	55,022
2	Sex Ratio	931

#### B) Infrastructure Details (RHS 2019-20)

		Numbers
3	Sub Centers (SC)	9
5	Primary Health Centers (PHC)	7
7	Community Health Centers (CHC)	1
8	SDH	0
9	DH	1

#### C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	1,202		1,196			
11	Expected number of Delivery	1,115		1,109			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,104	91.8	535	44.7	ANC Check up in first trimester	37.9
13	Mothers registered in the first trimester	556	50.4	244	45.6	At least 4ANC check up	29.8
14	Mothers who had 4 or more ANC check ups	453	41.0	225	42.1	Neonatal tetanus received	65.9
15	PW who got TT 2 / Booster injection	969	87.8	481	89.9	100 IFA tablets consumed	9.3
16	PW who consumed 180 IFA tablets	940	85.1	357	66.7	Full ANC	5.2
17	Home Delivery against expected delivery *	213	19.1	99	8.9	Home Delivery	65.5
18	Institutional Delivery against expected delivery *	490	44.0	233	21.0	Institutional Delivery	34.5
19	Home Delivery against reported delivery **	213	30.3	99	29.8	Home Delivery by SBA(out of Total Deliveries)	0.3
20	Institutional Delivery against reported delivery **	490	69.7	233	70.2	PNC within 2days of delivery	35.3
21	Total reported Deliveries	703		332			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	40.4	62	62.6		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	572	81.4	304	91.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,093		1,087			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	

25	Total reported live births	696	63.7	326	30.0	Breastfeed within 1 hour of birth	73.9
26	Total Still Birth	8	0.7	6	0.6	BCG	63
27	Newborn weighted at birth to live birth	687	98.7	325	99.7	3 dose of DPT	63.4
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.6	5	1.5	Measles	63
29	Newborns breastfed within 1 hour to total reported live birth.	687	98.7	323	99.1	Full Immunization	45.3
30	Fully immunized	830	75.9	375	34.5		
31	Children who have received BCG	839	76.8	313	28.8		
32	Children who have received Pentavalent 1	935	85.5	428	39.4		
33	Children who have received Pentavalent 3	983	89.9	366	33.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	858	78.5	375	34.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	228		105			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	10.6
37	Number of Tubectomies performed	6	10	Spacing	5
38	Number of IUD insertion	56	23	Women using any method	57.8
39	Number of IUD removals	34	25	Women using modern method	44
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	167	101		
41	General OPD cases per 10,000 population ***	3873	1875		
42	Ayush OPD cases per 10,000 population ***	941	472		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal deaths within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	1	0		
46	Deaths between (1 - 11) months	0	1		
47	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		

51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	1	0	

## Upper Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	13					
5	Primary Health Centers (PHC)	2					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	732		724			
11	Expected number of Delivery	679		672			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	562	76.7	261	36.0	ANC Check up in first trimester	41.6
13	Mothers registered in the first trimester	264	47.0	123	47.1	At least 4ANC check up	29.2
14	Mothers who had 4 or more ANC check ups	196	34.9	95	36.4	Neonatal tetanus received	72.0
15	PW who got TT 2 / Booster injection	402	71.5	164	62.8	100 IFA tablets consumed	8.5
16	PW who consumed 180 IFA tablets	405	72.1	149	57.1	Full ANC	6.1
17	Home Delivery against expected delivery *	25	3.7	4	0.6	Home Delivery	33.6
18	Institutional Delivery against expected delivery *	278	40.9	118	17.6	Institutional Delivery	66.4
19	Home Delivery against reported delivery **	25	8.3	4	3.3	Home Delivery by SBA(out of Total Deliveries)	2.7
20	Institutional Delivery against reported delivery **	278	91.7	118	96.7	PNC within 2days of delivery	43.1
21	Total reported Deliveries	303		122			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	60.0	3	75.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	230	75.9	108	88.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-4 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	666		658			

D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
25	Total reported live births	303	45.5	123	18.7	Breastfeed within 1 hour of birth	48.5
26	Total Still Birth	1	0.2	1	0.2	BCG	*
27	Newborn weighted at birth to live birth	301	99.3	124	100.8	3 dose of DPT	*
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.0	11	8.9	Measles	*
29	Newborns breastfed within 1 hour to total reported live birth.	283	93.4	106	86.2	Full Immunization	*
30	Fully immunized	456	68.5	228	34.6		
31	Children who have received BCG	371	55.7	141	21.4		
32	Children who have received Pentavalent 1	443	66.5	182	27.6		
33	Children who have received Pentavalent 3	448	67.3	198	30.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	452	67.9	228	34.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	301		90			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR		NFHS-4 ( 2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	13.3
37	Number of Tubectomies performed	26		6		Spacing	8.2
38	Number of IUD insertion	52		20		Women using any method	38.9
39	Number of IUD removals	40		20		Women using modern method	38.2
F) Service delivery		HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	435		211			
41	General OPD cases per 10,000 population ***	7294		4435			
42	Ayush OPD cases per 10,000 population ***	1007		471			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	<b>Total Neonatal Death</b>	0		0			
46	Deaths between (1 - 11) months	0		2			
47	<b>Total reported infant deaths</b>	0		2			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS ( 2020-21)		HMIS ( 2021-22) Up to 2nd QTR			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

## Upper Subansiri Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	<b>79,030</b>
2	Sex Ratio	<b>982</b>

#### B) Infrastructure Details (RHS 2019-20)

		Numbers
3	Sub Centers (SC)	<b>31</b>
5	Primary Health Centers (PHC)	<b>8</b>
7	Community Health Centers (CHC)	<b>5</b>
8	SDH	<b>0</b>
9	DH	<b>1</b>

#### C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	2,421		2,500			
11	Expected number of Delivery	2,245		2,318			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,439	100.7	1,150	46.0	ANC Check up in first trimester	22.1
13	Mothers registered in the first trimester	932	38.2	396	34.4	At least 4ANC check up	15.1
14	Mothers who had 4 or more ANC check ups	338	13.9	138	12.0	Neonatal tetanus received	60.0
15	PW who got TT 2 / Booster injection	731	30.0	369	32.1	100 IFA tablets consumed	1.7
16	PW who consumed 180 IFA tablets	535	21.9	167	14.5	Full ANC	0.0
17	Home Delivery against expected delivery *	13	0.6	8	0.3	Home Delivery	55.3
18	Institutional Delivery against expected delivery *	984	43.8	426	18.4	Institutional Delivery	44.7
19	Home Delivery against reported delivery **	13	1.3	8	1.8	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	984	98.7	426	98.2	PNC within 2days of delivery	16.8
21	Total reported Deliveries	997		434			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	76.9	3	37.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	434	43.5	5	1.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,201		2,273			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	977	44.4	421	18.5	Breastfeed within 1 hour of birth	61
26	Total Still Birth	19	0.9	11	0.5	BCG	60.4
27	Newborn weighted at birth to live birth	977	100.0	150	35.6	3 dose of DPT	31.1
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	5.7	20	13.3	Measles	41.9
29	Newborns breastfed within 1 hour to total reported live birth.	974	99.7	320	76.0	Full Immunization	21.9
30	Fully immunized	796	36.2	382	16.8		
31	Children who have received BCG	771	35.0	335	14.7		
32	Children who have received Pentavalent 1	874	39.7	443	19.5		
33	Children who have received Pentavalent 3	851	38.7	417	18.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	796	36.2	405	17.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	192		165			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	24.4
37	Number of Tubectomies performed	77		1		Spacing	15.3
38	Number of IUD insertion	178		112		Women using any method	18
39	Number of IUD removals	167		57		Women using modern method	17.6
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	153		63			
41	General OPD cases per 10,000 population ***	2999		1471			
42	Ayush OPD cases per 10,000 population ***	282		139			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	<b>Total Neonatal Death</b>	0		0			
46	Deaths between (1 - 11) months	0		0			
47	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						

	Maternal Deaths (In Numbers)	HMIS ( 2020-21)	HMIS ( 2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

West Kameng Factsheet							
<b>Key Indicators</b>							
<b>A) Demographic Indicators (Census 2011)</b>							
1	Population 2011	<b>83,947</b>					
2	Sex Ratio	<b>755</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>23</b>					
5	Primary Health Centers (PHC)	<b>5</b>					
7	Community Health Centers (CHC)	<b>5</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	1,918		1,917			
11	Expected number of Delivery	1,778		1,777			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,645	85.8	819	42.7	ANC Check up in first trimester	58.7
13	Mothers registered in the first trimester	1,074	65.3	517	63.1	At least 4ANC check up	33.3
14	Mothers who had 4 or more ANC check ups	707	43.0	377	46.0	Neonatal tetanus received	53.2
15	PW who got TT 2 / Booster injection	1,065	64.7	562	68.6	100 IFA tablets consumed	6.8
16	PW who consumed 180 IFA tablets	1,010	61.4	505	61.7	Full ANC	4.2
17	Home Delivery against expected delivery *	7	0.4	11	0.6	Home Delivery	43.0
18	Institutional Delivery against expected delivery *	683	38.4	247	13.9	Institutional Delivery	57.0
19	Home Delivery against reported delivery **	7	1.0	11	4.3	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	683	99.0	247	95.7	PNC within 2days of delivery	22.9
21	Total reported Deliveries	690		258			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	85.7	7	63.6		



23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	14.2	75	29.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,743		1,743			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
25	Total reported live births	688	39.5	257	14.7	Breastfeed within 1 hour of birth	67.9
26	Total Still Birth	2	0.1	3	0.2	BCG	67.7
27	Newborn weighted at birth to live birth	677	98.4	248	96.5	3 dose of DPT	43.6
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	3.5	18	7.3	Measles	47.8
29	Newborns breastfed within 1 hour to total reported live birth.	677	98.4	257	100.0	Full Immunization	25
30	Fully immunized	1,360	78.0	571	32.8		
31	Children who have received BCG	865	49.6	375	21.5		
32	Children who have received Pentavalent 1	1,247	71.5	445	25.5		
33	Children who have received Pentavalent 3	1,115	64.0	524	30.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,364	78.2	522	30.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	334		206			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	35.7
37	Number of Tubectomies performed	12		3		Spacing	18.6
38	Number of IUD insertion	283		104		Women using any method	18.9
39	Number of IUD removals	243		104		Women using modern method	18.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	221		115			
41	General OPD cases per 10,000 population ***	7114		3220			
42	Ayush OPD cases per 10,000 population ***	282		162			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	<b>Total Neonatal Death</b>	0		0			
46	Deaths between (1 - 11) months	0		0			

47	<b>Total reported infant deaths</b>	0	0	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	0	

## West Siang Factsheet

### Key Indicators

#### A) Demographic Indicators (Census 2011)

1	Population 2011	<b>56,516</b>
2	Sex Ratio	<b>916</b>

#### B) Infrastructure Details (RHS 2019-20)

		<b>Numbers</b>
3	Sub Centers (SC)	<b>19</b>
5	Primary Health Centers (PHC)	<b>12</b>
7	Community Health Centers (CHC)	<b>4</b>
8	SDH	<b>0</b>
9	DH	<b>2</b>

#### C) Maternal Health:

		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	1,196		1,185			
11	Expected number of Delivery	1,109		1,099			
		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFSH-4 ( 2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,144	95.7	563	47.5	ANC Check up in first trimester	34.2
13	Mothers registered in the first trimester	231	20.2	163	29.0	At least 4ANC check up	18.0
14	Mothers who had 4 or more ANC check ups	567	49.6	508	90.2	Neonatal tetanus received	51.3
15	PW who got TT 2 / Booster injection	744	65.0	384	68.2	100 IFA tablets consumed	1.3
16	PW who consumed 180 IFA tablets	1,078	94.2	526	93.4	Full ANC	1.3
17	Home Delivery against expected delivery *	25	2.3	7	0.6	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	1,049	94.6	481	43.8	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	25	2.3	7	1.4	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	1,049	97.7	481	98.6	PNC within 2days of delivery	24.6
21	Total reported Deliveries	1,074		488			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	88.0	7	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	31.3	169	34.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-4 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,087		1,078			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
25	Total reported live births	1,072	98.6	488	45.3	Breastfeed within 1 hour of birth	66
26	Total Still Birth	2	0.2	2	0.2	BCG	74.4
27	Newborn weighted at birth to live birth	1,059	98.8	487	99.8	3 dose of DPT	44
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	3.6	35	7.2	Measles	70.8
29	Newborns breastfed within 1 hour to total reported live birth.	723	67.4	355	72.7	Full Immunization	34.4
30	Fully immunized	843	77.5	520	48.3		
31	Children who have received BCG	1,031	94.8	490	45.5		
32	Children who have received Pentavalent 1	965	88.8	384	35.6		
33	Children who have received Pentavalent 3	897	82.5	381	35.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	843	77.5	523	48.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	188		138			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-4, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>		<b>NFHS-4 ( 2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	27.6
37	Number of Tubectomies performed	97		38		Spacing	17.5
38	Number of IUD insertion	150		94		Women using any method	9.3
39	Number of IUD removals	185		79		Women using modern method	9.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	97		196			
41	General OPD cases per 10,000 population ***	6963		4664			
42	Ayush OPD cases per 10,000 population ***	236		129			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22) Up to 2nd QTR</b>			
43	Neonatal deaths within 24 hours	1		3			
44	Neonatal Deaths up to 4 weeks of birth	1		1			

45	<b>Total Neonatal Death</b>	2	4	
46	Deaths between (1 - 11) months	0	1	
47	<b>Total reported infant deaths</b>	2	5	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	1	0	