

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,383,727					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	363					
4	Primary Health Centers (PHC)	124					
5	Community Health Centers (CHC)	60					
6	SDH	0					
7	DH	17					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	34,303		34,603			
9	Expected number of Delivery	31,808		32,086			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	31,636	92.2	24,830	71.8	ANC Check up in first trimester	53.1
11	Mothers registered in the first trimester	11,173	35.3	8,539	34.4	At least 4 ANC check up	36.5
12	Mothers who had 4 or more ANC check ups	9,329	29.5	8,176	32.9	Neonatal tetanus received	76.9
13	PW who got TT 2 / Booster injection	17,990	56.9	12,895	51.9	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	17,189	54.3	11,756	47.3	Home Delivery	0.0
15	Home Delivery against expected delivery *	1,754	5.5	1,396	4.4	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	18,260	57.4	13,674	42.6	Home Delivery by SBA	4.0
17	Home Delivery against reported delivery **	1,754	8.8	1,396	9.3	PNC within 2 days of delivery	56.4
18	Institutional Delivery against reported delivery **	18,260	91.2	13,674	90.7	Breastfeed within 1 hour of birth	52.0
19	Total reported Deliveries	20,014		15,070			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	800	45.6	589	42.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,071	35.3	3,853	25.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,185		31,457			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	19,861	63.7	14,796	47.0	BCG	87.9
24	Total Still Birth	231	0.7	234	0.7	3 dose of DPT	77.7
25	Newborn weighted at birth to live birth	19,418	97.8	14,325	96.8	Measles First dose	80.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	926	4.8	874	6.1	3 doses of penta or hepatitis B	73

						vaccine	
27	Newborns breastfed within 1 hour to total reported live birth.	16,376	82.5	11,836	80.0	Full Immunization	64.9
28	Fully immunized	19,363	62.1	14,940	47.5		
29	Children who have received BCG	20,938	67.1	15,595	49.6		
30	Children who have received Pentavalent 1	21,814	70.0	15,406	49.0		
31	Children who have received Pentavalent 3	20,406	65.4	13,861	44.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,545	62.7	14,894	47.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,436		3,321			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 12.5
35	Number of Tubectomies performed	621	583	Spacing 7
36	Number of IUD insertion	1,839	1,374	Women using any method 59.1
37	Number of IUD removals	1,268	842	Women using modern method 47.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
38	IPD cases per 10,000 population ***	295	267	
39	General OPD cases per 10,000 population ***	5838	5795	
40	Ayush OPD cases per 10,000 population ***	651	432	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
41	Neonatal deaths within 24 hours	32	42	
42	Neonatal Deaths up to 4 weeks of birth	32	33	
43	Total Neonatal Death	64	75	
44	Deaths between (1 - 11) months	26	21	
45	Total reported infant deaths	90	96	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	1	1	
49	Due to Bleeding	6	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	3	8	
52	Total reported maternal deaths	10	10	

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	471		470			
9	Expected number of Delivery	437		436			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	382	81.0	235	50.0	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	158	41.4	106	45.1	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	58	15.2	47	20.0	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	251	65.7	164	69.8	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	312	81.7	93	39.6	Home Delivery	22.0
15	Home Delivery against expected delivery *	24	5.5	14	3.2	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	84	19.2	50	11.5	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	24	22.2	14	21.9	PNC within 2days of delivery	55.8
18	Institutional Delivery against reported delivery **	84	77.8	50	78.1	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	108		64			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	11	78.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28	25.9	24	37.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	429		427			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	108	25.2	63	14.7	BCG	97.7
24	Total Still Birth	1	0.2	1	0.2	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	105	97.2	57	90.5	Measles First dose	97.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	10	9.5	2	3.5	3 doses of penta or hepatitis B vaccine	85.6
27	Newborns breastfed within 1 hour to total reported live birth.	106	98.1	57	90.5	Full Immunization	93
28	Fully immunized	274	63.9	206	48.2		
29	Children who have received BCG	167	39.0	91	21.3		
30	Children who have received Pentavalent 1	298	69.5	211	49.4		
31	Children who have received Pentavalent 3	339	79.1	218	51.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	290	67.7	207	48.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		189			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	15	5	Women using any method	64.7
37	Number of IUD removals	10	6	Women using modern method	50.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	131	98		
39	General OPD cases per 10,000 population ***	8127	7181		
40	Ayush OPD cases per 10,000 population ***	1774	595		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	148,226					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	3,426		3,429			
9	Expected number of Delivery	3,177		3,179			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,120	91.1	2,374	69.2	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,012	32.4	842	35.5	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	967	31.0	796	33.5	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,527	81.0	1,942	81.8	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	1,927	61.8	1,273	53.6	Home Delivery	24.9
15	Home Delivery against expected delivery *	309	9.7	393	12.4	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,272	40.0	983	30.9	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	309	19.5	393	28.6	PNC within 2 days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,272	80.5	983	71.4	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,581		1,376			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	49.8	81	20.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	244	15.4	265	19.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,114		3,117			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,574	50.5	1,363	43.7	BCG	86.1
24	Total Still Birth	7	0.2	9	0.3	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,571	99.8	1,351	99.1	Measles First dose	84.4

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.3	66	4.9	3 doses of penta or hepatitis B vaccine	84.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,562	99.2	1,349	99.0	Full Immunization	70.9
28	Fully immunized	2,391	76.8	1,966	63.1		
29	Children who have received BCG	2,506	80.5	1,646	52.8		
30	Children who have received Pentavalent 1	2,773	89.0	1,900	61.0		
31	Children who have received Pentavalent 3	2,516	80.8	1,721	55.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,410	77.4	1,914	61.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	121		141			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	0	0	Spacing	3.5
36	Number of IUD insertion	48	37	Women using any method	71.4
37	Number of IUD removals	57	24	Women using modern method	46.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	184	179		
39	General OPD cases per 10,000 population ***	2389	2411		
40	Ayush OPD cases per 10,000 population ***	906	684		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	2	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	3	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	1	2		

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	8,004					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	5					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	171		170			
9	Expected number of Delivery	159		158			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	134	78.2	67	39.4	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	73	54.5	25	37.3	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	6	4.5	1	1.5	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	69	51.5	33	49.3	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	99	73.9	60	89.6	Home Delivery	14.5
15	Home Delivery against expected delivery *	6	3.8	2	1.3	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	28	17.6	13	8.2	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	6	17.6	2	13.3	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	28	82.4	13	86.7	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	34		15			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	100.0	1	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	14.7	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	156		155			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	34	21.8	22	14.2	BCG	97.3
24	Total Still Birth	0	0.0	1	0.6	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	19	55.9	5	22.7	Measles First dose	90.7

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine	84
27	Newborns breastfed within 1 hour to total reported live birth.	15	44.1	5	22.7	Full Immunization	90.7
28	Fully immunized	66	42.4	48	31.1		
29	Children who have received BCG	42	27.0	29	18.8		
30	Children who have received Pentavalent 1	60	38.5	46	29.8		
31	Children who have received Pentavalent 3	60	38.5	50	32.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	81	52.0	56	36.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10		2			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.6
35	Number of Tubectomies performed	0	0	Spacing	3.4
36	Number of IUD insertion	0	0	Women using any method	69.1
37	Number of IUD removals	0	0	Women using modern method	49.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	180	47		
39	General OPD cases per 10,000 population ***	8826	7917		
40	Ayush OPD cases per 10,000 population ***	518	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,731		1,766			
9	Expected number of Delivery	1,605		1,637			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,316	76.0	1,128	63.9	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	968	73.6	638	56.6	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	928	70.5	714	63.3	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	1,592	121.0	365	32.4	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,314	99.8	745	66.0	Home Delivery	24.0
15	Home Delivery against expected delivery *	33	2.1	39	2.4	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	890	55.4	624	38.1	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	33	3.6	39	5.9	PNC within 2 days of delivery	53.6
18	Institutional Delivery against reported delivery **	890	96.4	624	94.1	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	923		663			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	69.7	33	84.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	621	67.3	3	0.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,574		1,605			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	918	58.3	662	41.2	BCG	82.9
24	Total Still Birth	5	0.3	10	0.6	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	918	100.0	509	76.9	Measles First dose	77.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	13	2.6	3 doses of penta or hepatitis B vaccine	64.4
27	Newborns breastfed within 1 hour to total reported live birth.	918	100.0	512	77.3	Full Immunization	60.8
28	Fully immunized	936	59.5	718	44.7		
29	Children who have received BCG	972	61.8	711	44.3		
30	Children who have received Pentavalent 1	981	62.3	698	43.5		
31	Children who have received Pentavalent 3	936	59.5	614	38.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	936	59.5	720	44.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	109		115			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	97	54	Women using any method	64.9
37	Number of IUD removals	38	19	Women using modern method	57.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	208	137		
39	General OPD cases per 10,000 population ***	3735	2841		
40	Ayush OPD cases per 10,000 population ***	426	186		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,574		1,568			
9	Expected number of Delivery	1,459		1,454			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,616	102.7	1,322	84.3	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	870	53.8	714	54.0	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	453	28.0	339	25.6	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,277	79.0	1,022	77.3	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,068	66.1	609	46.1	Home Delivery	9.2
15	Home Delivery against expected delivery *	91	6.2	41	2.8	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	1,849	126.7	1,414	97.3	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	91	4.7	41	2.8	PNC within 2 days of delivery	55.7
18	Institutional Delivery against reported delivery **	1,849	95.3	1,414	97.2	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	1,940		1,455			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	96.7	39	95.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,876	96.7	199	13.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,430		1,425			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,905	133.2	1,442	101.2	BCG	84.8
24	Total Still Birth	35	2.4	40	2.8	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	1,907	100.1	1,442	100.0	Measles First dose	81.9

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	124	6.5	181	12.6	3 doses of penta or hepatitis B vaccine	67.3
27	Newborns breastfed within 1 hour to total reported live birth.	1,889	99.2	1,396	96.8	Full Immunization	48.8
28	Fully immunized	1,205	84.2	972	68.2		
29	Children who have received BCG	1,939	135.6	1,493	104.8		
30	Children who have received Pentavalent 1	1,353	94.6	1,029	72.2		
31	Children who have received Pentavalent 3	1,338	93.5	868	60.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,208	84.4	981	68.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	43		47			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	93	109	Spacing	9.6
36	Number of IUD insertion	113	97	Women using any method	40
37	Number of IUD removals	51	53	Women using modern method	35.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	997	783		
39	General OPD cases per 10,000 population ***	10380	9415		
40	Ayush OPD cases per 10,000 population ***	322	274		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	13	8		
42	Neonatal Deaths up to 4 weeks of birth	13	19		
43	Total Neonatal Death	26	27		
44	Deaths between (1 - 11) months	10	3		
45	Total reported infant deaths	36	30		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	3		
52	Total reported maternal deaths	2	3		

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	19,697					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	595		613			
9	Expected number of Delivery	551		569			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	325	54.6	186	30.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	108	33.2	63	33.9	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	14	4.3	18	9.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	151	46.5	77	41.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	197	60.6	84	45.2	Home Delivery	NA
15	Home Delivery against expected delivery *	16	2.9	7	1.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	38	6.9	28	4.9	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	16	29.6	7	20.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	38	70.4	28	80.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	54		35			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	25.0	3	42.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	29.6	13	37.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	541		557			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	54	10.0	35	6.3	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	50	92.6	34	97.1	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	4.0	2	5.9	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	49	90.7	34	97.1	Full Immunization	NA
28	Fully immunized	183	33.8	146	26.2		
29	Children who have received BCG	102	18.9	46	8.3		
30	Children who have received Pentavalent 1	220	40.7	121	21.7		
31	Children who have received Pentavalent 3	202	37.4	121	21.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	184	34.0	145	26.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	167		132			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	8	0	Women using any method	NA
37	Number of IUD removals	6	0	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	572	309		
39	General OPD cases per 10,000 population ***	4336	3709		
40	Ayush OPD cases per 10,000 population ***	1667	704		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	1		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	46,704					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,372		2,591			
9	Expected number of Delivery	2,199		2,402			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	385	16.2	248	9.6	ANC Check up in first trimester	62.5
11	Mothers registered in the first trimester	265	68.8	173	69.8	At least 4 ANC check up	18.3
12	Mothers who had 4 or more ANC check ups	263	68.3	163	65.7	Neonatal tetanus received	55.1
13	PW who got TT 2 / Booster injection	140	36.4	87	35.1	100 IFA tablets consumed	12.7
14	PW who consumed 180 IFA tablets	369	95.8	245	98.8	Home Delivery	26.5
15	Home Delivery against expected delivery *	47	2.1	28	1.2	Institutional Delivery	73.5
16	Institutional Delivery against expected delivery *	97	4.4	58	2.4	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	47	32.6	28	32.6	PNC within 2 days of delivery	34.9
18	Institutional Delivery against reported delivery **	97	67.4	58	67.4	Breastfeed within 1 hour of birth	35.9
19	Total reported Deliveries	144		86			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	91.5	26	92.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	70.8	73	84.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,156		2,355			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	143	6.6	86	3.7	BCG	92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	151	105.6	86	100.0	Measles First dose	77.1

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	5.3	0	0.0	3 doses of penta or hepatitis B vaccine	71.3
27	Newborns breastfed within 1 hour to total reported live birth.	151	105.6	86	100.0	Full Immunization	63.6
28	Fully immunized	278	12.9	222	9.4		
29	Children who have received BCG	293	13.6	225	9.6		
30	Children who have received Pentavalent 1	301	14.0	241	10.2		
31	Children who have received Pentavalent 3	297	13.8	229	9.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	279	12.9	237	10.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	136		65			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	0	1	Spacing	13.1
36	Number of IUD insertion	39	12	Women using any method	46.1
37	Number of IUD removals	6	9	Women using modern method	39.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	56	68		
39	General OPD cases per 10,000 population ***	1109	727		
40	Ayush OPD cases per 10,000 population ***	177	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,304		2,517			
9	Expected number of Delivery	2,136		2,334			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	690	29.9	733	29.1	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	312	45.2	167	22.8	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	215	31.2	229	31.2	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	274	39.7	161	22.0	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	659	95.5	688	93.9	Home Delivery	30.8
15	Home Delivery against expected delivery *	48	2.2	69	3.0	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	230	10.8	225	9.6	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	48	17.3	69	23.5	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	230	82.7	225	76.5	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	278		294			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	75.0	57	82.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	208	74.8	163	55.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,095		2,288			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	278	13.3	287	12.5	BCG	100
24	Total Still Birth	2	0.1	2	0.1	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	277	99.6	293	102.1	Measles First dose	89.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.4	0	0.0	3 doses of penta or hepatitis B vaccine	76.3
27	Newborns breastfed within 1 hour to total reported live birth.	277	99.6	293	102.1	Full Immunization	71.4
28	Fully immunized	391	18.7	522	22.8		
29	Children who have received BCG	349	16.7	398	17.4		
30	Children who have received Pentavalent 1	394	18.8	392	17.1		
31	Children who have received Pentavalent 3	391	18.7	479	20.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	390	18.6	529	23.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	361		228			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	100	44	Women using any method	54.1
37	Number of IUD removals	44	29	Women using modern method	47.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	93	86		
39	General OPD cases per 10,000 population ***	1474	725		
40	Ayush OPD cases per 10,000 population ***	1	18		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	2	2		
42	Neonatal Deaths up to 4 weeks of birth	3	1		
43	Total Neonatal Death	5	3		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	7	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	20,152					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	426		423			
9	Expected number of Delivery	395		392			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	306	71.8	184	43.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	136	44.4	87	47.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	90	29.4	97	52.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	148	48.4	65	35.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	74	24.2	35	19.0	Home Delivery	NA
15	Home Delivery against expected delivery *	15	3.8	1	0.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	121	30.6	69	17.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	15	11.0	1	1.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	121	89.0	69	98.6	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	136		70			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	2.9	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	388		384			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	135	34.8	73	19.0	BCG	NA
24	Total Still Birth	0	0.0	1	0.3	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	127	94.1	71	97.3	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	3.9	3	4.2	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	133	98.5	71	97.3	Full Immunization	NA
28	Fully immunized	260	67.1	184	47.9		
29	Children who have received BCG	142	36.6	95	24.7		
30	Children who have received Pentavalent 1	242	62.4	178	46.3		
31	Children who have received Pentavalent 3	260	67.1	168	43.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	260	67.1	194	50.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	0		0			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	13	14	Women using any method	NA
37	Number of IUD removals	13	6	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	216	201		
39	General OPD cases per 10,000 population ***	7104	4817		
40	Ayush OPD cases per 10,000 population ***	393	289		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,776					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,135		1,134			
9	Expected number of Delivery	1,052		1,052			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,214	107.0	810	71.4	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	534	44.0	358	44.2	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	752	61.9	341	42.1	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	711	58.6	511	63.1	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	659	54.3	284	35.1	Home Delivery	9.8
15	Home Delivery against expected delivery *	19	1.8	8	0.8	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	1,239	117.7	759	72.2	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	19	1.5	8	1.0	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	1,239	98.5	759	99.0	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	1,258		767			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	68.4	2	25.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.3	18	2.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,032		1,031			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,241	120.3	754	73.1	BCG	95.9
24	Total Still Birth	31	3.0	16	1.6	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	1,242	100.1	764	101.3	Measles First dose	87.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	112	9.0	54	7.1	3 doses of penta or hepatitis B vaccine	83.4
27	Newborns breastfed within 1 hour to total reported live birth.	915	73.7	658	87.3	Full Immunization	74
28	Fully immunized	807	78.2	557	54.0		
29	Children who have received BCG	1,285	124.5	763	74.0		
30	Children who have received Pentavalent 1	886	85.9	557	54.0		
31	Children who have received Pentavalent 3	805	78.0	488	47.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	800	77.5	549	53.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		66			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	80	33	Spacing	7.3
36	Number of IUD insertion	58	44	Women using any method	57
37	Number of IUD removals	30	11	Women using modern method	43.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	565	363		
39	General OPD cases per 10,000 population ***	8108	5641		
40	Ayush OPD cases per 10,000 population ***	569	340		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	3	4		
45	Total reported infant deaths	4	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	2		
52	Total reported maternal deaths	0	3		

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	6					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,244		1,238			
9	Expected number of Delivery	1,154		1,148			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,019	81.9	819	66.2	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	511	50.1	249	30.4	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	180	17.7	197	24.1	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	833	81.7	605	73.9	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	651	63.9	455	55.6	Home Delivery	35.5
15	Home Delivery against expected delivery *	92	8.0	169	14.7	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	363	31.5	278	24.2	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	92	20.2	169	37.8	PNC within 2days of delivery	57.1
18	Institutional Delivery against reported delivery **	363	79.8	278	62.2	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	455		447			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	35.9	91	53.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40	8.8	83	18.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,131		1,125			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	455	40.2	448	39.8	BCG	74.5
24	Total Still Birth	2	0.2	9	0.8	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	434	95.4	386	86.2	Measles First dose	61.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	1.6	1	0.3	3 doses of penta or hepatitis B vaccine	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	451	99.1	404	90.2	Full Immunization	52.7
28	Fully immunized	683	60.4	391	34.7		
29	Children who have received BCG	882	78.0	534	47.5		
30	Children who have received Pentavalent 1	1,043	92.2	674	59.9		
31	Children who have received Pentavalent 3	828	73.2	591	52.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	744	65.8	458	40.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	248		313			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	30	5	Women using any method	68.6
37	Number of IUD removals	4	6	Women using modern method	49
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	67	101		
39	General OPD cases per 10,000 population ***	2771	2767		
40	Ayush OPD cases per 10,000 population ***	570	370		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	54,080					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	14					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,134		1,123			
9	Expected number of Delivery	1,051		1,041			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,156	101.9	771	68.7	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	302	26.1	253	32.8	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	217	18.8	177	23.0	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	675	58.4	511	66.3	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	192	16.6	141	18.3	Home Delivery	9.9
15	Home Delivery against expected delivery *	65	6.2	23	2.2	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	346	32.9	274	26.3	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	65	15.8	23	7.7	PNC within 2 days of delivery	58.6
18	Institutional Delivery against reported delivery **	346	84.2	274	92.3	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	411		297			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	80.0	18	78.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	85	20.7	58	19.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,031		1,021			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	408	39.6	296	29.0	BCG	89.2
24	Total Still Birth	2	0.2	3	0.3	3 dose of DPT	77
25	Newborn weighted at birth to live birth	406	99.5	296	100.0	Measles First dose	84.4

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.9	25	8.4	3 doses of penta or hepatitis B vaccine	79.2
27	Newborns breastfed within 1 hour to total reported live birth.	409	100.2	290	98.0	Full Immunization	73.8
28	Fully immunized	726	70.4	640	62.7		
29	Children who have received BCG	712	69.1	510	50.0		
30	Children who have received Pentavalent 1	945	91.7	601	58.9		
31	Children who have received Pentavalent 3	821	79.6	598	58.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	732	71.0	640	62.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	129		85			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	25	3	Spacing	4.6
36	Number of IUD insertion	22	28	Women using any method	75.3
37	Number of IUD removals	18	17	Women using modern method	56.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	155	116		
39	General OPD cases per 10,000 population ***	7784	7136		
40	Ayush OPD cases per 10,000 population ***	254	194		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	22,630					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	479		475			
9	Expected number of Delivery	444		440			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	253	52.8	179	37.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	115	45.5	104	58.1	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	44	17.4	42	23.5	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	184	72.7	146	81.6	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	523	206.7	1,165	650.8	Home Delivery	NA
15	Home Delivery against expected delivery *	11	2.5	5	1.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	98	22.1	82	18.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	11	10.1	5	5.7	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	98	89.9	82	94.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	109		87			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	3	60.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	37.6	43	49.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	435		431			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	110	25.3	87	20.2	BCG	NA
24	Total Still Birth	2	0.5	1	0.2	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	99	90.0	84	96.6	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	12.1	6	7.1	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	99	90.0	84	96.6	Full Immunization	NA
28	Fully immunized	241	55.4	166	38.5		
29	Children who have received BCG	130	29.9	89	20.6		
30	Children who have received Pentavalent 1	248	57.0	139	32.2		
31	Children who have received Pentavalent 3	208	47.8	130	30.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	236	54.2	166	38.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		34			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	1	0	Spacing	NA
36	Number of IUD insertion	21	12	Women using any method	NA
37	Number of IUD removals	16	7	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	258	338		
39	General OPD cases per 10,000 population ***	4912	5854		
40	Ayush OPD cases per 10,000 population ***	343	201		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	67,751					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,046		2,109			
9	Expected number of Delivery	1,897		1,956			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	670	32.8	489	23.2	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	220	32.8	147	30.1	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	132	19.7	133	27.2	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	408	60.9	317	64.8	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	265	39.6	116	23.7	Home Delivery	10.2
15	Home Delivery against expected delivery *	30	1.6	14	0.7	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	348	18.3	298	15.2	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	30	7.9	14	4.5	PNC within 2 days of delivery	67.7
18	Institutional Delivery against reported delivery **	348	92.1	298	95.5	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	378		312			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.7	6	42.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	54.0	122	39.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,860		1,918			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	372	20.0	318	16.6	BCG	85
24	Total Still Birth	6	0.3	10	0.5	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	372	100.0	312	98.1	Measles First dose	76.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	5.9	19	6.1	3 doses of penta or hepatitis B vaccine	65.9
27	Newborns breastfed within 1 hour to total reported live birth.	321	86.3	253	79.6	Full Immunization	66.5
28	Fully immunized	560	30.1	377	19.7		
29	Children who have received BCG	403	21.7	269	14.0		
30	Children who have received Pentavalent 1	522	28.1	401	20.9		
31	Children who have received Pentavalent 3	540	29.0	377	19.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	563	30.3	381	19.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		141			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	4	8	Spacing	2.3
36	Number of IUD insertion	50	23	Women using any method	65.9
37	Number of IUD removals	37	26	Women using modern method	58
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	134	139		
39	General OPD cases per 10,000 population ***	3179	2766		
40	Ayush OPD cases per 10,000 population ***	408	259		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	95,950					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,188		2,187			
9	Expected number of Delivery	2,029		2,028			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,203	100.7	1,491	68.2	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	1,292	58.6	1,033	69.3	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,467	66.6	1,021	68.5	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,967	89.3	1,332	89.3	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	1,783	80.9	602	40.4	Home Delivery	36.4
15	Home Delivery against expected delivery *	405	20.0	206	10.2	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	1,342	66.1	1,283	63.3	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	405	23.2	206	13.8	PNC within 2 days of delivery	51.2
18	Institutional Delivery against reported delivery **	1,342	76.8	1,283	86.2	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	1,747		1,489			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	13.6	35	17.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	431	24.7	272	18.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,989		1,988			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,742	87.6	1,462	73.5	BCG	83.5
24	Total Still Birth	30	1.5	31	1.6	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	1,421	81.6	1,385	94.7	Measles First dose	79.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	105	7.4	93	6.7	3 doses of penta or hepatitis B vaccine	75.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,657	95.1	1,383	94.6	Full Immunization	67.2
28	Fully immunized	1,825	91.8	1,268	63.8		
29	Children who have received BCG	1,938	97.4	1,620	81.5		
30	Children who have received Pentavalent 1	2,007	100.9	1,286	64.7		
31	Children who have received Pentavalent 3	1,929	97.0	1,131	56.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,850	93.0	1,243	62.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	47		41			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	46	83	Spacing	5.2
36	Number of IUD insertion	182	19	Women using any method	69.5
37	Number of IUD removals	16	22	Women using modern method	48.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	256	236		
39	General OPD cases per 10,000 population ***	4822	4974		
40	Ayush OPD cases per 10,000 population ***	517	504		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	4	2		
42	Neonatal Deaths up to 4 weeks of birth	1	2		
43	Total Neonatal Death	5	4		
44	Deaths between (1 - 11) months	5	1		
45	Total reported infant deaths	10	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	2	0		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	420		428			
9	Expected number of Delivery	389		397			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	102	24.3	100	23.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	31	30.4	14	14.0	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	16	15.7	16	16.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	59	57.8	68	68.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	55	53.9	41	41.0	Home Delivery	NA
15	Home Delivery against expected delivery *	5	1.3	7	1.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	15	3.9	21	5.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	5	25.0	7	25.0	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	15	75.0	21	75.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	20		28			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	4	57.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3	15.0	21	75.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	382		389			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	20	5.2	30	7.7	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	22	110.0	31	103.3	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	13.6	2	6.5	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	17	85.0	30	100.0	Full Immunization	NA
28	Fully immunized	62	16.2	52	13.4		
29	Children who have received BCG	28	7.3	68	17.5		
30	Children who have received Pentavalent 1	77	20.2	91	23.4		
31	Children who have received Pentavalent 3	65	17.0	90	23.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	64	16.8	63	16.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	42		42			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	2	Women using any method	NA
37	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	12	59		
39	General OPD cases per 10,000 population ***	1885	2026		
40	Ayush OPD cases per 10,000 population ***	76	82		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,573					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	5,148		5,287			
9	Expected number of Delivery	4,773		4,903			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,567	166.4	7,823	148.0	ANC Check up in first trimester	38.4
11	Mothers registered in the first trimester	736	8.6	1,201	15.4	At least 4 ANC check up	39.3
12	Mothers who had 4 or more ANC check ups	1,011	11.8	1,661	21.2	Neonatal tetanus received	74.0
13	PW who got TT 2 / Booster injection	2,001	23.4	2,017	25.8	100 IFA tablets consumed	24.8
14	PW who consumed 180 IFA tablets	2,050	23.9	2,108	26.9	Home Delivery	12.0
15	Home Delivery against expected delivery *	38	0.8	17	0.3	Institutional Delivery	88.0
16	Institutional Delivery against expected delivery *	5,832	122.2	4,459	91.0	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	38	0.6	17	0.4	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	5,832	99.4	4,459	99.6	Breastfeed within 1 hour of birth	52.9
19	Total reported Deliveries	5,870		4,476			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	68.4	11	64.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	19.9	1,423	31.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,680		4,807			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	5,858	125.2	4,311	89.7	BCG	88.1
24	Total Still Birth	64	1.4	61	1.3	3 dose of DPT	76.3
25	Newborn weighted at birth to live birth	5,869	100.2	4,323	100.3	Measles First dose	77.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	262	4.5	248	5.7	3 doses of penta or hepatitis B vaccine	64.3
27	Newborns breastfed within 1 hour to total reported live birth.	3,455	59.0	2,348	54.5	Full Immunization	60.7
28	Fully immunized	3,033	64.8	2,483	51.7		
29	Children who have received BCG	4,209	89.9	3,630	75.5		
30	Children who have received Pentavalent 1	3,750	80.1	2,829	58.9		
31	Children who have received Pentavalent 3	3,318	70.9	2,281	47.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,040	65.0	2,401	50.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	526		391			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	147	262	Spacing	8.8
36	Number of IUD insertion	189	341	Women using any method	47.7
37	Number of IUD removals	218	162	Women using modern method	41
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	574	569		
39	General OPD cases per 10,000 population ***	11549	15324		
40	Ayush OPD cases per 10,000 population ***	1244	851		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	6	21		
42	Neonatal Deaths up to 4 weeks of birth	6	7		
43	Total Neonatal Death	12	28		
44	Deaths between (1 - 11) months	3	4		
45	Total reported infant deaths	15	32		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	Total reported maternal deaths	2	1		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,310					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	0					
4	Primary Health Centers (PHC)	0					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	262		258			
9	Expected number of Delivery	243		239			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	177	67.5	174	67.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	84	47.5	68	39.1	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	25	14.1	20	11.5	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	106	59.9	97	55.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	111	62.7	77	44.3	Home Delivery	NA
15	Home Delivery against expected delivery *	29	11.9	6	2.5	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	47	19.3	27	11.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	29	38.2	6	18.2	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	47	61.8	27	81.8	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	76		33			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	41.4	1	16.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	21.1	2	6.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	238		234			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	55	23.1	22	9.4	BCG	NA
24	Total Still Birth	0	0.0	1	0.4	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	54	98.2	21	95.5	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.9	1	4.8	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	55	100.0	22	100.0	Full Immunization	NA
28	Fully immunized	171	71.8	133	56.8		
29	Children who have received BCG	114	47.8	59	25.2		
30	Children who have received Pentavalent 1	199	83.5	140	59.8		
31	Children who have received Pentavalent 3	201	84.4	154	65.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	171	71.8	138	58.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	125		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	27	21	Women using any method	NA
37	Number of IUD removals	10	14	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	89	102		
39	General OPD cases per 10,000 population ***	7434	5948		
40	Ayush OPD cases per 10,000 population ***	663	578		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	619		617			
9	Expected number of Delivery	574		572			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	300	48.4	226	36.6	ANC Check up in first trimester	50.8
11	Mothers registered in the first trimester	89	29.7	69	30.5	At least 4 ANC check up	31.1
12	Mothers who had 4 or more ANC check ups	49	16.3	41	18.1	Neonatal tetanus received	78.7
13	PW who got TT 2 / Booster injection	173	57.7	125	55.3	100 IFA tablets consumed	21.5
14	PW who consumed 180 IFA tablets	226	75.3	121	53.5	Home Delivery	18.9
15	Home Delivery against expected delivery *	34	5.9	20	3.5	Institutional Delivery	81.1
16	Institutional Delivery against expected delivery *	85	14.8	63	11.0	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	34	28.6	20	24.1	PNC within 2days of delivery	56.0
18	Institutional Delivery against reported delivery **	85	71.4	63	75.9	Breastfeed within 1 hour of birth	51.4
19	Total reported Deliveries	119		83			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	79.4	13	65.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	7.6	11	13.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	563		561			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	117	20.8	77	13.7	BCG	80.8
24	Total Still Birth	2	0.4	2	0.4	3 dose of DPT	81.1
25	Newborn weighted at birth to live birth	113	96.6	90	116.9	Measles First dose	77.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.8	3	3.3	3 doses of penta or hepatitis B vaccine	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	117	100.0	81	105.2	Full Immunization	60.3
28	Fully immunized	255	45.3	223	39.8		
29	Children who have received BCG	144	25.6	107	19.1		
30	Children who have received Pentavalent 1	299	53.1	211	37.6		
31	Children who have received Pentavalent 3	300	53.3	191	34.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	255	45.3	233	41.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	21		13			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	10	11	Women using any method	73.7
37	Number of IUD removals	1	4	Women using modern method	61
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	253	265		
39	General OPD cases per 10,000 population ***	5055	4157		
40	Ayush OPD cases per 10,000 population ***	371	174		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,265		1,279			
9	Expected number of Delivery	1,173		1,186			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	807	63.8	650	50.8	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	300	37.2	222	34.2	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	181	22.4	146	22.5	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	533	66.0	471	72.5	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	687	85.1	432	66.5	Home Delivery	15.8
15	Home Delivery against expected delivery *	154	13.1	137	11.5	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	452	38.5	293	24.7	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	154	25.4	137	31.9	PNC within 2days of delivery	49.6
18	Institutional Delivery against reported delivery **	452	74.6	293	68.1	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	606		430			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	29.2	38	27.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	257	42.4	136	31.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,150		1,163			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	598	52.0	421	36.2	BCG	93.1
24	Total Still Birth	10	0.9	9	0.8	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	560	93.6	391	92.9	Measles First dose	90.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.4	7	1.8	3 doses of penta or hepatitis B vaccine	77.6
27	Newborns breastfed within 1 hour to total reported live birth.	436	72.9	311	73.9	Full Immunization	67.5
28	Fully immunized	731	63.5	586	50.4		
29	Children who have received BCG	704	61.2	510	43.9		
30	Children who have received Pentavalent 1	752	65.4	563	48.4		
31	Children who have received Pentavalent 3	758	65.9	536	46.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	739	64.2	601	51.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	405		176			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	7	0	Spacing	11.7
36	Number of IUD insertion	98	118	Women using any method	62.1
37	Number of IUD removals	24	18	Women using modern method	56.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	216	185		
39	General OPD cases per 10,000 population ***	5435	4837		
40	Ayush OPD cases per 10,000 population ***	1187	534		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	3	1		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	Total Neonatal Death	6	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	6	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	55,022					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,202		1,196			
9	Expected number of Delivery	1,115		1,109			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,104	91.8	832	69.6	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	556	50.4	323	38.8	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	453	41.0	292	35.1	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	969	87.8	656	78.8	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	940	85.1	403	48.4	Home Delivery	29.8
15	Home Delivery against expected delivery *	213	19.1	145	13.1	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	490	44.0	379	34.2	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	213	30.3	145	27.7	PNC within 2days of delivery	49.8
18	Institutional Delivery against reported delivery **	490	69.7	379	72.3	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	703		524			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	40.4	85	58.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	572	81.4	418	79.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,093		1,087			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	696	63.7	516	47.5	BCG	82.8
24	Total Still Birth	8	0.7	6	0.6	3 dose of DPT	77.4
25	Newborn weighted at birth to live birth	687	98.7	517	100.2	Measles First dose	77.9

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.6	13	2.5	3 doses of penta or hepatitis B vaccine	77.4
27	Newborns breastfed within 1 hour to total reported live birth.	687	98.7	514	99.6	Full Immunization	66.3
28	Fully immunized	830	75.9	584	53.7		
29	Children who have received BCG	839	76.8	516	47.5		
30	Children who have received Pentavalent 1	935	85.5	698	64.2		
31	Children who have received Pentavalent 3	983	89.9	573	52.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	858	78.5	584	53.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	228		143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.6
35	Number of Tubectomies performed	6	10	Spacing	8.1
36	Number of IUD insertion	56	29	Women using any method	56.1
37	Number of IUD removals	34	28	Women using modern method	39.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	167	157		
39	General OPD cases per 10,000 population ***	3873	3085		
40	Ayush OPD cases per 10,000 population ***	941	691		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	732		724			
9	Expected number of Delivery	679		672			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	562	76.7	400	55.2	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	264	47.0	183	45.8	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	196	34.9	156	39.0	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	402	71.5	283	70.8	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	405	72.1	325	81.3	Home Delivery	24.0
15	Home Delivery against expected delivery *	25	3.7	9	1.3	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	278	40.9	191	28.4	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	25	8.3	9	4.5	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	278	91.7	191	95.5	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	303		200			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	60.0	6	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	230	75.9	174	87.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	666		658			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	303	45.5	198	30.1	BCG	86.7
24	Total Still Birth	1	0.2	2	0.3	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	301	99.3	197	99.5	Measles First dose	70

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.0	12	6.1	3 doses of penta or hepatitis B vaccine	63.4
27	Newborns breastfed within 1 hour to total reported live birth.	283	93.4	184	92.9	Full Immunization	61.4
28	Fully immunized	456	68.5	355	53.9		
29	Children who have received BCG	371	55.7	202	30.7		
30	Children who have received Pentavalent 1	443	66.5	294	44.6		
31	Children who have received Pentavalent 3	448	67.3	273	41.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	452	67.9	355	53.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	301		116			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	26	9	Spacing	6.6
36	Number of IUD insertion	52	33	Women using any method	62
37	Number of IUD removals	40	28	Women using modern method	54
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	435	278		
39	General OPD cases per 10,000 population ***	7294	5748		
40	Ayush OPD cases per 10,000 population ***	1007	695		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	2		
45	Total reported infant deaths	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,421		2,500			
9	Expected number of Delivery	2,245		2,318			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,439	100.7	1,636	65.4	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	932	38.2	550	33.6	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	338	13.9	238	14.5	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	731	30.0	541	33.1	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	535	21.9	265	16.2	Home Delivery	23.0
15	Home Delivery against expected delivery *	13	0.6	8	0.3	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	984	43.8	647	27.9	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	13	1.3	8	1.2	PNC within 2days of delivery	56.7
18	Institutional Delivery against reported delivery **	984	98.7	647	98.8	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	997		655			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	76.9	3	37.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	434	43.5	5	0.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,201		2,273			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	977	44.4	641	28.2	BCG	89.8
24	Total Still Birth	19	0.9	10	0.4	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	977	100.0	505	78.8	Measles First dose	84.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	5.7	33	6.5	3 doses of penta or hepatitis B vaccine	72.2
27	Newborns breastfed within 1 hour to total reported live birth.	974	99.7	479	74.7	Full Immunization	68.5
28	Fully immunized	796	36.2	622	27.4		
29	Children who have received BCG	771	35.0	634	27.9		
30	Children who have received Pentavalent 1	874	39.7	733	32.2		
31	Children who have received Pentavalent 3	851	38.7	668	29.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	796	36.2	637	28.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		217			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	77	2	Spacing	8.6
36	Number of IUD insertion	178	126	Women using any method	53.2
37	Number of IUD removals	167	83	Women using modern method	48.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	153	103		
39	General OPD cases per 10,000 population ***	2999	2096		
40	Ayush OPD cases per 10,000 population ***	282	197		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,918		1,917			
9	Expected number of Delivery	1,778		1,777			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,645	85.8	1,169	61.0	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	1,074	65.3	748	64.0	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	707	43.0	547	46.8	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,065	64.7	790	67.6	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	1,010	61.4	660	56.5	Home Delivery	6.4
15	Home Delivery against expected delivery *	7	0.4	15	0.8	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	683	38.4	382	21.5	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	7	1.0	15	3.8	PNC within 2 days of delivery	38.9
18	Institutional Delivery against reported delivery **	683	99.0	382	96.2	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	690		397			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	85.7	8	53.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	14.2	125	31.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,743		1,743			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	688	39.5	394	22.6	BCG	94
24	Total Still Birth	2	0.1	4	0.2	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	677	98.4	385	97.7	Measles First dose	65.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	3.5	25	6.5	3 doses of penta or hepatitis B vaccine	57.4
27	Newborns breastfed within 1 hour to total reported live birth.	677	98.4	383	97.2	Full Immunization	56.2
28	Fully immunized	1,360	78.0	823	47.2		
29	Children who have received BCG	865	49.6	584	33.5		
30	Children who have received Pentavalent 1	1,247	71.5	740	42.5		
31	Children who have received Pentavalent 3	1,115	64.0	744	42.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,364	78.2	765	43.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	334		269			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	12	3	Spacing	13.5
36	Number of IUD insertion	283	159	Women using any method	53.8
37	Number of IUD removals	243	151	Women using modern method	47.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	221	166		
39	General OPD cases per 10,000 population ***	7114	4695		
40	Ayush OPD cases per 10,000 population ***	282	252		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,516					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,196		1,185			
9	Expected number of Delivery	1,109		1,099			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,144	95.7	784	66.1	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	231	20.2	202	25.8	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	567	49.6	744	94.9	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	744	65.0	509	64.9	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	1,078	94.2	729	93.0	Home Delivery	15.4
15	Home Delivery against expected delivery *	25	2.3	13	1.2	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,049	94.6	774	70.4	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	25	2.3	13	1.7	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,049	97.7	774	98.3	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,074		787			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	88.0	13	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	31.3	202	25.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,087		1,078			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,072	98.6	788	73.1	BCG	93.7
24	Total Still Birth	2	0.2	5	0.5	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,059	98.8	790	100.3	Measles First dose	86.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	3.6	65	8.2	3 doses of penta or hepatitis B vaccine	81
27	Newborns breastfed within 1 hour to total reported live birth.	723	67.4	609	77.3	Full Immunization	55.4
28	Fully immunized	843	77.5	696	64.6		
29	Children who have received BCG	1,031	94.8	766	71.1		
30	Children who have received Pentavalent 1	965	88.8	633	58.7		
31	Children who have received Pentavalent 3	897	82.5	568	52.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	843	77.5	697	64.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	188		229			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	97	60	Spacing	8.2
36	Number of IUD insertion	150	140	Women using any method	46.6
37	Number of IUD removals	185	119	Women using modern method	38.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	97	324		
39	General OPD cases per 10,000 population ***	6963	6883		
40	Ayush OPD cases per 10,000 population ***	236	200		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal deaths within 24 hours	1	5		
42	Neonatal Deaths up to 4 weeks of birth	1	2		
43	Total Neonatal Death	2	7		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	2	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		