

## Arunachal Pradesh Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |      |                                   |      |
|--|--|-----------------|------|-----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 13,83,727       |      |                 |      |                                   |      |
| 2  | Sex Ratio  | 920             |      |                 |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |      |                                   |      |
| 3  | Sub Centers (SC)   | 347             |      |                 |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 127             |      |                 |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 57              |      |                 |      |                                   |      |
| 6  | SDH  | 0               |      |                 |      |                                   |      |
| 7  | DH   | 19              |      |                 |      |                                   |      |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |      |                                   |      |
| 8  | Expected number of PW  | 34,303          |      | 34,603          |      |                                   |      |
| 9  | Expected number of Delivery  | 31,808          |      | 32,086          |      |                                   |      |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number          | PC   | Number          | PC   |                                   |      |
| 10   | PW register for ANC  | 31,636          | 92.2 | 32,301          | 93.3 | ANC Check up in first trimester   | 53.1 |
| 11   | Mothers registered in the first trimester  | 11,173          | 35.3 | 12,350          | 38.2 | At least 4 ANC check up           | 36.5 |
| 12   | Mothers who had 4 or more ANC check ups  | 9,329           | 29.5 | 11,524          | 35.7 | Neonatal tetanus received         | 76.9 |
| 13   | PW who got TT 2 / Booster injection  | 17,990          | 56.9 | 19,302          | 59.8 | 100 IFA tablets consumed          | 23.8 |
| 14   | PW who consumed 180 IFA tablets  | 17,189          | 54.3 | 21,375          | 66.2 | Home Delivery                     | 0.0  |
| 15   | Home Delivery against expected delivery *  | 1,754           | 5.5  | 1,906           | 5.9  | Institutional Delivery            | 79.2 |
| 16   | Institutional Delivery against expected delivery *   | 18,260          | 57.4 | 18,492          | 57.6 | Home Delivery by SBA              | 4.0  |
| 17   | Home Delivery against reported delivery **   | 1,754           | 8.8  | 1,906           | 9.3  | PNC within 2days of delivery      | 56.4 |
| 18   | Institutional Delivery against reported delivery **  | 18,260          | 91.2 | 18,492          | 90.7 | Breastfeed within 1 hour of birth | 52.0 |
| 19   | Total reported Deliveries  | 20,014          |      | 20,398          |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 800             | 45.6 | 879             | 46.1 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 7,071           | 35.3 | 6,597           | 32.3 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |      |                                   |      |
| 22   | Expected number of Live Birth  | 31,185          |      | 31,457          |      |                                   |      |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 19,861          | 63.7 | 20,201          | 64.2 | BCG                               | 87.9 |
| 24   | Total Still Birth  | 231             | 0.7  | 242             | 0.8  | 3 dose of DPT                     | 77.7 |
| 25   | Newborn weighted at birth to live birth  | 19,418          | 97.8 | 19,948          | 98.7 | Measles First dose                | 80.7 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 926                    | 4.8                    | 1,073                     | 5.4  | 3 doses of penta or hepatitis B vaccine | 73   |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 16,376                 | 82.5                   | 16,420                    | 81.3 | Full Immunization                       | 64.9 |
| 28   | Fully immunized  | 19,363                 | 62.1                   | 19,685                    | 62.6 |   |      |
| 29   | Children who have received BCG                                       | 20,938                 | 67.1                   | 21,611                    | 68.7 |   |      |
| 30   | Children who have received Pentavalent 1                             | 21,814                 | 70.0                   | 21,743                    | 69.1 |   |      |
| 31   | Children who have received Pentavalent 3                             | 20,406                 | 65.4                   | 19,977                    | 63.5 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 19,545                 | 62.7                   | 19,660                    | 62.5 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 4,436                  |                        | 6,623                     |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 12.5 |   |      |
| 35   | Number of Tubectomies performed                                      | 621                    | 864                    | Spacing                   | 7    |   |      |
| 36   | Number of IUD insertion  | 1,839                  | 1,850                  | Women using any method    | 59.1 |   |      |
| 37   | Number of IUD removals   | 1,268                  | 1,202                  | Women using modern method | 47.2 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 295                    | 351                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 5838                   | 7708                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 651                    | 568                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 32                     | 52                     |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 32                     | 41                     |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 64                     | 93                     |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 26                     | 26                     |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 90                     | 119                    |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 1                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 6                      | 2                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 3                      | 9                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>10</b>              | <b>11</b>              |                           |      |   |      |

## Anjaw Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |      |                                   |      |
|--|--|----------------|------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 21,167         |      |                |      |                                   |      |
| 2  | Sex Ratio  | 805            |      |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 8              |      |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 6              |      |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 4              |      |                |      |                                   |      |
| 6  | SDH  | 0              |      |                |      |                                   |      |
| 7  | DH   | 1              |      |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 471            |      | 470            |      |                                   |      |
| 9  | Expected number of Delivery  | 437            |      | 436            |      |                                   |      |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC   | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 382            | 81.0 | 309            | 65.8 | ANC Check up in first trimester   | 52.0 |
| 11   | Mothers registered in the first trimester  | 158            | 41.4 | 135            | 43.7 | At least 4 ANC check up           | 32.3 |
| 12   | Mothers who had 4 or more ANC check ups  | 58             | 15.2 | 125            | 40.5 | Neonatal tetanus received         | 80.2 |
| 13   | PW who got TT 2 / Booster injection  | 251            | 65.7 | 224            | 72.5 | 100 IFA tablets consumed          | 16.5 |
| 14   | PW who consumed 180 IFA tablets  | 312            | 81.7 | 285            | 92.2 | Home Delivery                     | 22.0 |
| 15   | Home Delivery against expected delivery *  | 24             | 5.5  | 18             | 4.1  | Institutional Delivery            | 78.0 |
| 16   | Institutional Delivery against expected delivery *   | 84             | 19.2 | 58             | 13.3 | Home Delivery by SBA              | 2.0  |
| 17   | Home Delivery against reported delivery **   | 24             | 22.2 | 18             | 23.7 | PNC within 2 days of delivery     | 55.8 |
| 18   | Institutional Delivery against reported delivery **  | 84             | 77.8 | 58             | 76.3 | Breastfeed within 1 hour of birth | 66.5 |
| 19   | Total reported Deliveries  | 108            |      | 76             |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 17             | 70.8 | 12             | 66.7 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 28             | 25.9 | 30             | 39.5 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 429            |      | 427            |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 108            | 25.2 | 75             | 17.6 | BCG                               | 97.7 |
| 24   | Total Still Birth  | 1              | 0.2  | 1              | 0.2  | 3 dose of DPT                     | 95.3 |
| 25   | Newborn weighted at birth to live birth  | 105            | 97.2 | 71             | 94.7 | Measles First dose                | 97.6 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 10                     | 9.5                    | 2                         | 2.8  | 3 doses of penta or hepatitis B vaccine | 85.6 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 106                    | 98.1                   | 71                        | 94.7 | Full Immunization                       | 93   |
| 28   | Fully immunized  | 274                    | 63.9                   | 256                       | 59.9 |   |      |
| 29   | Children who have received BCG                                       | 167                    | 39.0                   | 112                       | 26.2 |   |      |
| 30   | Children who have received Pentavalent 1                             | 298                    | 69.5                   | 269                       | 63.0 |   |      |
| 31   | Children who have received Pentavalent 3                             | 339                    | 79.1                   | 278                       | 65.1 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 290                    | 67.7                   | 260                       | 60.9 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 302                    |                        | 255                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 ( 2019-20)</b>  |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 6.8  |   |      |
| 35   | Number of Tubectomies performed                                      | 0                      | 0                      | Spacing                   | 4.7  |   |      |
| 36   | Number of IUD insertion  | 15                     | 5                      | Women using any method    | 64.7 |   |      |
| 37   | Number of IUD removals   | 10                     | 8                      | Women using modern method | 50.9 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 131                    | 136                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 8127                   | 8872                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1774                   | 744                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 1                      | 0                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 1                      | 0                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 0                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      | 0                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## Changlang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |      |                                   |      |
|--|--|----------------|------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 1,48,226       |      |                |      |                                   |      |
| 2  | Sex Ratio  | 914            |      |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 24             |      |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 7              |      |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 5              |      |                |      |                                   |      |
| 6  | SDH  | 0              |      |                |      |                                   |      |
| 7  | DH   | 1              |      |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 3,426          |      | 3,429          |      |                                   |      |
| 9  | Expected number of Delivery  | 3,177          |      | 3,179          |      |                                   |      |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC   | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 3,120          | 91.1 | 3,185          | 92.9 | ANC Check up in first trimester   | 65.0 |
| 11   | Mothers registered in the first trimester  | 1,012          | 32.4 | 1,152          | 36.2 | At least 4 ANC check up           | 46.9 |
| 12   | Mothers who had 4 or more ANC check ups  | 967            | 31.0 | 996            | 31.3 | Neonatal tetanus received         | 88.1 |
| 13   | PW who got TT 2 / Booster injection  | 2,527          | 81.0 | 2,456          | 77.1 | 100 IFA tablets consumed          | 37.3 |
| 14   | PW who consumed 180 IFA tablets  | 1,927          | 61.8 | 1,641          | 51.5 | Home Delivery                     | 24.9 |
| 15   | Home Delivery against expected delivery *  | 309            | 9.7  | 490            | 15.4 | Institutional Delivery            | 75.1 |
| 16   | Institutional Delivery against expected delivery *   | 1,272          | 40.0 | 1,341          | 42.2 | Home Delivery by SBA              | 6.3  |
| 17   | Home Delivery against reported delivery **   | 309            | 19.5 | 490            | 26.8 | PNC within 2 days of delivery     | 69.7 |
| 18   | Institutional Delivery against reported delivery **  | 1,272          | 80.5 | 1,341          | 73.2 | Breastfeed within 1 hour of birth | 60.7 |
| 19   | Total reported Deliveries  | 1,581          |      | 1,831          |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 154            | 49.8 | 94             | 19.2 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 244            | 15.4 | 336            | 18.4 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 3,114          |      | 3,117          |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 1,574          | 50.5 | 1,822          | 58.5 | BCG                               | 86.1 |
| 24   | Total Still Birth  | 7              | 0.2  | 11             | 0.4  | 3 dose of DPT                     | 84.4 |
| 25   | Newborn weighted at birth to live birth  | 1,571          | 99.8 | 1,805          | 99.1 | Measles First dose                | 84.4 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 68                     | 4.3                    | 80                        | 4.4  | 3 doses of penta or hepatitis B vaccine | 84.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 1,562                  | 99.2                   | 1,804                     | 99.0 | Full Immunization                       | 70.9 |
| 28   | Fully immunized  | 2,391                  | 76.8                   | 2,428                     | 77.9 |   |      |
| 29   | Children who have received BCG                                       | 2,506                  | 80.5                   | 2,281                     | 73.2 |   |      |
| 30   | Children who have received Pentavalent 1                             | 2,773                  | 89.0                   | 2,653                     | 85.1 |   |      |
| 31   | Children who have received Pentavalent 3                             | 2,516                  | 80.8                   | 2,345                     | 75.2 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 2,410                  | 77.4                   | 2,372                     | 76.1 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 121                    |                        | 192                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 6.7  |   |      |
| 35   | Number of Tubectomies performed                                      | 0                      | 57                     | Spacing                   | 3.5  |   |      |
| 36   | Number of IUD insertion  | 48                     | 48                     | Women using any method    | 71.4 |   |      |
| 37   | Number of IUD removals   | 57                     | 35                     | Women using modern method | 46.3 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 184                    | 246                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 2389                   | 3201                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 906                    | 915                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 0                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 2                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 2                      | 0                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 1                      | 2                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 3                      | 2                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 1                      | 1                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 1                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>1</b>               | <b>2</b>               |                           |      |   |      |

## Dibang Valley Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |      |                                   |      |
|--|--|----------------|-------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 8,004          |       |                |      |                                   |      |
| 2  | Sex Ratio  | 808            |       |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 5              |       |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 1              |       |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 0              |       |                |      |                                   |      |
| 6  | SDH  | 0              |       |                |      |                                   |      |
| 7  | DH   | 1              |       |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 171            |       | 170            |      |                                   |      |
| 9  | Expected number of Delivery  | 159            |       | 158            |      |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 134            | 78.2  | 89             | 52.4 | ANC Check up in first trimester   | 60.7 |
| 11   | Mothers registered in the first trimester  | 73             | 54.5  | 39             | 43.8 | At least 4 ANC check up           | 40.4 |
| 12   | Mothers who had 4 or more ANC check ups  | 6              | 4.5   | 1              | 1.1  | Neonatal tetanus received         | 85.2 |
| 13   | PW who got TT 2 / Booster injection  | 69             | 51.5  | 40             | 44.9 | 100 IFA tablets consumed          | 25.4 |
| 14   | PW who consumed 180 IFA tablets  | 99             | 73.9  | 71             | 79.8 | Home Delivery                     | 14.5 |
| 15   | Home Delivery against expected delivery *  | 6              | 3.8   | 3              | 1.9  | Institutional Delivery            | 85.5 |
| 16   | Institutional Delivery against expected delivery *   | 28             | 17.6  | 27             | 17.1 | Home Delivery by SBA              | 3.5  |
| 17   | Home Delivery against reported delivery **   | 6              | 17.6  | 3              | 10.0 | PNC within 2 days of delivery     | 66.2 |
| 18   | Institutional Delivery against reported delivery **  | 28             | 82.4  | 27             | 90.0 | Breastfeed within 1 hour of birth | 66.5 |
| 19   | Total reported Deliveries  | 34             |       | 30             |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 6              | 100.0 | 2              | 66.7 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 5              | 14.7  | 1              | 3.3  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 156            |       | 155            |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 34             | 21.8  | 28             | 18.1 | BCG                               | 97.3 |
| 24   | Total Still Birth  | 0              | 0.0   | 1              | 0.6  | 3 dose of DPT                     | 90.7 |
| 25   | Newborn weighted at birth to live birth  | 19             | 55.9  | 6              | 21.4 | Measles First dose                | 90.7 |

|  |  |                        |      |                        |      |   |      |
|--|--|------------------------|------|------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 0                      | 0.0  | 1                      | 16.7 | 3 doses of penta or hepatitis B vaccine | 84   |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 15                     | 44.1 | 6                      | 21.4 | Full Immunization                       | 90.7 |
| 28   | Fully immunized  | 66                     | 42.4 | 63                     | 40.8 |   |      |
| 29   | Children who have received BCG                                       | 42                     | 27.0 | 35                     | 22.6 |   |      |
| 30   | Children who have received Pentavalent 1                             | 60                     | 38.5 | 60                     | 38.8 |   |      |
| 31   | Children who have received Pentavalent 3                             | 60                     | 38.5 | 66                     | 42.7 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 81                     | 52.0 | 72                     | 46.6 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 10                     |      | 2                      |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |      | 0                      |      | Total unmet need                        | 4.6  |
| 35   | Number of Tubectomies performed                                      | 0                      |      | 0                      |      | Spacing                                 | 3.4  |
| 36   | Number of IUD insertion  | 0                      |      | 0                      |      | Women using any method                  | 69.1 |
| 37   | Number of IUD removals   | 0                      |      | 0                      |      | Women using modern method               | 49.7 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 180                    |      | 95                     |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 8826                   |      | 10976                  |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 518                    |      | 7                      |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 0                      |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |      | 0                      |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |      | 0                      |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 0                      |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |      | 0                      |      |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |      |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |      |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |      |   |      |



## East Kameng Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |       |                                   |      |
|--|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 63,332         |       |                |       |                                   |      |
| 2  | Sex Ratio  | 1,012          |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |       |                                   |      |
| 3  | Sub Centers (SC)   | 16             |       |                |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 8              |       |                |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 1              |       |                |       |                                   |      |
| 6  | SDH  | 0              |       |                |       |                                   |      |
| 7  | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8  | Expected number of PW  | 1,731          |       | 1,766          |       |                                   |      |
| 9  | Expected number of Delivery  | 1,605          |       | 1,637          |       |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC    |                                   |      |
| 10   | PW register for ANC  | 1,316          | 76.0  | 1,592          | 90.2  | ANC Check up in first trimester   | 41.7 |
| 11   | Mothers registered in the first trimester  | 968            | 73.6  | 1,184          | 74.4  | At least 4 ANC check up           | 29.1 |
| 12   | Mothers who had 4 or more ANC check ups  | 928            | 70.5  | 1,592          | 100.0 | Neonatal tetanus received         | 73.1 |
| 13   | PW who got TT 2 / Booster injection  | 1,592          | 121.0 | 2,960          | 185.9 | 100 IFA tablets consumed          | 11.2 |
| 14   | PW who consumed 180 IFA tablets  | 1,314          | 99.8  | 1,592          | 100.0 | Home Delivery                     | 24.0 |
| 15   | Home Delivery against expected delivery *  | 33             | 2.1   | 49             | 3.0   | Institutional Delivery            | 76.0 |
| 16   | Institutional Delivery against expected delivery *   | 890            | 55.4  | 928            | 56.7  | Home Delivery by SBA              | 4.4  |
| 17   | Home Delivery against reported delivery **   | 33             | 3.6   | 49             | 5.0   | PNC within 2 days of delivery     | 53.6 |
| 18   | Institutional Delivery against reported delivery **  | 890            | 96.4  | 928            | 95.0  | Breastfeed within 1 hour of birth | 52.2 |
| 19   | Total reported Deliveries  | 923            |       | 977            |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 23             | 69.7  | 40             | 81.6  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 621            | 67.3  | 159            | 16.3  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |       |                                   |      |
| 22   | Expected number of Live Birth  | 1,574          |       | 1,605          |       |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 918            | 58.3  | 965            | 60.1  | BCG                               | 82.9 |
| 24   | Total Still Birth  | 5              | 0.3   | 12             | 0.7   | 3 dose of DPT                     | 70.7 |
| 25   | Newborn weighted at birth to live birth  | 918            | 100.0 | 965            | 100.0 | Measles First dose                | 77.8 |

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 0                      | 0.0   | 0                      | 0.0   | 3 doses of penta or hepatitis B vaccine | 64.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 918                    | 100.0 | 965                    | 100.0 | Full Immunization                       | 60.8 |
| 28   | Fully immunized  | 936                    | 59.5  | 1,028                  | 64.0  |   |      |
| 29   | Children who have received BCG                                       | 972                    | 61.8  | 1,103                  | 68.7  |   |      |
| 30   | Children who have received Pentavalent 1                             | 981                    | 62.3  | 1,083                  | 67.5  |   |      |
| 31   | Children who have received Pentavalent 3                             | 936                    | 59.5  | 1,028                  | 64.0  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 936                    | 59.5  | 1,028                  | 64.0  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 109                    |       | 207                    |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |       | Total unmet need                        | 9.7  |
| 35   | Number of Tubectomies performed                                      | 0                      |       | 0                      |       | Spacing                                 | 4.7  |
| 36   | Number of IUD insertion  | 97                     |       | 141                    |       | Women using any method                  | 64.9 |
| 37   | Number of IUD removals   | 38                     |       | 30                     |       | Women using modern method               | 57.4 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 208                    |       | 161                    |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 3735                   |       | 3844                   |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 426                    |       | 261                    |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |       | 0                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |       | 0                      |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |       | 0                      |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 1                      |       | 0                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      |       | 0                      |       |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |       |                        |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |       | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |       | 0                      |       |   |      |
| 49   | Due to Bleeding  | 1                      |       | 0                      |       |   |      |
| 50   | Due to High fever  | 0                      |       | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |       | 0                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | 1                      |       | 0                      |       |   |      |

## East Siang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)   |  |                |       |                |       |                                   |      |
|---|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1   | Population 2011  | 70,956         |       |                |       |                                   |      |
| 2   | Sex Ratio  | 962            |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)   |  | Numbers        |       |                |       |                                   |      |
| 3   | Sub Centers (SC)   | 17             |       |                |       |                                   |      |
| 4   | Primary Health Centers (PHC)   | 9              |       |                |       |                                   |      |
| 5   | Community Health Centers (CHC)   | 2              |       |                |       |                                   |      |
| 6   | SDH  | 0              |       |                |       |                                   |      |
| 7   | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:   |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8   | Expected number of PW  | 1,574          |       | 1,568          |       |                                   |      |
| 9   | Expected number of Delivery  | 1,459          |       | 1,454          |       |                                   |      |
|   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|   |  | Number         | PC    | Number         | PC    |                                   |      |
| 10  | PW register for ANC  | 1,616          | 102.7 | 1,880          | 119.9 | ANC Check up in first trimester   | 39.9 |
| 11  | Mothers registered in the first trimester  | 870            | 53.8  | 986            | 52.4  | At least 4 ANC check up           | 34.3 |
| 12  | Mothers who had 4 or more ANC check ups  | 453            | 28.0  | 416            | 22.1  | Neonatal tetanus received         | 75.2 |
| 13  | PW who got TT 2 / Booster injection  | 1,277          | 79.0  | 1,309          | 69.6  | 100 IFA tablets consumed          | 11.4 |
| 14  | PW who consumed 180 IFA tablets  | 1,068          | 66.1  | 1,326          | 70.5  | Home Delivery                     | 9.2  |
| 15  | Home Delivery against expected delivery *  | 91             | 6.2   | 48             | 3.3   | Institutional Delivery            | 90.8 |
| 16  | Institutional Delivery against expected delivery *   | 1,849          | 126.7 | 1,884          | 129.6 | Home Delivery by SBA              | 1.7  |
| 17  | Home Delivery against reported delivery **   | 91             | 4.7   | 48             | 2.5   | PNC within 2 days of delivery     | 55.7 |
| 18  | Institutional Delivery against reported delivery **  | 1,849          | 95.3  | 1,884          | 97.5  | Breastfeed within 1 hour of birth | 49.4 |
| 19  | Total reported Deliveries  | 1,940          |       | 1,932          |       |                                   |      |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 88             | 96.7  | 48             | 100.0 |                                   |      |
| 21  | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,876          | 96.7  | 488            | 25.3  |                                   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                |       |                |       |                                   |      |
| 22  | Expected number of Live Birth  | 1,430          |       | 1,425          |       |                                   |      |
| D) Child Immunization :   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23  | Total reported live births   | 1,905          | 133.2 | 1,890          | 132.6 | BCG                               | 84.8 |
| 24  | Total Still Birth  | 35             | 2.4   | 42             | 2.9   | 3 dose of DPT                     | 71.2 |
| 25  | Newborn weighted at birth to live birth  | 1,907          | 100.1 | 1,920          | 101.6 | Measles First dose                | 81.9 |

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 124                    | 6.5   | 224                    | 11.7  | 3 doses of penta or hepatitis B vaccine | 67.3 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 1,889                  | 99.2  | 1,874                  | 99.2  | Full Immunization                       | 48.8 |
| 28   | Fully immunized  | 1,205                  | 84.2  | 1,258                  | 88.3  |   |      |
| 29   | Children who have received BCG                                       | 1,939                  | 135.6 | 2,078                  | 145.8 |   |      |
| 30   | Children who have received Pentavalent 1                             | 1,353                  | 94.6  | 1,437                  | 100.8 |   |      |
| 31   | Children who have received Pentavalent 3                             | 1,338                  | 93.5  | 1,270                  | 89.1  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 1,208                  | 84.4  | 1,269                  | 89.0  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 43                     |       | 63                     |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |       | Total unmet need                        | 17.6 |
| 35   | Number of Tubectomies performed                                      | 93                     |       | 147                    |       | Spacing                                 | 9.6  |
| 36   | Number of IUD insertion  | 113                    |       | 124                    |       | Women using any method                  | 40   |
| 37   | Number of IUD removals   | 51                     |       | 64                     |       | Women using modern method               | 35.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 997                    |       | 1033                   |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 10380                  |       | 12296                  |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 322                    |       | 400                    |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 13                     |       | 8                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 13                     |       | 23                     |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 26                     |       | 31                     |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 10                     |       | 3                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 36                     |       | 34                     |       |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |       | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |       | 0                      |       |   |      |
| 49   | Due to Bleeding  | 1                      |       | 0                      |       |   |      |
| 50   | Due to High fever  | 0                      |       | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 1                      |       | 5                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>2</b>               |       | <b>5</b>               |       |   |      |

## Kamle Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |      |                                   |    |
|--|--|-----------------|------|-----------------|------|-----------------------------------|----|
| 1  | Population 2011  | 19,697          |      |                 |      |                                   |    |
| 2  | Sex Ratio  | NA              |      |                 |      |                                   |    |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |      |                                   |    |
| 3  | Sub Centers (SC)   | 21              |      |                 |      |                                   |    |
| 4  | Primary Health Centers (PHC)   | 4               |      |                 |      |                                   |    |
| 5  | Community Health Centers (CHC)   | 2               |      |                 |      |                                   |    |
| 6  | SDH  | 0               |      |                 |      |                                   |    |
| 7  | DH   | 0               |      |                 |      |                                   |    |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |      |                                   |    |
| 8  | Expected number of PW  | 595             |      | 613             |      |                                   |    |
| 9  | Expected number of Delivery  | 551             |      | 569             |      |                                   |    |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |    |
|  |  | Number          | PC   | Number          | PC   |                                   |    |
| 10   | PW register for ANC  | 325             | 54.6 | 239             | 39.0 | ANC Check up in first trimester   | NA |
| 11   | Mothers registered in the first trimester  | 108             | 33.2 | 97              | 40.6 | At least 4 ANC check up           | NA |
| 12   | Mothers who had 4 or more ANC check ups  | 14              | 4.3  | 15              | 6.3  | Neonatal tetanus received         | NA |
| 13   | PW who got TT 2 / Booster injection  | 151             | 46.5 | 74              | 31.0 | 100 IFA tablets consumed          | NA |
| 14   | PW who consumed 180 IFA tablets  | 197             | 60.6 | 94              | 39.3 | Home Delivery                     | NA |
| 15   | Home Delivery against expected delivery *  | 16              | 2.9  | 8               | 1.4  | Institutional Delivery            | NA |
| 16   | Institutional Delivery against expected delivery *   | 38              | 6.9  | 31              | 5.5  | Home Delivery by SBA              | NA |
| 17   | Home Delivery against reported delivery **   | 16              | 29.6 | 8               | 20.5 | PNC within 2days of delivery      | NA |
| 18   | Institutional Delivery against reported delivery **  | 38              | 70.4 | 31              | 79.5 | Breastfeed within 1 hour of birth | NA |
| 19   | Total reported Deliveries  | 54              |      | 39              |      |                                   |    |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 4               | 25.0 | 3               | 37.5 |                                   |    |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 16              | 29.6 | 13              | 33.3 |                                   |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |      |                                   |    |
| 22   | Expected number of Live Birth  | 541             |      | 557             |      |                                   |    |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |    |
| 23   | Total reported live births   | 54              | 10.0 | 39              | 7.0  | BCG                               | NA |
| 24   | Total Still Birth  | 0               | 0.0  | 0               | 0.0  | 3 dose of DPT                     | NA |
| 25   | Newborn weighted at birth to live birth  | 50              | 92.6 | 38              | 97.4 | Measles First dose                | NA |

|  |  |                        |      |                        |      |   |    |
|--|--|------------------------|------|------------------------|------|---|----|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 2                      | 4.0  | 2                      | 5.3  | 3 doses of penta or hepatitis B vaccine | NA |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 49                     | 90.7 | 38                     | 97.4 | Full Immunization                       | NA |
| 28   | Fully immunized  | 183                    | 33.8 | 186                    | 33.4 |   |    |
| 29   | Children who have received BCG                                       | 102                    | 18.9 | 63                     | 11.3 |   |    |
| 30   | Children who have received Pentavalent 1                             | 220                    | 40.7 | 172                    | 30.9 |   |    |
| 31   | Children who have received Pentavalent 3                             | 202                    | 37.4 | 175                    | 31.4 |   |    |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 184                    | 34.0 | 186                    | 33.4 |   |    |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 167                    |      | 169                    |      |   |    |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |    |
| 34   | Number of Vasectomies performed                                      | 0                      |      |                        |      | Total unmet need                        | NA |
| 35   | Number of Tubectomies performed                                      | 0                      |      | 0                      |      | Spacing                                 | NA |
| 36   | Number of IUD insertion  | 8                      |      | 0                      |      | Women using any method                  | NA |
| 37   | Number of IUD removals   | 6                      |      | 0                      |      | Women using modern method               | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 38   | IPD cases per 10,000 population ***                                  | 572                    |      | 457                    |      |   |    |
| 39   | General OPD cases per 10,000 population ***                          | 4336                   |      | 4569                   |      |   |    |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1667                   |      | 951                    |      |   |    |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |    |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 0                      |      |   |    |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 1                      |      | 1                      |      |   |    |
| 43   | <b>Total Neonatal Death</b>  | 1                      |      | 1                      |      |   |    |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 1                      |      |   |    |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      |      | 2                      |      |   |    |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |    |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |    |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |    |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |    |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |    |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |    |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |      |   |    |

## Kra Daadi Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)   |  |                |       |                |       |                                   |      |
|---|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1   | Population 2011  | 46,704         |       |                |       |                                   |      |
| 2   | Sex Ratio  | 1,029          |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)   |  | Numbers        |       |                |       |                                   |      |
| 3   | Sub Centers (SC)   | 7              |       |                |       |                                   |      |
| 4   | Primary Health Centers (PHC)   | 6              |       |                |       |                                   |      |
| 5   | Community Health Centers (CHC)   | 0              |       |                |       |                                   |      |
| 6   | SDH  | 0              |       |                |       |                                   |      |
| 7   | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:   |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8   | Expected number of PW  | 2,372          |       | 2,591          |       |                                   |      |
| 9   | Expected number of Delivery  | 2,199          |       | 2,402          |       |                                   |      |
|   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|   |  | Number         | PC    | Number         | PC    |                                   |      |
| 10  | PW register for ANC  | 385            | 16.2  | 308            | 11.9  | ANC Check up in first trimester   | 62.5 |
| 11  | Mothers registered in the first trimester  | 265            | 68.8  | 206            | 66.9  | At least 4 ANC check up           | 18.3 |
| 12  | Mothers who had 4 or more ANC check ups  | 263            | 68.3  | 193            | 62.7  | Neonatal tetanus received         | 55.1 |
| 13  | PW who got TT 2 / Booster injection  | 140            | 36.4  | 106            | 34.4  | 100 IFA tablets consumed          | 12.7 |
| 14  | PW who consumed 180 IFA tablets  | 369            | 95.8  | 302            | 98.1  | Home Delivery                     | 26.5 |
| 15  | Home Delivery against expected delivery *  | 47             | 2.1   | 35             | 1.5   | Institutional Delivery            | 73.5 |
| 16  | Institutional Delivery against expected delivery *   | 97             | 4.4   | 80             | 3.3   | Home Delivery by SBA              | 7.7  |
| 17  | Home Delivery against reported delivery **   | 47             | 32.6  | 35             | 30.4  | PNC within 2 days of delivery     | 34.9 |
| 18  | Institutional Delivery against reported delivery **  | 97             | 67.4  | 80             | 69.6  | Breastfeed within 1 hour of birth | 35.9 |
| 19  | Total reported Deliveries  | 144            |       | 115            |       |                                   |      |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 43             | 91.5  | 33             | 94.3  |                                   |      |
| 21  | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 102            | 70.8  | 96             | 83.5  |                                   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                |       |                |       |                                   |      |
| 22  | Expected number of Live Birth  | 2,156          |       | 2,355          |       |                                   |      |
| D) Child Immunization :   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23  | Total reported live births   | 143            | 6.6   | 116            | 4.9   | BCG                               | 92.2 |
| 24  | Total Still Birth  | 0              | 0.0   | 0              | 0.0   | 3 dose of DPT                     | 71.3 |
| 25  | Newborn weighted at birth to live birth  | 151            | 105.6 | 116            | 100.0 | Measles First dose                | 77.1 |

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 8                      | 5.3   | 2                      | 1.7   | 3 doses of penta or hepatitis B vaccine | 71.3 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 151                    | 105.6 | 116                    | 100.0 | Full Immunization                       | 63.6 |
| 28   | Fully immunized  | 278                    | 12.9  | 300                    | 12.7  |   |      |
| 29   | Children who have received BCG                                       | 293                    | 13.6  | 289                    | 12.3  |   |      |
| 30   | Children who have received Pentavalent 1                             | 301                    | 14.0  | 308                    | 13.1  |   |      |
| 31   | Children who have received Pentavalent 3                             | 297                    | 13.8  | 295                    | 12.5  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 279                    | 12.9  | 332                    | 14.1  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 136                    |       | 84                     |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |       | Total unmet need                        | 16.5 |
| 35   | Number of Tubectomies performed                                      | 0                      |       | 1                      |       | Spacing                                 | 13.1 |
| 36   | Number of IUD insertion  | 39                     |       | 18                     |       | Women using any method                  | 46.1 |
| 37   | Number of IUD removals   | 6                      |       | 11                     |       | Women using modern method               | 39.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 56                     |       | 85                     |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 1109                   |       | 1021                   |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 177                    |       | 69                     |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |       | 0                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |       | 0                      |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |       | 0                      |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      |       | 0                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |       | 0                      |       |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |       | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |       | 0                      |       |   |      |
| 49   | Due to Bleeding  | 0                      |       | 0                      |       |   |      |
| 50   | Due to High fever  | 0                      |       | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |       | 0                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |       | <b>0</b>               |       |   |      |



## Kurung Kumey Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |       |                                   |      |
|--|--|-----------------|------|-----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 45,372          |      |                 |       |                                   |      |
| 2  | Sex Ratio  | 1,029           |      |                 |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |       |                                   |      |
| 3  | Sub Centers (SC)   | 13              |      |                 |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 4               |      |                 |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 2               |      |                 |       |                                   |      |
| 6  | SDH  | 0               |      |                 |       |                                   |      |
| 7  | DH   | 1               |      |                 |       |                                   |      |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |       |                                   |      |
| 8  | Expected number of PW  | 2,304           |      | 2,517           |       |                                   |      |
| 9  | Expected number of Delivery  | 2,136           |      | 2,334           |       |                                   |      |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number          | PC   | Number          | PC    |                                   |      |
| 10   | PW register for ANC  | 690             | 29.9 | 1,102           | 43.8  | ANC Check up in first trimester   | 45.2 |
| 11   | Mothers registered in the first trimester  | 312             | 45.2 | 297             | 27.0  | At least 4 ANC check up           | 44.1 |
| 12   | Mothers who had 4 or more ANC check ups  | 215             | 31.2 | 399             | 36.2  | Neonatal tetanus received         | 77.0 |
| 13   | PW who got TT 2 / Booster injection  | 274             | 39.7 | 174             | 15.8  | 100 IFA tablets consumed          | 23.8 |
| 14   | PW who consumed 180 IFA tablets  | 659             | 95.5 | 1,056           | 95.8  | Home Delivery                     | 30.8 |
| 15   | Home Delivery against expected delivery *  | 48              | 2.2  | 119             | 5.1   | Institutional Delivery            | 69.2 |
| 16   | Institutional Delivery against expected delivery *   | 230             | 10.8 | 376             | 16.1  | Home Delivery by SBA              | 1.6  |
| 17   | Home Delivery against reported delivery **   | 48              | 17.3 | 119             | 24.0  | PNC within 2days of delivery      | 62.3 |
| 18   | Institutional Delivery against reported delivery **  | 230             | 82.7 | 376             | 76.0  | Breastfeed within 1 hour of birth | 39.0 |
| 19   | Total reported Deliveries  | 278             |      | 495             |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 36              | 75.0 | 105             | 88.2  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 208             | 74.8 | 277             | 56.0  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |       |                                   |      |
| 22   | Expected number of Live Birth  | 2,095           |      | 2,288           |       |                                   |      |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 278             | 13.3 | 488             | 21.3  | BCG                               | 100  |
| 24   | Total Still Birth  | 2               | 0.1  | 2               | 0.1   | 3 dose of DPT                     | 86.6 |
| 25   | Newborn weighted at birth to live birth  | 277             | 99.6 | 494             | 101.2 | Measles First dose                | 89.5 |

|  |  |                        |      |                        |       |   |      |
|--|--|------------------------|------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 4                      | 1.4  | 0                      | 0.0   | 3 doses of penta or hepatitis B vaccine | 76.3 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 277                    | 99.6 | 494                    | 101.2 | Full Immunization                       | 71.4 |
| 28   | Fully immunized  | 391                    | 18.7 | 806                    | 35.2  |   |      |
| 29   | Children who have received BCG                                       | 349                    | 16.7 | 566                    | 24.7  |   |      |
| 30   | Children who have received Pentavalent 1                             | 394                    | 18.8 | 591                    | 25.8  |   |      |
| 31   | Children who have received Pentavalent 3                             | 391                    | 18.7 | 730                    | 31.9  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 390                    | 18.6 | 818                    | 35.7  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 361                    |      | 302                    |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |      | 0                      |       | Total unmet need                        | 16.4 |
| 35   | Number of Tubectomies performed                                      | 0                      |      | 0                      |       | Spacing                                 | 7.4  |
| 36   | Number of IUD insertion  | 100                    |      | 48                     |       | Women using any method                  | 54.1 |
| 37   | Number of IUD removals   | 44                     |      | 39                     |       | Women using modern method               | 47.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 93                     |      | 101                    |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 1474                   |      | 1042                   |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1                      |      | 19                     |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 2                      |      | 2                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 3                      |      | 1                      |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 5                      |      | 3                      |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 2                      |      | 0                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 7                      |      | 3                      |       |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |      | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |       |   |      |
| 49   | Due to Bleeding  | 0                      |      | 0                      |       |   |      |
| 50   | Due to High fever  | 0                      |      | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |       |   |      |

## Leparada Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |       |                                   |    |
|--|--|-----------------|------|-----------------|-------|-----------------------------------|----|
| 1  | Population 2011  | 20,152          |      |                 |       |                                   |    |
| 2  | Sex Ratio  | NA              |      |                 |       |                                   |    |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |       |                                   |    |
| 3  | Sub Centers (SC)   | 4               |      |                 |       |                                   |    |
| 4  | Primary Health Centers (PHC)   | 0               |      |                 |       |                                   |    |
| 5  | Community Health Centers (CHC)   | 0               |      |                 |       |                                   |    |
| 6  | SDH  | 0               |      |                 |       |                                   |    |
| 7  | DH   | 0               |      |                 |       |                                   |    |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |       |                                   |    |
| 8  | Expected number of PW  | 426             |      | 423             |       |                                   |    |
| 9  | Expected number of Delivery  | 395             |      | 392             |       |                                   |    |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |    |
|  |  | Number          | PC   | Number          | PC    |                                   |    |
| 10   | PW register for ANC  | 306             | 71.8 | 261             | 61.8  | ANC Check up in first trimester   | NA |
| 11   | Mothers registered in the first trimester  | 136             | 44.4 | 131             | 50.2  | At least 4 ANC check up           | NA |
| 12   | Mothers who had 4 or more ANC check ups  | 90              | 29.4 | 143             | 54.8  | Neonatal tetanus received         | NA |
| 13   | PW who got TT 2 / Booster injection  | 148             | 48.4 | 91              | 34.9  | 100 IFA tablets consumed          | NA |
| 14   | PW who consumed 180 IFA tablets  | 74              | 24.2 | 41              | 15.7  | Home Delivery                     | NA |
| 15   | Home Delivery against expected delivery *  | 15              | 3.8  | 10              | 2.6   | Institutional Delivery            | NA |
| 16   | Institutional Delivery against expected delivery *   | 121             | 30.6 | 107             | 27.3  | Home Delivery by SBA              | NA |
| 17   | Home Delivery against reported delivery **   | 15              | 11.0 | 10              | 8.5   | PNC within 2days of delivery      | NA |
| 18   | Institutional Delivery against reported delivery **  | 121             | 89.0 | 107             | 91.5  | Breastfeed within 1 hour of birth | NA |
| 19   | Total reported Deliveries  | 136             |      | 117             |       |                                   |    |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 8               | 53.3 | 10              | 100.0 |                                   |    |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4               | 2.9  | 0               | 0.0   |                                   |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |       |                                   |    |
| 22   | Expected number of Live Birth  | 388             |      | 384             |       |                                   |    |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |    |
| 23   | Total reported live births   | 135             | 34.8 | 116             | 30.2  | BCG                               | NA |
| 24   | Total Still Birth  | 0               | 0.0  | 1               | 0.3   | 3 dose of DPT                     | NA |
| 25   | Newborn weighted at birth to live birth  | 127             | 94.1 | 115             | 99.1  | Measles First dose                | NA |

|  |  |                        |                        |                           |      |   |    |
|--|--|------------------------|------------------------|---------------------------|------|---|----|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 5                      | 3.9                    | 4                         | 3.5  | 3 doses of penta or hepatitis B vaccine | NA |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 133                    | 98.5                   | 115                       | 99.1 | Full Immunization                       | NA |
| 28   | Fully immunized  | 260                    | 67.1                   | 256                       | 66.6 |   |    |
| 29   | Children who have received BCG                                       | 142                    | 36.6                   | 125                       | 32.5 |   |    |
| 30   | Children who have received Pentavalent 1                             | 242                    | 62.4                   | 239                       | 62.2 |   |    |
| 31   | Children who have received Pentavalent 3                             | 260                    | 67.1                   | 247                       | 64.3 |   |    |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 260                    | 67.1                   | 256                       | 66.6 |   |    |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 0                      |                        | 53                        |      |   |    |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 ( 2019-20)</b>  |      |   |    |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | NA   |   |    |
| 35   | Number of Tubectomies performed                                      | 0                      | 0                      | Spacing                   | NA   |   |    |
| 36   | Number of IUD insertion  | 13                     | 21                     | Women using any method    | NA   |   |    |
| 37   | Number of IUD removals   | 13                     | 11                     | Women using modern method | NA   |   |    |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |    |
| 38   | IPD cases per 10,000 population ***                                  | 216                    | 247                    |                           |      |   |    |
| 39   | General OPD cases per 10,000 population ***                          | 7104                   | 6468                   |                           |      |   |    |
| 40   | Ayush OPD cases per 10,000 population ***                            | 393                    | 355                    |                           |      |   |    |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |    |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |    |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 0                      |                           |      |   |    |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |    |
| 43   | <b>Total Neonatal Death</b>  | 0                      | 0                      |                           |      |   |    |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 0                      |                           |      |   |    |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      | 0                      |                           |      |   |    |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |    |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |    |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |    |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |    |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |    |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |    |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |    |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |    |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |    |

## Lohit Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |       |                                   |      |
|--|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 49,776         |       |                |       |                                   |      |
| 2  | Sex Ratio  | 901            |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |       |                                   |      |
| 3  | Sub Centers (SC)   | 12             |       |                |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 4              |       |                |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 2              |       |                |       |                                   |      |
| 6  | SDH  | 0              |       |                |       |                                   |      |
| 7  | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8  | Expected number of PW  | 1,135          |       | 1,134          |       |                                   |      |
| 9  | Expected number of Delivery  | 1,052          |       | 1,052          |       |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC    |                                   |      |
| 10   | PW register for ANC  | 1,214          | 107.0 | 1,069          | 94.2  | ANC Check up in first trimester   | 66.9 |
| 11   | Mothers registered in the first trimester  | 534            | 44.0  | 470            | 44.0  | At least 4 ANC check up           | 39.6 |
| 12   | Mothers who had 4 or more ANC check ups  | 752            | 61.9  | 438            | 41.0  | Neonatal tetanus received         | 74.6 |
| 13   | PW who got TT 2 / Booster injection  | 711            | 58.6  | 699            | 65.4  | 100 IFA tablets consumed          | 34.1 |
| 14   | PW who consumed 180 IFA tablets  | 659            | 54.3  | 636            | 59.5  | Home Delivery                     | 9.8  |
| 15   | Home Delivery against expected delivery *  | 19             | 1.8   | 11             | 1.0   | Institutional Delivery            | 90.2 |
| 16   | Institutional Delivery against expected delivery *   | 1,239          | 117.7 | 970            | 92.2  | Home Delivery by SBA              | 2.6  |
| 17   | Home Delivery against reported delivery **   | 19             | 1.5   | 11             | 1.1   | PNC within 2 days of delivery     | 66.2 |
| 18   | Institutional Delivery against reported delivery **  | 1,239          | 98.5  | 970            | 98.9  | Breastfeed within 1 hour of birth | 52.3 |
| 19   | Total reported Deliveries  | 1,258          |       | 981            |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 13             | 68.4  | 0              | 0.0   |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 42             | 3.3   | 851            | 86.7  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |       |                                   |      |
| 22   | Expected number of Live Birth  | 1,032          |       | 1,031          |       |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 1,241          | 120.3 | 971            | 94.2  | BCG                               | 95.9 |
| 24   | Total Still Birth  | 31             | 3.0   | 17             | 1.6   | 3 dose of DPT                     | 86.8 |
| 25   | Newborn weighted at birth to live birth  | 1,242          | 100.1 | 971            | 100.0 | Measles First dose                | 87.6 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 112                    | 9.0                    | 70                        | 7.2  | 3 doses of penta or hepatitis B vaccine | 83.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 915                    | 73.7                   | 875                       | 90.1 | Full Immunization                       | 74   |
| 28   | Fully immunized  | 807                    | 78.2                   | 714                       | 69.2 |   |      |
| 29   | Children who have received BCG                                       | 1,285                  | 124.5                  | 999                       | 96.9 |   |      |
| 30   | Children who have received Pentavalent 1                             | 886                    | 85.9                   | 786                       | 76.2 |   |      |
| 31   | Children who have received Pentavalent 3                             | 805                    | 78.0                   | 721                       | 69.9 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 800                    | 77.5                   | 702                       | 68.1 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 169                    |                        | 1,990                     |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 14.6 |   |      |
| 35   | Number of Tubectomies performed                                      | 80                     | 40                     | Spacing                   | 7.3  |   |      |
| 36   | Number of IUD insertion  | 58                     | 58                     | Women using any method    | 57   |   |      |
| 37   | Number of IUD removals   | 30                     | 14                     | Women using modern method | 43.5 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 565                    | 455                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 8108                   | 7472                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 569                    | 404                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 1                      | 0                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 1                      | 0                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 3                      | 3                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 4                      | 3                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## Longding Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |       |                                   |      |
|--|--|-----------------|------|-----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 56,953          |      |                 |       |                                   |      |
| 2  | Sex Ratio  | 931             |      |                 |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |       |                                   |      |
| 3  | Sub Centers (SC)   | 5               |      |                 |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 1               |      |                 |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 2               |      |                 |       |                                   |      |
| 6  | SDH  | 0               |      |                 |       |                                   |      |
| 7  | DH   | 0               |      |                 |       |                                   |      |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |       |                                   |      |
| 8  | Expected number of PW  | 1,244           |      | 1,238           |       |                                   |      |
| 9  | Expected number of Delivery  | 1,154           |      | 1,148           |       |                                   |      |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number          | PC   | Number          | PC    |                                   |      |
| 10   | PW register for ANC  | 1,019           | 81.9 | 1,266           | 102.3 | ANC Check up in first trimester   | 65.8 |
| 11   | Mothers registered in the first trimester  | 511             | 50.1 | 373             | 29.5  | At least 4 ANC check up           | 39.6 |
| 12   | Mothers who had 4 or more ANC check ups  | 180             | 17.7 | 301             | 23.8  | Neonatal tetanus received         | 78.4 |
| 13   | PW who got TT 2 / Booster injection  | 833             | 81.7 | 970             | 76.6  | 100 IFA tablets consumed          | 33.4 |
| 14   | PW who consumed 180 IFA tablets  | 651             | 63.9 | 824             | 65.1  | Home Delivery                     | 35.5 |
| 15   | Home Delivery against expected delivery *  | 92              | 8.0  | 267             | 23.3  | Institutional Delivery            | 64.5 |
| 16   | Institutional Delivery against expected delivery *   | 363             | 31.5 | 477             | 41.6  | Home Delivery by SBA              | 0.9  |
| 17   | Home Delivery against reported delivery **   | 92              | 20.2 | 267             | 35.9  | PNC within 2days of delivery      | 57.1 |
| 18   | Institutional Delivery against reported delivery **  | 363             | 79.8 | 477             | 64.1  | Breastfeed within 1 hour of birth | 58.0 |
| 19   | Total reported Deliveries  | 455             |      | 744             |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 33              | 35.9 | 107             | 40.1  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 40              | 8.8  | 145             | 19.5  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |       |                                   |      |
| 22   | Expected number of Live Birth  | 1,131           |      | 1,125           |       |                                   |      |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 455             | 40.2 | 733             | 65.1  | BCG                               | 74.5 |
| 24   | Total Still Birth  | 2               | 0.2  | 11              | 1.0   | 3 dose of DPT                     | 59.7 |
| 25   | Newborn weighted at birth to live birth  | 434             | 95.4 | 599             | 81.7  | Measles First dose                | 61.5 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 7                      | 1.6                    | 1                         | 0.2  | 3 doses of penta or hepatitis B vaccine | 59.7 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 451                    | 99.1                   | 688                       | 93.9 | Full Immunization                       | 52.7 |
| 28   | Fully immunized  | 683                    | 60.4                   | 697                       | 61.9 |   |      |
| 29   | Children who have received BCG                                       | 882                    | 78.0                   | 880                       | 78.2 |   |      |
| 30   | Children who have received Pentavalent 1                             | 1,043                  | 92.2                   | 1,068                     | 94.9 |   |      |
| 31   | Children who have received Pentavalent 3                             | 828                    | 73.2                   | 891                       | 79.2 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 744                    | 65.8                   | 711                       | 63.2 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 248                    |                        | 533                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 ( 2019-20)</b>  |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 7.3  |   |      |
| 35   | Number of Tubectomies performed                                      | 0                      | 0                      | Spacing                   | 4.5  |   |      |
| 36   | Number of IUD insertion  | 30                     | 7                      | Women using any method    | 68.6 |   |      |
| 37   | Number of IUD removals   | 4                      | 7                      | Women using modern method | 49   |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 67                     | 151                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 2771                   | 4651                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 570                    | 473                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 1                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      | 1                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 3                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      | 4                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 1                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>1</b>               |                           |      |   |      |



## Lower Dibang Valley Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |      |                                   |      |
|--|--|----------------|-------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 54,080         |       |                |      |                                   |      |
| 2  | Sex Ratio  | 919            |       |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 13             |       |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 4              |       |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 4              |       |                |      |                                   |      |
| 6  | SDH  | 0              |       |                |      |                                   |      |
| 7  | DH   | 1              |       |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 1,134          |       | 1,123          |      |                                   |      |
| 9  | Expected number of Delivery  | 1,051          |       | 1,041          |      |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 1,156          | 101.9 | 1,066          | 94.9 | ANC Check up in first trimester   | 56.3 |
| 11   | Mothers registered in the first trimester  | 302            | 26.1  | 353            | 33.1 | At least 4 ANC check up           | 48.6 |
| 12   | Mothers who had 4 or more ANC check ups  | 217            | 18.8  | 222            | 20.8 | Neonatal tetanus received         | 87.5 |
| 13   | PW who got TT 2 / Booster injection  | 675            | 58.4  | 681            | 63.9 | 100 IFA tablets consumed          | 25.8 |
| 14   | PW who consumed 180 IFA tablets  | 192            | 16.6  | 190            | 17.8 | Home Delivery                     | 9.9  |
| 15   | Home Delivery against expected delivery *  | 65             | 6.2   | 26             | 2.5  | Institutional Delivery            | 90.1 |
| 16   | Institutional Delivery against expected delivery *   | 346            | 32.9  | 371            | 35.6 | Home Delivery by SBA              | 3.6  |
| 17   | Home Delivery against reported delivery **   | 65             | 15.8  | 26             | 6.5  | PNC within 2 days of delivery     | 58.6 |
| 18   | Institutional Delivery against reported delivery **  | 346            | 84.2  | 371            | 93.5 | Breastfeed within 1 hour of birth | 59.8 |
| 19   | Total reported Deliveries  | 411            |       | 397            |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 52             | 80.0  | 23             | 88.5 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 85             | 20.7  | 89             | 22.4 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 1,031          |       | 1,021          |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 408            | 39.6  | 392            | 38.4 | BCG                               | 89.2 |
| 24   | Total Still Birth  | 2              | 0.2   | 5              | 0.5  | 3 dose of DPT                     | 77   |
| 25   | Newborn weighted at birth to live birth  | 406            | 99.5  | 389            | 99.2 | Measles First dose                | 84.4 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 28                     | 6.9                    | 27                        | 6.9  | 3 doses of penta or hepatitis B vaccine | 79.2 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 409                    | 100.2                  | 386                       | 98.5 | Full Immunization                       | 73.8 |
| 28   | Fully immunized  | 726                    | 70.4                   | 804                       | 78.8 |   |      |
| 29   | Children who have received BCG                                       | 712                    | 69.1                   | 673                       | 65.9 |   |      |
| 30   | Children who have received Pentavalent 1                             | 945                    | 91.7                   | 815                       | 79.8 |   |      |
| 31   | Children who have received Pentavalent 3                             | 821                    | 79.6                   | 804                       | 78.8 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 732                    | 71.0                   | 805                       | 78.9 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 129                    |                        | 123                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 4.9  |   |      |
| 35   | Number of Tubectomies performed                                      | 25                     | 9                      | Spacing                   | 4.6  |   |      |
| 36   | Number of IUD insertion  | 22                     | 35                     | Women using any method    | 75.3 |   |      |
| 37   | Number of IUD removals   | 18                     | 27                     | Women using modern method | 56.4 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 155                    | 158                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 7784                   | 9306                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 254                    | 300                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 1                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 1                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 1                      | 1                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 0                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      | 1                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## Lower Siang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |       |                                   |    |
|--|--|----------------|-------|----------------|-------|-----------------------------------|----|
| 1  | Population 2011  | 22,630         |       |                |       |                                   |    |
| 2  | Sex Ratio  | NA             |       |                |       |                                   |    |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |       |                                   |    |
| 3  | Sub Centers (SC)   | 3              |       |                |       |                                   |    |
| 4  | Primary Health Centers (PHC)   | 5              |       |                |       |                                   |    |
| 5  | Community Health Centers (CHC)   | 1              |       |                |       |                                   |    |
| 6  | SDH  | 0              |       |                |       |                                   |    |
| 7  | DH   | 1              |       |                |       |                                   |    |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |       |                                   |    |
| 8  | Expected number of PW  | 479            |       | 475            |       |                                   |    |
| 9  | Expected number of Delivery  | 444            |       | 440            |       |                                   |    |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |    |
|  |  | Number         | PC    | Number         | PC    |                                   |    |
| 10   | PW register for ANC  | 253            | 52.8  | 254            | 53.5  | ANC Check up in first trimester   | NA |
| 11   | Mothers registered in the first trimester  | 115            | 45.5  | 181            | 71.3  | At least 4 ANC check up           | NA |
| 12   | Mothers who had 4 or more ANC check ups  | 44             | 17.4  | 60             | 23.6  | Neonatal tetanus received         | NA |
| 13   | PW who got TT 2 / Booster injection  | 184            | 72.7  | 190            | 74.8  | 100 IFA tablets consumed          | NA |
| 14   | PW who consumed 180 IFA tablets  | 523            | 206.7 | 253            | 99.6  | Home Delivery                     | NA |
| 15   | Home Delivery against expected delivery *  | 11             | 2.5   | 7              | 1.6   | Institutional Delivery            | NA |
| 16   | Institutional Delivery against expected delivery *   | 98             | 22.1  | 98             | 22.3  | Home Delivery by SBA              | NA |
| 17   | Home Delivery against reported delivery **   | 11             | 10.1  | 7              | 6.7   | PNC within 2 days of delivery     | NA |
| 18   | Institutional Delivery against reported delivery **  | 98             | 89.9  | 98             | 93.3  | Breastfeed within 1 hour of birth | NA |
| 19   | Total reported Deliveries  | 109            |       | 105            |       |                                   |    |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 9              | 81.8  | 7              | 100.0 |                                   |    |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 41             | 37.6  | 51             | 48.6  |                                   |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |       |                                   |    |
| 22   | Expected number of Live Birth  | 435            |       | 431            |       |                                   |    |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |    |
| 23   | Total reported live births   | 110            | 25.3  | 104            | 24.1  | BCG                               | NA |
| 24   | Total Still Birth  | 2              | 0.5   | 1              | 0.2   | 3 dose of DPT                     | NA |
| 25   | Newborn weighted at birth to live birth  | 99             | 90.0  | 104            | 100.0 | Measles First dose                | NA |

|  |  |                        |      |                        |      |   |    |
|--|--|------------------------|------|------------------------|------|---|----|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 12                     | 12.1 | 0                      | 0.0  | 3 doses of penta or hepatitis B vaccine | NA |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 99                     | 90.0 | 103                    | 99.0 | Full Immunization                       | NA |
| 28   | Fully immunized  | 241                    | 55.4 | 205                    | 47.5 |   |    |
| 29   | Children who have received BCG                                       | 130                    | 29.9 | 114                    | 26.4 |   |    |
| 30   | Children who have received Pentavalent 1                             | 248                    | 57.0 | 195                    | 45.2 |   |    |
| 31   | Children who have received Pentavalent 3                             | 208                    | 47.8 | 196                    | 45.4 |   |    |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 236                    | 54.2 | 208                    | 48.2 |   |    |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 63                     |      | 45                     |      |   |    |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b> |  |                        |      |                        |      |   |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |    |
| 34   | Number of Vasectomies performed                                      | 0                      |      | 0                      |      | Total unmet need                        | NA |
| 35   | Number of Tubectomies performed                                      | 1                      |      | 0                      |      | Spacing                                 | NA |
| 36   | Number of IUD insertion  | 21                     |      | 15                     |      | Women using any method                  | NA |
| 37   | Number of IUD removals   | 16                     |      | 9                      |      | Women using modern method               | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 38   | IPD cases per 10,000 population ***                                  | 258                    |      | 448                    |      |   |    |
| 39   | General OPD cases per 10,000 population ***                          | 4912                   |      | 7946                   |      |   |    |
| 40   | Ayush OPD cases per 10,000 population ***                            | 343                    |      | 264                    |      |   |    |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |    |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 1                      |      |   |    |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 1                      |      | 0                      |      |   |    |
| 43   | <b>Total Neonatal Death</b>  | 1                      |      | 1                      |      |   |    |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 0                      |      |   |    |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      |      | 1                      |      |   |    |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |    |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |    |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |    |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |    |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |    |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |    |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |      |   |    |

## Lower Subansiri Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)   |  |                |       |                |       |                                   |      |
|---|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1   | Population 2011  | 67,751         |       |                |       |                                   |      |
| 2   | Sex Ratio  | 975            |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)   |  | Numbers        |       |                |       |                                   |      |
| 3   | Sub Centers (SC)   | 22             |       |                |       |                                   |      |
| 4   | Primary Health Centers (PHC)   | 5              |       |                |       |                                   |      |
| 5   | Community Health Centers (CHC)   | 2              |       |                |       |                                   |      |
| 6   | SDH  | 0              |       |                |       |                                   |      |
| 7   | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:   |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8   | Expected number of PW  | 2,046          |       | 2,109          |       |                                   |      |
| 9   | Expected number of Delivery  | 1,897          |       | 1,956          |       |                                   |      |
|   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|   |  | Number         | PC    | Number         | PC    |                                   |      |
| 10  | PW register for ANC  | 670            | 32.8  | 628            | 29.8  | ANC Check up in first trimester   | 53.4 |
| 11  | Mothers registered in the first trimester  | 220            | 32.8  | 213            | 33.9  | At least 4 ANC check up           | 39.1 |
| 12  | Mothers who had 4 or more ANC check ups  | 132            | 19.7  | 173            | 27.5  | Neonatal tetanus received         | 82.3 |
| 13  | PW who got TT 2 / Booster injection  | 408            | 60.9  | 418            | 66.6  | 100 IFA tablets consumed          | 15.2 |
| 14  | PW who consumed 180 IFA tablets  | 265            | 39.6  | 136            | 21.7  | Home Delivery                     | 10.2 |
| 15  | Home Delivery against expected delivery *  | 30             | 1.6   | 26             | 1.3   | Institutional Delivery            | 89.8 |
| 16  | Institutional Delivery against expected delivery *   | 348            | 18.3  | 371            | 19.0  | Home Delivery by SBA              | 2.8  |
| 17  | Home Delivery against reported delivery **   | 30             | 7.9   | 26             | 6.5   | PNC within 2 days of delivery     | 67.7 |
| 18  | Institutional Delivery against reported delivery **  | 348            | 92.1  | 371            | 93.5  | Breastfeed within 1 hour of birth | 52.5 |
| 19  | Total reported Deliveries  | 378            |       | 397            |       |                                   |      |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 5              | 16.7  | 10             | 38.5  |                                   |      |
| 21  | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 204            | 54.0  | 139            | 35.0  |                                   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                |       |                |       |                                   |      |
| 22  | Expected number of Live Birth  | 1,860          |       | 1,918          |       |                                   |      |
| D) Child Immunization :   |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23  | Total reported live births   | 372            | 20.0  | 383            | 20.0  | BCG                               | 85   |
| 24  | Total Still Birth  | 6              | 0.3   | 14             | 0.7   | 3 dose of DPT                     | 69.6 |
| 25  | Newborn weighted at birth to live birth  | 372            | 100.0 | 391            | 102.1 | Measles First dose                | 76.5 |

|  |  |                        |      |                        |      |   |      |
|--|--|------------------------|------|------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 22                     | 5.9  | 30                     | 7.7  | 3 doses of penta or hepatitis B vaccine | 65.9 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 321                    | 86.3 | 320                    | 83.6 | Full Immunization                       | 66.5 |
| 28   | Fully immunized  | 560                    | 30.1 | 512                    | 26.7 |   |      |
| 29   | Children who have received BCG                                       | 403                    | 21.7 | 343                    | 17.9 |   |      |
| 30   | Children who have received Pentavalent 1                             | 522                    | 28.1 | 511                    | 26.6 |   |      |
| 31   | Children who have received Pentavalent 3                             | 540                    | 29.0 | 529                    | 27.6 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 563                    | 30.3 | 516                    | 26.9 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 169                    |      | 205                    |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |      | 0                      |      | Total unmet need                        | 8.5  |
| 35   | Number of Tubectomies performed                                      | 4                      |      | 10                     |      | Spacing                                 | 2.3  |
| 36   | Number of IUD insertion  | 50                     |      | 36                     |      | Women using any method                  | 65.9 |
| 37   | Number of IUD removals   | 37                     |      | 37                     |      | Women using modern method               | 58   |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 134                    |      | 171                    |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 3179                   |      | 3659                   |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 408                    |      | 357                    |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 4                      |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |      | 0                      |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |      | 4                      |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 1                      |      | 0                      |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      |      | 4                      |      |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |      |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |      |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 1                      |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | 0                      |      | 1                      |      |   |      |

## Namsai Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)   |  |                |       |                |      |                                   |      |
|---|--|----------------|-------|----------------|------|-----------------------------------|------|
| 1   | Population 2011  | 95,950         |       |                |      |                                   |      |
| 2   | Sex Ratio  | 901            |       |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)   |  | Numbers        |       |                |      |                                   |      |
| 3   | Sub Centers (SC)   | 15             |       |                |      |                                   |      |
| 4   | Primary Health Centers (PHC)   | 4              |       |                |      |                                   |      |
| 5   | Community Health Centers (CHC)   | 2              |       |                |      |                                   |      |
| 6   | SDH  | 0              |       |                |      |                                   |      |
| 7   | DH   | 1              |       |                |      |                                   |      |
| C) Maternal Health:   |  | 2020-21        |       | 2021-22        |      |                                   |      |
| 8   | Expected number of PW  | 2,188          |       | 2,187          |      |                                   |      |
| 9   | Expected number of Delivery  | 2,029          |       | 2,028          |      |                                   |      |
|   |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|   |  | Number         | PC    | Number         | PC   |                                   |      |
| 10  | PW register for ANC  | 2,203          | 100.7 | 2,021          | 92.4 | ANC Check up in first trimester   | 61.6 |
| 11  | Mothers registered in the first trimester  | 1,292          | 58.6  | 1,407          | 69.6 | At least 4 ANC check up           | 35.4 |
| 12  | Mothers who had 4 or more ANC check ups  | 1,467          | 66.6  | 1,317          | 65.2 | Neonatal tetanus received         | 76.7 |
| 13  | PW who got TT 2 / Booster injection  | 1,967          | 89.3  | 1,767          | 87.4 | 100 IFA tablets consumed          | 33.6 |
| 14  | PW who consumed 180 IFA tablets  | 1,783          | 80.9  | 998            | 49.4 | Home Delivery                     | 36.4 |
| 15  | Home Delivery against expected delivery *  | 405            | 20.0  | 265            | 13.1 | Institutional Delivery            | 63.6 |
| 16  | Institutional Delivery against expected delivery *   | 1,342          | 66.1  | 1,710          | 84.3 | Home Delivery by SBA              | 6.4  |
| 17  | Home Delivery against reported delivery **   | 405            | 23.2  | 265            | 13.4 | PNC within 2 days of delivery     | 51.2 |
| 18  | Institutional Delivery against reported delivery **  | 1,342          | 76.8  | 1,710          | 86.6 | Breastfeed within 1 hour of birth | 47.4 |
| 19  | Total reported Deliveries  | 1,747          |       | 1,975          |      |                                   |      |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 55             | 13.6  | 117            | 44.2 |                                   |      |
| 21  | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 431            | 24.7  | 421            | 21.3 |                                   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                |       |                |      |                                   |      |
| 22  | Expected number of Live Birth  | 1,989          |       | 1,988          |      |                                   |      |
| D) Child Immunization :   |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23  | Total reported live births   | 1,742          | 87.6  | 1,938          | 97.5 | BCG                               | 83.5 |
| 24  | Total Still Birth  | 30             | 1.5   | 39             | 2.0  | 3 dose of DPT                     | 80.7 |
| 25  | Newborn weighted at birth to live birth  | 1,421          | 81.6  | 1,871          | 96.5 | Measles First dose                | 79.3 |

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 105                    | 7.4   | 111                    | 5.9   | 3 doses of penta or hepatitis B vaccine | 75.1 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 1,657                  | 95.1  | 1,865                  | 96.2  | Full Immunization                       | 67.2 |
| 28   | Fully immunized  | 1,825                  | 91.8  | 1,597                  | 80.3  |   |      |
| 29   | Children who have received BCG                                       | 1,938                  | 97.4  | 2,266                  | 114.0 |   |      |
| 30   | Children who have received Pentavalent 1                             | 2,007                  | 100.9 | 1,837                  | 92.4  |   |      |
| 31   | Children who have received Pentavalent 3                             | 1,929                  | 97.0  | 1,642                  | 82.6  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 1,850                  | 93.0  | 1,576                  | 79.3  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 47                     |       | 56                     |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |       | Total unmet need                        | 8.7  |
| 35   | Number of Tubectomies performed                                      | 46                     |       | 137                    |       | Spacing                                 | 5.2  |
| 36   | Number of IUD insertion  | 182                    |       | 29                     |       | Women using any method                  | 69.5 |
| 37   | Number of IUD removals   | 16                     |       | 25                     |       | Women using modern method               | 48.1 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 256                    |       | 321                    |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 4822                   |       | 6186                   |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 517                    |       | 676                    |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 4                      |       | 2                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 1                      |       | 2                      |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 5                      |       | 4                      |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 5                      |       | 3                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 10                     |       | 7                      |       |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |       | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 1                      |       | 0                      |       |   |      |
| 49   | Due to Bleeding  | 1                      |       | 1                      |       |   |      |
| 50   | Due to High fever  | 0                      |       | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |       | 0                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | 2                      |       | 1                      |       |   |      |



## Pakke-Kessang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |       |                                   |    |
|--|--|----------------|-------|----------------|-------|-----------------------------------|----|
| 1  | Population 2011  | 15,358         |       |                |       |                                   |    |
| 2  | Sex Ratio  | NA             |       |                |       |                                   |    |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |       |                                   |    |
| 3  | Sub Centers (SC)   | 10             |       |                |       |                                   |    |
| 4  | Primary Health Centers (PHC)   | 3              |       |                |       |                                   |    |
| 5  | Community Health Centers (CHC)   | 2              |       |                |       |                                   |    |
| 6  | SDH  | 0              |       |                |       |                                   |    |
| 7  | DH   | 0              |       |                |       |                                   |    |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |       |                                   |    |
| 8  | Expected number of PW  | 420            |       | 428            |       |                                   |    |
| 9  | Expected number of Delivery  | 389            |       | 397            |       |                                   |    |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |    |
|  |  | Number         | PC    | Number         | PC    |                                   |    |
| 10   | PW register for ANC  | 102            | 24.3  | 140            | 32.7  | ANC Check up in first trimester   | NA |
| 11   | Mothers registered in the first trimester  | 31             | 30.4  | 21             | 15.0  | At least 4 ANC check up           | NA |
| 12   | Mothers who had 4 or more ANC check ups  | 16             | 15.7  | 20             | 14.3  | Neonatal tetanus received         | NA |
| 13   | PW who got TT 2 / Booster injection  | 59             | 57.8  | 84             | 60.0  | 100 IFA tablets consumed          | NA |
| 14   | PW who consumed 180 IFA tablets  | 55             | 53.9  | 63             | 45.0  | Home Delivery                     | NA |
| 15   | Home Delivery against expected delivery *  | 5              | 1.3   | 11             | 2.8   | Institutional Delivery            | NA |
| 16   | Institutional Delivery against expected delivery *   | 15             | 3.9   | 33             | 8.3   | Home Delivery by SBA              | NA |
| 17   | Home Delivery against reported delivery **   | 5              | 25.0  | 11             | 25.0  | PNC within 2 days of delivery     | NA |
| 18   | Institutional Delivery against reported delivery **  | 15             | 75.0  | 33             | 75.0  | Breastfeed within 1 hour of birth | NA |
| 19   | Total reported Deliveries  | 20             |       | 44             |       |                                   |    |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 5              | 100.0 | 7              | 63.6  |                                   |    |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3              | 15.0  | 38             | 86.4  |                                   |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |       |                                   |    |
| 22   | Expected number of Live Birth  | 382            |       | 389            |       |                                   |    |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |    |
| 23   | Total reported live births   | 20             | 5.2   | 42             | 10.8  | BCG                               | NA |
| 24   | Total Still Birth  | 0              | 0.0   | 0              | 0.0   | 3 dose of DPT                     | NA |
| 25   | Newborn weighted at birth to live birth  | 22             | 110.0 | 42             | 100.0 | Measles First dose                | NA |

|  |  |                        |      |                        |      |   |    |
|--|--|------------------------|------|------------------------|------|---|----|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 3                      | 13.6 | 0                      | 0.0  | 3 doses of penta or hepatitis B vaccine | NA |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 17                     | 85.0 | 41                     | 97.6 | Full Immunization                       | NA |
| 28   | Fully immunized  | 62                     | 16.2 | 67                     | 17.2 |   |    |
| 29   | Children who have received BCG                                       | 28                     | 7.3  | 106                    | 27.2 |   |    |
| 30   | Children who have received Pentavalent 1                             | 77                     | 20.2 | 146                    | 37.5 |   |    |
| 31   | Children who have received Pentavalent 3                             | 65                     | 17.0 | 144                    | 37.0 |   |    |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 64                     | 16.8 | 97                     | 24.9 |   |    |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 42                     |      | 63                     |      |   |    |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |    |
| 34   | Number of Vasectomies performed                                      | 0                      |      |                        |      | Total unmet need                        | NA |
| 35   | Number of Tubectomies performed                                      | 0                      |      | 0                      |      | Spacing                                 | NA |
| 36   | Number of IUD insertion  | 0                      |      | 2                      |      | Women using any method                  | NA |
| 37   | Number of IUD removals   | 0                      |      |                        |      | Women using modern method               | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 38   | IPD cases per 10,000 population ***                                  | 12                     |      | 59                     |      |   |    |
| 39   | General OPD cases per 10,000 population ***                          | 1885                   |      | 2787                   |      |   |    |
| 40   | Ayush OPD cases per 10,000 population ***                            | 76                     |      | 94                     |      |   |    |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |    |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 0                      |      |   |    |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |      | 0                      |      |   |    |
| 43   | <b>Total Neonatal Death</b>  | 0                      |      | 0                      |      |   |    |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 0                      |      |   |    |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |      | 0                      |      |   |    |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |    |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |    |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |    |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |    |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |    |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |    |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |    |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |      |   |    |

## Papum Pare Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |       |                                   |      |
|--|--|----------------|-------|----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 1,76,573       |       |                |       |                                   |      |
| 2  | Sex Ratio  | 950            |       |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |       |                                   |      |
| 3  | Sub Centers (SC)   | 37             |       |                |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 16             |       |                |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 4              |       |                |       |                                   |      |
| 6  | SDH  | 0              |       |                |       |                                   |      |
| 7  | DH   | 1              |       |                |       |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |       |                                   |      |
| 8  | Expected number of PW  | 5,148          |       | 5,287          |       |                                   |      |
| 9  | Expected number of Delivery  | 4,773          |       | 4,903          |       |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC    |                                   |      |
| 10   | PW register for ANC  | 8,567          | 166.4 | 9,112          | 172.3 | ANC Check up in first trimester   | 38.4 |
| 11   | Mothers registered in the first trimester  | 736            | 8.6   | 1,967          | 21.6  | At least 4 ANC check up           | 39.3 |
| 12   | Mothers who had 4 or more ANC check ups  | 1,011          | 11.8  | 2,313          | 25.4  | Neonatal tetanus received         | 74.0 |
| 13   | PW who got TT 2 / Booster injection  | 2,001          | 23.4  | 2,442          | 26.8  | 100 IFA tablets consumed          | 24.8 |
| 14   | PW who consumed 180 IFA tablets  | 2,050          | 23.9  | 7,535          | 82.7  | Home Delivery                     | 12.0 |
| 15   | Home Delivery against expected delivery *  | 38             | 0.8   | 24             | 0.5   | Institutional Delivery            | 88.0 |
| 16   | Institutional Delivery against expected delivery *   | 5,832          | 122.2 | 5,993          | 122.2 | Home Delivery by SBA              | 1.1  |
| 17   | Home Delivery against reported delivery **   | 38             | 0.6   | 24             | 0.4   | PNC within 2 days of delivery     | 53.2 |
| 18   | Institutional Delivery against reported delivery **  | 5,832          | 99.4  | 5,993          | 99.6  | Breastfeed within 1 hour of birth | 52.9 |
| 19   | Total reported Deliveries  | 5,870          |       | 6,017          |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 26             | 68.4  | 17             | 70.8  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,169          | 19.9  | 1,962          | 32.6  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |       |                                   |      |
| 22   | Expected number of Live Birth  | 4,680          |       | 4,807          |       |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 5,858          | 125.2 | 6,026          | 125.4 | BCG                               | 88.1 |
| 24   | Total Still Birth  | 64             | 1.4   | 40             | 0.8   | 3 dose of DPT                     | 76.3 |
| 25   | Newborn weighted at birth to live birth  | 5,869          | 100.2 | 6,006          | 99.7  | Measles First dose                | 77.3 |

|  |  |                        |                        |                           |       |   |      |
|--|--|------------------------|------------------------|---------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 262                    | 4.5                    | 302                       | 5.0   | 3 doses of penta or hepatitis B vaccine | 64.3 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 3,455                  | 59.0                   | 3,220                     | 53.4  | Full Immunization                       | 60.7 |
| 28   | Fully immunized  | 3,033                  | 64.8                   | 3,219                     | 67.0  |   |      |
| 29   | Children who have received BCG                                       | 4,209                  | 89.9                   | 5,068                     | 105.4 |   |      |
| 30   | Children who have received Pentavalent 1                             | 3,750                  | 80.1                   | 4,030                     | 83.8  |   |      |
| 31   | Children who have received Pentavalent 3                             | 3,318                  | 70.9                   | 3,359                     | 69.9  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 3,040                  | 65.0                   | 3,171                     | 66.0  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 526                    |                        | 542                       |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |       |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 20.3  |   |      |
| 35   | Number of Tubectomies performed                                      | 147                    | 341                    | Spacing                   | 8.8   |   |      |
| 36   | Number of IUD insertion  | 189                    | 429                    | Women using any method    | 47.7  |   |      |
| 37   | Number of IUD removals   | 218                    | 263                    | Women using modern method | 41    |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 574                    | 759                    |                           |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 11549                  | 20475                  |                           |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1244                   | 1122                   |                           |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 6                      | 25                     |                           |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 6                      | 9                      |                           |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 12                     | 34                     |                           |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 3                      | 6                      |                           |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 15                     | 40                     |                           |       |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |       |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |       |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |       |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 2                      | 1                      |                           |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>2</b>               | <b>1</b>               |                           |       |   |      |

## Shi Yomi Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |      |                                   |    |
|--|--|----------------|------|----------------|------|-----------------------------------|----|
| 1  | Population 2011  | 13,310         |      |                |      |                                   |    |
| 2  | Sex Ratio  | NA             |      |                |      |                                   |    |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |      |                                   |    |
| 3  | Sub Centers (SC)   | 0              |      |                |      |                                   |    |
| 4  | Primary Health Centers (PHC)   | 2              |      |                |      |                                   |    |
| 5  | Community Health Centers (CHC)   | 1              |      |                |      |                                   |    |
| 6  | SDH  | 0              |      |                |      |                                   |    |
| 7  | DH   | 0              |      |                |      |                                   |    |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |      |                                   |    |
| 8  | Expected number of PW  | 262            |      | 258            |      |                                   |    |
| 9  | Expected number of Delivery  | 243            |      | 239            |      |                                   |    |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |    |
|  |  | Number         | PC   | Number         | PC   |                                   |    |
| 10   | PW register for ANC  | 177            | 67.5 | 257            | 99.7 | ANC Check up in first trimester   | NA |
| 11   | Mothers registered in the first trimester  | 84             | 47.5 | 98             | 38.1 | At least 4 ANC check up           | NA |
| 12   | Mothers who had 4 or more ANC check ups  | 25             | 14.1 | 26             | 10.1 | Neonatal tetanus received         | NA |
| 13   | PW who got TT 2 / Booster injection  | 106            | 59.9 | 181            | 70.4 | 100 IFA tablets consumed          | NA |
| 14   | PW who consumed 180 IFA tablets  | 111            | 62.7 | 99             | 38.5 | Home Delivery                     | NA |
| 15   | Home Delivery against expected delivery *  | 29             | 11.9 | 9              | 3.8  | Institutional Delivery            | NA |
| 16   | Institutional Delivery against expected delivery *   | 47             | 19.3 | 36             | 15.1 | Home Delivery by SBA              | NA |
| 17   | Home Delivery against reported delivery **   | 29             | 38.2 | 9              | 20.0 | PNC within 2 days of delivery     | NA |
| 18   | Institutional Delivery against reported delivery **  | 47             | 61.8 | 36             | 80.0 | Breastfeed within 1 hour of birth | NA |
| 19   | Total reported Deliveries  | 76             |      | 45             |      |                                   |    |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 12             | 41.4 | 3              | 33.3 |                                   |    |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 16             | 21.1 | 2              | 4.4  |                                   |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |      |                                   |    |
| 22   | Expected number of Live Birth  | 238            |      | 234            |      |                                   |    |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |    |
| 23   | Total reported live births   | 55             | 23.1 | 33             | 14.1 | BCG                               | NA |
| 24   | Total Still Birth  | 0              | 0.0  | 1              | 0.4  | 3 dose of DPT                     | NA |
| 25   | Newborn weighted at birth to live birth  | 54             | 98.2 | 29             | 87.9 | Measles First dose                | NA |

|  |  |                        |       |                        |      |   |    |
|--|--|------------------------|-------|------------------------|------|---|----|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 1                      | 1.9   | 1                      | 3.4  | 3 doses of penta or hepatitis B vaccine | NA |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 55                     | 100.0 | 30                     | 90.9 | Full Immunization                       | NA |
| 28   | Fully immunized  | 171                    | 71.8  | 183                    | 78.1 |   |    |
| 29   | Children who have received BCG                                       | 114                    | 47.8  | 83                     | 35.4 |   |    |
| 30   | Children who have received Pentavalent 1                             | 199                    | 83.5  | 200                    | 85.4 |   |    |
| 31   | Children who have received Pentavalent 3                             | 201                    | 84.4  | 202                    | 86.2 |   |    |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 171                    | 71.8  | 190                    | 81.1 |   |    |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 125                    |       | 171                    |      |   |    |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |      |   |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |    |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |      | Total unmet need                        | NA |
| 35   | Number of Tubectomies performed                                      | 0                      |       | 0                      |      | Spacing                                 | NA |
| 36   | Number of IUD insertion  | 27                     |       | 24                     |      | Women using any method                  | NA |
| 37   | Number of IUD removals   | 10                     |       | 17                     |      | Women using modern method               | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |      |   |    |
| 38   | IPD cases per 10,000 population ***                                  | 89                     |       | 117                    |      |   |    |
| 39   | General OPD cases per 10,000 population ***                          | 7434                   |       | 7686                   |      |   |    |
| 40   | Ayush OPD cases per 10,000 population ***                            | 663                    |       | 769                    |      |   |    |
| <b>G) Mortality Details</b>  |  |                        |       |                        |      |   |    |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |      |   |    |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |       | 0                      |      |   |    |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |       | 0                      |      |   |    |
| 43   | <b>Total Neonatal Death</b>  | 0                      |       | 0                      |      |   |    |
| 44   | Deaths between (1 - 11) months                                       | 0                      |       | 0                      |      |   |    |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |       | 0                      |      |   |    |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |      |   |    |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |      |   |    |
| 46   | Due to Abortion  | 0                      |       | 0                      |      |   |    |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |      |   |    |
| 48   | Due to Severe hypertension/fits                                      | 0                      |       | 0                      |      |   |    |
| 49   | Due to Bleeding  | 0                      |       | 0                      |      |   |    |
| 50   | Due to High fever  | 0                      |       | 0                      |      |   |    |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |       | 0                      |      |   |    |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |       | <b>0</b>               |      |   |    |

## Siang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |       |                                   |      |
|--|--|-----------------|------|-----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 27,924          |      |                 |       |                                   |      |
| 2  | Sex Ratio  | 962             |      |                 |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |       |                                   |      |
| 3  | Sub Centers (SC)   | 27              |      |                 |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 7               |      |                 |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 3               |      |                 |       |                                   |      |
| 6  | SDH  | 0               |      |                 |       |                                   |      |
| 7  | DH   | 0               |      |                 |       |                                   |      |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |       |                                   |      |
| 8  | Expected number of PW  | 619             |      | 617             |       |                                   |      |
| 9  | Expected number of Delivery  | 574             |      | 572             |       |                                   |      |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number          | PC   | Number          | PC    |                                   |      |
| 10   | PW register for ANC  | 300             | 48.4 | 295             | 47.8  | ANC Check up in first trimester   | 50.8 |
| 11   | Mothers registered in the first trimester  | 89              | 29.7 | 92              | 31.2  | At least 4 ANC check up           | 31.1 |
| 12   | Mothers who had 4 or more ANC check ups  | 49              | 16.3 | 57              | 19.3  | Neonatal tetanus received         | 78.7 |
| 13   | PW who got TT 2 / Booster injection  | 173             | 57.7 | 153             | 51.9  | 100 IFA tablets consumed          | 21.5 |
| 14   | PW who consumed 180 IFA tablets  | 226             | 75.3 | 170             | 57.6  | Home Delivery                     | 18.9 |
| 15   | Home Delivery against expected delivery *  | 34              | 5.9  | 28              | 4.9   | Institutional Delivery            | 81.1 |
| 16   | Institutional Delivery against expected delivery *   | 85              | 14.8 | 78              | 13.6  | Home Delivery by SBA              | 2.1  |
| 17   | Home Delivery against reported delivery **   | 34              | 28.6 | 28              | 26.4  | PNC within 2days of delivery      | 56.0 |
| 18   | Institutional Delivery against reported delivery **  | 85              | 71.4 | 78              | 73.6  | Breastfeed within 1 hour of birth | 51.4 |
| 19   | Total reported Deliveries  | 119             |      | 106             |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 27              | 79.4 | 20              | 71.4  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 9               | 7.6  | 11              | 10.4  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |       |                                   |      |
| 22   | Expected number of Live Birth  | 563             |      | 561             |       |                                   |      |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 117             | 20.8 | 106             | 18.9  | BCG                               | 80.8 |
| 24   | Total Still Birth  | 2               | 0.4  | 2               | 0.4   | 3 dose of DPT                     | 81.1 |
| 25   | Newborn weighted at birth to live birth  | 113             | 96.6 | 106             | 100.0 | Measles First dose                | 77.5 |

|  |  |                        |       |                        |       |   |      |
|--|--|------------------------|-------|------------------------|-------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 2                      | 1.8   | 2                      | 1.9   | 3 doses of penta or hepatitis B vaccine | 74.7 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 117                    | 100.0 | 106                    | 100.0 | Full Immunization                       | 60.3 |
| 28   | Fully immunized  | 255                    | 45.3  | 294                    | 52.4  |   |      |
| 29   | Children who have received BCG                                       | 144                    | 25.6  | 147                    | 26.2  |   |      |
| 30   | Children who have received Pentavalent 1                             | 299                    | 53.1  | 303                    | 54.0  |   |      |
| 31   | Children who have received Pentavalent 3                             | 300                    | 53.3  | 296                    | 52.8  |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 255                    | 45.3  | 319                    | 56.9  |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 21                     |       | 13                     |       |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |       |                        |       |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |       | 0                      |       | Total unmet need                        | 5    |
| 35   | Number of Tubectomies performed                                      | 0                      |       | 0                      |       | Spacing                                 | 2.4  |
| 36   | Number of IUD insertion  | 10                     |       | 12                     |       | Women using any method                  | 73.7 |
| 37   | Number of IUD removals   | 1                      |       | 4                      |       | Women using modern method               | 61   |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 253                    |       | 318                    |       |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 5055                   |       | 5394                   |       |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 371                    |       | 189                    |       |   |      |
| <b>G) Mortality Details</b>  |  |                        |       |                        |       |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |       | 0                      |       |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |       | 0                      |       |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |       | 0                      |       |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      |       | 0                      |       |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |       | 0                      |       |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |       | <b>HMIS ( 2021-22)</b> |       |   |      |
| 46   | Due to Abortion  | 0                      |       | 0                      |       |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |       | 0                      |       |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |       | 0                      |       |   |      |
| 49   | Due to Bleeding  | 0                      |       | 0                      |       |   |      |
| 50   | Due to High fever  | 0                      |       | 0                      |       |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |       | 0                      |       |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |       | <b>0</b>               |       |   |      |



## Tawang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)   |  |                 |      |                 |      |                                   |      |
|---|--|-----------------|------|-----------------|------|-----------------------------------|------|
| 1   | Population 2011  | 49,977          |      |                 |      |                                   |      |
| 2   | Sex Ratio  | 701             |      |                 |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)   |  | Numbers         |      |                 |      |                                   |      |
| 3   | Sub Centers (SC)   | 12              |      |                 |      |                                   |      |
| 4   | Primary Health Centers (PHC)   | 6               |      |                 |      |                                   |      |
| 5   | Community Health Centers (CHC)   | 2               |      |                 |      |                                   |      |
| 6   | SDH  | 0               |      |                 |      |                                   |      |
| 7   | DH   | 1               |      |                 |      |                                   |      |
| C) Maternal Health:   |  | 2020-21         |      | 2021-22         |      |                                   |      |
| 8   | Expected number of PW  | 1,265           |      | 1,279           |      |                                   |      |
| 9   | Expected number of Delivery  | 1,173           |      | 1,186           |      |                                   |      |
|   |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 ( 2019-20)                 |      |
|   |  | Number          | PC   | Number          | PC   |                                   |      |
| 10  | PW register for ANC  | 807             | 63.8 | 844             | 66.0 | ANC Check up in first trimester   | 79.9 |
| 11  | Mothers registered in the first trimester  | 300             | 37.2 | 276             | 32.7 | At least 4 ANC check up           | 37.6 |
| 12  | Mothers who had 4 or more ANC check ups  | 181             | 22.4 | 188             | 22.3 | Neonatal tetanus received         | 85.3 |
| 13  | PW who got TT 2 / Booster injection  | 533             | 66.0 | 607             | 71.9 | 100 IFA tablets consumed          | 28.2 |
| 14  | PW who consumed 180 IFA tablets  | 687             | 85.1 | 540             | 64.0 | Home Delivery                     | 15.8 |
| 15  | Home Delivery against expected delivery *  | 154             | 13.1 | 179             | 15.1 | Institutional Delivery            | 84.2 |
| 16  | Institutional Delivery against expected delivery *   | 452             | 38.5 | 359             | 30.3 | Home Delivery by SBA              | 5.7  |
| 17  | Home Delivery against reported delivery **   | 154             | 25.4 | 179             | 33.3 | PNC within 2days of delivery      | 49.6 |
| 18  | Institutional Delivery against reported delivery **  | 452             | 74.6 | 359             | 66.7 | Breastfeed within 1 hour of birth | 60.6 |
| 19  | Total reported Deliveries  | 606             |      | 538             |      |                                   |      |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 45              | 29.2 | 47              | 26.3 |                                   |      |
| 21  | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 257             | 42.4 | 182             | 33.8 |                                   |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey. |  |                 |      |                 |      |                                   |      |
| 22  | Expected number of Live Birth  | 1,150           |      | 1,163           |      |                                   |      |
| D) Child Immunization :   |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 ( 2019-20)                 |      |
| 23  | Total reported live births   | 598             | 52.0 | 531             | 45.7 | BCG                               | 93.1 |
| 24  | Total Still Birth  | 10              | 0.9  | 10              | 0.9  | 3 dose of DPT                     | 81.9 |
| 25  | Newborn weighted at birth to live birth  | 560             | 93.6 | 518             | 97.6 | Measles First dose                | 90.8 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 19                     | 3.4                    | 16                        | 3.1  | 3 doses of penta or hepatitis B vaccine | 77.6 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 436                    | 72.9                   | 427                       | 80.4 | Full Immunization                       | 67.5 |
| 28   | Fully immunized  | 731                    | 63.5                   | 746                       | 64.1 |   |      |
| 29   | Children who have received BCG                                       | 704                    | 61.2                   | 657                       | 56.5 |   |      |
| 30   | Children who have received Pentavalent 1                             | 752                    | 65.4                   | 729                       | 62.7 |   |      |
| 31   | Children who have received Pentavalent 3                             | 758                    | 65.9                   | 746                       | 64.1 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 739                    | 64.2                   | 756                       | 65.0 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 405                    |                        | 274                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 ( 2019-20)</b>  |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 14.6 |   |      |
| 35   | Number of Tubectomies performed                                      | 7                      | 0                      | Spacing                   | 11.7 |   |      |
| 36   | Number of IUD insertion  | 98                     | 136                    | Women using any method    | 62.1 |   |      |
| 37   | Number of IUD removals   | 24                     | 22                     | Women using modern method | 56.3 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 216                    | 229                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 5435                   | 6127                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1187                   | 720                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 3                      | 1                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 3                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 6                      | 1                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 1                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 6                      | 2                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## Tirap Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                 |      |                 |      |                                   |      |
|--|--|-----------------|------|-----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 55,022          |      |                 |      |                                   |      |
| 2  | Sex Ratio  | 931             |      |                 |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers         |      |                 |      |                                   |      |
| 3  | Sub Centers (SC)   | 9               |      |                 |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 7               |      |                 |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 1               |      |                 |      |                                   |      |
| 6  | SDH  | 0               |      |                 |      |                                   |      |
| 7  | DH   | 1               |      |                 |      |                                   |      |
| C) Maternal Health:  |  | 2020-21         |      | 2021-22         |      |                                   |      |
| 8  | Expected number of PW  | 1,202           |      | 1,196           |      |                                   |      |
| 9  | Expected number of Delivery  | 1,115           |      | 1,109           |      |                                   |      |
|  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number          | PC   | Number          | PC   |                                   |      |
| 10   | PW register for ANC  | 1,104           | 91.8 | 948             | 79.3 | ANC Check up in first trimester   | 59.3 |
| 11   | Mothers registered in the first trimester  | 556             | 50.4 | 411             | 43.4 | At least 4 ANC check up           | 35.7 |
| 12   | Mothers who had 4 or more ANC check ups  | 453             | 41.0 | 385             | 40.6 | Neonatal tetanus received         | 73.9 |
| 13   | PW who got TT 2 / Booster injection  | 969             | 87.8 | 831             | 87.7 | 100 IFA tablets consumed          | 27.4 |
| 14   | PW who consumed 180 IFA tablets  | 940             | 85.1 | 729             | 76.9 | Home Delivery                     | 29.8 |
| 15   | Home Delivery against expected delivery *  | 213             | 19.1 | 196             | 17.7 | Institutional Delivery            | 70.2 |
| 16   | Institutional Delivery against expected delivery *   | 490             | 44.0 | 488             | 44.0 | Home Delivery by SBA              | 4.6  |
| 17   | Home Delivery against reported delivery **   | 213             | 30.3 | 196             | 28.7 | PNC within 2days of delivery      | 49.8 |
| 18   | Institutional Delivery against reported delivery **  | 490             | 69.7 | 488             | 71.3 | Breastfeed within 1 hour of birth | 72.0 |
| 19   | Total reported Deliveries  | 703             |      | 684             |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 86              | 40.4 | 117             | 59.7 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 572             | 81.4 | 669             | 97.8 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                 |      |                 |      |                                   |      |
| 22   | Expected number of Live Birth  | 1,093           |      | 1,087           |      |                                   |      |
| D) Child Immunization :  |  | HMIS ( 2020-21) |      | HMIS ( 2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 696             | 63.7 | 677             | 62.3 | BCG                               | 82.8 |
| 24   | Total Still Birth  | 8               | 0.7  | 8               | 0.7  | 3 dose of DPT                     | 77.4 |
| 25   | Newborn weighted at birth to live birth  | 687             | 98.7 | 675             | 99.7 | Measles First dose                | 77.9 |

|  |  |                        |      |                        |      |   |      |
|--|--|------------------------|------|------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 11                     | 1.6  | 26                     | 3.9  | 3 doses of penta or hepatitis B vaccine | 77.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 687                    | 98.7 | 675                    | 99.7 | Full Immunization                       | 66.3 |
| 28   | Fully immunized  | 830                    | 75.9 | 788                    | 72.5 |   |      |
| 29   | Children who have received BCG                                       | 839                    | 76.8 | 712                    | 65.5 |   |      |
| 30   | Children who have received Pentavalent 1                             | 935                    | 85.5 | 980                    | 90.1 |   |      |
| 31   | Children who have received Pentavalent 3                             | 983                    | 89.9 | 835                    | 76.8 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 858                    | 78.5 | 788                    | 72.5 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 228                    |      | 180                    |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |      |                        |      | Total unmet need                        | 10.6 |
| 35   | Number of Tubectomies performed                                      | 6                      |      | 13                     |      | Spacing                                 | 8.1  |
| 36   | Number of IUD insertion  | 56                     |      | 27                     |      | Women using any method                  | 56.1 |
| 37   | Number of IUD removals   | 34                     |      | 42                     |      | Women using modern method               | 39.4 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 167                    |      | 219                    |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 3873                   |      | 4188                   |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 941                    |      | 809                    |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 1                      |      | 1                      |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |      | 1                      |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 1                      |      | 2                      |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 1                      |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 1                      |      | 3                      |      |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |      |
| 49   | Due to Bleeding  | 1                      |      | 0                      |      |   |      |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>1</b>               |      | <b>0</b>               |      |   |      |

## Upper Siang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |       |                                   |      |
|--|--|----------------|------|----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 35,320         |      |                |       |                                   |      |
| 2  | Sex Ratio  | 891            |      |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |       |                                   |      |
| 3  | Sub Centers (SC)   | 13             |      |                |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 2              |      |                |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 4              |      |                |       |                                   |      |
| 6  | SDH  | 0              |      |                |       |                                   |      |
| 7  | DH   | 1              |      |                |       |                                   |      |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |       |                                   |      |
| 8  | Expected number of PW  | 732            |      | 724            |       |                                   |      |
| 9  | Expected number of Delivery  | 679            |      | 672            |       |                                   |      |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC   | Number         | PC    |                                   |      |
| 10   | PW register for ANC  | 562            | 76.7 | 580            | 80.1  | ANC Check up in first trimester   | 54.5 |
| 11   | Mothers registered in the first trimester  | 264            | 47.0 | 253            | 43.6  | At least 4 ANC check up           | 34.0 |
| 12   | Mothers who had 4 or more ANC check ups  | 196            | 34.9 | 220            | 37.9  | Neonatal tetanus received         | 73.5 |
| 13   | PW who got TT 2 / Booster injection  | 402            | 71.5 | 357            | 61.6  | 100 IFA tablets consumed          | 12.6 |
| 14   | PW who consumed 180 IFA tablets  | 405            | 72.1 | 468            | 80.7  | Home Delivery                     | 24.0 |
| 15   | Home Delivery against expected delivery *  | 25             | 3.7  | 19             | 2.8   | Institutional Delivery            | 76.0 |
| 16   | Institutional Delivery against expected delivery *   | 278            | 40.9 | 259            | 38.6  | Home Delivery by SBA              | 3.3  |
| 17   | Home Delivery against reported delivery **   | 25             | 8.3  | 19             | 6.8   | PNC within 2 days of delivery     | 56.4 |
| 18   | Institutional Delivery against reported delivery **  | 278            | 91.7 | 259            | 93.2  | Breastfeed within 1 hour of birth | 28.2 |
| 19   | Total reported Deliveries  | 303            |      | 278            |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 15             | 60.0 | 15             | 78.9  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 230            | 75.9 | 207            | 74.5  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |       |                                   |      |
| 22   | Expected number of Live Birth  | 666            |      | 658            |       |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 303            | 45.5 | 276            | 41.9  | BCG                               | 86.7 |
| 24   | Total Still Birth  | 1              | 0.2  | 2              | 0.3   | 3 dose of DPT                     | 68.4 |
| 25   | Newborn weighted at birth to live birth  | 301            | 99.3 | 277            | 100.4 | Measles First dose                | 70   |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 3                      | 1.0                    | 14                        | 5.1  | 3 doses of penta or hepatitis B vaccine | 63.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 283                    | 93.4                   | 256                       | 92.8 | Full Immunization                       | 61.4 |
| 28   | Fully immunized  | 456                    | 68.5                   | 471                       | 71.5 |   |      |
| 29   | Children who have received BCG                                       | 371                    | 55.7                   | 278                       | 42.2 |   |      |
| 30   | Children who have received Pentavalent 1                             | 443                    | 66.5                   | 408                       | 62.0 |   |      |
| 31   | Children who have received Pentavalent 3                             | 448                    | 67.3                   | 403                       | 61.2 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 452                    | 67.9                   | 471                       | 71.5 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 301                    |                        | 155                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 11.9 |   |      |
| 35   | Number of Tubectomies performed                                      | 26                     | 19                     | Spacing                   | 6.6  |   |      |
| 36   | Number of IUD insertion  | 52                     | 45                     | Women using any method    | 62   |   |      |
| 37   | Number of IUD removals   | 40                     | 40                     | Women using modern method | 54   |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 435                    | 342                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 7294                   | 7508                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 1007                   | 822                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 0                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      | 0                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 2                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      | 2                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## Upper Subansiri Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |       |                |      |                                   |      |
|--|--|----------------|-------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 79,030         |       |                |      |                                   |      |
| 2  | Sex Ratio  | 982            |       |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |       |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 20             |       |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 5              |       |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 4              |       |                |      |                                   |      |
| 6  | SDH  | 0              |       |                |      |                                   |      |
| 7  | DH   | 1              |       |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |       | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 2,421          |       | 2,500          |      |                                   |      |
| 9  | Expected number of Delivery  | 2,245          |       | 2,318          |      |                                   |      |
|  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC    | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 2,439          | 100.7 | 2,156          | 86.2 | ANC Check up in first trimester   | 34.6 |
| 11   | Mothers registered in the first trimester  | 932            | 38.2  | 722            | 33.5 | At least 4 ANC check up           | 32.1 |
| 12   | Mothers who had 4 or more ANC check ups  | 338            | 13.9  | 314            | 14.6 | Neonatal tetanus received         | 79.1 |
| 13   | PW who got TT 2 / Booster injection  | 731            | 30.0  | 747            | 34.6 | 100 IFA tablets consumed          | 23.6 |
| 14   | PW who consumed 180 IFA tablets  | 535            | 21.9  | 362            | 16.8 | Home Delivery                     | 23.0 |
| 15   | Home Delivery against expected delivery *  | 13             | 0.6   | 13             | 0.6  | Institutional Delivery            | 77.0 |
| 16   | Institutional Delivery against expected delivery *   | 984            | 43.8  | 851            | 36.7 | Home Delivery by SBA              | 5.2  |
| 17   | Home Delivery against reported delivery **   | 13             | 1.3   | 13             | 1.5  | PNC within 2 days of delivery     | 56.7 |
| 18   | Institutional Delivery against reported delivery **  | 984            | 98.7  | 851            | 98.5 | Breastfeed within 1 hour of birth | 56.6 |
| 19   | Total reported Deliveries  | 997            |       | 864            |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 10             | 76.9  | 5              | 38.5 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 434            | 43.5  | 10             | 1.2  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |       |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 2,201          |       | 2,273          |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |       | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 977            | 44.4  | 848            | 37.3 | BCG                               | 89.8 |
| 24   | Total Still Birth  | 19             | 0.9   | 12             | 0.5  | 3 dose of DPT                     | 75.6 |
| 25   | Newborn weighted at birth to live birth  | 977            | 100.0 | 847            | 99.9 | Measles First dose                | 84.3 |

|  |  |                        |      |                        |      |   |      |
|--|--|------------------------|------|------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 56                     | 5.7  | 44                     | 5.2  | 3 doses of penta or hepatitis B vaccine | 72.2 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 974                    | 99.7 | 609                    | 71.8 | Full Immunization                       | 68.5 |
| 28   | Fully immunized  | 796                    | 36.2 | 824                    | 36.3 |   |      |
| 29   | Children who have received BCG                                       | 771                    | 35.0 | 805                    | 35.4 |   |      |
| 30   | Children who have received Pentavalent 1                             | 874                    | 39.7 | 990                    | 43.6 |   |      |
| 31   | Children who have received Pentavalent 3                             | 851                    | 38.7 | 912                    | 40.1 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 796                    | 36.2 | 823                    | 36.2 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 192                    |      | 271                    |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |      |                        |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      | <b>NFHS-5 (2019-20)</b>                 |      |
| 34   | Number of Vasectomies performed                                      | 0                      |      | 0                      |      | Total unmet need                        | 17.3 |
| 35   | Number of Tubectomies performed                                      | 77                     |      | 3                      |      | Spacing                                 | 8.6  |
| 36   | Number of IUD insertion  | 178                    |      | 179                    |      | Women using any method                  | 53.2 |
| 37   | Number of IUD removals   | 167                    |      | 123                    |      | Women using modern method               | 48.4 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 153                    |      | 129                    |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 2999                   |      | 2756                   |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 282                    |      | 254                    |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      |      | 0                      |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      |      | 0                      |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      |      | 0                      |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      |      | 0                      |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      |      | 0                      |      |   |      |
| <b>II) Maternal Mortality</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> |      | <b>HMIS ( 2021-22)</b> |      |   |      |
| 46   | Due to Abortion  | 0                      |      | 0                      |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      |      | 0                      |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      |      | 0                      |      |   |      |
| 49   | Due to Bleeding  | 0                      |      | 0                      |      |   |      |
| 50   | Due to High fever  | 0                      |      | 0                      |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      |      | 0                      |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               |      | <b>0</b>               |      |   |      |



## West Kameng Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |      |                                   |      |
|--|--|----------------|------|----------------|------|-----------------------------------|------|
| 1  | Population 2011  | 83,947         |      |                |      |                                   |      |
| 2  | Sex Ratio  | 755            |      |                |      |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |      |                                   |      |
| 3  | Sub Centers (SC)   | 22             |      |                |      |                                   |      |
| 4  | Primary Health Centers (PHC)   | 5              |      |                |      |                                   |      |
| 5  | Community Health Centers (CHC)   | 5              |      |                |      |                                   |      |
| 6  | SDH  | 0              |      |                |      |                                   |      |
| 7  | DH   | 1              |      |                |      |                                   |      |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |      |                                   |      |
| 8  | Expected number of PW  | 1,918          |      | 1,917          |      |                                   |      |
| 9  | Expected number of Delivery  | 1,778          |      | 1,777          |      |                                   |      |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC   | Number         | PC   |                                   |      |
| 10   | PW register for ANC  | 1,645          | 85.8 | 1,571          | 82.0 | ANC Check up in first trimester   | 45.1 |
| 11   | Mothers registered in the first trimester  | 1,074          | 65.3 | 1,000          | 63.7 | At least 4 ANC check up           | 27.6 |
| 12   | Mothers who had 4 or more ANC check ups  | 707            | 43.0 | 647            | 41.2 | Neonatal tetanus received         | 64.4 |
| 13   | PW who got TT 2 / Booster injection  | 1,065          | 64.7 | 1,065          | 67.8 | 100 IFA tablets consumed          | 18.5 |
| 14   | PW who consumed 180 IFA tablets  | 1,010          | 61.4 | 913            | 58.1 | Home Delivery                     | 6.4  |
| 15   | Home Delivery against expected delivery *  | 7              | 0.4  | 15             | 0.8  | Institutional Delivery            | 93.6 |
| 16   | Institutional Delivery against expected delivery *   | 683            | 38.4 | 548            | 30.8 | Home Delivery by SBA              | 4.6  |
| 17   | Home Delivery against reported delivery **   | 7              | 1.0  | 15             | 2.7  | PNC within 2 days of delivery     | 38.9 |
| 18   | Institutional Delivery against reported delivery **  | 683            | 99.0 | 548            | 97.3 | Breastfeed within 1 hour of birth | 42.6 |
| 19   | Total reported Deliveries  | 690            |      | 563            |      |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 6              | 85.7 | 8              | 53.3 |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 98             | 14.2 | 178            | 31.6 |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |      |                                   |      |
| 22   | Expected number of Live Birth  | 1,743          |      | 1,743          |      |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |      | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 688            | 39.5 | 560            | 32.1 | BCG                               | 94   |
| 24   | Total Still Birth  | 2              | 0.1  | 4              | 0.2  | 3 dose of DPT                     | 65.8 |
| 25   | Newborn weighted at birth to live birth  | 677            | 98.4 | 551            | 98.4 | Measles First dose                | 65.8 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 24                     | 3.5                    | 28                        | 5.1  | 3 doses of penta or hepatitis B vaccine | 57.4 |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 677                    | 98.4                   | 549                       | 98.0 | Full Immunization                       | 56.2 |
| 28   | Fully immunized  | 1,360                  | 78.0                   | 1,075                     | 61.7 |   |      |
| 29   | Children who have received BCG                                       | 865                    | 49.6                   | 814                       | 46.7 |   |      |
| 30   | Children who have received Pentavalent 1                             | 1,247                  | 71.5                   | 1,061                     | 60.9 |   |      |
| 31   | Children who have received Pentavalent 3                             | 1,115                  | 64.0                   | 1,064                     | 61.1 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 1,364                  | 78.2                   | 1,017                     | 58.4 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 334                    |                        | 337                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 17   |   |      |
| 35   | Number of Tubectomies performed                                      | 12                     | 3                      | Spacing                   | 13.5 |   |      |
| 36   | Number of IUD insertion  | 283                    | 224                    | Women using any method    | 53.8 |   |      |
| 37   | Number of IUD removals   | 243                    | 209                    | Women using modern method | 47.8 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 221                    | 216                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 7114                   | 6326                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 282                    | 339                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 0                      | 0                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 0                      | 0                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 0                      | 0                      |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 0                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 0                      | 0                      |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 0                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>0</b>               | <b>0</b>               |                           |      |   |      |

## West Siang Factsheet

### Key Indicators

| A) Demographic Indicators (Census 2011)  |  |                |      |                |       |                                   |      |
|--|--|----------------|------|----------------|-------|-----------------------------------|------|
| 1  | Population 2011  | 56,516         |      |                |       |                                   |      |
| 2  | Sex Ratio  | 916            |      |                |       |                                   |      |
| B) Infrastructure Details (RHS 2020-21)  |  | Numbers        |      |                |       |                                   |      |
| 3  | Sub Centers (SC)   | 12             |      |                |       |                                   |      |
| 4  | Primary Health Centers (PHC)   | 6              |      |                |       |                                   |      |
| 5  | Community Health Centers (CHC)   | 2              |      |                |       |                                   |      |
| 6  | SDH  | 0              |      |                |       |                                   |      |
| 7  | DH   | 1              |      |                |       |                                   |      |
| C) Maternal Health:  |  | 2020-21        |      | 2021-22        |       |                                   |      |
| 8  | Expected number of PW  | 1,196          |      | 1,185          |       |                                   |      |
| 9  | Expected number of Delivery  | 1,109          |      | 1,099          |       |                                   |      |
|  |  | HMIS (2020-21) |      | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
|  |  | Number         | PC   | Number         | PC    |                                   |      |
| 10   | PW register for ANC  | 1,144          | 95.7 | 1,129          | 95.2  | ANC Check up in first trimester   | 49.5 |
| 11   | Mothers registered in the first trimester  | 231            | 20.2 | 286            | 25.3  | At least 4 ANC check up           | 30.4 |
| 12   | Mothers who had 4 or more ANC check ups  | 567            | 49.6 | 963            | 85.3  | Neonatal tetanus received         | 72.0 |
| 13   | PW who got TT 2 / Booster injection  | 744            | 65.0 | 676            | 59.9  | 100 IFA tablets consumed          | 9.9  |
| 14   | PW who consumed 180 IFA tablets  | 1,078          | 94.2 | 1,051          | 93.1  | Home Delivery                     | 15.4 |
| 15   | Home Delivery against expected delivery *  | 25             | 2.3  | 30             | 2.7   | Institutional Delivery            | 84.6 |
| 16   | Institutional Delivery against expected delivery *   | 1,049          | 94.6 | 1,018          | 92.6  | Home Delivery by SBA              | 3.4  |
| 17   | Home Delivery against reported delivery **   | 25             | 2.3  | 30             | 2.9   | PNC within 2 days of delivery     | 61.4 |
| 18   | Institutional Delivery against reported delivery **  | 1,049          | 97.7 | 1,018          | 97.1  | Breastfeed within 1 hour of birth | 37.6 |
| 19   | Total reported Deliveries  | 1,074          |      | 1,048          |       |                                   |      |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 22             | 88.0 | 29             | 96.7  |                                   |      |
| 21   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 336            | 31.3 | 242            | 23.1  |                                   |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b> |  |                |      |                |       |                                   |      |
| 22   | Expected number of Live Birth  | 1,087          |      | 1,078          |       |                                   |      |
| D) Child Immunization :  |  | HMIS (2020-21) |      | HMIS (2021-22) |       | NFHS-5 (2019-20)                  |      |
| 23   | Total reported live births   | 1,072          | 98.6 | 1,042          | 96.7  | BCG                               | 93.7 |
| 24   | Total Still Birth  | 2              | 0.2  | 6              | 0.6   | 3 dose of DPT                     | 87.8 |
| 25   | Newborn weighted at birth to live birth  | 1,059          | 98.8 | 1,042          | 100.0 | Measles First dose                | 86.6 |

|  |  |                        |                        |                           |      |   |      |
|--|--|------------------------|------------------------|---------------------------|------|---|------|
| 26   | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 38                     | 3.6                    | 86                        | 8.3  | 3 doses of penta or hepatitis B vaccine | 81   |
| 27   | Newborns breastfed within 1 hour to total reported live birth.       | 723                    | 67.4                   | 787                       | 75.5 | Full Immunization                       | 55.4 |
| 28   | Fully immunized  | 843                    | 77.5                   | 908                       | 84.3 |   |      |
| 29   | Children who have received BCG                                       | 1,031                  | 94.8                   | 1,014                     | 94.1 |   |      |
| 30   | Children who have received Pentavalent 1                             | 965                    | 88.8                   | 872                       | 80.9 |   |      |
| 31   | Children who have received Pentavalent 3                             | 897                    | 82.5                   | 799                       | 74.1 |   |      |
| 32   | Children who have received Measles & Rubella (MR)- 1st Dose          | 843                    | 77.5                   | 917                       | 85.1 |   |      |
| 33   | Diarrhoea and Dehydration cases reported in children below 5 years   | 188                    |                        | 338                       |      |   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p> |  |                        |                        |                           |      |   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> | <b>NFHS-5 (2019-20)</b>   |      |   |      |
| 34   | Number of Vasectomies performed                                      | 0                      | 0                      | Total unmet need          | 15.5 |   |      |
| 35   | Number of Tubectomies performed                                      | 97                     | 84                     | Spacing                   | 8.2  |   |      |
| 36   | Number of IUD insertion  | 150                    | 187                    | Women using any method    | 46.6 |   |      |
| 37   | Number of IUD removals   | 185                    | 165                    | Women using modern method | 38.9 |   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 38   | IPD cases per 10,000 population ***                                  | 97                     | 431                    |                           |      |   |      |
| 39   | General OPD cases per 10,000 population ***                          | 6963                   | 9345                   |                           |      |   |      |
| 40   | Ayush OPD cases per 10,000 population ***                            | 236                    | 275                    |                           |      |   |      |
| <b>G) Mortality Details</b>  |  |                        |                        |                           |      |   |      |
| <b>I) Infant Deaths (In Numbers)</b>   |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 41   | Neonatal deaths within 24 hours                                      | 1                      | 6                      |                           |      |   |      |
| 42   | Neonatal Deaths up to 4 weeks of birth                               | 1                      | 4                      |                           |      |   |      |
| 43   | <b>Total Neonatal Death</b>  | 2                      | 10                     |                           |      |   |      |
| 44   | Deaths between (1 - 11) months                                       | 0                      | 1                      |                           |      |   |      |
| 45   | <b>Total reported infant deaths</b>                                  | 2                      | 11                     |                           |      |   |      |
| <b>II) Maternal Mortality</b>  |  |                        |                        |                           |      |   |      |
| <b>Maternal Deaths (In Numbers)</b>  |  | <b>HMIS ( 2020-21)</b> | <b>HMIS ( 2021-22)</b> |                           |      |   |      |
| 46   | Due to Abortion  | 0                      | 0                      |                           |      |   |      |
| 47   | Due to Obstructed/prolonged labour                                   | 0                      | 0                      |                           |      |   |      |
| 48   | Due to Severe hypertension/fits                                      | 0                      | 0                      |                           |      |   |      |
| 49   | Due to Bleeding  | 1                      | 0                      |                           |      |   |      |
| 50   | Due to High fever  | 0                      | 0                      |                           |      |   |      |
| 51   | Due to Other Causes (including causes not known)                     | 0                      | 0                      |                           |      |   |      |
| 52   | <b>Total reported maternal deaths</b>                                | <b>1</b>               | <b>0</b>               |                           |      |   |      |