

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	95					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	50,336		51,275			
9	Expected number of Delivery	46,309		47,173			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	45,641	90.7	47,058	91.8	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	24,009	52.6	24,000	51.0	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	16,922	37.1	16,564	35.2	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	24,152	52.9	24,560	52.2	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	19,454	42.6	14,996	31.9	Home Delivery	20.1
15	Home Delivery against expected delivery *	6,225	13.4	5,759	12.2	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	24,845	53.7	23,563	50.0	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	6,225	20.0	5,759	19.6	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	24,845	80.0	23,563	80.4		
19	Total reported Deliveries	31,070		29,322			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,777		3,492			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,234		7,605			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,760		46,614			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	31,125		29,262		Breastfed within 1 hour of birth	53.7
24	Total Still Birth	107		202		BCG	95.4

25	PC of newborn weighted at birth to live birth	30,485	97.9	29,019	99.2	3 dose of DPT	81.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,304	4.3	1,515	5.2	Measles First dose	76.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	27,688	89.0	24,470	83.6	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	33,616	73.5	31,228	67.0	Full Immunization	68.8
29	Children who have received BCG	33,913	74.1	30,846	66.2		
30	Children who have received Pentavalent 1	39,646	86.6	36,731	78.8		
31	Children who have received Pentavalent 3	35,645	77.9	32,416	69.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,091	74.5	32,368	69.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,397		4,429			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	12.2
35	Number of Tubectomies performed	454	364	Spacing	4.7
36	Number of IUD insertion	1,571	1,595	Women using any method	61.3
37	Number of IUD removals	1,258	1,247	Women using modern method	18.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	134	152		
39	General OPD cases per 10,000 population ***	2419	3053		
40	Ayush OPD cases per 10,000 population ***	153	152		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	25	18		
42	Neonatal Deaths up to 4 weeks of birth	53	56		
43	Total Neonatal Death	78	74		
44	Deaths between (1 - 11) months	34	30		
45	Total reported infant deaths	112	104		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	4	4		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	20	10		
52	Total reported maternal deaths	26	15		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	4,190	4,255				
9	Expected number of Delivery	3,855	3,914				
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	3,910	93.3	3,739	87.9	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	2,845	72.8	2,837	75.9	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	1,775	45.4	1,392	37.2	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,514	64.3	2,382	63.7	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	1,880	48.1	1,026	27.4	Home Delivery	10.5
15	Home Delivery against expected delivery *	67	1.7	39	1.0	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	391	10.1	169	4.3	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	67	14.6	39	18.8	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	391	85.4	169	81.3		
19	Total reported Deliveries	458		208			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	44.8	17	43.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	1.5	2	1.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,810		3,868			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	455	11.9	206	5.3	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	2	0.1	3	0.1	BCG	96.1

25	PC of newborn weighted at birth to live birth	446	98.0	206	100.0	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	2.0	10	4.9	Measles First dose	70.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	445	97.8	203	98.5	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,342	87.7	3,143	81.3	Full Immunization	66.6
29	Children who have received BCG	2,555	67.1	1,922	49.7		
30	Children who have received Pentavalent 1	3,819	100.2	3,173	82.0		
31	Children who have received Pentavalent 3	3,417	89.7	2,943	76.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,339	87.6	3,160	81.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	579		467			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20
35	Number of Tubectomies performed	0	0	Spacing	5.7
36	Number of IUD insertion	83	69	Women using any method	46.3
37	Number of IUD removals	97	97	Women using modern method	21.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	42	16		
39	General OPD cases per 10,000 population ***	4296	4919		
40	Ayush OPD cases per 10,000 population ***	385	329		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,44,182						
2	Sex Ratio	932						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	15						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2020-21	2021-22		NFHS-5 (20119-20)			
8	Expected number of PW	1,349	1,378					
9	Expected number of Delivery	1,241	1,268					
		HMIS (2020-21)		HMIS (2021-22)				
		Number	PC	Number	PC			
10	PW register for ANC	1,320	97.9	1,067	77.4	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	743	56.3	661	61.9	At least 4ANC check up	66.6	
12	Mothers who had 4 or more ANC check ups	422	32.0	380	35.6	Neonatal tetanus received	94.5	
13	PW who got TT 2 / Booster injection	580	43.9	494	46.3	100 IFA tablets consumed	44.2	
14	PW who consumed 180 IFA tablets	626	47.4	411	38.5	Home Delivery	44.5	
15	Home Delivery against expected delivery *	186	15.0	211	16.6	Institutional Delivery	55.5	
16	Institutional Delivery against expected delivery *	323	26.0	332	26.2	Home Delivery by SBA	19.3	
17	Home Delivery against reported delivery **	186	36.5	211	38.9	PNC within 2days of delivery	55.0	
18	Institutional Delivery against reported delivery **	323	63.5	332	61.1			
19	Total reported Deliveries	509		543				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	89.8	192	91.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	179	35.2	123	22.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,226		1,253				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	513	41.8	540	43.1	Breastfed within 1 hour of birth	55.1	
24	Total Still Birth	1	0.1	3	0.2	BCG	96.5	

25	PC of newborn weighted at birth to live birth	513	100.0	537	99.4	3 dose of DPT	76.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	11	2.0	Measles First dose	60.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	488	95.1	493	91.3	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	604	49.3	596	47.6	Full Immunization	55.5
29	Children who have received BCG	706	57.6	714	57.0		
30	Children who have received Pentavalent 1	791	64.5	789	63.0		
31	Children who have received Pentavalent 3	717	58.5	653	52.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	598	48.8	597	47.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	142		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	1	0	Spacing	4.8
36	Number of IUD insertion	17	36	Women using any method	56.6
37	Number of IUD removals	8	12	Women using modern method	23.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	87	84		
39	General OPD cases per 10,000 population ***	2029	2235		
40	Ayush OPD cases per 10,000 population ***	42	107		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	4,144		4,223			
9	Expected number of Delivery	3,812		3,885			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,201	125.5	4,720	111.8	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,086	59.3	3,092	65.5	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	793	15.2	1,587	33.6	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	2,460	47.3	2,501	53.0	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	2,977	57.2	947	20.1	Home Delivery	27.1
15	Home Delivery against expected delivery *	374	9.8	323	8.3	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	2,911	76.4	3,257	83.8	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	374	11.4	323	9.0	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	2,911	88.6	3,257	91.0		
19	Total reported Deliveries	3,285		3,580			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	63		50			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,219		20			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,767		3,839			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,262		3,531		Breastfed within 1 hour of birth	58.5
24	Total Still Birth	23		56		BCG	88.9

25	PC of newborn weighted at birth to live birth	3,260	99.9	3,509	99.4	3 dose of DPT	76.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	129	4.0	140	4.0	Measles First dose	71.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,890	88.6	2,916	82.6	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	2,862	76.0	2,402	62.6	Full Immunization	64.9
29	Children who have received BCG	3,332	88.4	3,163	82.4		
30	Children who have received Pentavalent 1	3,454	91.7	3,523	91.8		
31	Children who have received Pentavalent 3	2,826	75.0	2,933	76.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,525	67.0	2,547	66.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,431		1,764			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	30	24	Spacing	4.2
36	Number of IUD insertion	550	435	Women using any method	61.8
37	Number of IUD removals	431	357	Women using modern method	22.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	351	422		
39	General OPD cases per 10,000 population ***	3370	4969		
40	Ayush OPD cases per 10,000 population ***	58	56		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	15	5		
42	Neonatal Deaths up to 4 weeks of birth	38	42		
43	Total Neonatal Death	53	47		
44	Deaths between (1 - 11) months	22	23		
45	Total reported infant deaths	75	70		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	2		
52	Total reported maternal deaths	1	3		

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	8,145		8,264			
9	Expected number of Delivery	7,493		7,603			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,346	65.6	5,321	64.4	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	2,969	55.5	2,936	55.2	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	1,879	35.1	2,335	43.9	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	2,304	43.1	2,681	50.4	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	2,585	48.4	2,312	43.5	Home Delivery	8.3
15	Home Delivery against expected delivery *	84	1.1	81	1.1	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	3,934	52.5	3,713	48.8	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	84	2.1	81	2.1	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	3,934	97.9	3,713	97.9		
19	Total reported Deliveries	4,018		3,794			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57		25			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,423		4,219			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,404		7,512			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,015		3,744		Breastfed within 1 hour of birth	47.4
24	Total Still Birth	3		50		BCG	100

25	PC of newborn weighted at birth to live birth	3,988	99.3	3,701	98.9	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	0.4	28	0.8	Measles First dose	81.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,549	88.4	3,696	98.7	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,086	68.7	4,978	66.3	Full Immunization	76.2
29	Children who have received BCG	5,020	67.8	4,747	63.2		
30	Children who have received Pentavalent 1	5,381	72.7	5,436	72.4		
31	Children who have received Pentavalent 3	4,666	63.0	4,772	63.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,146	69.5	5,290	70.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	149		130			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.7
35	Number of Tubectomies performed	23	25	Spacing	5.4
36	Number of IUD insertion	79	109	Women using any method	50.1
37	Number of IUD removals	104	105	Women using modern method	16.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	32	46		
39	General OPD cases per 10,000 population ***	1524	2266		
40	Ayush OPD cases per 10,000 population ***	145	176		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	4		
52	Total reported maternal deaths	0	6		

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	9,304		9,451			
9	Expected number of Delivery	8,560		8,695			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,431	79.9	7,452	78.8	ANC Check up in first trimester	83.2
11	Mothers registered in the first trimester	4,918	66.2	4,591	61.6	At least 4ANC check up	93.4
12	Mothers who had 4 or more ANC check ups	5,940	79.9	4,529	60.8	Neonatal tetanus received	92.7
13	PW who got TT 2 / Booster injection	4,447	59.8	3,421	45.9	100 IFA tablets consumed	60.9
14	PW who consumed 180 IFA tablets	3,360	45.2	4,204	56.4	Home Delivery	4.3
15	Home Delivery against expected delivery *	229	2.7	192	2.2	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	11,584	135.3	10,352	119.1	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	229	1.9	192	1.8	PNC within 2days of delivery	90.8
18	Institutional Delivery against reported delivery **	11,584	98.1	10,352	98.2		
19	Total reported Deliveries	11,813		10,544			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	169		154			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11		0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,458		8,592			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	11,890		10,618		Breastfed within 1 hour of birth	62.6
24	Total Still Birth	35		28		BCG	94.7

25	PC of newborn weighted at birth to live birth	11,756	98.9	10,530	99.2	3 dose of DPT	94.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,004	8.5	1,174	11.1	Measles First dose	88.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,355	87.1	7,342	69.1	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	7,306	86.4	5,936	69.1	Full Immunization	74.1
29	Children who have received BCG	6,179	73.1	4,525	52.7		
30	Children who have received Pentavalent 1	7,981	94.4	6,154	71.6		
31	Children who have received Pentavalent 3	8,114	95.9	5,830	67.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,386	87.3	6,106	71.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	633		474			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	12.5
35	Number of Tubectomies performed	365	287	Spacing	6.4
36	Number of IUD insertion	144	151	Women using any method	69.9
37	Number of IUD removals	187	173	Women using modern method	16.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	354	402		
39	General OPD cases per 10,000 population ***	4106	4876		
40	Ayush OPD cases per 10,000 population ***	210	232		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths up to 4 weeks of birth	8	4		
43	Total Neonatal Death	12	4		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	13	4		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	11	0		
52	Total reported maternal deaths	12	0		

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	6						
4	Primary Health Centers (PHC)	1						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	804	815					
9	Expected number of Delivery	739	750					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	625	77.8	631	77.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	212	33.9	239	37.9	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	0	0.0	28	4.4	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	415	66.4	453	71.8	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	0	0.0	12	1.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	10	1.4	1	0.1	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	87	11.8	89	11.9	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	10	10.3	1	1.1	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	87	89.7	89	98.9			
19	Total reported Deliveries	97		90				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	731		741				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	95	13.0	90	12.1	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	1	0.1	2	0.3	BCG	NA	

25	PC of newborn weighted at birth to live birth	86	90.5	88	97.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	12.8	14	15.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	86	90.5	84	93.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	261	35.7	164	22.1	Full Immunization	NA
29	Children who have received BCG	306	41.9	166	22.4		
30	Children who have received Pentavalent 1	488	66.8	310	41.8		
31	Children who have received Pentavalent 3	290	39.7	178	24.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	345	47.2	163	22.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	42		46			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0		Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	0	0	Women using any method NA
37	Number of IUD removals	0	0	Women using modern method NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)	
38	IPD cases per 10,000 population ***	13	63	
39	General OPD cases per 10,000 population ***	0	1089	
40	Ayush OPD cases per 10,000 population ***	0	0	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)	
Maternal Deaths (In Numbers)				
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	13						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	2,520	2,559					
9	Expected number of Delivery	2,318	2,354					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	2,792	110.8	2,500	97.7	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	930	33.3	938	37.5	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	269	9.6	155	6.2	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	684	24.5	663	26.5	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	780	27.9	548	21.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	106	4.6	51	2.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	207	8.9	125	5.3	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	106	33.9	51	29.0	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	207	66.1	125	71.0			
19	Total reported Deliveries	313		176				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	47.2	20	39.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	108	34.5	156	88.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,291		2,326				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	317	13.8	176	7.6	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	0	0.0	BCG	NA	

25	PC of newborn weighted at birth to live birth	314	99.1	174	98.9	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	5.1	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	313	98.7	174	98.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,726	75.3	1,556	66.9	Full Immunization	NA
29	Children who have received BCG	1,665	72.7	1,217	52.3		
30	Children who have received Pentavalent 1	2,093	91.4	1,773	76.2		
31	Children who have received Pentavalent 3	1,865	81.4	1,538	66.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,748	76.3	1,555	66.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	89		17			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	16	14	Women using any method	NA
37	Number of IUD removals	19	27	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	19	47		
39	General OPD cases per 10,000 population ***	1736	1812		
40	Ayush OPD cases per 10,000 population ***	246	177		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	1	1		

Kamjong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	865	891					
9	Expected number of Delivery	796	820					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	241	27.9	448	50.3	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	78	32.4	145	32.4	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	36	14.9	32	7.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	125	51.9	192	42.9	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	90	37.3	146	32.6	Home Delivery	NA	
15	Home Delivery against expected delivery *	114	14.3	119	14.5	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	22	2.8	57	7.0	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	114	83.8	119	67.6	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	22	16.2	57	32.4			
19	Total reported Deliveries	136		176				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	21.9	29	24.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	30.1	31	17.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	786		810				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	139	17.7	180	22.2	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	1	0.1	0	0.0	BCG	NA	

25	PC of newborn weighted at birth to live birth	132	95.0	168	93.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.6	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	132	95.0	169	93.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	177	22.5	229	28.3	Full Immunization	NA
29	Children who have received BCG	199	25.3	301	37.2		
30	Children who have received Pentavalent 1	247	31.4	351	43.3		
31	Children who have received Pentavalent 3	206	26.2	274	33.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	24.2	263	32.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	37		24			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	1	4	Women using any method	NA
37	Number of IUD removals	3	7	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	2	19		
39	General OPD cases per 10,000 population ***	531	963		
40	Ayush OPD cases per 10,000 population ***	29	7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	35						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	2,727	2,795					
9	Expected number of Delivery	2,509	2,572					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	3,479	127.6	3,930	140.6	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	1,254	36.0	1,220	31.0	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	813	23.4	721	18.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	1,736	49.9	1,577	40.1	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	1,104	31.7	827	21.0	Home Delivery	NA	
15	Home Delivery against expected delivery *	1,056	42.1	908	35.3	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	372	14.8	338	13.1	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	1,056	73.9	908	72.9	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	372	26.1	338	27.1			
19	Total reported Deliveries	1,428		1,246				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	619	58.6	505	55.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	939	65.8	918	73.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,479		2,541				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	1,436	57.9	1,247	49.1	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	3	0.1	2	0.1	BCG	NA	

25	PC of newborn weighted at birth to live birth	1,435	99.9	1,246	99.9	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	1.3	14	1.1	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,432	99.7	1,246	99.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,450	98.8	2,346	92.3	Full Immunization	NA
29	Children who have received BCG	2,519	101.6	2,583	101.6		
30	Children who have received Pentavalent 1	2,891	116.6	2,745	108.0		
31	Children who have received Pentavalent 3	2,607	105.2	2,446	96.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,453	99.0	2,352	92.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	713		538			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	4	0	Spacing	NA		
36	Number of IUD insertion	114	85	Women using any method	NA		
37	Number of IUD removals	58	59	Women using modern method	NA		
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)				
38	IPD cases per 10,000 population ***	64	74				
39	General OPD cases per 10,000 population ***	1815	1700				
40	Ayush OPD cases per 10,000 population ***	181	261				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)				
41	Neonatal death within 24 hours	1	0				
42	Neonatal Deaths up to 4 weeks of birth	1	1				
43	Total Neonatal Death	2	1				
44	Deaths between (1 - 11) months	3	1				
45	Total reported infant deaths	5	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)				
46	Due to Abortion	1	0				
47	Due to Obstructed/prolonged labour	1	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	2	0				
52	Total reported maternal deaths	4	0				

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	15						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	756	775					
9	Expected number of Delivery	695	713					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	964	127.6	905	116.8	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	491	50.9	359	39.7	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	343	35.6	362	40.0	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	548	56.8	518	57.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	369	38.3	350	38.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	238	34.2	125	17.5	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	322	46.3	273	38.3	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	238	42.5	125	31.4	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	322	57.5	273	68.6			
19	Total reported Deliveries	560		398				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	13.4	15	12.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	118	21.1	2	0.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	687		705				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	557	81.1	397	56.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	1	0.1	BCG	NA	

25	PC of newborn weighted at birth to live birth	477	85.6	347	87.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.0	18	5.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	492	88.3	359	90.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	471	68.6	504	71.5	Full Immunization	NA
29	Children who have received BCG	609	88.6	595	84.4		
30	Children who have received Pentavalent 1	750	109.2	766	108.7		
31	Children who have received Pentavalent 3	627	91.3	607	86.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	489	71.2	524	74.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	101		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	112	160	Women using any method	NA
37	Number of IUD removals	61	88	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	108	78		
39	General OPD cases per 10,000 population ***	2922	2464		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	3	2		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	3	2		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	4	2		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Pherzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	691	705					
9	Expected number of Delivery	636	648					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	526	76.1	644	91.4	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	247	47.0	197	30.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	155	29.5	156	24.2	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	231	43.9	244	37.9	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	530	100.8	365	56.7	Home Delivery	NA	
15	Home Delivery against expected delivery *	45	7.1	71	11.0	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	91	14.3	111	17.1	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	45	33.1	71	39.0	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	91	66.9	111	61.0			
19	Total reported Deliveries	136		182				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	47	66.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	41.9	32	17.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	629		640				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	132	21.0	180	28.1	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	4	0.6	7	1.1	BCG	NA	

25	PC of newborn weighted at birth to live birth	125	94.7	167	92.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7	5.6	8	4.8	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	125	94.7	178	98.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	143	22.8	135	21.1	Full Immunization	NA
29	Children who have received BCG	222	35.3	202	31.5		
30	Children who have received Pentavalent 1	288	45.8	307	47.9		
31	Children who have received Pentavalent 3	230	36.6	216	33.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	208	33.1	173	27.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	106		57			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)
34	Number of Vasectomies performed	0	0	Total unmet need NA
35	Number of Tubectomies performed	0	0	Spacing NA
36	Number of IUD insertion	0	0	Women using any method NA
37	Number of IUD removals	4	2	Women using modern method NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)	
38	IPD cases per 10,000 population ***	115	93	
39	General OPD cases per 10,000 population ***	2632	2283	
40	Ayush OPD cases per 10,000 population ***	114	46	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
41	Neonatal death within 24 hours	0	3	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	3	
44	Deaths between (1 - 11) months	0	1	
45	Total reported infant deaths	0	4	
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)	
Maternal Deaths (In Numbers)				
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	2	
52	Total reported maternal deaths	0	2	

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	5,162	5,291				
9	Expected number of Delivery	4,749	4,868				
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	5,199	100.7	5,943	112.3	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,202	42.4	2,404	40.5	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,701	52.0	2,357	39.7	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	3,905	75.1	5,016	84.4	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	2,205	42.4	1,800	30.3	Home Delivery	54.2
15	Home Delivery against expected delivery *	2,354	49.6	2,320	47.7	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,678	35.3	1,762	36.2	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	2,354	58.4	2,320	56.8	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,678	41.6	1,762	43.2		
19	Total reported Deliveries	4,032		4,082			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,638	69.6	1,676	72.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,607	39.9	1,435	35.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,692		4,810			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	4,036	86.0	4,081	84.8	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	3	0.1	5	0.1	BCG	87.2

25	PC of newborn weighted at birth to live birth	3,782	93.7	4,080	100.0	3 dose of DPT	77.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	0.8	26	0.6	Measles First dose	75.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,794	94.0	3,942	96.6	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,271	69.7	3,409	70.9	Full Immunization	65
29	Children who have received BCG	4,193	89.4	4,357	90.6		
30	Children who have received Pentavalent 1	3,875	82.6	4,242	88.2		
31	Children who have received Pentavalent 3	3,729	79.5	4,066	84.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,599	76.7	3,782	78.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		202			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	18	17	Spacing	4.1
36	Number of IUD insertion	99	82	Women using any method	65.2
37	Number of IUD removals	49	55	Women using modern method	17.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	66	97		
39	General OPD cases per 10,000 population ***	1354	2500		
40	Ayush OPD cases per 10,000 population ***	31	7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths up to 4 weeks of birth	1	3		
43	Total Neonatal Death	1	6		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	2	8		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	1,118	1,147				
9	Expected number of Delivery	1,029	1,055				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,246	111.4	1,666	145.3	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	499	40.0	586	35.2	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	360	28.9	522	31.3	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	803	64.4	761	45.7	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	592	47.5	915	54.9	Home Delivery	42.3
15	Home Delivery against expected delivery *	245	23.8	386	36.6	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	479	46.6	484	45.9	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	245	33.8	386	44.4	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	479	66.2	484	55.6		
19	Total reported Deliveries	724		870			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	37.6	109	28.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	164	22.7	156	17.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,017		1,043			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	720	70.8	859	82.4	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	5	0.5	12	1.2	BCG	91.2

25	PC of newborn weighted at birth to live birth	714	99.2	859	100.0	3 dose of DPT	78.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.5	16	1.9	Measles First dose	77.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	656	91.1	815	94.9	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	808	79.5	688	66.0	Full Immunization	67.4
29	Children who have received BCG	876	86.2	1,006	96.5		
30	Children who have received Pentavalent 1	1,009	99.3	1,075	103.1		
31	Children who have received Pentavalent 3	842	82.8	830	79.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	813	80.0	688	66.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75		85			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.4
35	Number of Tubectomies performed	0	0	Spacing	3.2
36	Number of IUD insertion	241	276	Women using any method	65.2
37	Number of IUD removals	107	129	Women using modern method	22.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	132	162		
39	General OPD cases per 10,000 population ***	1573	1762		
40	Ayush OPD cases per 10,000 population ***	97	85		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	1	1		
43	Total Neonatal Death	1	3		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	2	5		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	0		
52	Total reported maternal deaths	3	2		

Tengnoupal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	9						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	937	961					
9	Expected number of Delivery	862	884					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	770	82.2	967	100.6	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	531	69.0	644	66.6	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	314	40.8	384	39.7	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	656	85.2	766	79.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	701	91.0	695	71.9	Home Delivery	NA	
15	Home Delivery against expected delivery *	255	29.6	153	17.3	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	68	7.9	77	8.7	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	255	78.9	153	66.5	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	68	21.1	77	33.5			
19	Total reported Deliveries	323		230				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	238	93.3	145	94.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	95	29.4	71	30.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	852		874				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	323	37.9	229	26.2	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	0	0.0	2	0.2	BCG	NA	

25	PC of newborn weighted at birth to live birth	314	97.2	229	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	4	1.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	301	93.2	213	93.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	595	69.8	637	72.9	Full Immunization	NA
29	Children who have received BCG	613	71.9	659	75.4		
30	Children who have received Pentavalent 1	664	77.9	711	81.4		
31	Children who have received Pentavalent 3	571	67.0	622	71.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	603	70.8	623	71.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	50		178			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	2	Women using any method	NA
37	Number of IUD removals	10	12	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	57	84		
39	General OPD cases per 10,000 population ***	1076	2202		
40	Ayush OPD cases per 10,000 population ***	294	242		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	3		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	5,152		5,231			
9	Expected number of Delivery	4,740		4,813			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,592	69.7	4,335	82.9	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	1,997	55.6	2,170	50.1	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	695	19.3	968	22.3	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	1,790	49.8	1,939	44.7	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	1,393	38.8	164	3.8	Home Delivery	12.2
15	Home Delivery against expected delivery *	396	8.4	391	8.1	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	1,175	24.8	1,167	24.2	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	396	25.2	391	25.1	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	1,175	74.8	1,167	74.9		
19	Total reported Deliveries	1,571		1,558			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	330	83.3	282	72.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	799	50.9	207	13.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,683		4,756			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,578	33.7	1,546	32.5	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	0	0.0	15	0.3	BCG	98.7

25	PC of newborn weighted at birth to live birth	1,574	99.7	1,546	100.0	3 dose of DPT	84.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.3	11	0.7	Measles First dose	77.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,153	73.1	1,032	66.8	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	3,559	76.0	3,410	71.7	Full Immunization	74.2
29	Children who have received BCG	3,226	68.9	2,990	62.9		
30	Children who have received Pentavalent 1	4,353	92.9	3,883	81.6		
31	Children who have received Pentavalent 3	3,671	78.4	3,323	69.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,606	77.0	3,440	72.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	60		134			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6
35	Number of Tubectomies performed	4	9	Spacing	2.3
36	Number of IUD insertion	58	78	Women using any method	72.2
37	Number of IUD removals	69	44	Women using modern method	17.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	33	25		
39	General OPD cases per 10,000 population ***	1331	1890		
40	Ayush OPD cases per 10,000 population ***	134	125		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	2,531	2,607				
9	Expected number of Delivery	2,329	2,399				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,999	118.5	2,790	107.0	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	1,007	33.6	981	35.2	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	427	14.2	656	23.5	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	954	31.8	952	34.1	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	262	8.7	274	9.8	Home Delivery	55.4
15	Home Delivery against expected delivery *	466	20.0	388	16.2	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,201	51.6	1,257	52.4	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	466	28.0	388	23.6	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,201	72.0	1,257	76.4		
19	Total reported Deliveries	1,667		1,645			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	239	51.3	225	58.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	467	28.0	233	14.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,301		2,370			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,657	72.0	1,638	69.1	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	24	1.0	16	0.7	BCG	91.5

25	PC of newborn weighted at birth to live birth	1,569	94.7	1,632	99.6	3 dose of DPT	53.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	1.8	40	2.5	Measles First dose	53.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,477	89.1	1,608	98.2	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	955	41.5	1,095	46.2	Full Immunization	39.4
29	Children who have received BCG	1,693	73.6	1,699	71.7		
30	Children who have received Pentavalent 1	1,562	67.9	1,493	63.0		
31	Children who have received Pentavalent 3	1,267	55.1	1,185	50.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,043	45.3	1,105	46.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	64		61			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.7
35	Number of Tubectomies performed	9	2	Spacing	5.2
36	Number of IUD insertion	57	94	Women using any method	56.9
37	Number of IUD removals	51	80	Women using modern method	12.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	124	89		
39	General OPD cases per 10,000 population ***	2388	1854		
40	Ayush OPD cases per 10,000 population ***	89	44		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	2	3		
43	Total Neonatal Death	2	4		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	4	4		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	0		
52	Total reported maternal deaths	2	0		