

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,855,794						
2	Sex Ratio	987						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	429						
4	Sub Centers (SC)- HWC	61						
5	Primary Health Centers (PHC)	94						
6	Primary Health Centers (PHC)-HWC	5						
7	Community Health Centers (CHC)	23						
8	SDH	1						
9	DH	9						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	50,336	51,275					
11	Expected number of Delivery	46,309	47,173					
		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)			
		Number	PC	Number	PC			
12	PW register for ANC	45,641	24009.0	20,621	40.2	ANC Check up in first trimester	79.9	
13	Mothers registered in the first trimester	24,009	52.6	10,171	49.3	At least 4ANC check up	79.4	
14	Mothers who had 4 or more ANC check ups	16,922	37.1	6,551	31.8	Neonatal tetanus received	88.9	
15	PW who got TT 2 / Booster injection	24,152	52.9	10,915	52.9	100 IFA tablets consumed	52.3	
16	PW who consumed 180 IFA tablets	19,454	42.6	10,167	49.3	Home Delivery	20.1	
17	Home Delivery against expected delivery *	6,225	13.4	2,672	5.7	Institutional Delivery	79.9	
18	Institutional Delivery against expected delivery *	24,845	53.7	8,146	17.3	Home Delivery by SBA	5.8	
19	Home Delivery against reported delivery **	6,225	20.0	2,672	24.7	PNC within 2days of delivery	73.4	
20	Institutional Delivery against reported delivery **	24,845	80.0	8,146	75.3			
21	Total reported Deliveries	31,070		10,818				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,777	60.7	1,615	60.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,234	32.9	4,194	38.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.								
24	Expected number of Live Birth	45,760		46,614				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)			
		Number	PC	Number	PC			
25	Total reported live births	31,125	68.0	10,837	23.2	Breastfed within 1 hour of birth	53.7	

26	Total Still Birth	107	0.2	74	0.2	BCG	95.4
27	PC of newborn weighted at birth to live birth	30,485	97.9	10,691	98.7	3 dose of DPT	81.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,304	4.3	467	4.4	Measles First dose	76.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	27,688	89.0	9,211	85.0	3 doses of penta or hepatitis B vaccine	80
30	Children fully immunized	33,616	73.5	14,044	30.1	Full Immunization	68.8
31	Children who have received BCG	33,913	74.1	12,338	26.5		
32	Children who have received Pentavalent 1	39,646	86.6	14,055	30.2		
33	Children who have received Pentavalent 3	35,645	77.9	13,483	28.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	34,091	74.5	14,336	30.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,397		1,985			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFSH-5 (20119-20)
36	Number of Vasectomies performed	2	0	Total unmet need 12.2
37	Number of Tubectomies performed	454	154	Spacing 4.7
38	Number of IUD insertion	1,571	642	Women using any method 61.3
39	Number of IUD removals	1,258	535	Women using modern method 18.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
40	IPD cases per 10,000 population ***	134	57	
41	General OPD cases per 10,000 population ***	2419	998	
42	Ayush OPD cases per 10,000 population ***	153	54	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
43	Neonatal death within 24 hours	25	7	
44	Neonatal Deaths up to 4 weeks of birth	53	23	
45	Total Neonatal Death	78	30	
46	Deaths between (1 - 11) months	34	11	
47	Total reported infant deaths	112	41	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	3	
51	Due to Bleeding	4	1	
52	Due to High fever	0	1	

53	Due to Other Causes (including causes not known)	20	2	
54	Total reported maternal deaths	26	7	

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	237,399				
2	Sex Ratio	1,000				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	35				
4	Sub Centers (SC)- HWC	13				
5	Primary Health Centers (PHC)	8				
6	Primary Health Centers (PHC)-HWC	1				
7	Community Health Centers (CHC)	2				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	4,190	4,255			
11	Expected number of Delivery	3,855	3,914			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (2019-20)
		Number	PC	Number	PC	
12	PW register for ANC	3,910	2845.0	1,851	43.5	ANC Check up in first trimester 84.2
13	Mothers registered in the first trimester	2,845	72.8	1,366	73.8	At least 4ANC check up 77.4
14	Mothers who had 4 or more ANC check ups	1,775	45.4	560	30.3	Neonatal tetanus received 88.8
15	PW who got TT 2 / Booster injection	2,514	64.3	1,147	62.0	100 IFA tablets consumed 57.4
16	PW who consumed 180 IFA tablets	1,880	48.1	781	42.2	Home Delivery 10.5
17	Home Delivery against expected delivery *	67	1.7	25	0.6	Institutional Delivery 89.5
18	Institutional Delivery against expected delivery *	391	10.1	56	1.4	Home Delivery by SBA 3.1
19	Home Delivery against reported delivery **	67	14.6	25	30.9	PNC within 2days of delivery 79.0
20	Institutional Delivery against reported delivery **	391	85.4	56	69.1	
21	Total reported Deliveries	458		81		
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	44.8	11	44.0	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	1.5	2	2.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.						
24	Expected number of Live Birth	3,810		3,868		
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	455	11.9	80	2.1	Breastfed within 1 hour of birth	48.1
26	Total Still Birth	2	0.1	1	0.0	BCG	96.1
27	PC of newborn weighted at birth to live birth	446	98.0	78	97.5	3 dose of DPT	77.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	2.0	2	2.6	Measles First dose	70.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	445	97.8	79	98.8	3 doses of penta or hepatitis B vaccine	81.5
30	Children fully immunized	3,342	87.7	1,429	36.9	Full Immunization	66.6
31	Children who have received BCG	2,555	67.1	782	20.2		
32	Children who have received Pentavalent 1	3,819	100.2	1,313	33.9		
33	Children who have received Pentavalent 3	3,417	89.7	1,319	34.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,339	87.6	1,432	37.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	579		211			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	20
37	Number of Tubectomies performed	0	0	Spacing	5.7
38	Number of IUD insertion	83	15	Women using any method	46.3
39	Number of IUD removals	97	26	Women using modern method	21.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	42	6		
41	General OPD cases per 10,000 population ***	4296	1976		
42	Ayush OPD cases per 10,000 population ***	385	142		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	1	0		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		

51	Due to Bleeding	0	0	
52	Due to High fever	0	1	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	1	1	

Chandel Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	5					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	1,349	1,378				
11	Expected number of Delivery	1,241	1,268				
		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	1,320	743.0	598	43.4	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	743	56.3	355	59.4	At least 4ANC check up	66.6
14	Mothers who had 4 or more ANC check ups	422	32.0	213	35.6	Neonatal tetanus received	94.5
15	PW who got TT 2 / Booster injection	580	43.9	270	45.2	100 IFA tablets consumed	44.2
16	PW who consumed 180 IFA tablets	626	47.4	277	46.3	Home Delivery	44.5
17	Home Delivery against expected delivery *	186	15.0	92	7.3	Institutional Delivery	55.5
18	Institutional Delivery against expected delivery *	323	26.0	167	13.2	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	186	36.5	92	35.5	PNC within 2days of delivery	55.0
20	Institutional Delivery against reported delivery **	323	63.5	167	64.5		
21	Total reported Deliveries	509		259			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	89.8	91	98.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	179	35.2	30	11.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,226		1,253			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	513	41.8	256	20.4	Breastfed within 1 hour of birth	55.1
26	Total Still Birth	1	0.1	3	0.2	BCG	96.5
27	PC of newborn weighted at birth to live birth	513	100.0	258	100.8	3 dose of DPT	76.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	6	2.3	Measles First dose	60.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	488	95.1	255	99.6	3 doses of penta or hepatitis B vaccine	76.2
30	Children fully immunized	604	49.3	323	25.8	Full Immunization	55.5
31	Children who have received BCG	706	57.6	320	25.5		
32	Children who have received Pentavalent 1	791	64.5	359	28.7		
33	Children who have received Pentavalent 3	717	58.5	275	22.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	598	48.8	321	25.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	142		77			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	11
37	Number of Tubectomies performed	1		0		Spacing	4.8
38	Number of IUD insertion	17		14		Women using any method	56.6
39	Number of IUD removals	8		6		Women using modern method	23.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
40	IPD cases per 10,000 population ***	87		37			
41	General OPD cases per 10,000 population ***	2029		934			
42	Ayush OPD cases per 10,000 population ***	42		23			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		1			
45	Total Neonatal Death	0		1			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		1			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Churachandpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	6					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	4,144	4,223				
11	Expected number of Delivery	3,812	3,885				
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,201	3086.0	2,294	54.3	ANC Check up in first trimester	69.0
13	Mothers registered in the first trimester	3,086	59.3	1,522	66.3	At least 4ANC check up	61.3
14	Mothers who had 4 or more ANC check ups	793	15.2	231	10.1	Neonatal tetanus received	79.5
15	PW who got TT 2 / Booster injection	2,460	47.3	1,285	56.0	100 IFA tablets consumed	28.5
16	PW who consumed 180 IFA tablets	2,977	57.2	1,516	66.1	Home Delivery	27.1
17	Home Delivery against expected delivery *	374	9.8	167	4.3	Institutional Delivery	72.9
18	Institutional Delivery against expected delivery *	2,911	76.4	1,444	37.2	Home Delivery by SBA	7.1
19	Home Delivery against reported delivery **	374	11.4	167	10.4	PNC within 2days of delivery	58.2
20	Institutional Delivery against reported delivery **	2,911	88.6	1,444	89.6		
21	Total reported Deliveries	3,285		1,611			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	63	16.8	22	13.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,219	37.1	817	50.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	3,767		3,839			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,262	86.6	1,598	41.6	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	23	0.6	33	0.9	BCG	88.9
27	PC of newborn weighted at birth to live birth	3,260	99.9	1,582	99.0	3 dose of DPT	76.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	129	4.0	70	4.4	Measles First dose	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,890	88.6	1,329	83.2	3 doses of penta or hepatitis B vaccine	68.2
30	Children fully immunized	2,862	76.0	1,175	30.6	Full Immunization	64.9
31	Children who have received BCG	3,332	88.4	1,463	38.1		
32	Children who have received Pentavalent 1	3,454	91.7	1,541	40.1		
33	Children who have received Pentavalent 3	2,826	75.0	1,408	36.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,525	67.0	1,264	32.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,431		865			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.7
37	Number of Tubectomies performed	30	13	Spacing	4.2
38	Number of IUD insertion	550	195	Women using any method	61.8
39	Number of IUD removals	431	181	Women using modern method	22.6

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
40	IPD cases per 10,000 population ***	351	179	
41	General OPD cases per 10,000 population ***	3370	1989	
42	Ayush OPD cases per 10,000 population ***	58	17	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
43	Neonatal death within 24 hours	15	2	
44	Neonatal Deaths up to 4 weeks of birth	38	18	
45	Total Neonatal Death	53	20	
46	Deaths between (1 - 11) months	22	9	
47	Total reported infant deaths	75	29	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	

			up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	1	1	

Imphal East Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	8					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2020-21	2021-22				
10	Expected number of PW	8,145	8,264				
11	Expected number of Delivery	7,493	7,603				
		HMIS (2020-21)	HMIS (2021-22)		NFSH-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	5,346	2969.0	2,206	26.7	ANC Check up in first trimester	78.6
13	Mothers registered in the first trimester	2,969	55.5	1,257	57.0	At least 4ANC check up	87.1
14	Mothers who had 4 or more ANC check ups	1,879	35.1	1,209	54.8	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	2,304	43.1	1,150	52.1	100 IFA tablets consumed	55.8
16	PW who consumed 180 IFA tablets	2,585	48.4	1,185	53.7	Home Delivery	8.3
17	Home Delivery against expected delivery *	84	1.1	21	0.3	Institutional Delivery	91.7
18	Institutional Delivery against expected delivery *	3,934	52.5	1,265	16.6	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	84	2.1	21	1.6	PNC within 2days of delivery	85.4
20	Institutional Delivery against reported delivery **	3,934	97.9	1,265	98.4		
21	Total reported Deliveries	4,018		1,286			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	67.9	12	57.1		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,423	110.1	1,335	103.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,404		7,512			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,015	54.2	1,276	17.0	Breastfed within 1 hour of birth	47.4
26	Total Still Birth	3	0.0	11	0.1	BCG	100
27	PC of newborn weighted at birth to live birth	3,988	99.3	1,278	100.2	3 dose of DPT	83.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	0.4	2	0.2	Measles First dose	81.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,549	88.4	1,278	100.2	3 doses of penta or hepatitis B vaccine	81.9
30	Children fully immunized	5,086	68.7	2,543	33.9	Full Immunization	76.2
31	Children who have received BCG	5,020	67.8	1,771	23.6		
32	Children who have received Pentavalent 1	5,381	72.7	1,948	25.9		
33	Children who have received Pentavalent 3	4,666	63.0	1,830	24.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,146	69.5	2,559	34.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	149		51			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	16.7
37	Number of Tubectomies performed	23		6		Spacing	5.4
38	Number of IUD insertion	79		49		Women using any method	50.1
39	Number of IUD removals	104		32		Women using modern method	16.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
40	IPD cases per 10,000 population ***	32		16			
41	General OPD cases per 10,000 population ***	1524		793			
42	Ayush OPD cases per 10,000 population ***	145		67			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Imphal West Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
B)Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	9,304	9,451				
11	Expected number of Delivery	8,560	8,695				
		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	7,431	4918.0	2,366	25.0	ANC Check up in first trimester	83.2
13	Mothers registered in the first trimester	4,918	66.2	1,662	70.2	At least 4ANC check up	93.4
14	Mothers who had 4 or more ANC check ups	5,940	79.9	1,556	65.8	Neonatal tetanus received	92.7
15	PW who got TT 2 / Booster injection	4,447	59.8	1,321	55.8	100 IFA tablets consumed	60.9
16	PW who consumed 180 IFA tablets	3,360	45.2	1,990	84.1	Home Delivery	4.3
17	Home Delivery against expected delivery *	229	2.7	55	0.6	Institutional Delivery	95.7
18	Institutional Delivery against expected delivery *	11,584	135.3	3,247	37.3	Home Delivery by SBA	2.3
19	Home Delivery against reported delivery **	229	1.9	55	1.7	PNC within 2days of delivery	90.8
20	Institutional Delivery against reported delivery **	11,584	98.1	3,247	98.3		
21	Total reported Deliveries	11,813		3,302			

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	169	73.8	46	83.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11	0.1	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,458		8,592			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	11,890	140.6	3,288	38.3	Breastfed within 1 hour of birth	62.6
26	Total Still Birth	35	0.4	10	0.1	BCG	94.7
27	PC of newborn weighted at birth to live birth	11,756	98.9	3,292	100.1	3 dose of DPT	94.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,004	8.5	329	10.0	Measles First dose	88.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	10,355	87.1	2,401	73.0	3 doses of penta or hepatitis B vaccine	94.4
30	Children fully immunized	7,306	86.4	2,196	25.6	Full Immunization	74.1
31	Children who have received BCG	6,179	73.1	1,615	18.8		
32	Children who have received Pentavalent 1	7,981	94.4	1,802	21.0		
33	Children who have received Pentavalent 3	8,114	95.9	1,923	22.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,386	87.3	2,174	25.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	633		189			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	2		0		Total unmet need	12.5
37	Number of Tubectomies performed	365		125		Spacing	6.4
38	Number of IUD insertion	144		39		Women using any method	69.9
39	Number of IUD removals	187		46		Women using modern method	16.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
40	IPD cases per 10,000 population ***	354		156			
41	General OPD cases per 10,000 population ***	4106		1231			
42	Ayush OPD cases per 10,000 population ***	210		41			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
43	Neonatal death within 24 hours	4		0			
44	Neonatal Deaths up to 4 weeks of birth	8		1			
45	Total Neonatal Death	12		1			
46	Deaths between (1 - 11) months	1		0			

47	Total reported infant deaths	13	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	2	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	11	0	
54	Total reported maternal deaths	12	2	

Jiribam Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	9					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2020-21	2021-22				
10	Expected number of PW	804	815				
11	Expected number of Delivery	739	750				
		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR			NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	625	212.0	226	27.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	212	33.9	113	50.0	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	0	0.0	9	4.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	415	66.4	136	60.2	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	0	0.0	12	5.3	Home Delivery	NA
17	Home Delivery against expected delivery *	10	1.4	1	0.1	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	87	11.8	36	4.8	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	10	10.3	1	2.7	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	87	89.7	36	97.3		

21	Total reported Deliveries	97		37			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	100.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	731		741			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	95	13.0	36	4.9	Breastfed within 1 hour of birth	NA
26	Total Still Birth	1	0.1	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	86	90.5	34	94.4	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	12.8	2	5.9	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	86	90.5	30	83.3	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	261	35.7	65	8.8	Full Immunization	NA
31	Children who have received BCG	306	41.9	43	5.8		
32	Children who have received Pentavalent 1	488	66.8	112	15.1		
33	Children who have received Pentavalent 3	290	39.7	77	10.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	345	47.2	65	8.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	42		3			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	0		0		Women using any method	NA
39	Number of IUD removals	0		0		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
40	IPD cases per 10,000 population ***	13		10			
41	General OPD cases per 10,000 population ***	0		0			
42	Ayush OPD cases per 10,000 population ***	0		0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
43	Neonatal death within 24 hours	0		0			

44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	18					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	2,520	2,559				
11	Expected number of Delivery	2,318	2,354				
		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)		
		Number	PC	Number	PC		
12	PW register for ANC	2,792	930.0	1,043	40.8	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	930	33.3	327	31.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	269	9.6	85	8.1	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	684	24.5	282	27.0	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	780	27.9	281	26.9	Home Delivery	NA
17	Home Delivery against expected delivery *	106	4.6	12	0.5	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	207	8.9	35	1.5	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	106	33.9	12	25.5	PNC within 2days of	NA

						delivery	
20	Institutional Delivery against reported delivery **	207	66.1	35	74.5		
21	Total reported Deliveries	313		47			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	47.2	7	58.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	108	34.5	78	166.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,291		2,326			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	317	13.8	49	2.1	Breastfed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	314	99.1	49	100.0	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	5.1	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	313	98.7	49	100.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	1,726	75.3	775	33.3	Full Immunization	NA
31	Children who have received BCG	1,665	72.7	527	22.7		
32	Children who have received Pentavalent 1	2,093	91.4	699	30.0		
33	Children who have received Pentavalent 3	1,865	81.4	709	30.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,748	76.3	763	32.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	89		10			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	16		9		Women using any method	NA
39	Number of IUD removals	19		17		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			
40	IPD cases per 10,000 population ***	19		1			
41	General OPD cases per 10,000 population ***	1736		749			
42	Ayush OPD cases per 10,000 population ***	246		93			

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	1	0		
46	Deaths between (1 - 11) months	1	1		
47	Total reported infant deaths	2	1		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		
54	Total reported maternal deaths	1	1		

Kamjong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	18					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	865		891			
11	Expected number of Delivery	796		820			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	241	78.0	224	25.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	78	32.4	93	41.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	36	14.9	20	8.9	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	125	51.9	99	44.2	100 IFA tablets consumed	NA

16	PW who consumed 180 IFA tablets	90	37.3	88	39.3	Home Delivery	NA
17	Home Delivery against expected delivery *	114	14.3	53	6.5	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	22	2.8	22	2.7	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	114	83.8	53	70.7	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	22	16.2	22	29.3		
21	Total reported Deliveries	136		75			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	21.9	8	15.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	30.1	15	20.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	786		810			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	139	17.7	77	9.5	Breastfed within 1 hour of birth	NA
26	Total Still Birth	1	0.1	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	132	95.0	76	98.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	132	95.0	77	100.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	177	22.5	128	15.8	Full Immunization	NA
31	Children who have received BCG	199	25.3	131	16.2		
32	Children who have received Pentavalent 1	247	31.4	151	18.6		
33	Children who have received Pentavalent 3	206	26.2	141	17.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	190	24.2	145	17.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	37		10			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	0		0		Spacing	NA
38	Number of IUD insertion	1		3		Women using any method	NA
39	Number of IUD removals	3		7		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR			

40	IPD cases per 10,000 population ***	2	9	
41	General OPD cases per 10,000 population ***	531	475	
42	Ayush OPD cases per 10,000 population ***	29	3	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
43	Neonatal death within 24 hours	1	0	
44	Neonatal Deaths up to 4 weeks of birth	1	0	
45	Total Neonatal Death	2	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	2	0	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	18	
4	Sub Centers (SC)- HWC	4	
5	Primary Health Centers (PHC)	6	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	1	
8	SDH	0	
9	DH	0	

C) Maternal Health:

		2020-21		2021-22			
10	Expected number of PW	2,727		2,795			
11	Expected number of Delivery	2,509		2,572			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,479	1254.0	1,861	66.6	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,254	36.0	553	29.7	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	813	23.4	354	19.0	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	1,736	49.9	832	44.7	100 IFA tablets consumed	NA

16	PW who consumed 180 IFA tablets	1,104	31.7	419	22.5	Home Delivery	NA
17	Home Delivery against expected delivery *	1,056	42.1	455	17.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	372	14.8	157	6.1	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	1,056	73.9	455	74.3	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	372	26.1	157	25.7		
21	Total reported Deliveries	1,428		612			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	619	58.6	238	52.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	939	65.8	377	61.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,479		2,541			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,436	57.9	613	24.1	Breastfed within 1 hour of birth	NA
26	Total Still Birth	3	0.1	0	0.0	BCG	NA
27	PC of newborn weighted at birth to live birth	1,435	99.9	614	100.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	1.3	6	1.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,432	99.7	614	100.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	2,450	98.8	1,152	45.3	Full Immunization	NA
31	Children who have received BCG	2,519	101.6	1,254	49.3		
32	Children who have received Pentavalent 1	2,891	116.6	1,256	49.4		
33	Children who have received Pentavalent 3	2,607	105.2	1,189	46.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,453	99.0	1,157	45.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	713		308			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	4		0		Spacing	NA
38	Number of IUD insertion	114		42		Women using any method	NA
39	Number of IUD removals	58		29		Women using modern method	NA

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
40	IPD cases per 10,000 population ***	64	28	
41	General OPD cases per 10,000 population ***	1815	751	
42	Ayush OPD cases per 10,000 population ***	181	126	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
43	Neonatal death within 24 hours	1	0	
44	Neonatal Deaths up to 4 weeks of birth	1	1	
45	Total Neonatal Death	2	1	
46	Deaths between (1 - 11) months	3	0	
47	Total reported infant deaths	5	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	0	
54	Total reported maternal deaths	4	0	

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	17					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	756	775				
11	Expected number of Delivery	695	713				
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	964	491.0	515	66.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	491	50.9	207	40.2	At least 4ANC	NA

						check up	
14	Mothers who had 4 or more ANC check ups	343	35.6	229	44.5	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	548	56.8	284	55.1	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	369	38.3	248	48.2	Home Delivery	NA
17	Home Delivery against expected delivery *	238	34.2	65	9.1	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	322	46.3	120	16.8	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	238	42.5	65	35.1	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	322	57.5	120	64.9		
21	Total reported Deliveries	560		185			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	13.4	10	15.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	118	21.1	45	24.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	687		705			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	557	81.1	183	26.0	Breastfed within 1 hour of birth	NA
26	Total Still Birth	2	0.3	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	477	85.6	154	84.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.0	4	2.6	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	492	88.3	150	82.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	471	68.6	270	38.3	Full Immunization	NA
31	Children who have received BCG	609	88.6	277	39.3		
32	Children who have received Pentavalent 1	750	109.2	328	46.5		
33	Children who have received Pentavalent 3	627	91.3	275	39.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	489	71.2	282	40.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	101		42			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	NA

37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	112	62	Women using any method	NA
39	Number of IUD removals	61	25	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	108	32		
41	General OPD cases per 10,000 population ***	2922	1052		
42	Ayush OPD cases per 10,000 population ***	0	80		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	3	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	3	0		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	Total reported maternal deaths	1	0		

Pherzawl Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)				
1	Population 2011	NA			
2	Sex Ratio	NA			
B)Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	18			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	5			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	0			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	691	705		
11	Expected number of Delivery	636	648		
		HMIS (2020-21)	HMIS (2021-22)	NFSH-5 (20119-20)	

				up to 2nd QTR			
		Number	PC	Number	PC		
12	PW register for ANC	526	247.0	366	51.9	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	247	47.0	119	32.5	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	155	29.5	107	29.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	231	43.9	139	38.0	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	530	100.8	336	91.8	Home Delivery	NA
17	Home Delivery against expected delivery *	45	7.1	37	5.7	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	91	14.3	55	8.5	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	45	33.1	37	40.2	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	91	66.9	55	59.8		
21	Total reported Deliveries	136		92			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	27	73.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	41.9	29	31.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	629		640			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	132	21.0	91	14.2	Breastfed within 1 hour of birth	NA
26	Total Still Birth	4	0.6	2	0.3	BCG	NA
27	PC of newborn weighted at birth to live birth	125	94.7	80	87.9	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7	5.6	4	5.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	125	94.7	80	87.9	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	143	22.8	72	11.2	Full Immunization	NA
31	Children who have received BCG	222	35.3	101	15.8		
32	Children who have received Pentavalent 1	288	45.8	147	23.0		
33	Children who have received Pentavalent 3	230	36.6	93	14.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	208	33.1	82	12.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	106		26			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	0	Women using any method	NA
39	Number of IUD removals	4	1	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	115	41		
41	General OPD cases per 10,000 population ***	2632	1180		
42	Ayush OPD cases per 10,000 population ***	114	21		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	2		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	1		
54	Total reported maternal deaths	0	1		

Senapati Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	479,148			
2	Sex Ratio	939			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	34			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		

10	Expected number of PW	5,162		5,291			
11	Expected number of Delivery	4,749		4,868			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,199	2202.0	3,987	75.3	ANC Check up in first trimester	73.9
13	Mothers registered in the first trimester	2,202	42.4	1,067	26.8	At least 4ANC check up	64.9
14	Mothers who had 4 or more ANC check ups	2,701	52.0	1,192	29.9	Neonatal tetanus received	85.2
15	PW who got TT 2 / Booster injection	3,905	75.1	2,385	59.8	100 IFA tablets consumed	28.4
16	PW who consumed 180 IFA tablets	2,205	42.4	1,472	36.9	Home Delivery	54.2
17	Home Delivery against expected delivery *	2,354	49.6	1,112	22.8	Institutional Delivery	45.8
18	Institutional Delivery against expected delivery *	1,678	35.3	741	15.2	Home Delivery by SBA	19.3
19	Home Delivery against reported delivery **	2,354	58.4	1,112	60.0	PNC within 2days of delivery	37.0
20	Institutional Delivery against reported delivery **	1,678	41.6	741	40.0		
21	Total reported Deliveries	4,032		1,853			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,638	69.6	804	72.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,607	39.9	798	43.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,692		4,810			
	D) Child Immunization :	HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,036	86.0	1,921	39.9	Breastfed within 1 hour of birth	57.6
26	Total Still Birth	3	0.1	3	0.1	BCG	87.2
27	PC of newborn weighted at birth to live birth	3,782	93.7	1,853	96.5	3 dose of DPT	77.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	0.8	19	1.0	Measles First dose	75.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,794	94.0	1,806	94.0	3 doses of penta or hepatitis B vaccine	77.2
30	Children fully immunized	3,271	69.7	1,615	33.6	Full Immunization	65
31	Children who have received BCG	4,193	89.4	1,960	40.7		
32	Children who have received Pentavalent 1	3,875	82.6	1,983	41.2		
33	Children who have received Pentavalent 3	3,729	79.5	1,922	40.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,599	76.7	1,803	37.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	126		99			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.5
37	Number of Tubectomies performed	18	9	Spacing	4.1
38	Number of IUD insertion	99	42	Women using any method	65.2
39	Number of IUD removals	49	27	Women using modern method	17.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	66	30		
41	General OPD cases per 10,000 population ***	1354	672		
42	Ayush OPD cases per 10,000 population ***	31	15		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	1	0		
46	Deaths between (1 - 11) months	1	0		
47	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Tamenglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	140,651	
2	Sex Ratio	953	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	13	
4	Sub Centers (SC)- HWC	3	
5	Primary Health Centers (PHC)	4	
6	Primary Health Centers (PHC)-HWC	0	

7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	1,118		1,147			
11	Expected number of Delivery	1,029		1,055			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,246	499.0	791	69.0	ANC Check up in first trimester	69.4
13	Mothers registered in the first trimester	499	40.0	302	38.2	At least 4ANC check up	56.4
14	Mothers who had 4 or more ANC check ups	360	28.9	221	27.9	Neonatal tetanus received	81.0
15	PW who got TT 2 / Booster injection	803	64.4	341	43.1	100 IFA tablets consumed	31.0
16	PW who consumed 180 IFA tablets	592	47.5	361	45.6	Home Delivery	42.3
17	Home Delivery against expected delivery *	245	23.8	151	14.3	Institutional Delivery	57.7
18	Institutional Delivery against expected delivery *	479	46.6	215	20.4	Home Delivery by SBA	11.9
19	Home Delivery against reported delivery **	245	33.8	151	41.3	PNC within 2days of delivery	52.7
20	Institutional Delivery against reported delivery **	479	66.2	215	58.7		
21	Total reported Deliveries	724		366			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	37.6	44	29.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	164	22.7	102	27.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,017		1,043			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	720	70.8	362	34.7	Breastfed within 1 hour of birth	62.9
26	Total Still Birth	5	0.5	5	0.5	BCG	91.2
27	PC of newborn weighted at birth to live birth	714	99.2	361	99.7	3 dose of DPT	78.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.5	8	2.2	Measles First dose	77.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	656	91.1	310	85.6	3 doses of penta or hepatitis B vaccine	73.4
30	Children fully immunized	808	79.5	281	26.9	Full Immunization	67.4
31	Children who have received BCG	876	86.2	391	37.5		
32	Children who have received Pentavalent 1	1,009	99.3	429	41.1		
33	Children who have received Pentavalent 3	842	82.8	371	35.6		

34	Children who have received Measles & Rubella (MR)- 1st Dose	813	80.0	281	26.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	75		35			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	8.4
37	Number of Tubectomies performed	0	0	Spacing	3.2
38	Number of IUD insertion	241	130	Women using any method	65.2
39	Number of IUD removals	107	64	Women using modern method	22.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	132	76		
41	General OPD cases per 10,000 population ***	1573	596		
42	Ayush OPD cases per 10,000 population ***	97	44		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	2		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	Total Neonatal Death	1	2		
46	Deaths between (1 - 11) months	1	1		
47	Total reported infant deaths	2	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	Total reported maternal deaths	3	1		

Tengnoupal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	12	

4	Sub Centers (SC)- HWC	1					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	937		961			
11	Expected number of Delivery	862		884			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	770	531.0	261	27.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	531	69.0	172	65.9	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	314	40.8	101	38.7	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	656	85.2	192	73.6	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	701	91.0	322	123.4	Home Delivery	NA
17	Home Delivery against expected delivery *	255	29.6	79	8.9	Institutional Delivery	NA
18	Institutional Delivery against expected delivery *	68	7.9	11	1.2	Home Delivery by SBA	NA
19	Home Delivery against reported delivery **	255	78.9	79	87.8	PNC within 2days of delivery	NA
20	Institutional Delivery against reported delivery **	68	21.1	11	12.2		
21	Total reported Deliveries	323		90			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	238	93.3	75	94.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	95	29.4	22	24.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	852		874			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	323	37.9	84	9.6	Breastfed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	1	0.1	BCG	NA
27	PC of newborn weighted at birth to live birth	314	97.2	85	101.2	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	301	93.2	78	92.9	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	595	69.8	187	21.4	Full Immunization	NA
31	Children who have received BCG	613	71.9	187	21.4		

32	Children who have received Pentavalent 1	664	77.9	189	21.6		
33	Children who have received Pentavalent 3	571	67.0	214	24.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	603	70.8	188	21.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	50		7			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	0	0	Women using any method	NA
39	Number of IUD removals	10	3	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	57	0		
41	General OPD cases per 10,000 population ***	1076	759		
42	Ayush OPD cases per 10,000 population ***	294	62		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	Total Neonatal Death	0	0		
46	Deaths between (1 - 11) months	0	0		
47	Total reported infant deaths	0	0		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	422,168	

2	Sex Ratio	1,006					
B)Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	44					
4	Sub Centers (SC)- HWC	9					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	5,152		5,231			
11	Expected number of Delivery	4,740		4,813			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,592	1997.0	1,721	32.9	ANC Check up in first trimester	90.6
13	Mothers registered in the first trimester	1,997	55.6	928	53.9	At least 4ANC check up	89.9
14	Mothers who had 4 or more ANC check ups	695	19.3	298	17.3	Neonatal tetanus received	92.9
15	PW who got TT 2 / Booster injection	1,790	49.8	836	48.6	100 IFA tablets consumed	68.5
16	PW who consumed 180 IFA tablets	1,393	38.8	769	44.7	Home Delivery	12.2
17	Home Delivery against expected delivery *	396	8.4	175	3.6	Institutional Delivery	87.8
18	Institutional Delivery against expected delivery *	1,175	24.8	423	8.8	Home Delivery by SBA	3.3
19	Home Delivery against reported delivery **	396	25.2	175	29.3	PNC within 2days of delivery	75.6
20	Institutional Delivery against reported delivery **	1,175	74.8	423	70.7		
21	Total reported Deliveries	1,571		598			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	330	83.3	118	67.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	799	50.9	389	65.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,683		4,756			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,578	33.7	599	12.6	Breastfed within 1 hour of birth	46.5
26	Total Still Birth	0	0.0	2	0.0	BCG	98.7
27	PC of newborn weighted at birth to live birth	1,574	99.7	601	100.3	3 dose of DPT	84.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.3	8	1.3	Measles First dose	77.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,153	73.1	378	63.1	3 doses of penta or hepatitis B vaccine	83.2

30	Children fully immunized	3,559	76.0	1,530	32.2	Full Immunization	74.2
31	Children who have received BCG	3,226	68.9	1,101	23.2		
32	Children who have received Pentavalent 1	4,353	92.9	1,436	30.2		
33	Children who have received Pentavalent 3	3,671	78.4	1,417	29.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,606	77.0	1,513	31.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	60		36			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFSH-5 (2019-20)
36	Number of Vasectomies performed	0	0	Total unmet need 6
37	Number of Tubectomies performed	4	1	Spacing 2.3
38	Number of IUD insertion	58	12	Women using any method 72.2
39	Number of IUD removals	69	60	Women using modern method 17.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
40	IPD cases per 10,000 population ***	33	12	
41	General OPD cases per 10,000 population ***	1331	531	
42	Ayush OPD cases per 10,000 population ***	134	45	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
43	Neonatal death within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	0	0	
45	Total Neonatal Death	0	0	
46	Deaths between (1 - 11) months	0	0	
47	Total reported infant deaths	0	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	1	0	

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	2,531		2,607			
11	Expected number of Delivery	2,329		2,399			
		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	2,999	1007.0	311	11.9	ANC Check up in first trimester	58.3
13	Mothers registered in the first trimester	1,007	33.6	128	41.2	At least 4ANC check up	38.8
14	Mothers who had 4 or more ANC check ups	427	14.2	166	53.4	Neonatal tetanus received	81.6
15	PW who got TT 2 / Booster injection	954	31.8	216	69.5	100 IFA tablets consumed	25.1
16	PW who consumed 180 IFA tablets	262	8.7	110	35.4	Home Delivery	55.4
17	Home Delivery against expected delivery *	466	20.0	172	7.2	Institutional Delivery	44.6
18	Institutional Delivery against expected delivery *	1,201	51.6	152	6.3	Home Delivery by SBA	9.9
19	Home Delivery against reported delivery **	466	28.0	172	53.1	PNC within 2days of delivery	44.9
20	Institutional Delivery against reported delivery **	1,201	72.0	152	46.9		
21	Total reported Deliveries	1,667		324			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	239	51.3	101	58.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	467	28.0	155	47.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,301		2,370			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,657	72.0	324	13.7	Breastfed within 1 hour of birth	63.6
26	Total Still Birth	24	1.0	1	0.0	BCG	91.5
27	PC of newborn weighted at birth to live birth	1,569	94.7	296	91.4	3 dose of DPT	53.3

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	1.8	7	2.4	Measles First dose	53.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,477	89.1	297	91.7	3 doses of penta or hepatitis B vaccine	51.2
30	Children fully immunized	955	41.5	303	12.8	Full Immunization	39.4
31	Children who have received BCG	1,693	73.6	415	17.5		
32	Children who have received Pentavalent 1	1,562	67.9	362	15.3		
33	Children who have received Pentavalent 3	1,267	55.1	320	13.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,043	45.3	307	13.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	64		16			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	12.7
37	Number of Tubectomies performed	9	0	Spacing	5.2
38	Number of IUD insertion	57	30	Women using any method	56.9
39	Number of IUD removals	51	11	Women using modern method	12.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
40	IPD cases per 10,000 population ***	124	10		
41	General OPD cases per 10,000 population ***	2388	395		
42	Ayush OPD cases per 10,000 population ***	89	4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	2	2		
45	Total Neonatal Death	2	3		
46	Deaths between (1 - 11) months	2	0		
47	Total reported infant deaths	4	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	Total reported maternal deaths	2	0		