

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,855,794						
2	Sex Ratio	987						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	418						
4	Primary Health Centers (PHC)	93						
5	Community Health Centers (CHC)	17						
6	SDH	1						
7	DH	7						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	50,336	51,275					
9	Expected number of Delivery	46,309	47,173					
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	45,641	90.7	32,576	63.5	ANC Check up in first trimester	79.9	
11	Mothers registered in the first trimester	24,009	52.6	15,860	48.7	At least 4ANC check up	79.4	
12	Mothers who had 4 or more ANC check ups	16,922	37.1	10,655	32.7	Neonatal tetanus received	88.9	
13	PW who got TT 2 / Booster injection	24,152	52.9	17,228	52.9	100 IFA tablets consumed	52.3	
14	PW who consumed 180 IFA tablets	19,454	42.6	14,863	45.6	Home Delivery	20.1	
15	Home Delivery against expected delivery *	6,225	13.4	4,026	8.5	Institutional Delivery	79.9	
16	Institutional Delivery against expected delivery *	24,845	53.7	15,721	33.3	Home Delivery by SBA	5.8	
17	Home Delivery against reported delivery **	6,225	20.0	4,026	20.4	PNC within 2days of delivery	73.4	
18	Institutional Delivery against reported delivery **	24,845	80.0	15,721	79.6			
19	Total reported Deliveries	31,070		19,747				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,777	60.7	2,431	60.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,234	32.9	7,406	37.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	45,760		46,614				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	31,125	68.0	19,249	41.3	Breastfed within 1 hour of birth	53.7	
24	Total Still Birth	107	0.2	110	0.2	BCG	95.4	
25	PC of newborn weighted at birth to live birth	30,485	97.9	19,489	101.2	3 dose of DPT	81.4	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,304	4.3	1,025	5.3	Measles First dose	76.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	27,688	89.0	16,519	85.8	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	33,616	73.5	21,723	46.6	Full Immunization	68.8
29	Children who have received BCG	33,913	74.1	20,608	44.2		
30	Children who have received Pentavalent 1	39,646	86.6	24,672	52.9		
31	Children who have received Pentavalent 3	35,645	77.9	21,923	47.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,091	74.5	22,772	48.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,397		2,881			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	12.2
35	Number of Tubectomies performed	454	276	Spacing	4.7
36	Number of IUD insertion	1,571	1,098	Women using any method	61.3
37	Number of IUD removals	1,258	854	Women using modern method	18.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	134	102		
39	General OPD cases per 10,000 population ***	2419	1938		
40	Ayush OPD cases per 10,000 population ***	153	104		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	25	12		
42	Neonatal Deaths up to 4 weeks of birth	53	40		
43	Total Neonatal Death	78	52		
44	Deaths between (1 - 11) months	34	20		
45	Total reported infant deaths	112	72		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	1	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension/fits	0	3		
49	Due to Bleeding	4	3		
50	Due to High fever	0	2		
51	Due to Other Causes (including causes not known)	20	6		
52	Total reported maternal deaths	26	14		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	237,399						
2	Sex Ratio	1,000						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	33						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	4,190	4,255					
9	Expected number of Delivery	3,855	3,914					
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	3,910	93.3	2,682	63.0	ANC Check up in first trimester	84.2	
11	Mothers registered in the first trimester	2,845	72.8	1,970	73.5	At least 4ANC check up	77.4	
12	Mothers who had 4 or more ANC check ups	1,775	45.4	969	36.1	Neonatal tetanus received	88.8	
13	PW who got TT 2 / Booster injection	2,514	64.3	1,735	64.7	100 IFA tablets consumed	57.4	
14	PW who consumed 180 IFA tablets	1,880	48.1	940	35.0	Home Delivery	10.5	
15	Home Delivery against expected delivery *	67	1.7	33	0.8	Institutional Delivery	89.5	
16	Institutional Delivery against expected delivery *	391	10.1	128	3.3	Home Delivery by SBA	3.1	
17	Home Delivery against reported delivery **	67	14.6	33	20.5	PNC within 2days of delivery	79.0	
18	Institutional Delivery against reported delivery **	391	85.4	128	79.5			
19	Total reported Deliveries	458		161				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	44.8	15	45.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	1.5	2	1.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	3,810		3,868				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
23	Total reported live births	455	11.9	159	4.1	Breastfed within 1 hour of birth	48.1	
24	Total Still Birth	2	0.1	3	0.1	BCG	96.1	

25	PC of newborn weighted at birth to live birth	446	98.0	156	98.1	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	2.0	6	3.8	Measles First dose	70.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	445	97.8	157	98.7	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,342	87.7	2,043	52.8	Full Immunization	66.6
29	Children who have received BCG	2,555	67.1	1,275	33.0		
30	Children who have received Pentavalent 1	3,819	100.2	2,163	55.9		
31	Children who have received Pentavalent 3	3,417	89.7	2,059	53.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,339	87.6	2,055	53.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	579		318			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20
35	Number of Tubectomies performed	0	0	Spacing	5.7
36	Number of IUD insertion	83	35	Women using any method	46.3
37	Number of IUD removals	97	60	Women using modern method	21.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	42	10		
39	General OPD cases per 10,000 population ***	4296	3369		
40	Ayush OPD cases per 10,000 population ***	385	229		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	1		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	144,182						
2	Sex Ratio	932						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	25						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	1,349	1,378					
9	Expected number of Delivery	1,241	1,268					
		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,320	97.9	762	55.3	ANC Check up in first trimester	77.6	
11	Mothers registered in the first trimester	743	56.3	476	62.5	At least 4ANC check up	66.6	
12	Mothers who had 4 or more ANC check ups	422	32.0	302	39.6	Neonatal tetanus received	94.5	
13	PW who got TT 2 / Booster injection	580	43.9	371	48.7	100 IFA tablets consumed	44.2	
14	PW who consumed 180 IFA tablets	626	47.4	350	45.9	Home Delivery	44.5	
15	Home Delivery against expected delivery *	186	15.0	135	10.6	Institutional Delivery	55.5	
16	Institutional Delivery against expected delivery *	323	26.0	269	21.2	Home Delivery by SBA	19.3	
17	Home Delivery against reported delivery **	186	36.5	135	33.4	PNC within 2days of delivery	55.0	
18	Institutional Delivery against reported delivery **	323	63.5	269	66.6			
19	Total reported Deliveries	509		404				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	89.8	128	94.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	179	35.2	52	12.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,226		1,253				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)		NFHS-5 (20119-20)			
		Number	PC	Number	PC			

23	Total reported live births	513	41.8	391	31.2	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	1	0.1	3	0.2	BCG	96.5
25	PC of newborn weighted at birth to live birth	513	100.0	403	103.1	3 dose of DPT	76.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	11	2.7	Measles First dose	60.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	488	95.1	394	100.8	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	604	49.3	436	34.8	Full Immunization	55.5
29	Children who have received BCG	706	57.6	479	38.2		
30	Children who have received Pentavalent 1	791	64.5	564	45.0		
31	Children who have received Pentavalent 3	717	58.5	432	34.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	598	48.8	437	34.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	142		96			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	1	0	Spacing	4.8
36	Number of IUD insertion	17	24	Women using any method	56.6
37	Number of IUD removals	8	11	Women using modern method	23.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	87	68		
39	General OPD cases per 10,000 population ***	2029	1587		
40	Ayush OPD cases per 10,000 population ***	42	91		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		

51	Due to Other Causes (including causes not known)	0	1	
52	Total reported maternal deaths	0	1	

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	4,144		4,223			
9	Expected number of Delivery	3,812		3,885			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,201	125.5	3,478	82.4	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,086	59.3	2,311	66.4	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	793	15.2	394	11.3	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	2,460	47.3	1,896	54.5	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	2,977	57.2	2,305	66.3	Home Delivery	27.1
15	Home Delivery against expected delivery *	374	9.8	244	6.3	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	2,911	76.4	2,403	61.9	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	374	11.4	244	9.2	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	2,911	88.6	2,403	90.8		
19	Total reported Deliveries	3,285		2,647			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	63		42			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,219		1,365			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,767		3,839			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,262	86.6	2,627	68.4	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	23	0.6	44	1.1	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,260	99.9	2,609	99.3	3 dose of DPT	76.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	129	4.0	107	4.1	Measles First dose	71.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,890	88.6	2,183	83.1	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	2,862	76.0	1,746	45.5	Full Immunization	64.9
29	Children who have received BCG	3,332	88.4	2,301	59.9		
30	Children who have received Pentavalent 1	3,454	91.7	2,511	65.4		
31	Children who have received Pentavalent 3	2,826	75.0	2,076	54.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,525	67.0	1,864	48.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,431		1,199			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	8.7
35	Number of Tubectomies performed	30		22		Spacing	4.2
36	Number of IUD insertion	550		306		Women using any method	61.8
37	Number of IUD removals	431		274		Women using modern method	22.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	351		305			
39	General OPD cases per 10,000 population ***	3370		3405			
40	Ayush OPD cases per 10,000 population ***	58		36			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
41	Neonatal death within 24 hours	15		5			
42	Neonatal Deaths up to 4 weeks of birth	38		30			
43	Total Neonatal Death	53		35			
44	Deaths between (1 - 11) months	22		17			
45	Total reported infant deaths	75		52			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			

48	Due to Severe hypertension/fits	0	1	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	1	

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	8,145		8,264			
9	Expected number of Delivery	7,493		7,603			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,346	65.6	3,482	42.1	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	2,969	55.5	1,860	53.4	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	1,879	35.1	1,801	51.7	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	2,304	43.1	1,827	52.5	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	2,585	48.4	1,774	50.9	Home Delivery	8.3
15	Home Delivery against expected delivery *	84	1.1	35	0.5	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	3,934	52.5	2,511	33.0	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	84	2.1	35	1.4	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	3,934	97.9	2,511	98.6		
19	Total reported Deliveries	4,018		2,546			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57		20		57.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,423		2,897		113.8	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,404		7,512			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,015	54.2	2,536	33.8	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	3	0.0	11	0.1	BCG	100
25	PC of newborn weighted at birth to live birth	3,988	99.3	2,471	97.4	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	0.4	4	0.2	Measles First dose	81.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,549	88.4	2,470	97.4	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,086	68.7	3,544	47.2	Full Immunization	76.2
29	Children who have received BCG	5,020	67.8	3,055	40.7		
30	Children who have received Pentavalent 1	5,381	72.7	3,497	46.5		
31	Children who have received Pentavalent 3	4,666	63.0	3,085	41.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,146	69.5	3,770	50.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	149		86			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	16.7
35	Number of Tubectomies performed	23		18		Spacing	5.4
36	Number of IUD insertion	79		90		Women using any method	50.1
37	Number of IUD removals	104		65		Women using modern method	16.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	32		31			
39	General OPD cases per 10,000 population ***	1524		1510			
40	Ayush OPD cases per 10,000 population ***	145		123			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	517,992						
2	Sex Ratio	1,029						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	53						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	9,304	9,451					
9	Expected number of Delivery	8,560	8,695					
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)			
		Number	PC	Number	PC			
10	PW register for ANC	7,431	79.9	4,654	49.2	ANC Check up in first trimester	83.2	
11	Mothers registered in the first trimester	4,918	66.2	3,125	67.1	At least 4ANC check up	93.4	
12	Mothers who had 4 or more ANC check ups	5,940	79.9	3,007	64.6	Neonatal tetanus received	92.7	
13	PW who got TT 2 / Booster injection	4,447	59.8	2,527	54.3	100 IFA tablets consumed	60.9	
14	PW who consumed 180 IFA tablets	3,360	45.2	3,690	79.3	Home Delivery	4.3	
15	Home Delivery against expected delivery *	229	2.7	154	1.8	Institutional Delivery	95.7	
16	Institutional Delivery against expected delivery *	11,584	135.3	7,046	81.0	Home Delivery by SBA	2.3	
17	Home Delivery against reported delivery **	229	1.9	154	2.1	PNC within 2days of delivery	90.8	
18	Institutional Delivery against reported delivery **	11,584	98.1	7,046	97.9			
19	Total reported Deliveries	11,813		7,200				

20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	169	73.8	125	81.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11	0.1	1	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,458		8,592			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	11,890	140.6	6,896	80.3	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	35	0.4	17	0.2	BCG	94.7
25	PC of newborn weighted at birth to live birth	11,756	98.9	7,221	104.7	3 dose of DPT	94.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,004	8.5	788	10.9	Measles First dose	88.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,355	87.1	5,131	74.4	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	7,306	86.4	4,484	52.2	Full Immunization	74.1
29	Children who have received BCG	6,179	73.1	3,233	37.6		
30	Children who have received Pentavalent 1	7,981	94.4	4,140	48.2		
31	Children who have received Pentavalent 3	8,114	95.9	3,963	46.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,386	87.3	4,650	54.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	633		323			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	2		0		Total unmet need	12.5
35	Number of Tubectomies performed	365		221		Spacing	6.4
36	Number of IUD insertion	144		102		Women using any method	69.9
37	Number of IUD removals	187		129		Women using modern method	16.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	354		287			
39	General OPD cases per 10,000 population ***	4106		3244			
40	Ayush OPD cases per 10,000 population ***	210		149			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
41	Neonatal death within 24 hours	4		2			
42	Neonatal Deaths up to 4 weeks of birth	8		5			
43	Total Neonatal Death	12		7			

44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	13	7	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	2	
49	Due to Bleeding	1	1	
50	Due to High fever	0	1	
51	Due to Other Causes (including causes not known)	11	2	
52	Total reported maternal deaths	12	6	

Jiribam Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	804	815				
9	Expected number of Delivery	739	750				
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	625	77.8	407	49.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	212	33.9	167	41.0	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	0	0.0	9	2.2	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	415	66.4	276	67.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	0	0.0	12	2.9	Home Delivery	NA
15	Home Delivery against expected delivery *	10	1.4	1	0.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	87	11.8	36	4.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	10	10.3	1	2.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	87	89.7	36	97.3		

19	Total reported Deliveries	97		37			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	731		741			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	95	13.0	36	4.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	1	0.1	1	0.1	BCG	NA
25	PC of newborn weighted at birth to live birth	86	90.5	34	94.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	12.8	2	5.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	86	90.5	30	83.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	261	35.7	142	19.2	Full Immunization	NA
29	Children who have received BCG	306	41.9	110	14.8		
30	Children who have received Pentavalent 1	488	66.8	230	31.0		
31	Children who have received Pentavalent 3	290	39.7	125	16.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	345	47.2	142	19.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	42		3			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	0		0		Women using any method	NA
37	Number of IUD removals	0		0		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	13		10			
39	General OPD cases per 10,000 population ***	0		0			
40	Ayush OPD cases per 10,000 population ***	0		0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
41	Neonatal death within 24 hours	0		0			

42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	2,520	2,559				
9	Expected number of Delivery	2,318	2,354				
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,792	110.8	1,692	66.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	930	33.3	480	28.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	269	9.6	113	6.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	684	24.5	467	27.6	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	780	27.9	403	23.8	Home Delivery	NA
15	Home Delivery against expected delivery *	106	4.6	37	1.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	207	8.9	70	3.0	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	106	33.9	37	34.6	PNC within 2days of	NA

						delivery	
18	Institutional Delivery against reported delivery **	207	66.1	70	65.4		
19	Total reported Deliveries	313		107			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	47.2	16	43.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	108	34.5	134	125.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,291		2,326			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	317	13.8	113	4.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	314	99.1	104	92.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	5.1	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	313	98.7	114	100.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,726	75.3	1,131	48.6	Full Immunization	NA
29	Children who have received BCG	1,665	72.7	766	32.9		
30	Children who have received Pentavalent 1	2,093	91.4	1,171	50.3		
31	Children who have received Pentavalent 3	1,865	81.4	1,082	46.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,748	76.3	1,123	48.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	89		16			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	16		12		Women using any method	NA
37	Number of IUD removals	19		21		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	19		2			
39	General OPD cases per 10,000 population ***	1736		1272			
40	Ayush OPD cases per 10,000 population ***	246		138			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	1	0	
43	Total Neonatal Death	1	0	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	2	1	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	1	
52	Total reported maternal deaths	1	1	

Kamjong Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	865	891				
9	Expected number of Delivery	796	820				
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	241	27.9	350	39.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	78	32.4	124	35.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	36	14.9	28	8.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	125	51.9	148	42.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	90	37.3	115	32.9	Home Delivery	NA
15	Home Delivery against expected delivery *	114	14.3	87	10.6	Institutional Delivery	NA

16	Institutional Delivery against expected delivery *	22	2.8	46	5.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	114	83.8	87	65.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	22	16.2	46	34.6		
19	Total reported Deliveries	136		133			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	21.9	22	25.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	30.1	28	21.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	786		810			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	139	17.7	132	16.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	1	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	132	95.0	134	101.5	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	132	95.0	135	102.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	177	22.5	159	19.6	Full Immunization	NA
29	Children who have received BCG	199	25.3	217	26.8		
30	Children who have received Pentavalent 1	247	31.4	249	30.7		
31	Children who have received Pentavalent 3	206	26.2	200	24.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	24.2	196	24.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	37		15			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	1		3		Women using any method	NA
37	Number of IUD removals	3		7		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	2		14			
39	General OPD cases per 10,000 population ***	531		720			

40	Ayush OPD cases per 10,000 population ***	29	3	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths up to 4 weeks of birth	1	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	2	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kangpokpi Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (RHS 2019-20)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2020-21	2021-22				
8	Expected number of PW	2,727	2,795				
9	Expected number of Delivery	2,509	2,572				
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	3,479	127.6	2,884	103.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,254	36.0	857	29.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	813	23.4	542	18.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,736	49.9	1,203	41.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	1,104	31.7	571	19.8	Home Delivery	NA

15	Home Delivery against expected delivery *	1,056	42.1	685	26.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	372	14.8	269	10.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1,056	73.9	685	71.8	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	372	26.1	269	28.2		
19	Total reported Deliveries	1,428		954			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	619	58.6	388	56.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	939	65.8	554	58.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,479		2,541			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,436	57.9	938	36.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	3	0.1	1	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	1,435	99.9	951	101.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	1.3	11	1.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,432	99.7	951	101.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,450	98.8	1,691	66.5	Full Immunization	NA
29	Children who have received BCG	2,519	101.6	1,877	73.9		
30	Children who have received Pentavalent 1	2,891	116.6	2,027	79.8		
31	Children who have received Pentavalent 3	2,607	105.2	1,754	69.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,453	99.0	1,725	67.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	713		419			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	4		0		Spacing	NA
36	Number of IUD insertion	114		63		Women using any method	NA
37	Number of IUD removals	58		41		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR			
38	IPD cases per 10,000 population ***	64		52			

39	General OPD cases per 10,000 population ***	1815	1230	
40	Ayush OPD cases per 10,000 population ***	181	190	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths up to 4 weeks of birth	1	1	
43	Total Neonatal Death	2	1	
44	Deaths between (1 - 11) months	3	1	
45	Total reported infant deaths	5	2	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	1	0	
47	Due to Obstructed/prolonged labour	1	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	2	0	
52	Total reported maternal deaths	4	0	

Noney Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B)Infrastructure Details (RHS 2019-20)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2020-21	2021-22				
8	Expected number of PW	756	775				
9	Expected number of Delivery	695	713				
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR			NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	964	127.6	685	88.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	491	50.9	272	39.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	343	35.6	314	45.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	548	56.8	402	58.7	100 IFA tablets consumed	NA

14	PW who consumed 180 IFA tablets	369	38.3	305	44.5	Home Delivery	NA
15	Home Delivery against expected delivery *	238	34.2	105	14.7	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	322	46.3	201	28.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	238	42.5	105	34.3	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	322	57.5	201	65.7		
19	Total reported Deliveries	560		306			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	13.4	11	10.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	118	21.1	80	26.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	687		705			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	557	81.1	304	43.1	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.3	1	0.1	BCG	NA
25	PC of newborn weighted at birth to live birth	477	85.6	255	83.9	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.0	18	7.1	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	492	88.3	255	83.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	471	68.6	384	54.5	Full Immunization	NA
29	Children who have received BCG	609	88.6	439	62.3		
30	Children who have received Pentavalent 1	750	109.2	547	77.6		
31	Children who have received Pentavalent 3	627	91.3	411	58.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	489	71.2	399	56.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	101		78			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	112		114		Women using any method	NA
37	Number of IUD removals	61		54		Women using modern method	NA

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
38	IPD cases per 10,000 population ***	108	55	
39	General OPD cases per 10,000 population ***	2922	1630	
40	Ayush OPD cases per 10,000 population ***	0	80	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
41	Neonatal death within 24 hours	3	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	3	0	
44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	4	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	1	0	

Pherzawl Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011		NA				
2	Sex Ratio		NA				
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)		NA				
4	Primary Health Centers (PHC)		NA				
5	Community Health Centers (CHC)		NA				
6	SDH		NA				
7	DH		NA				
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	691		705			
9	Expected number of Delivery	636		648			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	526	76.1	467	66.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	247	47.0	163	34.9	At least 4ANC check up	NA

12	Mothers who had 4 or more ANC check ups	155	29.5	141	30.2	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	231	43.9	194	41.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	530	100.8	405	86.7	Home Delivery	NA
15	Home Delivery against expected delivery *	45	7.1	53	8.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	91	14.3	78	12.0	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	45	33.1	53	40.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	91	66.9	78	59.5		
19	Total reported Deliveries	136		131			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	62.2	32	60.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	41.9	43	32.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	629		640			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	132	21.0	126	19.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	4	0.6	5	0.8	BCG	NA
25	PC of newborn weighted at birth to live birth	125	94.7	112	88.9	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7	5.6	7	6.3	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	125	94.7	113	89.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	143	22.8	90	14.1	Full Immunization	NA
29	Children who have received BCG	222	35.3	151	23.6		
30	Children who have received Pentavalent 1	288	45.8	227	35.4		
31	Children who have received Pentavalent 3	230	36.6	150	23.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	208	33.1	113	17.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	106		37			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	0		0		Women using	NA

				any method	
37	Number of IUD removals	4	2	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	115	62		
39	General OPD cases per 10,000 population ***	2632	1720		
40	Ayush OPD cases per 10,000 population ***	114	30		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	2		
52	Total reported maternal deaths	0	2		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	479,148				
2	Sex Ratio	939				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	67				
4	Primary Health Centers (PHC)	14				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2020-21	2021-22			
8	Expected number of PW	5,162	5,291			
9	Expected number of Delivery	4,749	4,868			
		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	

10	PW register for ANC	5,199	100.7	5,971	112.8	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,202	42.4	1,668	27.9	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,701	52.0	1,708	28.6	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	3,905	75.1	3,524	59.0	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	2,205	42.4	1,532	25.7	Home Delivery	54.2
15	Home Delivery against expected delivery *	2,354	49.6	1,599	32.8	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,678	35.3	1,225	25.2	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	2,354	58.4	1,599	56.6	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,678	41.6	1,225	43.4		
19	Total reported Deliveries	4,032		2,824			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,638	69.6	1,123	70.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,607	39.9	1,193	42.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,692		4,810			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,036	86.0	2,715	56.4	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	3	0.1	5	0.1	BCG	87.2
25	PC of newborn weighted at birth to live birth	3,782	93.7	2,782	102.5	3 dose of DPT	77.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	0.8	31	1.1	Measles First dose	75.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,794	94.0	2,747	101.2	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,271	69.7	2,239	46.5	Full Immunization	65
29	Children who have received BCG	4,193	89.4	2,951	61.3		
30	Children who have received Pentavalent 1	3,875	82.6	2,887	60.0		
31	Children who have received Pentavalent 3	3,729	79.5	2,752	57.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,599	76.7	2,592	53.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	126		144			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	

34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	18	11	Spacing	4.1
36	Number of IUD insertion	99	57	Women using any method	65.2
37	Number of IUD removals	49	34	Women using modern method	17.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	66	52		
39	General OPD cases per 10,000 population ***	1354	1017		
40	Ayush OPD cases per 10,000 population ***	31	17		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	140,651			
2	Sex Ratio	953			
B) Infrastructure Details (RHS 2019-20)		Numbers			
3	Sub Centers (SC)	30			
4	Primary Health Centers (PHC)	6			
5	Community Health Centers (CHC)	1			
6	SDH	0			
7	DH	1			
C) Maternal Health:		2020-21	2021-22		
8	Expected number of PW	1,118	1,147		
9	Expected number of Delivery	1,029	1,055		

		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,246	111.4	1,196	104.3	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	499	40.0	414	34.6	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	360	28.9	360	30.1	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	803	64.4	537	44.9	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	592	47.5	599	50.1	Home Delivery	42.3
15	Home Delivery against expected delivery *	245	23.8	238	22.6	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	479	46.6	361	34.2	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	245	33.8	238	39.7	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	479	66.2	361	60.3		
19	Total reported Deliveries	724		599			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	37.6	73	30.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	164	22.7	165	27.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,017		1,043			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	720	70.8	592	56.8	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	5	0.5	8	0.8	BCG	91.2
25	PC of newborn weighted at birth to live birth	714	99.2	591	99.8	3 dose of DPT	78.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.5	14	2.4	Measles First dose	77.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	656	91.1	518	87.5	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	808	79.5	465	44.6	Full Immunization	67.4
29	Children who have received BCG	876	86.2	699	67.0		
30	Children who have received Pentavalent 1	1,009	99.3	729	69.9		
31	Children who have received Pentavalent 3	842	82.8	555	53.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	813	80.0	465	44.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75		57			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning						HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed		0	0	Total unmet need	8.4			
35	Number of Tubectomies performed		0	0	Spacing	3.2			
36	Number of IUD insertion		241	197	Women using any method	65.2			
37	Number of IUD removals		107	98	Women using modern method	22.2			
F) Service delivery			HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR					
38	IPD cases per 10,000 population ***		132	119					
39	General OPD cases per 10,000 population ***		1573	1080					
40	Ayush OPD cases per 10,000 population ***		97	60					
G) Mortality Details									
I)	Infant Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR					
41	Neonatal death within 24 hours		0	2					
42	Neonatal Deaths up to 4 weeks of birth		1	0					
43	Total Neonatal Death		1	2					
44	Deaths between (1 - 11) months		1	1					
45	Total reported infant deaths		2	3					
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR					
46	Due to Abortion		0	0					
47	Due to Obstructed/prolonged labour		0	0					
48	Due to Severe hypertension/fits		0	0					
49	Due to Bleeding		1	2					
50	Due to High fever		0	0					
51	Due to Other Causes (including causes not known)		2	0					
52	Total reported maternal deaths		3	2					

Tengnoupal Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
B) Infrastructure Details (RHS 2019-20)		Numbers	
3	Sub Centers (SC)	NA	
4	Primary Health Centers (PHC)	NA	
5	Community Health Centers (CHC)	NA	
6	SDH	NA	

7	DH	NA					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	937		961			
9	Expected number of Delivery	862		884			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	770	82.2	470	48.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	531	69.0	337	71.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	314	40.8	205	43.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	656	85.2	390	83.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	701	91.0	487	103.6	Home Delivery	NA
15	Home Delivery against expected delivery *	255	29.6	110	12.4	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	68	7.9	17	1.9	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	255	78.9	110	86.6	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	68	21.1	17	13.4		
19	Total reported Deliveries	323		127			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	238	93.3	103	93.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	95	29.4	39	30.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	852		874			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	323	37.9	121	13.8	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	1	0.1	BCG	NA
25	PC of newborn weighted at birth to live birth	314	97.2	122	100.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	301	93.2	114	94.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	595	69.8	365	41.8	Full Immunization	NA
29	Children who have received BCG	613	71.9	380	43.5		
30	Children who have received Pentavalent 1	664	77.9	390	44.6		
31	Children who have received Pentavalent 3	571	67.0	396	45.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	603	70.8	359	41.1		

33	Diarrhoea and Dehydration cases reported in children below 5 years	50	11		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	10	8	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	57	0		
39	General OPD cases per 10,000 population ***	1076	1198		
40	Ayush OPD cases per 10,000 population ***	294	140		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		
1	Population 2011	422,168	
2	Sex Ratio	1,006	
B) Infrastructure Details (RHS 2019-20)		Numbers	
3	Sub Centers (SC)	50	

4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	5,152		5,231			
9	Expected number of Delivery	4,740		4,813			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,592	69.7	2,816	53.8	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	1,997	55.6	1,374	48.8	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	695	19.3	496	17.6	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	1,790	49.8	1,356	48.2	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	1,393	38.8	1,206	42.8	Home Delivery	12.2
15	Home Delivery against expected delivery *	396	8.4	254	5.3	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	1,175	24.8	710	14.8	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	396	25.2	254	26.3	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	1,175	74.8	710	73.7		
19	Total reported Deliveries	1,571		964			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	330	83.3	172	67.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	799	50.9	603	62.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,683		4,756			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,578	33.7	956	20.1	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	0	0.0	9	0.2	BCG	98.7
25	PC of newborn weighted at birth to live birth	1,574	99.7	969	101.4	3 dose of DPT	84.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.3	14	1.4	Measles First dose	77.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,153	73.1	631	66.0	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	3,559	76.0	2,259	47.5	Full Immunization	74.2
29	Children who have received BCG	3,226	68.9	1,891	39.8		
30	Children who have received Pentavalent 1	4,353	92.9	2,623	55.2		
31	Children who have received Pentavalent	3,671	78.4	2,322	48.8		

	3					
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,606	77.0	2,297	48.3	
33	Diarrhoea and Dehydration cases reported in children below 5 years	60		60		

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6
35	Number of Tubectomies performed	4	4	Spacing	2.3
36	Number of IUD insertion	58	45	Women using any method	72.2
37	Number of IUD removals	69	21	Women using modern method	17.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
38	IPD cases per 10,000 population ***	33	25		
39	General OPD cases per 10,000 population ***	1331	1148		
40	Ayush OPD cases per 10,000 population ***	134	68		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	183,998	
2	Sex Ratio	948	

B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,531		2,607			
9	Expected number of Delivery	2,329		2,399			
		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,999	118.5	580	22.2	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	1,007	33.6	262	45.2	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	427	14.2	266	45.9	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	954	31.8	375	64.7	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	262	8.7	169	29.1	Home Delivery	55.4
15	Home Delivery against expected delivery *	466	20.0	256	10.7	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,201	51.6	351	14.6	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	466	28.0	256	42.2	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,201	72.0	351	57.8		
19	Total reported Deliveries	1,667		607			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	239	51.3	160	62.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	467	28.0	250	41.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,301		2,370			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,657	72.0	607	25.6	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	24	1.0	1	0.0	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,569	94.7	575	94.7	3 dose of DPT	53.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	1.8	11	1.9	Measles First dose	53.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,477	89.1	576	94.9	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	955	41.5	545	23.0	Full Immunization	39.4
29	Children who have received BCG	1,693	73.6	784	33.1		

30	Children who have received Pentavalent 1	1,562	67.9	717	30.2		
31	Children who have received Pentavalent 3	1,267	55.1	561	23.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,043	45.3	585	24.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	64		19			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	12.7	
35	Number of Tubectomies performed	9	0		Spacing	5.2	
36	Number of IUD insertion	57	50		Women using any method	56.9	
37	Number of IUD removals	51	29		Women using modern method	12.3	
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR				
38	IPD cases per 10,000 population ***	124	21				
39	General OPD cases per 10,000 population ***	2388	674				
40	Ayush OPD cases per 10,000 population ***	89	5				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths up to 4 weeks of birth	2	3				
43	Total Neonatal Death	2	4				
44	Deaths between (1 - 11) months	2	0				
45	Total reported infant deaths	4	4				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) up to 3rd QTR				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	0				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	2	0				
52	Total reported maternal deaths	2	0				