

## Meghalaya Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	29,66,889					
2	Sex Ratio	986					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	451					
5	Primary Health Centers (PHC)	145					
7	Community Health Centers (CHC)	28					
8	SDH	0					
9	DH	11					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
10	Expected number of PW	92,499	99,805				
11	Expected number of Delivery	86,613	93,453				
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,10,633	119.6	1,09,015	109.2	ANC Check up in first trimester	53.9
11	Mothers registered in the first trimester	44,449	40.2	43,607	40.0	At least 4ANC check up	52.2
12	Mothers who had 4 or more ANC check ups	62,006	56.0	57,630	52.9	Neonatal tetanus received	82.1
13	PW who got TT 2 / Booster injection	74,341	67.2	71,715	65.8	100 IFA tablets consumed	43.1
14	PW who consumed 180 IFA tablets	64,785	58.6	65,245	59.8	Home Delivery	41.9
15	Home Delivery against expected delivery *	34,116	39.4	35,500	38.0	Institutional Delivery	58.1
16	Institutional Delivery Against expected delivery *	50,009	57.7	47,508	50.8	Home Delivery by SBA	6.6
17	Home Delivery against reported delivery **	34,116	40.6	35,500	42.8	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	50,009	59.4	47,508	57.2		
19	Total reported Deliveries	84,125		83,008			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,641	4.8	2,495	7.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,844	50.9	42,582	51.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	84,090		90,731			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>		
23	Total reported live births	82,464	98.1	81,463	89.8	Breastfed within 1 hour of birth	78.8
24	Total Still Birth	2,266	2.7	2,323	2.6	BCG	89.3

25	PC of newborn weighted at birth to live birth	80,347	97.4	79,323	97.4	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,129	7.6	6,456	8.1	Measles First dose	72.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	74,540	90.4	74,993	92.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	78,202	93.0	70,050	77.2	Full Immunization	63.8
29	Children who have received BCG	80,597	95.8	77,684	85.6		
30	Children who have received Pentavalent 1	79,624	94.7	73,494	81.0		
31	Children who have received Pentavalent 3	76,512	91.0	63,750	70.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	78,626	93.5	70,206	77.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	54,380		37,161			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	2	5	Total unmet need	26.9		
35	Number of Tubectomies performed	2,181	2,227	Spacing	18.3		
36	Number of IUD insertion	2,046	1,647	Women using any method	27.4		
37	Number of IUD removals	1,992	2,017	Women using modern method	22.5		
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
38	IPD cases per 10,000 population ***	477	455				
39	General OPD cases per 10,000 population ***	7617	6995				
40	Ayush OPD cases per 10,000 population ***	536	403				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
41	Neonatal death within 24 hours	426	383				
42	Neonatal Deaths up to 4 weeks of birth	991	826				
43	<b>Total Neonatal Death</b>	<b>1,417</b>	<b>1,209</b>				
44	Deaths between (1 - 11) months	1,638	1,012				
45	<b>Total reported infant deaths</b>	<b>3,055</b>	<b>2,221</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
46	Due to Abortion	1	5				
47	Due to Obstructed/prolonged labour	18	7				
48	Due to Severe hypertension/fits	16	13				
49	Due to Bleeding	38	36				
50	Due to High fever	3	2				
51	Due to Other Causes (including causes not known)	167	165				
52	<b>Total reported maternal deaths</b>	<b>243</b>	<b>228</b>				

## East Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,17,917						
2	Sex Ratio	968						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	31						
5	Primary Health Centers (PHC)	8						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	5,047	5,435					
11	Expected number of Delivery	4,726	5,089					
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	5,384	106.7	5,047	92.9	ANC Check up in first trimester	59.2	
11	Mothers registered in the first trimester	2,005	37.2	1,817	36.0	At least 4ANC check up	25.5	
12	Mothers who had 4 or more ANC check ups	2,945	54.7	2,371	47.0	Neonatal tetanus received	74.5	
13	PW who got TT 2 / Booster injection	3,941	73.2	3,600	71.3	100 IFA tablets consumed	28.8	
14	PW who consumed 180 IFA tablets	3,846	71.4	3,530	69.9	Home Delivery	26.2	
15	Home Delivery against expected delivery *	2,125	45.0	2,097	41.2	Institutional Delivery	73.8	
16	Institutional Delivery Against expected delivery *	2,091	44.2	2,207	43.4	Home Delivery by SBA	7.5	
17	Home Delivery against reported delivery **	2,125	50.4	2,097	48.7	PNC within 2days of delivery	59.9	
18	Institutional Delivery against reported delivery **	2,091	49.6	2,207	51.3			
19	Total reported Deliveries	4,216		4,304				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	548	25.8	839	40.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,810	66.7	3,184	74.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	4,588		4,941				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	4,124	89.9	4,225	85.5	Breastfed within 1 hour of birth	48.0	

24	Total Still Birth	101	2.2	84	1.7	BCG	81.5
25	PC of newborn weighted at birth to live birth	4,062	98.5	4,156	98.4	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	257	6.3	382	9.2	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,044	98.1	4,134	97.8	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,626	100.8	4,198	85.0	Full Immunization	72.4
29	Children who have received BCG	3,915	85.3	3,732	75.5		
30	Children who have received Pentavalent 1	4,214	91.8	3,845	77.8		
31	Children who have received Pentavalent 3	4,071	88.7	3,355	67.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,677	101.9	4,153	84.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	705		803			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	21.0		
35	Number of Tubectomies performed	25	125	Spacing	12.4		
36	Number of IUD insertion	228	176	Women using any method	37.0		
37	Number of IUD removals	61	105	Women using modern method	35.8		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	231	243				
39	General OPD cases per 10,000 population ***	3736	3539				
40	Ayush OPD cases per 10,000 population ***	245	296				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	2	6				
42	Neonatal Deaths up to 4 weeks of birth	36	15				
43	<b>Total Neonatal Death</b>	<b>38</b>	<b>21</b>				
44	Deaths between (1 - 11) months	63	30				
45	<b>Total reported infant deaths</b>	<b>101</b>	<b>51</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	4	1				
48	Due to Severe hypertension/fits	1	0				
49	Due to Bleeding	4	5				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	4	4				
52	<b>Total reported maternal deaths</b>	<b>13</b>	<b>10</b>				

## East Jaintia Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,95,124						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	36						
5	Primary Health Centers (PHC)	6						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	4,340	4,699					
11	Expected number of Delivery	4,064	4,400					
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	4,395	101.3	4,450	94.7	ANC Check up in first trimester	55.5	
11	Mothers registered in the first trimester	1,506	34.3	1,454	32.7	At least 4ANC check up	58.6	
12	Mothers who had 4 or more ANC check ups	1,318	30.0	1,190	26.7	Neonatal tetanus received	87.7	
13	PW who got TT 2 / Booster injection	3,654	83.1	3,562	80.0	100 IFA tablets consumed	51.9	
14	PW who consumed 180 IFA tablets	2,113	48.1	2,536	57.0	Home Delivery	51.6	
15	Home Delivery against expected delivery *	1,545	38.0	1,582	36.0	Institutional Delivery	48.4	
16	Institutional Delivery Against expected delivery *	1,224	30.1	1,093	24.8	Home Delivery by SBA	6.8	
17	Home Delivery against reported delivery **	1,545	55.8	1,582	59.1	PNC within 2days of delivery	49.1	
18	Institutional Delivery against reported delivery **	1,224	44.2	1,093	40.9			
19	Total reported Deliveries	2,769		2,675				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	5.4	125	7.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,629	58.8	1,644	61.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	3,946		4,272				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	2,740	69.4	2,622	61.4	Breastfed within 1 hour of birth	85.3	

24	Total Still Birth	61	1.5	65	1.5	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,596	94.7	2,539	96.8	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	154	5.9	165	6.5	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,563	93.5	2,507	95.6	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	4,138	104.9	3,689	86.4	Full Immunization	74.4
29	Children who have received BCG	3,043	77.1	2,886	67.6		
30	Children who have received Pentavalent 1	4,095	103.8	3,783	88.6		
31	Children who have received Pentavalent 3	4,029	102.1	3,216	75.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,292	108.8	3,707	86.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,541		2,855			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	26.0		
35	Number of Tubectomies performed	4	0	Spacing	20.1		
36	Number of IUD insertion	65	39	Women using any method	33.6		
37	Number of IUD removals	22	19	Women using modern method	24		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	279	275				
39	General OPD cases per 10,000 population ***	5598	4506				
40	Ayush OPD cases per 10,000 population ***	499	272				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	15	11				
42	Neonatal Deaths up to 4 weeks of birth	28	22				
43	<b>Total Neonatal Death</b>	<b>43</b>	<b>33</b>				
44	Deaths between (1 - 11) months	57	21				
45	<b>Total reported infant deaths</b>	<b>100</b>	<b>54</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	1	1				
49	Due to Bleeding	0	1				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	0	3				
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>5</b>				

## East Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	8,25,922						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	72						
5	Primary Health Centers (PHC)	44						
7	Community Health Centers (CHC)	7						
8	SDH	0						
9	DH	2						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	25,182	27,087					
11	Expected number of Delivery	23,579	25,364					
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	35,361	140.4	36,022	133.0	ANC Check up in first trimester	56.7	
11	Mothers registered in the first trimester	14,352	40.6	14,966	41.5	At least 4ANC check up	57.5	
12	Mothers who had 4 or more ANC check ups	19,345	54.7	19,637	54.5	Neonatal tetanus received	80.2	
13	PW who got TT 2 / Booster injection	16,034	45.3	15,724	43.7	100 IFA tablets consumed	40.1	
14	PW who consumed 180 IFA tablets	16,299	46.1	17,525	48.7	Home Delivery	36.6	
15	Home Delivery against expected delivery *	5,999	25.4	6,857	27.0	Institutional Delivery	63.4	
16	Institutional Delivery Against expected delivery *	17,368	73.7	16,077	63.4	Home Delivery by SBA	6.2	
17	Home Delivery against reported delivery **	5,999	25.7	6,857	29.9	PNC within 2days of delivery	33.6	
18	Institutional Delivery against reported delivery **	17,368	74.3	16,077	70.1			
19	Total reported Deliveries	23,367		22,934				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	1.7	113	1.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,231	52.3	13,644	59.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	22,892		24,625				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	22,776	99.5	22,423	91.1	Breastfed within 1 hour of birth	86.3	

24	Total Still Birth	716	3.1	812	3.3	BCG	84.2
25	PC of newborn weighted at birth to live birth	22,181	97.4	21,489	95.8	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,190	9.9	2,172	10.1	Measles First dose	56.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,723	77.8	18,889	84.2	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	17,273	75.5	14,858	60.3	Full Immunization	49.1
29	Children who have received BCG	21,870	95.5	20,663	83.9		
30	Children who have received Pentavalent 1	17,996	78.6	15,800	64.2		
31	Children who have received Pentavalent 3	16,996	74.2	12,832	52.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,384	75.9	14,823	60.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,468		9,433			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	2	3	Total unmet need	33.0		
35	Number of Tubectomies performed	996	1,013	Spacing	25.2		
36	Number of IUD insertion	489	484	Women using any method	12.1		
37	Number of IUD removals	715	772	Women using modern method	10.6		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	789	774				
39	General OPD cases per 10,000 population ***	11514	11659				
40	Ayush OPD cases per 10,000 population ***	405	427				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	129	149				
42	Neonatal Deaths up to 4 weeks of birth	327	338				
43	<b>Total Neonatal Death</b>	<b>456</b>	<b>487</b>				
44	Deaths between (1 - 11) months	460	367				
45	<b>Total reported infant deaths</b>	<b>916</b>	<b>854</b>				
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	1	1				
47	Due to Obstructed/prolonged labour	2	0				
48	Due to Severe hypertension/fits	5	4				
49	Due to Bleeding	2	2				
50	Due to High fever	0	1				
51	Due to Other Causes (including causes not known)	52	76				
52	<b>Total reported maternal deaths</b>	<b>62</b>	<b>84</b>				



## North Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,17,917						
2	Sex Ratio	968						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	50						
5	Primary Health Centers (PHC)	11						
7	Community Health Centers (CHC)	1						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2020-21		2021-22				
10	Expected number of PW	4,666		5,025				
11	Expected number of Delivery	4,369		4,705				
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	5,351	114.7	4,595	91.4	ANC Check up in first trimester	40.3	
11	Mothers registered in the first trimester	2,031	38.0	1,766	38.4	At least 4ANC check up	24.3	
12	Mothers who had 4 or more ANC check ups	3,659	68.4	2,859	62.2	Neonatal tetanus received	55.5	
13	PW who got TT 2 / Booster injection	4,477	83.7	3,795	82.6	100 IFA tablets consumed	23.7	
14	PW who consumed 180 IFA tablets	3,575	66.8	2,478	53.9	Home Delivery	38.5	
15	Home Delivery against expected delivery *	1,448	33.1	1,497	31.8	Institutional Delivery	61.5	
16	Institutional Delivery Against expected delivery *	2,171	49.7	1,792	38.1	Home Delivery by SBA	5.9	
17	Home Delivery against reported delivery **	1,448	40.0	1,497	45.5	PNC within 2days of delivery	40.5	
18	Institutional Delivery against reported delivery **	2,171	60.0	1,792	54.5			
19	Total reported Deliveries	3,619		3,289				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	126	8.7	139	9.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,120	58.6	1,943	59.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	4,242		4,568				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	3,577	84.3	3,226	70.6	Breastfed within 1 hour of birth	62.3	

24	Total Still Birth	55	1.3	62	1.4	BCG	-65.9
25	PC of newborn weighted at birth to live birth	3,458	96.7	3,141	97.4	3 dose of DPT	-57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	125	3.6	133	4.2	Measles First dose	-58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,471	97.0	3,149	97.6	3 doses of penta or hepatitis B vaccine	-39.5
28	Children fully immunized	4,466	105.3	3,947	86.4	Full Immunization	-47.5
29	Children who have received BCG	4,055	95.6	3,422	74.9		
30	Children who have received Pentavalent 1	4,266	100.6	3,714	81.3		
31	Children who have received Pentavalent 3	4,153	97.9	3,280	71.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	105.2	3,962	86.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	850		759			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	25.2		
35	Number of Tubectomies performed	0	0	Spacing	12.9		
36	Number of IUD insertion	26	42	Women using any method	19.2		
37	Number of IUD removals	50	57	Women using modern method	17.7		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	250	205				
39	General OPD cases per 10,000 population ***	3895	2862				
40	Ayush OPD cases per 10,000 population ***	47	43				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	15	2				
42	Neonatal Deaths up to 4 weeks of birth	25	17				
43	<b>Total Neonatal Death</b>	<b>40</b>	<b>19</b>				
44	Deaths between (1 - 11) months	50	19				
45	<b>Total reported infant deaths</b>	<b>90</b>	<b>38</b>				
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	2	0				
48	Due to Severe hypertension/fits	1	0				
49	Due to Bleeding	2	2				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	3	2				
52	<b>Total reported maternal deaths</b>	<b>8</b>	<b>4</b>				

## Ri Bhoi Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	34					
5	Primary Health Centers (PHC)	10					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	8,487		9,213			
11	Expected number of Delivery	7,947		8,627			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,336	98.2	8,064	87.5	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	4,294	51.5	4,146	51.4	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	5,420	65.0	4,528	56.2	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	6,506	78.0	5,957	73.9	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	4,577	54.9	3,769	46.7	Home Delivery	43.1
15	Home Delivery against expected delivery *	3,218	40.5	3,273	37.9	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	3,165	39.8	2,958	34.3	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	3,218	50.4	3,273	52.5	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	3,165	49.6	2,958	47.5		
19	Total reported Deliveries	6,383		6,231			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	89		101		3.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,938		46.0		2,719 43.6	
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	7,716		8,376			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	6,327		82.0		6,163 73.6	
						Breastfed within 1 hour of birth 85.9	

24	Total Still Birth	130	1.7	135	1.6	BCG	94
25	PC of newborn weighted at birth to live birth	6,213	98.2	6,019	97.7	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.0	309	5.1	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,019	95.1	5,898	95.7	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	6,402	83.0	5,505	65.7	Full Immunization	74.8
29	Children who have received BCG	5,992	77.7	5,649	67.4		
30	Children who have received Pentavalent 1	7,043	91.3	6,322	75.5		
31	Children who have received Pentavalent 3	6,719	87.1	5,369	64.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,408	83.0	5,510	65.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,294		4,276			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	27.0		
35	Number of Tubectomies performed	89	153	Spacing	18.4		
36	Number of IUD insertion	301	174	Women using any method	33.1		
37	Number of IUD removals	286	222	Women using modern method	19.7		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	301	290				
39	General OPD cases per 10,000 population ***	8319	7203				
40	Ayush OPD cases per 10,000 population ***	706	428				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	39	20				
42	Neonatal Deaths up to 4 weeks of birth	53	58				
43	<b>Total Neonatal Death</b>	<b>92</b>	<b>78</b>				
44	Deaths between (1 - 11) months	98	80				
45	<b>Total reported infant deaths</b>	<b>190</b>	<b>158</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	2				
47	Due to Obstructed/prolonged labour	1	1				
48	Due to Severe hypertension/fits	1	1				
49	Due to Bleeding	2	2				
50	Due to High fever	1	0				
51	Due to Other Causes (including causes not known)	7	5				
52	<b>Total reported maternal deaths</b>	<b>12</b>	<b>11</b>				

## South Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,496	4,858				
11	Expected number of Delivery	4,209	4,549				
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,943	110.0	4,425	91.1	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,746	35.3	1,620	36.6	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	2,327	47.1	1,990	45.0	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,411	69.0	3,074	69.5	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	4,144	83.8	3,716	84.0	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,998	47.5	1,831	40.3	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,276	30.3	1,100	24.2	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,998	61.0	1,831	62.5	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,276	39.0	1,100	37.5		
19	Total reported Deliveries	3,274		2,931			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	5.0	167	9.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,651	50.4	1,395	47.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	4,087		4,416			
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	3,212	78.6	2,870	65.0	Breastfed within 1 hour of birth	59.8

24	Total Still Birth	68	1.7	65	1.5	BCG	-100
25	PC of newborn weighted at birth to live birth	3,193	99.4	2,869	100.0	3 dose of DPT	-86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	5.4	132	4.6	Measles First dose	-89.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,175	98.8	2,864	99.8	3 doses of penta or hepatitis B vaccine	-86.8
28	Children fully immunized	3,676	89.9	3,711	84.0	Full Immunization	-86.8
29	Children who have received BCG	3,395	83.1	3,206	72.6		
30	Children who have received Pentavalent 1	3,702	90.6	3,515	79.6		
31	Children who have received Pentavalent 3	3,318	81.2	3,067	69.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,672	89.8	3,715	84.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	464		308			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	25.3		
35	Number of Tubectomies performed	0	0	Spacing	14.4		
36	Number of IUD insertion	11	3	Women using any method	37.6		
37	Number of IUD removals	9	15	Women using modern method	33.3		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	210	178				
39	General OPD cases per 10,000 population ***	3529	2966				
40	Ayush OPD cases per 10,000 population ***	285	239				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	25	8				
42	Neonatal Deaths up to 4 weeks of birth	36	30				
43	<b>Total Neonatal Death</b>	<b>61</b>	<b>38</b>				
44	Deaths between (1 - 11) months	125	44				
45	<b>Total reported infant deaths</b>	<b>186</b>	<b>82</b>				
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	2	1				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	2	1				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	14	4				
52	<b>Total reported maternal deaths</b>	<b>18</b>	<b>6</b>				

## South West Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,42,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,512	4,863				
11	Expected number of Delivery	4,225	4,554				
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,879	108.1	4,598	94.5	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,734	56.0	2,453	53.3	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,629	74.4	3,302	71.8	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	4,074	83.5	3,800	82.6	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	4,018	82.4	3,454	75.1	Home Delivery	16.3
15	Home Delivery against expected delivery *	675	16.0	818	18.0	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	3,234	76.5	2,959	65.0	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	675	17.3	818	21.7	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	3,234	82.7	2,959	78.3		
19	Total reported Deliveries	3,909		3,777			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	4.6	36	4.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,107	53.9	2,287	60.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	4,102		4,421			
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	3,844	93.7	3,686	83.4	Breastfed within 1 hour of birth	54.5

24	Total Still Birth	82	2.0	101	2.3	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,827	99.6	3,682	99.9	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	308	8.0	349	9.5	Measles First dose	92.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,823	99.5	3,678	99.8	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	4,347	106.0	4,159	94.1	Full Immunization	85.4
29	Children who have received BCG	3,527	86.0	3,361	76.0		
30	Children who have received Pentavalent 1	4,232	103.2	4,001	90.5		
31	Children who have received Pentavalent 3	4,164	101.5	3,768	85.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,367	106.5	4,186	94.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,065		800			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	30.4		
35	Number of Tubectomies performed	60	45	Spacing	16.7		
36	Number of IUD insertion	239	170	Women using any method	36.7		
37	Number of IUD removals	189	159	Women using modern method	32.3		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	386	372				
39	General OPD cases per 10,000 population ***	4613	4683				
40	Ayush OPD cases per 10,000 population ***	171	222				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	11	8				
42	Neonatal Deaths up to 4 weeks of birth	55	34				
43	<b>Total Neonatal Death</b>	<b>66</b>	<b>42</b>				
44	Deaths between (1 - 11) months	154	71				
45	<b>Total reported infant deaths</b>	<b>220</b>	<b>113</b>				
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	1	2				
49	Due to Bleeding	4	3				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	5	3				
52	<b>Total reported maternal deaths</b>	<b>10</b>	<b>8</b>				



## South West Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,83,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	20						
5	Primary Health Centers (PHC)	4						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	3,036	3,284					
11	Expected number of Delivery	2,843	3,075					
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	4,195	138.2	3,898	118.7	ANC Check up in first trimester	48.5	
11	Mothers registered in the first trimester	1,147	27.3	1,156	29.7	At least 4ANC check up	63.4	
12	Mothers who had 4 or more ANC check ups	2,366	56.4	1,954	50.1	Neonatal tetanus received	85.6	
13	PW who got TT 2 / Booster injection	2,890	68.9	2,660	68.2	100 IFA tablets consumed	53.8	
14	PW who consumed 180 IFA tablets	3,628	86.5	3,383	86.8	Home Delivery	58.3	
15	Home Delivery against expected delivery *	2,210	77.7	2,087	67.9	Institutional Delivery	41.7	
16	Institutional Delivery Against expected delivery *	749	26.3	803	26.1	Home Delivery by SBA	7.6	
17	Home Delivery against reported delivery **	2,210	74.7	2,087	72.2	PNC within 2days of delivery	42.9	
18	Institutional Delivery against reported delivery **	749	25.3	803	27.8			
19	Total reported Deliveries	2,959		2,890				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	1.5	10	0.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,436	48.5	1,235	42.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	2,760		2,985				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	2,903	105.2	2,853	95.6	Breastfed within 1 hour of birth	76.8	

24	Total Still Birth	100	3.6	77	2.6	BCG	95.8
25	PC of newborn weighted at birth to live birth	2,784	95.9	2,773	97.2	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	171	6.1	122	4.4	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,818	97.1	2,794	97.9	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	3,027	109.7	2,502	83.8	Full Immunization	78.8
29	Children who have received BCG	2,909	105.4	2,685	89.9		
30	Children who have received Pentavalent 1	3,232	117.1	2,879	96.4		
31	Children who have received Pentavalent 3	3,284	119.0	2,467	82.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,032	109.8	2,512	84.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,376		615			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	26.2
35	Number of Tubectomies performed	0		#VALUE!		Spacing	20.1
36	Number of IUD insertion	67		21		Women using any method	26.5
37	Number of IUD removals	10		12		Women using modern method	15.7
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
38	IPD cases per 10,000 population ***	296		275			
39	General OPD cases per 10,000 population ***	6760		4341			
40	Ayush OPD cases per 10,000 population ***	750		344			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
41	Neonatal death within 24 hours	19		26			
42	Neonatal Deaths up to 4 weeks of birth	47		27			
43	<b>Total Neonatal Death</b>	<b>66</b>		<b>53</b>			
44	Deaths between (1 - 11) months	102		77			
45	<b>Total reported infant deaths</b>	<b>168</b>		<b>130</b>			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	2		0			
48	Due to Severe hypertension/fits	2		0			
49	Due to Bleeding	2		7			
50	Due to High fever	2		0			
51	Due to Other Causes (including causes not known)	11		6			
52	<b>Total reported maternal deaths</b>	<b>19</b>		<b>13</b>			

## West Garo Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,42,923						
2	Sex Ratio	979						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	67						
5	Primary Health Centers (PHC)	15						
7	Community Health Centers (CHC)	5						
8	SDH	0						
9	DH	2						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	15,306	16,498					
11	Expected number of Delivery	14,332	15,448					
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	15,487	101.2	15,154	91.9	ANC Check up in first trimester	65.1	
11	Mothers registered in the first trimester	5,889	38.0	5,921	39.1	At least 4ANC check up	48.0	
12	Mothers who had 4 or more ANC check ups	8,855	57.2	8,427	55.6	Neonatal tetanus received	91.3	
13	PW who got TT 2 / Booster injection	12,011	77.6	11,816	78.0	100 IFA tablets consumed	48.2	
14	PW who consumed 180 IFA tablets	12,093	78.1	11,993	79.1	Home Delivery	10.4	
15	Home Delivery against expected delivery *	5,681	39.6	5,674	36.7	Institutional Delivery	89.6	
16	Institutional Delivery Against expected delivery *	7,744	54.0	7,709	49.9	Home Delivery by SBA	3.2	
17	Home Delivery against reported delivery **	5,681	42.3	5,674	42.4	PNC within 2days of delivery	70.9	
18	Institutional Delivery against reported delivery **	7,744	57.7	7,709	57.6			
19	Total reported Deliveries	13,425		13,383				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	156	2.7	133	2.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,480	70.6	8,856	66.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	13,915		14,998				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	13,121	94.3	13,122	87.5	Breastfed within 1 hour of birth	47.2	

24	Total Still Birth	423	3.0	373	2.5	BCG	-100
25	PC of newborn weighted at birth to live birth	13,018	99.2	12,850	97.9	3 dose of DPT	-84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,209	9.3	1,426	11.1	Measles First dose	-87.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,973	98.9	12,399	94.5	3 doses of penta or hepatitis B vaccine	-78.5
28	Children fully immunized	11,720	84.2	10,220	68.1	Full Immunization	-77.1
29	Children who have received BCG	12,838	92.3	12,222	81.5		
30	Children who have received Pentavalent 1	11,895	85.5	11,253	75.0		
31	Children who have received Pentavalent 3	11,172	80.3	9,760	65.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,723	84.2	10,314	68.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,867		2,212			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	0	Total unmet need	19.7		
35	Number of Tubectomies performed	440	405	Spacing	9.2		
36	Number of IUD insertion	240	236	Women using any method	44.1		
37	Number of IUD removals	393	418	Women using modern method	39.9		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	321	330				
39	General OPD cases per 10,000 population ***	4107	3915				
40	Ayush OPD cases per 10,000 population ***	190	140				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	61	39				
42	Neonatal Deaths up to 4 weeks of birth	172	130				
43	<b>Total Neonatal Death</b>	<b>233</b>	<b>169</b>				
44	Deaths between (1 - 11) months	256	120				
45	<b>Total reported infant deaths</b>	<b>489</b>	<b>289</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	1				
47	Due to Obstructed/prolonged labour	3	2				
48	Due to Severe hypertension/fits	1	2				
49	Due to Bleeding	11	5				
50	Due to High fever	0	1				
51	Due to Other Causes (including causes not known)	48	39				
52	<b>Total reported maternal deaths</b>	<b>63</b>	<b>50</b>				

## West Jaintia Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,95,124						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	46						
5	Primary Health Centers (PHC)	15						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	8,266	8,949					
11	Expected number of Delivery	7,740	8,380					
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	9,770	118.2	10,506	117.4	ANC Check up in first trimester	44.0	
11	Mothers registered in the first trimester	3,948	40.4	3,775	35.9	At least 4ANC check up	43.1	
12	Mothers who had 4 or more ANC check ups	3,777	38.7	3,120	29.7	Neonatal tetanus received	79.2	
13	PW who got TT 2 / Booster injection	7,921	81.1	8,078	76.9	100 IFA tablets consumed	32.7	
14	PW who consumed 180 IFA tablets	4,951	50.7	5,536	52.7	Home Delivery	57.8	
15	Home Delivery against expected delivery *	3,866	49.9	4,217	50.3	Institutional Delivery	42.2	
16	Institutional Delivery Against expected delivery *	6,107	78.9	5,929	70.8	Home Delivery by SBA	7.7	
17	Home Delivery against reported delivery **	3,866	38.8	4,217	41.6	PNC within 2days of delivery	28.6	
18	Institutional Delivery against reported delivery **	6,107	61.2	5,929	58.4			
19	Total reported Deliveries	9,973		10,146				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	1.9	88	2.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,980	29.9	2,807	27.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	7,515		8,136				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	9,797	130.4	10,003	123.0	Breastfed within 1 hour of birth	88.5	

24	Total Still Birth	298	4.0	295	3.6	BCG	90.9
25	PC of newborn weighted at birth to live birth	9,189	93.8	9,628	96.3	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	838	9.1	792	8.2	Measles First dose	72.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,289	84.6	8,855	88.5	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	8,473	112.8	7,282	89.5	Full Immunization	59.7
29	Children who have received BCG	9,379	124.8	9,415	115.7		
30	Children who have received Pentavalent 1	8,920	118.7	8,236	101.2		
31	Children who have received Pentavalent 3	8,833	117.5	7,180	88.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,524	113.4	7,334	90.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,100		7,920			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	399		307		Spacing	21.7
36	Number of IUD insertion	152		130		Women using any method	19.3
37	Number of IUD removals	97		117		Women using modern method	17.5
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
38	IPD cases per 10,000 population ***	622		560			
39	General OPD cases per 10,000 population ***	9327		7588			
40	Ayush OPD cases per 10,000 population ***	970		554			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
41	Neonatal death within 24 hours	62		63			
42	Neonatal Deaths up to 4 weeks of birth	133		87			
43	<b>Total Neonatal Death</b>	<b>195</b>		<b>150</b>			
44	Deaths between (1 - 11) months	131		80			
45	<b>Total reported infant deaths</b>	<b>326</b>		<b>230</b>			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>		<b>HMIS ( 2021-22)</b>			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	2		1			
49	Due to Bleeding	4		2			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	5		7			
52	<b>Total reported maternal deaths</b>	<b>11</b>		<b>10</b>			

## West Khasi Hills Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,83,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	47						
5	Primary Health Centers (PHC)	16						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	2						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	9,223	9,975					
11	Expected number of Delivery	8,636	9,340					
		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	12,532	135.9	12,256	122.9	ANC Check up in first trimester	45.3	
11	Mothers registered in the first trimester	4,797	38.3	4,533	37.0	At least 4ANC check up	64.0	
12	Mothers who had 4 or more ANC check ups	8,365	66.7	8,252	67.3	Neonatal tetanus received	81.6	
13	PW who got TT 2 / Booster injection	9,422	75.2	9,649	78.7	100 IFA tablets consumed	51.6	
14	PW who consumed 180 IFA tablets	5,541	44.2	7,325	59.8	Home Delivery	58.3	
15	Home Delivery against expected delivery *	5,351	62.0	5,567	59.6	Institutional Delivery	41.7	
16	Institutional Delivery Against expected delivery *	4,880	56.5	4,881	52.3	Home Delivery by SBA	7.2	
17	Home Delivery against reported delivery **	5,351	52.3	5,567	53.3	PNC within 2days of delivery	42.0	
18	Institutional Delivery against reported delivery **	4,880	47.7	4,881	46.7			
19	Total reported Deliveries	10,231		10,448				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	5.6	744	13.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,462	33.8	2,868	27.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	8,385		9,068				
D) Child Immunization :		HMIS ( 2020-21)		HMIS ( 2021-22)		NFHS-5 (2019-20)		
23	Total reported live births	10,043	119.8	10,270	113.3	Breastfed within 1 hour of birth	81.2	

24	Total Still Birth	232	2.8	254	2.8	BCG	86.7
25	PC of newborn weighted at birth to live birth	9,826	97.8	10,177	99.1	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	392	4.0	474	4.7	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,642	96.0	9,826	95.7	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	10,054	119.9	9,979	110.0	Full Immunization	62.5
29	Children who have received BCG	9,674	115.4	10,443	115.2		
30	Children who have received Pentavalent 1	10,029	119.6	10,146	111.9		
31	Children who have received Pentavalent 3	9,773	116.6	9,456	104.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,086	120.3	9,990	110.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,650		7,180			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
34	Number of Vasectomies performed	0	2	Total unmet need	25.8		
35	Number of Tubectomies performed	168	179	Spacing	21.1		
36	Number of IUD insertion	228	172	Women using any method	26.3		
37	Number of IUD removals	160	121	Women using modern method	15.3		
<b>F) Service delivery</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
38	IPD cases per 10,000 population ***	490	409				
39	General OPD cases per 10,000 population ***	9269	7745				
40	Ayush OPD cases per 10,000 population ***	1573	1104				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
41	Neonatal death within 24 hours	48	51				
42	Neonatal Deaths up to 4 weeks of birth	79	68				
43	<b>Total Neonatal Death</b>	<b>127</b>	<b>119</b>				
44	Deaths between (1 - 11) months	142	103				
45	<b>Total reported infant deaths</b>	<b>269</b>	<b>222</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Number)</b>		<b>HMIS ( 2020-21)</b>	<b>HMIS ( 2021-22)</b>				
46	Due to Abortion	0	1				
47	Due to Obstructed/prolonged labour	2	2				
48	Due to Severe hypertension/fits	1	2				
49	Due to Bleeding	5	6				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	18	16				
52	<b>Total reported maternal deaths</b>	<b>26</b>	<b>27</b>				



