

Meghalaya Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,966,889					
2	Sex Ratio	986					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	445					
4	Sub Centers (SC)- HWC	32					
5	Primary Health Centers (PHC)	110					
6	Primary Health Centers (PHC)-HWC	8					
7	Community Health Centers (CHC)	28					
8	SDH	0					
9	DH	11					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	92,499		99,805			
11	Expected number of Delivery	86,613		93,453			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	110,633	119.6	53,765	53.9	ANC Check up in first trimester	53.9
13	Mothers registered in the first trimester	44,449	40.2	22,026	41.0	At least 4ANC check up	52.2
14	Mothers who had 4 or more ANC check ups	62,006	56.0	27,587	51.3	Neonatal tetanus received	82.1
15	PW who got TT 2 / Booster injection	74,341	67.2	35,708	66.4	100 IFA tablets consumed	43.1
16	PW who consumed 180 IFA tablets	64,785	58.6	32,646	60.7	Home Delivery	41.9
17	Home Delivery against expected delivery *	34,116	39.4	17,975	19.2	Institutional Delivery	58.1
18	Institutional Delivery Against expected delivery *	50,009	57.7	20,884	22.3	Home Delivery by SBA	6.6
19	Home Delivery against reported delivery **	34,116	40.6	17,975	46.3	PNC within 2days of delivery	43.9
20	Institutional Delivery against reported delivery **	50,009	59.4	20,884	53.7		
21	Total reported Deliveries	84,125		38,859			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,641	4.8	1,167	6.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,844	50.9	20,058	51.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	84,090		90,731			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	82,464	98.1	38,118	42.0	Breastfed within 1 hour of birth	78.8
26	Total Still Birth	2,266	2.7	1,134	1.2	BCG	89.3

27	PC of newborn weighted at birth to live birth	80,347	97.4	36,832	96.6	3 dose of DPT	73.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,129	7.6	2,886	7.8	Measles First dose	72.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	74,540	90.4	35,314	92.6	3 doses of penta or hepatitis B vaccine	65.7
30	Children fully immunized	78,202	93.0	31,394	34.6	Full Immunization	63.8
31	Children who have received BCG	80,597	95.8	33,103	36.5		
32	Children who have received Pentavalent 1	79,624	94.7	31,180	34.4		
33	Children who have received Pentavalent 3	76,512	91.0	28,336	31.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	78,626	93.5	31,738	35.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	54,380		22,477			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2	3	Total unmet need	26.9
37	Number of Tubectomies performed	2,181	1,033	Spacing	18.3
38	Number of IUD insertion	2,046	738	Women using any method	27.4
39	Number of IUD removals	1,992	901	Women using modern method	22.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	477	222		
41	General OPD cases per 10,000 population ***	7617	3317		
42	Ayush OPD cases per 10,000 population ***	536	187		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	426	196		
44	Neonatal Deaths up to 4 weeks of birth	991	416		
45	Total Neonatal Death	1,417	612		
46	Deaths between (1 - 11) months	1,638	476		
47	Total reported infant deaths	3,055	1,088		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	18	4		
50	Due to Severe hypertension/fits	16	5		
51	Due to Bleeding	38	19		
52	Due to High fever	3	2		

53	Due to Other Causes (including causes not known)	167	86	
54	Total reported maternal deaths	243	117	

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	31					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	5,047		5,435			
11	Expected number of Delivery	4,726		5,089			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,384	106.7	2,370	43.6	ANC Check up in first trimester	59.2
13	Mothers registered in the first trimester	2,005	37.2	934	39.4	At least 4ANC check up	25.5
14	Mothers who had 4 or more ANC check ups	2,945	54.7	1,251	52.8	Neonatal tetanus received	74.5
15	PW who got TT 2 / Booster injection	3,941	73.2	1,651	69.7	100 IFA tablets consumed	28.8
16	PW who consumed 180 IFA tablets	3,846	71.4	1,745	73.6	Home Delivery	26.2
17	Home Delivery against expected delivery *	2,125	45.0	1,083	21.3	Institutional Delivery	73.8
18	Institutional Delivery Against expected delivery *	2,091	44.2	1,048	20.6	Home Delivery by SBA	7.5
19	Home Delivery against reported delivery **	2,125	50.4	1,083	50.8	PNC within 2days of delivery	59.9
20	Institutional Delivery against reported delivery **	2,091	49.6	1,048	49.2		
21	Total reported Deliveries	4,216		2,131			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	548		480		44.3	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,810		1,543		72.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,588		4,941			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	

25	Total reported live births	4,124	89.9	2,091	42.3	Breastfed within 1 hour of birth	48.0
26	Total Still Birth	101	2.2	42	0.9	BCG	81.5
27	PC of newborn weighted at birth to live birth	4,062	98.5	2,046	97.8	3 dose of DPT	83.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	257	6.3	176	8.6	Measles First dose	83.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,044	98.1	2,031	97.1	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	4,626	100.8	1,775	35.9	Full Immunization	72.4
31	Children who have received BCG	3,915	85.3	1,753	35.5		
32	Children who have received Pentavalent 1	4,214	91.8	1,900	38.5		
33	Children who have received Pentavalent 3	4,071	88.7	1,702	34.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,677	101.9	1,842	37.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	705		519			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	21.0
37	Number of Tubectomies performed	25	66	Spacing	12.4
38	Number of IUD insertion	228	86	Women using any method	37.0
39	Number of IUD removals	61	45	Women using modern method	35.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	231	131		
41	General OPD cases per 10,000 population ***	3736	1848		
42	Ayush OPD cases per 10,000 population ***	245	146		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	2	3		
44	Neonatal Deaths up to 4 weeks of birth	36	7		
45	Total Neonatal Death	38	10		
46	Deaths between (1 - 11) months	63	9		
47	Total reported infant deaths	101	19		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	4	0		
50	Due to Severe hypertension/fits	1	0		

51	Due to Bleeding	4	3
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	4	2
54	Total reported maternal deaths	13	5

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	35					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	4,340		4,699			
11	Expected number of Delivery	4,064		4,400			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,395	101.3	2,319	49.4	ANC Check up in first trimester	55.5
13	Mothers registered in the first trimester	1,506	34.3	777	33.5	At least 4ANC check up	58.6
14	Mothers who had 4 or more ANC check ups	1,318	30.0	555	23.9	Neonatal tetanus received	87.7
15	PW who got TT 2 / Booster injection	3,654	83.1	1,765	76.1	100 IFA tablets consumed	51.9
16	PW who consumed 180 IFA tablets	2,113	48.1	1,264	54.5	Home Delivery	51.6
17	Home Delivery against expected delivery *	1,545	38.0	792	18.0	Institutional Delivery	48.4
18	Institutional Delivery Against expected delivery *	1,224	30.1	426	9.7	Home Delivery by SBA	6.8
19	Home Delivery against reported delivery **	1,545	55.8	792	65.0	PNC within 2days of delivery	49.1
20	Institutional Delivery against reported delivery **	1,224	44.2	426	35.0		
21	Total reported Deliveries	2,769		1,218			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84		44			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,629		761			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	3,946		4,272			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	2,740	69.4	1,192	27.9	Breastfed within 1 hour of birth	85.3
26	Total Still Birth	61	1.5	31	0.7	BCG	92.6
27	PC of newborn weighted at birth to live birth	2,596	94.7	1,156	97.0	3 dose of DPT	84
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	154	5.9	70	6.1	Measles First dose	83.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,563	93.5	1,137	95.4	3 doses of penta or hepatitis B vaccine	77.8
30	Children fully immunized	4,138	104.9	1,596	37.4	Full Immunization	74.4
31	Children who have received BCG	3,043	77.1	1,225	28.7		
32	Children who have received Pentavalent 1	4,095	103.8	1,626	38.1		
33	Children who have received Pentavalent 3	4,029	102.1	1,418	33.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,292	108.8	1,616	37.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	4,541		1,660			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	26.0
37	Number of Tubectomies performed	4		0		Spacing	20.1
38	Number of IUD insertion	65		15		Women using any method	33.6
39	Number of IUD removals	22		9		Women using modern method	24
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	279		141			
41	General OPD cases per 10,000 population ***	5598		2219			
42	Ayush OPD cases per 10,000 population ***	499		118			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	15		6			
44	Neonatal Deaths up to 4 weeks of birth	28		10			
45	Total Neonatal Death	43		16			
46	Deaths between (1 - 11) months	57		10			
47	Total reported infant deaths	100		26			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	1	0
51	Due to Bleeding	0	0
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	0	0
54	Total reported maternal deaths	1	0

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	825,922						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	72						
4	Sub Centers (SC)- HWC	12						
5	Primary Health Centers (PHC)	25						
6	Primary Health Centers (PHC)-HWC	2						
7	Community Health Centers (CHC)	7						
8	SDH	0						
9	DH	2						
C) Maternal Health:		2020-21		2021-22				
10	Expected number of PW	25,182			27,087			
11	Expected number of Delivery	23,579			25,364			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	35,361	140.4	16,876	62.3	ANC Check up in first trimester	56.7	
13	Mothers registered in the first trimester	14,352	40.6	7,155	42.4	At least 4ANC check up	57.5	
14	Mothers who had 4 or more ANC check ups	19,345	54.7	9,333	55.3	Neonatal tetanus received	80.2	
15	PW who got TT 2 / Booster injection	16,034	45.3	7,767	46.0	100 IFA tablets consumed	40.1	
16	PW who consumed 180 IFA tablets	16,299	46.1	8,892	52.7	Home Delivery	36.6	
17	Home Delivery against expected delivery *	5,999	25.4	3,529	13.9	Institutional Delivery	63.4	
18	Institutional Delivery Against expected delivery *	17,368	73.7	7,090	28.0	Home Delivery by SBA	6.2	
19	Home Delivery against reported delivery **	5,999	25.7	3,529	33.2	PNC within 2days of delivery	33.6	
20	Institutional Delivery against reported delivery **	17,368	74.3	7,090	66.8			
21	Total reported Deliveries	23,367			10,619			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	1.7	53	1.5			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,231	52.3	6,100	57.4			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	22,892		24,625			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	22,776	99.5	10,364	42.1	Breastfed within 1 hour of birth	86.3
26	Total Still Birth	716	3.1	389	1.6	BCG	84.2
27	PC of newborn weighted at birth to live birth	22,181	97.4	9,612	92.7	3 dose of DPT	59.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,190	9.9	973	10.1	Measles First dose	56.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,723	77.8	8,962	86.5	3 doses of penta or hepatitis B vaccine	46.8
30	Children fully immunized	17,273	75.5	7,038	28.6	Full Immunization	49.1
31	Children who have received BCG	21,870	95.5	8,938	36.3		
32	Children who have received Pentavalent 1	17,996	78.6	6,498	26.4		
33	Children who have received Pentavalent 3	16,996	74.2	5,706	23.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	17,384	75.9	7,093	28.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	15,468		6,278			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	2		3		Total unmet need	33.0
37	Number of Tubectomies performed	996		447		Spacing	25.2
38	Number of IUD insertion	489		214		Women using any method	12.1
39	Number of IUD removals	715		329		Women using modern method	10.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	789		364			
41	General OPD cases per 10,000 population ***	11514		5391			
42	Ayush OPD cases per 10,000 population ***	405		197			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	129		78			
44	Neonatal Deaths up to 4 weeks of birth	327		164			
45	Total Neonatal Death	456		242			
46	Deaths between (1 - 11) months	460		165			
47	Total reported infant deaths	916		407			
II)	Maternal Mortality						

	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	1	0	
49	Due to Obstructed/prolonged labour	2	0	
50	Due to Severe hypertension/fits	5	0	
51	Due to Bleeding	2	2	
52	Due to High fever	0	1	
53	Due to Other Causes (including causes not known)	52	44	
54	Total reported maternal deaths	62	47	

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,666	5,025				
11	Expected number of Delivery	4,369	4,705				
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,351	114.7	2,275	45.3	ANC Check up in first trimester	40.3
13	Mothers registered in the first trimester	2,031	38.0	933	41.0	At least 4ANC check up	24.3
14	Mothers who had 4 or more ANC check ups	3,659	68.4	1,389	61.1	Neonatal tetanus received	55.5
15	PW who got TT 2 / Booster injection	4,477	83.7	1,870	82.2	100 IFA tablets consumed	23.7
16	PW who consumed 180 IFA tablets	3,575	66.8	1,104	48.5	Home Delivery	38.5
17	Home Delivery against expected delivery *	1,448	33.1	831	17.7	Institutional Delivery	61.5
18	Institutional Delivery Against expected delivery *	2,171	49.7	849	18.0	Home Delivery by SBA	5.9
19	Home Delivery against reported delivery **	1,448	40.0	831	49.5	PNC within 2days of delivery	40.5
20	Institutional Delivery against reported delivery **	2,171	60.0	849	50.5		
21	Total reported Deliveries	3,619		1,680			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	126	8.7	90	10.8		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,120	58.6	1,013	60.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,242		4,568			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,577	84.3	1,659	36.3	Breastfed within 1 hour of birth	62.3
26	Total Still Birth	55	1.3	34	0.7	BCG	-65.9
27	PC of newborn weighted at birth to live birth	3,458	96.7	1,580	95.2	3 dose of DPT	-57.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	125	3.6	61	3.9	Measles First dose	-58.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,471	97.0	1,586	95.6	3 doses of penta or hepatitis B vaccine	-39.5
30	Children fully immunized	4,466	105.3	1,753	38.4	Full Immunization	-47.5
31	Children who have received BCG	4,055	95.6	1,592	34.9		
32	Children who have received Pentavalent 1	4,266	100.6	1,811	39.6		
33	Children who have received Pentavalent 3	4,153	97.9	1,689	37.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	105.2	1,788	39.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	850		394			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	25.2
37	Number of Tubectomies performed	0		0		Spacing	12.9
38	Number of IUD insertion	26		29		Women using any method	19.2
39	Number of IUD removals	50		33		Women using modern method	17.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	250		98			
41	General OPD cases per 10,000 population ***	3895		1437			
42	Ayush OPD cases per 10,000 population ***	47		12			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	15		0			
44	Neonatal Deaths up to 4 weeks of birth	25		7			
45	Total Neonatal Death	40		7			
46	Deaths between (1 - 11) months	50		12			

47	Total reported infant deaths	90	19	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	2	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	2	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	3	2	
54	Total reported maternal deaths	8	2	

Ri Bhoi Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	32					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2020-21		2021-22			
10	Expected number of PW	8,487		9,213			
11	Expected number of Delivery	7,947		8,627			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,336	98.2	3,894	42.3	ANC Check up in first trimester	56.1
13	Mothers registered in the first trimester	4,294	51.5	1,982	50.9	At least 4ANC check up	61.0
14	Mothers who had 4 or more ANC check ups	5,420	65.0	2,216	56.9	Neonatal tetanus received	86.2
15	PW who got TT 2 / Booster injection	6,506	78.0	2,999	77.0	100 IFA tablets consumed	48.8
16	PW who consumed 180 IFA tablets	4,577	54.9	1,840	47.3	Home Delivery	43.1
17	Home Delivery against expected delivery *	3,218	40.5	1,685	19.5	Institutional Delivery	56.9
18	Institutional Delivery Against expected delivery *	3,165	39.8	1,411	16.4	Home Delivery by SBA	8.4
19	Home Delivery against reported delivery **	3,218	50.4	1,685	54.4	PNC within 2days of delivery	39.5
20	Institutional Delivery against reported delivery **	3,165	49.6	1,411	45.6		

21	Total reported Deliveries	6,383		3,096			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	89	2.8	63	3.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,938	46.0	1,377	44.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,716		8,376			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	6,327	82.0	3,059	36.5	Breastfed within 1 hour of birth	85.9
26	Total Still Birth	130	1.7	76	0.9	BCG	94
27	PC of newborn weighted at birth to live birth	6,213	98.2	2,964	96.9	3 dose of DPT	82.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.0	159	5.4	Measles First dose	80.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	6,019	95.1	2,919	95.4	3 doses of penta or hepatitis B vaccine	71.5
30	Children fully immunized	6,402	83.0	2,516	30.0	Full Immunization	74.8
31	Children who have received BCG	5,992	77.7	2,503	29.9		
32	Children who have received Pentavalent 1	7,043	91.3	2,678	32.0		
33	Children who have received Pentavalent 3	6,719	87.1	2,253	26.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,408	83.0	2,526	30.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	6,294		2,573			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	27.0
37	Number of Tubectomies performed	89		80		Spacing	18.4
38	Number of IUD insertion	301		73		Women using any method	33.1
39	Number of IUD removals	286		99		Women using modern method	19.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	301		137			
41	General OPD cases per 10,000 population ***	8319		3550			
42	Ayush OPD cases per 10,000 population ***	706		189			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	39		10			

44	Neonatal Deaths up to 4 weeks of birth	53	35	
45	Total Neonatal Death	92	45	
46	Deaths between (1 - 11) months	98	45	
47	Total reported infant deaths	190	90	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	1	1	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	2	0	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	7	3	
54	Total reported maternal deaths	12	5	

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	4,496		4,858			
11	Expected number of Delivery	4,209		4,549			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,943	110.0	2,425	49.9	ANC Check up in first trimester	68.7
13	Mothers registered in the first trimester	1,746	35.3	909	37.5	At least 4ANC check up	33.3
14	Mothers who had 4 or more ANC check ups	2,327	47.1	966	39.8	Neonatal tetanus received	86.0
15	PW who got TT 2 / Booster injection	3,411	69.0	1,627	67.1	100 IFA tablets consumed	51.8
16	PW who consumed 180 IFA tablets	4,144	83.8	1,964	81.0	Home Delivery	11.7
17	Home Delivery against expected delivery *	1,998	47.5	884	19.4	Institutional Delivery	88.3
18	Institutional Delivery Against expected delivery *	1,276	30.3	478	10.5	Home Delivery by SBA	3.9

19	Home Delivery against reported delivery **	1,998	61.0	884	64.9	PNC within 2days of delivery	65.9
20	Institutional Delivery against reported delivery **	1,276	39.0	478	35.1		
21	Total reported Deliveries	3,274		1,362			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	5.0	76	8.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,651	50.4	665	48.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,087		4,416			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,212	78.6	1,341	30.4	Breastfed within 1 hour of birth	59.8
26	Total Still Birth	68	1.7	27	0.6	BCG	-100
27	PC of newborn weighted at birth to live birth	3,193	99.4	1,345	100.3	3 dose of DPT	-86.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	5.4	67	5.0	Measles First dose	-89.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,175	98.8	1,338	99.8	3 doses of penta or hepatitis B vaccine	-86.8
30	Children fully immunized	3,676	89.9	1,342	30.4	Full Immunization	-86.8
31	Children who have received BCG	3,395	83.1	1,164	26.4		
32	Children who have received Pentavalent 1	3,702	90.6	1,399	31.7		
33	Children who have received Pentavalent 3	3,318	81.2	1,349	30.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,672	89.8	1,342	30.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	464		192			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	25.3
37	Number of Tubectomies performed	0		0		Spacing	14.4
38	Number of IUD insertion	11		1		Women using any method	37.6
39	Number of IUD removals	9		9		Women using modern method	33.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	210		89			
41	General OPD cases per 10,000 population ***	3529		1508			
42	Ayush OPD cases per 10,000 population ***	285		156			

G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	25		4			
44	Neonatal Deaths up to 4 weeks of birth	36		12			
45	Total Neonatal Death	61		16			
46	Deaths between (1 - 11) months	125		24			
47	Total reported infant deaths	186		40			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	2		1			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	2		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	14		2			
54	Total reported maternal deaths	18		3			
South West Garo Hills Factsheet							
Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	4,512		4,863			
11	Expected number of Delivery	4,225		4,554			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,879	108.1	2,548	52.4	ANC Check up in first trimester	57.0
13	Mothers registered in the first trimester	2,734	56.0	1,310	51.4	At least 4ANC check up	28.5
14	Mothers who had 4 or more ANC check ups	3,629	74.4	1,610	63.2	Neonatal tetanus received	80.7
15	PW who got TT 2 / Booster injection	4,074	83.5	2,070	81.2	100 IFA tablets consumed	28.3
16	PW who consumed 180 IFA tablets	4,018	82.4	1,815	71.2	Home Delivery	16.3

17	Home Delivery against expected delivery *	675	16.0	446	9.8	Institutional Delivery	83.7
18	Institutional Delivery Against expected delivery *	3,234	76.5	1,286	28.2	Home Delivery by SBA	4.9
19	Home Delivery against reported delivery **	675	17.3	446	25.8	PNC within 2days of delivery	60.6
20	Institutional Delivery against reported delivery **	3,234	82.7	1,286	74.2		
21	Total reported Deliveries	3,909		1,732			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	4.6	21	4.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,107	53.9	981	56.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,102		4,421			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	3,844	93.7	1,678	38.0	Breastfed within 1 hour of birth	54.5
26	Total Still Birth	82	2.0	56	1.3	BCG	98.6
27	PC of newborn weighted at birth to live birth	3,827	99.6	1,682	100.2	3 dose of DPT	90.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	308	8.0	141	8.4	Measles First dose	92.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,823	99.5	1,668	99.4	3 doses of penta or hepatitis B vaccine	89.5
30	Children fully immunized	4,347	106.0	1,968	44.5	Full Immunization	85.4
31	Children who have received BCG	3,527	86.0	1,441	32.6		
32	Children who have received Pentavalent 1	4,232	103.2	1,837	41.5		
33	Children who have received Pentavalent 3	4,164	101.5	1,888	42.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,367	106.5	2,007	45.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,065		385			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	30.4
37	Number of Tubectomies performed	60		39		Spacing	16.7
38	Number of IUD insertion	239		96		Women using any method	36.7
39	Number of IUD removals	189		72		Women using modern method	32.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	386		180			

41	General OPD cases per 10,000 population ***	4613	2116	
42	Ayush OPD cases per 10,000 population ***	171	108	

G) Mortality Details

I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
43	Neonatal death within 24 hours	11	2	
44	Neonatal Deaths up to 4 weeks of birth	55	18	
45	Total Neonatal Death	66	20	
46	Deaths between (1 - 11) months	154	31	
47	Total reported infant deaths	220	51	

II) Maternal Mortality

	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	1	
51	Due to Bleeding	4	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	5	2	
54	Total reported maternal deaths	10	4	

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	3,036	3,284				
11	Expected number of Delivery	2,843	3,075				
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	4,195	138.2	1,977	60.2	ANC Check up in first trimester	48.5
13	Mothers registered in the first trimester	1,147	27.3	602	30.5	At least 4ANC check up	63.4
14	Mothers who had 4 or more ANC check ups	2,366	56.4	860	43.5	Neonatal tetanus received	85.6

15	PW who got TT 2 / Booster injection	2,890	68.9	1,220	61.7	100 IFA tablets consumed	53.8
16	PW who consumed 180 IFA tablets	3,628	86.5	1,672	84.6	Home Delivery	58.3
17	Home Delivery against expected delivery *	2,210	77.7	984	32.0	Institutional Delivery	41.7
18	Institutional Delivery Against expected delivery *	749	26.3	298	9.7	Home Delivery by SBA	7.6
19	Home Delivery against reported delivery **	2,210	74.7	984	76.8	PNC within 2days of delivery	42.9
20	Institutional Delivery against reported delivery **	749	25.3	298	23.2		
21	Total reported Deliveries	2,959		1,282			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	1.5	7	0.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,436	48.5	554	43.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,760		2,985			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	2,903	105.2	1,258	42.1	Breastfed within 1 hour of birth	76.8
26	Total Still Birth	100	3.6	44	1.5	BCG	95.8
27	PC of newborn weighted at birth to live birth	2,784	95.9	1,220	97.0	3 dose of DPT	86.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	171	6.1	53	4.3	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,818	97.1	1,232	97.9	3 doses of penta or hepatitis B vaccine	82.4
30	Children fully immunized	3,027	109.7	1,265	42.4	Full Immunization	78.8
31	Children who have received BCG	2,909	105.4	1,064	35.6		
32	Children who have received Pentavalent 1	3,232	117.1	1,255	42.0		
33	Children who have received Pentavalent 3	3,284	119.0	1,229	41.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,032	109.8	1,291	43.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,376		437			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	26.2
37	Number of Tubectomies performed	0		0		Spacing	20.1
38	Number of IUD insertion	67		9		Women using any method	26.5
39	Number of IUD removals	10		8		Women using modern method	15.7

F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
40	IPD cases per 10,000 population ***	296		128			
41	General OPD cases per 10,000 population ***	6760		1922			
42	Ayush OPD cases per 10,000 population ***	750		151			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
43	Neonatal death within 24 hours	19		14			
44	Neonatal Deaths up to 4 weeks of birth	47		10			
45	Total Neonatal Death	66		24			
46	Deaths between (1 - 11) months	102		42			
47	Total reported infant deaths	168		66			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	2		0			
50	Due to Severe hypertension/fits	2		0			
51	Due to Bleeding	2		4			
52	Due to High fever	2		0			
53	Due to Other Causes (including causes not known)	11		4			
54	Total reported maternal deaths	19		8			
West Garo Hills Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	64					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	15,306		16,498			
11	Expected number of Delivery	14,332		15,448			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	15,487	101.2	7,979	48.4	ANC Check up in first trimester	65.1

13	Mothers registered in the first trimester	5,889	38.0	3,249	40.7	At least 4ANC check up	48.0
14	Mothers who had 4 or more ANC check ups	8,855	57.2	4,012	50.3	Neonatal tetanus received	91.3
15	PW who got TT 2 / Booster injection	12,011	77.6	6,176	77.4	100 IFA tablets consumed	48.2
16	PW who consumed 180 IFA tablets	12,093	78.1	6,421	80.5	Home Delivery	10.4
17	Home Delivery against expected delivery *	5,681	39.6	2,737	17.7	Institutional Delivery	89.6
18	Institutional Delivery Against expected delivery *	7,744	54.0	3,288	21.3	Home Delivery by SBA	3.2
19	Home Delivery against reported delivery **	5,681	42.3	2,737	45.4	PNC within 2days of delivery	70.9
20	Institutional Delivery against reported delivery **	7,744	57.7	3,288	54.6		
21	Total reported Deliveries	13,425		6,025			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	156	2.7	69	2.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,480	70.6	4,127	68.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	13,915		14,998			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	13,121	94.3	5,889	39.3	Breastfed within 1 hour of birth	47.2
26	Total Still Birth	423	3.0	170	1.1	BCG	-100
27	PC of newborn weighted at birth to live birth	13,018	99.2	5,827	98.9	3 dose of DPT	-84.8
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,209	9.3	606	10.4	Measles First dose	-87.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	12,973	98.9	5,586	94.9	3 doses of penta or hepatitis B vaccine	-78.5
30	Children fully immunized	11,720	84.2	4,677	31.2	Full Immunization	-77.1
31	Children who have received BCG	12,838	92.3	5,289	35.3		
32	Children who have received Pentavalent 1	11,895	85.5	4,794	32.0		
33	Children who have received Pentavalent 3	11,172	80.3	4,477	29.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	11,723	84.2	4,684	31.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,867		1,255			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	19.7
37	Number of Tubectomies performed	440		189		Spacing	9.2

38	Number of IUD insertion	240	77	Women using any method	44.1
39	Number of IUD removals	393	184	Women using modern method	39.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	321	153		
41	General OPD cases per 10,000 population ***	4107	1903		
42	Ayush OPD cases per 10,000 population ***	190	68		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	61	19		
44	Neonatal Deaths up to 4 weeks of birth	172	80		
45	Total Neonatal Death	233	99		
46	Deaths between (1 - 11) months	256	49		
47	Total reported infant deaths	489	148		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	3	1		
50	Due to Severe hypertension/fits	1	2		
51	Due to Bleeding	11	5		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	48	15		
54	Total reported maternal deaths	63	24		
West Jaintia Hills Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	395,124			
2	Sex Ratio	1,008			
	B) Infrastructure Details (RHS 2018-19)	Numbers			
3	Sub Centers (SC)	46			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	12			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	3			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	8,266	8,949		
11	Expected number of Delivery	7,740	8,380		
		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	

		Number	PC	Number	PC		
12	PW register for ANC	9,770	118.2	5,112	57.1	ANC Check up in first trimester	44.0
13	Mothers registered in the first trimester	3,948	40.4	1,905	37.3	At least 4ANC check up	43.1
14	Mothers who had 4 or more ANC check ups	3,777	38.7	1,460	28.6	Neonatal tetanus received	79.2
15	PW who got TT 2 / Booster injection	7,921	81.1	3,770	73.7	100 IFA tablets consumed	32.7
16	PW who consumed 180 IFA tablets	4,951	50.7	2,431	47.6	Home Delivery	57.8
17	Home Delivery against expected delivery *	3,866	49.9	2,066	24.7	Institutional Delivery	42.2
18	Institutional Delivery Against expected delivery *	6,107	78.9	2,521	30.1	Home Delivery by SBA	7.7
19	Home Delivery against reported delivery **	3,866	38.8	2,066	45.0	PNC within 2days of delivery	28.6
20	Institutional Delivery against reported delivery **	6,107	61.2	2,521	55.0		
21	Total reported Deliveries	9,973		4,587			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	1.9	60	2.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,980	29.9	1,388	30.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	7,515		8,136			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
-------------------------	--	-----------------	--	-------------------------------	--	------------------	--

25	Total reported live births	9,797	130.4	4,547	55.9	Breastfed within 1 hour of birth	88.5
26	Total Still Birth	298	4.0	133	1.6	BCG	90.9
27	PC of newborn weighted at birth to live birth	9,189	93.8	4,409	97.0	3 dose of DPT	77
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	838	9.1	351	8.0	Measles First dose	72.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,289	84.6	4,088	89.9	3 doses of penta or hepatitis B vaccine	72
30	Children fully immunized	8,473	112.8	3,334	41.0	Full Immunization	59.7
31	Children who have received BCG	9,379	124.8	3,858	47.4		
32	Children who have received Pentavalent 1	8,920	118.7	3,445	42.3		
33	Children who have received Pentavalent 3	8,833	117.5	3,114	38.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	8,524	113.4	3,392	41.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	11,100		4,628			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
--------------------	--	-----------------	--	-------------------------------	--	------------------	--

36	Number of Vasectomies performed	0	0	Total unmet need	29.3
37	Number of Tubectomies performed	399	117	Spacing	21.7
38	Number of IUD insertion	152	61	Women using any method	19.3
39	Number of IUD removals	97	53	Women using modern method	17.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	622	266		
41	General OPD cases per 10,000 population ***	9327	3541		
42	Ayush OPD cases per 10,000 population ***	970	259		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	62	31		
44	Neonatal Deaths up to 4 weeks of birth	133	41		
45	Total Neonatal Death	195	72		
46	Deaths between (1 - 11) months	131	44		
47	Total reported infant deaths	326	116		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	2	0		
51	Due to Bleeding	4	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	1		
54	Total reported maternal deaths	11	1		
West Khasi Hills Factsheet					
Key Indicators					
SL No	A) Demographic Indicators (Census 2011)				
1	Population 2011	383,461			
2	Sex Ratio	981			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	46			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	15			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	2			
8	SDH	0			
9	DH	2			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	9,223	9,975		

11	Expected number of Delivery	8,636		9,340			
		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	12,532	135.9	5,990	60.1	ANC Check up in first trimester	45.3
13	Mothers registered in the first trimester	4,797	38.3	2,270	37.9	At least 4ANC check up	64.0
14	Mothers who had 4 or more ANC check ups	8,365	66.7	3,935	65.7	Neonatal tetanus received	81.6
15	PW who got TT 2 / Booster injection	9,422	75.2	4,793	80.0	100 IFA tablets consumed	51.6
16	PW who consumed 180 IFA tablets	5,541	44.2	3,498	58.4	Home Delivery	58.3
17	Home Delivery against expected delivery *	5,351	62.0	2,938	31.5	Institutional Delivery	41.7
18	Institutional Delivery Against expected delivery *	4,880	56.5	2,189	23.4	Home Delivery by SBA	7.2
19	Home Delivery against reported delivery **	5,351	52.3	2,938	57.3	PNC within 2days of delivery	42.0
20	Institutional Delivery against reported delivery **	4,880	47.7	2,189	42.7		
21	Total reported Deliveries	10,231		5,127			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	5.6	204	6.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,462	33.8	1,549	30.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	8,385		9,068			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 2ND QTR		NFHS-5 (2019-20)	
25	Total reported live births	10,043	119.8	5,040	55.6	Breastfed within 1 hour of birth	81.2
26	Total Still Birth	232	2.8	132	1.5	BCG	86.7
27	PC of newborn weighted at birth to live birth	9,826	97.8	4,991	99.0	3 dose of DPT	68.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	392	4.0	229	4.6	Measles First dose	71.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	9,642	96.0	4,767	94.6	3 doses of penta or hepatitis B vaccine	66.4
30	Children fully immunized	10,054	119.9	4,130	45.5	Full Immunization	62.5
31	Children who have received BCG	9,674	115.4	4,276	47.2		
32	Children who have received Pentavalent 1	10,029	119.6	3,937	43.4		
33	Children who have received Pentavalent 3	9,773	116.6	3,511	38.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	10,086	120.3	4,157	45.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	9,650		4,156			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.8
37	Number of Tubectomies performed	168	95	Spacing	21.1
38	Number of IUD insertion	228	77	Women using any method	26.3
39	Number of IUD removals	160	60	Women using modern method	15.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
40	IPD cases per 10,000 population ***	490	259		
41	General OPD cases per 10,000 population ***	9269	3769		
42	Ayush OPD cases per 10,000 population ***	1573	496		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
43	Neonatal death within 24 hours	48	29		
44	Neonatal Deaths up to 4 weeks of birth	79	32		
45	Total Neonatal Death	127	61		
46	Deaths between (1 - 11) months	142	45		
47	Total reported infant deaths	269	106		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 2ND QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	1		
50	Due to Severe hypertension/fits	1	2		
51	Due to Bleeding	5	4		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	18	11		
54	Total reported maternal deaths	26	18		