

Meghalaya Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,966,889						
2	Sex Ratio	986						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	443						
5	Primary Health Centers (PHC)	143						
7	Community Health Centers (CHC)	28						
8	SDH	0						
9	DH	11						
C) Maternal Health:		2019-20	2020-21					
10	Expected number of PW	92,499	99,805					
11	Expected number of Delivery	86,613	93,453					
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	110,633	119.6	79,359	79.5	ANC Check up in first trimester	53.9	
11	Mothers registered in the first trimester	44,449	40.2	31,553	39.8	At least 4ANC check up	52.2	
12	Mothers who had 4 or more ANC check ups	62,006	56.0	43,084	54.3	Neonatal tetanus received	82.1	
13	PW who got TT 2 / Booster injection	74,341	67.2	53,548	67.5	100 IFA tablets consumed	43.1	
14	PW who consumed 180 IFA tablets	64,785	58.6	48,724	61.4	Home Delivery	41.9	
15	Home Delivery against expected delivery *	34,116	39.4	26,199	28.0	Institutional Delivery	58.1	
16	Institutional Delivery Against expected delivery *	50,009	57.7	34,762	37.2	Home Delivery by SBA	6.6	
17	Home Delivery against reported delivery **	34,116	40.6	26,199	43.0	PNC within 2days of delivery	43.9	
18	Institutional Delivery against reported delivery **	50,009	59.4	34,762	57.0			
19	Total reported Deliveries	84,125		60,961				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,641	4.8	1,811	6.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,844	50.9	31,453	51.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	84,090		90,731				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)			
23	Total reported live births	82,464	98.1	59,676	65.8	Breastfed within 1 hour of birth	78.8	
24	Total Still Birth	2,266	2.7	1,759	1.9	BCG	89.3	
25	PC of newborn weighted at birth to live birth	80,347	97.4	58,168	97.5	3 dose of DPT	73.1	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,129	7.6	4,781	8.2	Measles First dose	72.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	74,540	90.4	55,226	92.5	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	78,202	93.0	46,611	51.4	Full Immunization	63.8
29	Children who have received BCG	80,597	95.8	53,664	59.1		
30	Children who have received Pentavalent 1	79,624	94.7	49,414	54.5		
31	Children who have received Pentavalent 3	76,512	91.0	42,865	47.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	78,626	93.5	47,278	52.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	54,380		29,031			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	4	Total unmet need	26.9
35	Number of Tubectomies performed	2,181	1,610	Spacing	18.3
36	Number of IUD insertion	2,046	1,132	Women using any method	27.4
37	Number of IUD removals	1,992	1,429	Women using modern method	22.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
38	IPD cases per 10,000 population ***	477	349		
39	General OPD cases per 10,000 population ***	7617	5146		
40	Ayush OPD cases per 10,000 population ***	536	289		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
41	Neonatal death within 24 hours	426	291		
42	Neonatal Deaths up to 4 weeks of birth	991	628		
43	Total Neonatal Death	1,417	919		
44	Deaths between (1 - 11) months	1,638	748		
45	Total reported infant deaths	3,055	1,667		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
46	Due to Abortion	1	3		
47	Due to Obstructed/prolonged labour	18	5		
48	Due to Severe hypertension/fits	16	9		
49	Due to Bleeding	38	27		
50	Due to High fever	3	2		
51	Due to Other Causes (including causes not known)	167	131		
52	Total reported maternal deaths	243	177		

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	31					
5	Primary Health Centers (PHC)	8					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	5,047		5,435			
11	Expected number of Delivery	4,726		5,089			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,384	106.7	3,646	67.1	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	2,005	37.2	1,376	37.7	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	2,945	54.7	1,796	49.3	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,941	73.2	2,559	70.2	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	3,846	71.4	2,638	72.4	Home Delivery	26.2
15	Home Delivery against expected delivery *	2,125	45.0	1,464	28.8	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	2,091	44.2	1,591	31.3	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	2,125	50.4	1,464	47.9	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	2,091	49.6	1,591	52.1		
19	Total reported Deliveries	4,216		3,055			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	548		619			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,810		2,213			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,588		4,941			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	4,124		2,994		Breastfed within 1 hour of birth	48.0
24	Total Still Birth	101		59		BCG	81.5

25	PC of newborn weighted at birth to live birth	4,062	98.5	2,941	98.2	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	257	6.3	280	9.5	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,044	98.1	2,924	97.7	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,626	100.8	2,683	54.3	Full Immunization	72.4
29	Children who have received BCG	3,915	85.3	2,528	51.2		
30	Children who have received Pentavalent 1	4,214	91.8	2,713	54.9		
31	Children who have received Pentavalent 3	4,071	88.7	2,463	49.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,677	101.9	2,813	56.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	705		670			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	21.0
35	Number of Tubectomies performed	25	98	Spacing	12.4
36	Number of IUD insertion	228	118	Women using any method	37.0
37	Number of IUD removals	61	60	Women using modern method	35.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
38	IPD cases per 10,000 population ***	231	186		
39	General OPD cases per 10,000 population ***	3736	2661		
40	Ayush OPD cases per 10,000 population ***	245	220		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
41	Neonatal death within 24 hours	2	3		
42	Neonatal Deaths up to 4 weeks of birth	36	8		
43	Total Neonatal Death	38	11		
44	Deaths between (1 - 11) months	63	15		
45	Total reported infant deaths	101	26		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	4	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	4	3		
50	Due to High fever	0	0		

51	Due to Other Causes (including causes not known)	4	3	
52	Total reported maternal deaths	13	6	

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	35					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,340		4,699			
11	Expected number of Delivery	4,064		4,400			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,395	101.3	3,247	69.1	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,506	34.3	1,050	32.3	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	1,318	30.0	901	27.7	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,654	83.1	2,639	81.3	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	2,113	48.1	1,861	57.3	Home Delivery	51.6
15	Home Delivery against expected delivery *	1,545	38.0	1,177	26.8	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,224	30.1	748	17.0	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	1,545	55.8	1,177	61.1	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,224	44.2	748	38.9		
19	Total reported Deliveries	2,769		1,925			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84		76			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,629		1,166			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,946		4,272			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	

23	Total reported live births	2,740	69.4	1,884	44.1	Breastfed within 1 hour of birth	85.3
24	Total Still Birth	61	1.5	48	1.1	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,596	94.7	1,832	97.2	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	154	5.9	110	6.0	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,563	93.5	1,803	95.7	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	4,138	104.9	2,557	59.9	Full Immunization	74.4
29	Children who have received BCG	3,043	77.1	1,927	45.1		
30	Children who have received Pentavalent 1	4,095	103.8	2,564	60.0		
31	Children who have received Pentavalent 3	4,029	102.1	2,271	53.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,292	108.8	2,578	60.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,541		2,276			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	NFHS-5 (2019-20)
34	Number of Vasectomies performed	0	0	Total unmet need 26.0
35	Number of Tubectomies performed	4	0	Spacing 20.1
36	Number of IUD insertion	65	25	Women using any method 33.6
37	Number of IUD removals	22	11	Women using modern method 24
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
38	IPD cases per 10,000 population ***	279	211	
39	General OPD cases per 10,000 population ***	5598	3378	
40	Ayush OPD cases per 10,000 population ***	499	185	
G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
41	Neonatal death within 24 hours	15	9	
42	Neonatal Deaths up to 4 weeks of birth	28	19	
43	Total Neonatal Death	43	28	
44	Deaths between (1 - 11) months	57	18	
45	Total reported infant deaths	100	46	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	1	0	

49	Due to Bleeding	0	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	1	
52	Total reported maternal deaths	1	2	

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	825,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	71					
5	Primary Health Centers (PHC)	44					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	25,182		27,087			
11	Expected number of Delivery	23,579		25,364			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	35,361	140.4	25,986	95.9	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	14,352	40.6	10,549	40.6	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	19,345	54.7	14,726	56.7	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	16,034	45.3	11,747	45.2	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	16,299	46.1	13,399	51.6	Home Delivery	36.6
15	Home Delivery against expected delivery *	5,999	25.4	5,151	20.3	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	17,368	73.7	11,993	47.3	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	5,999	25.7	5,151	30.0	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	17,368	74.3	11,993	70.0		
19	Total reported Deliveries	23,367		17,144			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	101	1.7	84	1.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,231	52.3	10,051	58.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,892		24,625			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	22,776	99.5	16,747	68.0	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	716	3.1	621	2.5	BCG	84.2
25	PC of newborn weighted at birth to live birth	22,181	97.4	15,953	95.3	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,190	9.9	1,646	10.3	Measles First dose	56.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,723	77.8	14,242	85.0	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	17,273	75.5	10,114	41.1	Full Immunization	49.1
29	Children who have received BCG	21,870	95.5	15,071	61.2		
30	Children who have received Pentavalent 1	17,996	78.6	10,897	44.3		
31	Children who have received Pentavalent 3	16,996	74.2	8,677	35.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,384	75.9	10,208	41.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,468		7,841			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2		3		Total unmet need	33.0
35	Number of Tubectomies performed	996		718		Spacing	25.2
36	Number of IUD insertion	489		341		Women using any method	12.1
37	Number of IUD removals	715		565		Women using modern method	10.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	789		577			
39	General OPD cases per 10,000 population ***	11514		8475			
40	Ayush OPD cases per 10,000 population ***	405		306			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
41	Neonatal death within 24 hours	129		117			
42	Neonatal Deaths up to 4 weeks of birth	327		252			
43	Total Neonatal Death	456		369			
44	Deaths between (1 - 11) months	460		272			
45	Total reported infant deaths	916		641			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
46	Due to Abortion	1		1			

47	Due to Obstructed/prolonged labour	2	0	
48	Due to Severe hypertension/fits	5	1	
49	Due to Bleeding	2	2	
50	Due to High fever	0	1	
51	Due to Other Causes (including causes not known)	52	64	
52	Total reported maternal deaths	62	69	

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	52					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,666		5,025			
11	Expected number of Delivery	4,369		4,705			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,351	114.7	3,302	65.7	ANC Check up in first trimester	40.3
11	Mothers registered in the first trimester	2,031	38.0	1,317	39.9	At least 4ANC check up	24.3
12	Mothers who had 4 or more ANC check ups	3,659	68.4	2,123	64.3	Neonatal tetanus received	55.5
13	PW who got TT 2 / Booster injection	4,477	83.7	2,803	84.9	100 IFA tablets consumed	23.7
14	PW who consumed 180 IFA tablets	3,575	66.8	1,708	51.7	Home Delivery	38.5
15	Home Delivery against expected delivery *	1,448	33.1	1,132	24.1	Institutional Delivery	61.5
16	Institutional Delivery Against expected delivery *	2,171	49.7	1,316	28.0	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	1,448	40.0	1,132	46.2	PNC within 2days of delivery	40.5
18	Institutional Delivery against reported delivery **	2,171	60.0	1,316	53.8		
19	Total reported Deliveries	3,619		2,448			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	126	8.7	103	9.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,120	58.6	1,399	57.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	4,242		4,568			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,577	84.3	2,414	52.8	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	55	1.3	48	1.1	BCG	-65.9
25	PC of newborn weighted at birth to live birth	3,458	96.7	2,334	96.7	3 dose of DPT	-57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	125	3.6	92	3.9	Measles First dose	-58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,471	97.0	2,341	97.0	3 doses of penta or hepatitis B vaccine	-39.5
28	Children fully immunized	4,466	105.3	2,579	56.5	Full Immunization	-47.5
29	Children who have received BCG	4,055	95.6	2,347	51.4		
30	Children who have received Pentavalent 1	4,266	100.6	2,593	56.8		
31	Children who have received Pentavalent 3	4,153	97.9	2,412	52.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	105.2	2,639	57.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	850		533			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.2
35	Number of Tubectomies performed	0		0		Spacing	12.9
36	Number of IUD insertion	26		36		Women using any method	19.2
37	Number of IUD removals	50		44		Women using modern method	17.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	250		153			
39	General OPD cases per 10,000 population ***	3895		2112			
40	Ayush OPD cases per 10,000 population ***	47		27			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
41	Neonatal death within 24 hours	15		0			
42	Neonatal Deaths up to 4 weeks of birth	25		11			
43	Total Neonatal Death	40		11			
44	Deaths between (1 - 11) months	50		15			
45	Total reported infant deaths	90		26			
II)	Maternal Mortality						

	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	2	0	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	2	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	3	2	
52	Total reported maternal deaths	8	3	

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	33					
5	Primary Health Centers (PHC)	10					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	8,487		9,213			
11	Expected number of Delivery	7,947		8,627			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,336	98.2	5,685	61.7	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	4,294	51.5	2,923	51.4	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	5,420	65.0	3,473	61.1	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	6,506	78.0	4,397	77.3	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	4,577	54.9	2,909	51.2	Home Delivery	43.1
15	Home Delivery against expected delivery *	3,218	40.5	2,503	29.0	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	3,165	39.8	2,241	26.0	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	3,218	50.4	2,503	52.8	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	3,165	49.6	2,241	47.2		
19	Total reported Deliveries	6,383		4,744			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	89	2.8	81	3.2		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,938	46.0	2,113	44.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,716		8,376			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,327	82.0	4,690	56.0	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	130	1.7	106	1.3	BCG	94
25	PC of newborn weighted at birth to live birth	6,213	98.2	4,574	97.5	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.0	238	5.2	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,019	95.1	4,490	95.7	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	6,402	83.0	3,713	44.3	Full Immunization	74.8
29	Children who have received BCG	5,992	77.7	4,012	47.9		
30	Children who have received Pentavalent 1	7,043	91.3	4,364	52.1		
31	Children who have received Pentavalent 3	6,719	87.1	3,570	42.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,408	83.0	3,724	44.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,294		3,272			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	27.0
35	Number of Tubectomies performed	89		114		Spacing	18.4
36	Number of IUD insertion	301		130		Women using any method	33.1
37	Number of IUD removals	286		148		Women using modern method	19.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	301		220			
39	General OPD cases per 10,000 population ***	8319		5431			
40	Ayush OPD cases per 10,000 population ***	706		304			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
41	Neonatal death within 24 hours	39		15			
42	Neonatal Deaths up to 4 weeks of birth	53		48			
43	Total Neonatal Death	92		63			
44	Deaths between (1 - 11) months	98		65			

45	Total reported infant deaths	190	128	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	1	
47	Due to Obstructed/prolonged labour	1	1	
48	Due to Severe hypertension/fits	1	1	
49	Due to Bleeding	2	1	
50	Due to High fever	1	0	
51	Due to Other Causes (including causes not known)	7	5	
52	Total reported maternal deaths	12	9	

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	21					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,496		4,858			
11	Expected number of Delivery	4,209		4,549			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,943	110.0	3,327	68.5	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,746	35.3	1,199	36.0	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	2,327	47.1	1,485	44.6	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,411	69.0	2,324	69.9	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	4,144	83.8	2,749	82.6	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,998	47.5	1,323	29.1	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,276	30.3	803	17.7	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,998	61.0	1,323	62.2	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,276	39.0	803	37.8		

19	Total reported Deliveries	3,274		2,126			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	99	5.0	137	10.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,651	50.4	1,034	48.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,087		4,416			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,212	78.6	2,085	47.2	Breastfed within 1 hour of birth	59.8
24	Total Still Birth	68	1.7	42	1.0	BCG	-100
25	PC of newborn weighted at birth to live birth	3,193	99.4	2,092	100.3	3 dose of DPT	-86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	5.4	100	4.8	Measles First dose	-89.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,175	98.8	2,085	100.0	3 doses of penta or hepatitis B vaccine	-86.8
28	Children fully immunized	3,676	89.9	2,169	49.1	Full Immunization	-86.8
29	Children who have received BCG	3,395	83.1	1,923	43.5		
30	Children who have received Pentavalent 1	3,702	90.6	2,129	48.2		
31	Children who have received Pentavalent 3	3,318	81.2	1,874	42.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,672	89.8	2,174	49.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	464		235			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.3
35	Number of Tubectomies performed	0		0		Spacing	14.4
36	Number of IUD insertion	11		1		Women using any method	37.6
37	Number of IUD removals	9		9		Women using modern method	33.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	210		138			
39	General OPD cases per 10,000 population ***	3529		2209			
40	Ayush OPD cases per 10,000 population ***	285		195			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
41	Neonatal death within 24 hours	25		5			

42	Neonatal Deaths up to 4 weeks of birth	36	19	
43	Total Neonatal Death	61	24	
44	Deaths between (1 - 11) months	125	33	
45	Total reported infant deaths	186	57	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	2	1	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	2	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	14	4	
52	Total reported maternal deaths	18	6	

South West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	27					
5	Primary Health Centers (PHC)	9					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20		2020-21			
10	Expected number of PW	4,512		4,863			
11	Expected number of Delivery	4,225		4,554			
		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,879	108.1	3,456	71.1	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,734	56.0	1,803	52.2	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,629	74.4	2,462	71.2	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	4,074	83.5	2,960	85.6	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	4,018	82.4	2,621	75.8	Home Delivery	16.3
15	Home Delivery against expected delivery *	675	16.0	628	13.8	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	3,234	76.5	2,200	48.3	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	675	17.3	628	22.2	PNC within 2days of delivery	60.6

18	Institutional Delivery against reported delivery **	3,234	82.7	2,200	77.8		
19	Total reported Deliveries	3,909		2,828			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	4.6	30	4.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,107	53.9	1,698	60.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,102		4,421			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,844	93.7	2,753	62.3	Breastfed within 1 hour of birth	54.5
24	Total Still Birth	82	2.0	78	1.8	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,827	99.6	2,757	100.1	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	308	8.0	266	9.6	Measles First dose	92.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,823	99.5	2,743	99.6	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	4,347	106.0	2,998	67.8	Full Immunization	85.4
29	Children who have received BCG	3,527	86.0	2,353	53.2		
30	Children who have received Pentavalent 1	4,232	103.2	2,783	62.9		
31	Children who have received Pentavalent 3	4,164	101.5	2,754	62.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,367	106.5	3,045	68.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,065		557			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	30.4
35	Number of Tubectomies performed	60		39		Spacing	16.7
36	Number of IUD insertion	239		133		Women using any method	36.7
37	Number of IUD removals	189		114		Women using modern method	32.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	386		280			
39	General OPD cases per 10,000 population ***	4613		3383			
40	Ayush OPD cases per 10,000 population ***	171		162			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2020-21)		HMIS (2021-22)			

			UP TO 3RD QTR	
41	Neonatal death within 24 hours	11	3	
42	Neonatal Deaths up to 4 weeks of birth	55	25	
43	Total Neonatal Death	66	28	
44	Deaths between (1 - 11) months	154	55	
45	Total reported infant deaths	220	83	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	1	2	
49	Due to Bleeding	4	3	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	5	2	
52	Total reported maternal deaths	10	7	

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	18					
5	Primary Health Centers (PHC)	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2019-20					2020-21
10	Expected number of PW	3,036	3,284				
11	Expected number of Delivery	2,843	3,075				
		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	4,195	138.2	2,895	88.2	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,147	27.3	830	28.7	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	2,366	56.4	1,445	49.9	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	2,890	68.9	1,964	67.8	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	3,628	86.5	2,572	88.8	Home Delivery	58.3
15	Home Delivery against expected delivery *	2,210	77.7	1,476	48.0	Institutional Delivery	41.7

16	Institutional Delivery Against expected delivery *	749	26.3	549	17.9	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	2,210	74.7	1,476	72.9	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	749	25.3	549	27.1		
19	Total reported Deliveries	2,959		2,025			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	1.5	9	0.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,436	48.5	886	43.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	2,760		2,985			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	2,903	105.2	1,992	66.7	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	100	3.6	64	2.1	BCG	95.8
25	PC of newborn weighted at birth to live birth	2,784	95.9	1,939	97.3	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	171	6.1	93	4.8	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,818	97.1	1,953	98.0	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	3,027	109.7	1,877	62.9	Full Immunization	78.8
29	Children who have received BCG	2,909	105.4	1,781	59.7		
30	Children who have received Pentavalent 1	3,232	117.1	1,932	64.7		
31	Children who have received Pentavalent 3	3,284	119.0	1,816	60.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,032	109.8	1,890	63.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,376		528			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	26.2
35	Number of Tubectomies performed	0		0		Spacing	20.1
36	Number of IUD insertion	67		10		Women using any method	26.5
37	Number of IUD removals	10		11		Women using modern method	15.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			
38	IPD cases per 10,000 population ***	296		209			
39	General OPD cases per 10,000 population ***	6760		3108			

40	Ayush OPD cases per 10,000 population ***	750	243	
G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
41	Neonatal death within 24 hours	19	19	
42	Neonatal Deaths up to 4 weeks of birth	47	21	
43	Total Neonatal Death	66	40	
44	Deaths between (1 - 11) months	102	61	
45	Total reported infant deaths	168	101	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	2	0	
48	Due to Severe hypertension/fits	2	0	
49	Due to Bleeding	2	6	
50	Due to High fever	2	0	
51	Due to Other Causes (including causes not known)	11	4	
52	Total reported maternal deaths	19	10	

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
	B) Infrastructure Details (RHS 2019-20)	Numbers					
3	Sub Centers (SC)	64					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	2					
	C) Maternal Health:	2019-20	2020-21				
10	Expected number of PW	15,306	16,498				
11	Expected number of Delivery	14,332	15,448				
		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	15,487	101.2	11,216	68.0	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	5,889	38.0	4,438	39.6	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	8,855	57.2	6,488	57.8	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	12,011	77.6	9,114	81.3	100 IFA tablets consumed	48.2

14	PW who consumed 180 IFA tablets	12,093	78.1	9,005	80.3	Home Delivery	10.4
15	Home Delivery against expected delivery *	5,681	39.6	4,129	26.7	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	7,744	54.0	5,623	36.4	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	5,681	42.3	4,129	42.3	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	7,744	57.7	5,623	57.7		
19	Total reported Deliveries	13,425		9,752			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	156	2.7	92	2.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,480	70.6	6,635	68.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	13,915		14,998			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,121	94.3	9,537	63.6	Breastfed within 1 hour of birth	47.2
24	Total Still Birth	423	3.0	270	1.8	BCG	-100
25	PC of newborn weighted at birth to live birth	13,018	99.2	9,343	98.0	3 dose of DPT	-84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,209	9.3	1,030	11.0	Measles First dose	-87.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,973	98.9	9,125	95.7	3 doses of penta or hepatitis B vaccine	-78.5
28	Children fully immunized	11,720	84.2	7,116	47.4	Full Immunization	-77.1
29	Children who have received BCG	12,838	92.3	8,586	57.2		
30	Children who have received Pentavalent 1	11,895	85.5	7,626	50.8		
31	Children who have received Pentavalent 3	11,172	80.3	6,871	45.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,723	84.2	7,199	48.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,867		1,637			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	19.7
35	Number of Tubectomies performed	440		302		Spacing	9.2
36	Number of IUD insertion	240		133		Women using any method	44.1
37	Number of IUD removals	393		296		Women using modern method	39.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR			

38	IPD cases per 10,000 population ***	321	246	
39	General OPD cases per 10,000 population ***	4107	2925	
40	Ayush OPD cases per 10,000 population ***	190	108	
G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
41	Neonatal death within 24 hours	61	31	
42	Neonatal Deaths up to 4 weeks of birth	172	107	
43	Total Neonatal Death	233	138	
44	Deaths between (1 - 11) months	256	79	
45	Total reported infant deaths	489	217	
II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	
46	Due to Abortion	0	1	
47	Due to Obstructed/prolonged labour	3	2	
48	Due to Severe hypertension/fits	1	2	
49	Due to Bleeding	11	5	
50	Due to High fever	0	1	
51	Due to Other Causes (including causes not known)	48	27	
52	Total reported maternal deaths	63	38	

West Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	46					
5	Primary Health Centers (PHC)	15					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2019-20	2020-21				
10	Expected number of PW	8,266	8,949				
11	Expected number of Delivery	7,740	8,380				
		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	9,770	118.2	7,637	85.3	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	3,948	40.4	2,780	36.4	At least 4ANC check up	43.1

12	Mothers who had 4 or more ANC check ups	3,777	38.7	2,253	29.5	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	7,921	81.1	5,856	76.7	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	4,951	50.7	3,999	52.4	Home Delivery	57.8
15	Home Delivery against expected delivery *	3,866	49.9	3,010	35.9	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	6,107	78.9	4,196	50.1	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	3,866	38.8	3,010	41.8	PNC within 2days of delivery	28.6
18	Institutional Delivery against reported delivery **	6,107	61.2	4,196	58.2		
19	Total reported Deliveries	9,973		7,206			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	1.9	92	3.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,980	29.9	2,092	29.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,515		8,136			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	9,797	130.4	7,071	86.9	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	298	4.0	223	2.7	BCG	90.9
25	PC of newborn weighted at birth to live birth	9,189	93.8	6,886	97.4	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	838	9.1	576	8.4	Measles First dose	72.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,289	84.6	6,295	89.0	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	8,473	112.8	5,037	61.9	Full Immunization	59.7
29	Children who have received BCG	9,379	124.8	6,395	78.6		
30	Children who have received Pentavalent 1	8,920	118.7	5,553	68.3		
31	Children who have received Pentavalent 3	8,833	117.5	4,873	59.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,524	113.4	5,110	62.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,100		6,039			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	399		211		Spacing	21.7
36	Number of IUD insertion	152		86		Women using any method	19.3

37	Number of IUD removals	97	79	Women using modern method	17.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
38	IPD cases per 10,000 population ***	622	412		
39	General OPD cases per 10,000 population ***	9327	5593		
40	Ayush OPD cases per 10,000 population ***	970	397		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
41	Neonatal death within 24 hours	62	47		
42	Neonatal Deaths up to 4 weeks of birth	133	67		
43	Total Neonatal Death	195	114		
44	Deaths between (1 - 11) months	131	62		
45	Total reported infant deaths	326	176		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	2	1		
49	Due to Bleeding	4	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	4		
52	Total reported maternal deaths	11	5		

West Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)					
1	Population 2011	383,461				
2	Sex Ratio	981				
B) Infrastructure Details (RHS 2019-20)		Numbers				
3	Sub Centers (SC)	45				
5	Primary Health Centers (PHC)	16				
7	Community Health Centers (CHC)	2				
8	SDH	0				
9	DH	2				
C) Maternal Health:		2019-20				
10	Expected number of PW	9,223	9,975			
11	Expected number of Delivery	8,636	9,340			
		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	

10	PW register for ANC	12,532	135.9	8,962	89.8	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	4,797	38.3	3,288	36.7	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	8,365	66.7	5,932	66.2	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	9,422	75.2	7,185	80.2	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	5,541	44.2	5,263	58.7	Home Delivery	58.3
15	Home Delivery against expected delivery *	5,351	62.0	4,206	45.0	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	4,880	56.5	3,502	37.5	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	5,351	52.3	4,206	54.6	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	4,880	47.7	3,502	45.4		
19	Total reported Deliveries	10,231		7,708			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	5.6	488	11.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,462	33.8	2,166	28.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	8,385		9,068			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
23	Total reported live births	10,043	119.8	7,509	82.8	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	232	2.8	200	2.2	BCG	86.7
25	PC of newborn weighted at birth to live birth	9,826	97.8	7,517	100.1	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	392	4.0	350	4.7	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,642	96.0	7,225	96.2	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	10,054	119.9	5,768	63.6	Full Immunization	62.5
29	Children who have received BCG	9,674	115.4	6,741	74.3		
30	Children who have received Pentavalent 1	10,029	119.6	6,260	69.0		
31	Children who have received Pentavalent 3	9,773	116.6	5,284	58.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,086	120.3	5,898	65.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,650		5,443			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2020-21)		HMIS (2021-22) UP TO 3RD QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		1		Total unmet need	25.8

35	Number of Tubectomies performed	168	128	Spacing	21.1
36	Number of IUD insertion	228	119	Women using any method	26.3
37	Number of IUD removals	160	92	Women using modern method	15.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
38	IPD cases per 10,000 population ***	490	389		
39	General OPD cases per 10,000 population ***	9269	5746		
40	Ayush OPD cases per 10,000 population ***	1573	772		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
41	Neonatal death within 24 hours	48	42		
42	Neonatal Deaths up to 4 weeks of birth	79	51		
43	Total Neonatal Death	127	93		
44	Deaths between (1 - 11) months	142	73		
45	Total reported infant deaths	269	166		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2020-21)	HMIS (2021-22) UP TO 3RD QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	2	1		
48	Due to Severe hypertension/fits	1	2		
49	Due to Bleeding	5	4		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	18	15		
52	Total reported maternal deaths	26	22		