

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,97,206						
2	Sex Ratio	975						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	377						
4	Primary Health Centers (PHC)	68						
5	Community Health Centers (CHC)	9						
6	SDH	2						
7	DH	12						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	21,551	21,595					
9	Expected number of Delivery	19,827	19,867					
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	22,759	105.6	21,485	99.5	ANC Check up in first trimester	72.7	
11	Mothers registered in the first trimester	17,578	77.2	17,315	80.6	At least 4ANC check up	58.0	
12	Mothers who had 4 or more ANC check ups	13,929	61.2	13,443	62.6	Neonatal tetanus received	80.0	
13	PW who got TT 2 / Booster injection	20,891	91.8	19,494	90.7	100 IFA tablets consumed	61.9	
14	PW who consumed 180 IFA tablets	16,909	74.3	16,028	74.6	Home Delivery	14.2	
15	Home Delivery against expected delivery *	2,603	13.1	2,463	12.4	Institutional Delivery	85.8	
16	Institutional Delivery Against expected delivery *	17,554	88.5	16,798	84.6	Home Delivery by SBA	3.5	
17	Reported Home Delivery **	2,603	12.9	2,463	12.8	PNC within 2days of delivery	68.0	
18	Reported institutional Delivery **	17,554	87.1	16,798	87.2			
19	Total reported Deliveries	20,157		19,261				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	462	17.7	532	21.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,079	15.3	753	3.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	19,592		19,632				
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	20,067	102.4	19,122	97.4	Breastfed within 1 hour of birth	60.1	
24	Total Still Birth	200	1.0	196	1.0	BCG	83.4	

25	PC of newborn weighted at birth to live birth	19,308	96.2	18,341	95.9	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	883	4.6	989	5.4	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,446	96.9	17,197	89.9	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	18,746	95.7	17,101	87.1	Full Immunization	72.5
29	Children who have received BCG	18,407	94.0	15,654	79.7		
30	Children who have received Pentavalent 1	20,372	104.0	19,048	97.0		
31	Children who have received Pentavalent 3	19,860	101.4	17,475	89.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,796	95.9	17,156	87.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,310		6,340			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	18.9
35	Number of Tubectomies performed	1,105	877	Spacing	12.8
36	Number of IUD insertion	1,132	947	Women using any method	31.2
37	Number of IUD removals	886	828	Women using modern method	30.8
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	525	673		
39	General OPD cases per 10,000 population ***	9342	10068		
40	Ayush OPD cases per 10,000 population ***	276	271		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	69	76		
42	Neonatal Deaths up to 4 weeks of birth	166	254		
43	<b>Total Neonatal Death</b>	<b>235</b>	<b>330</b>		
44	Deaths between (1 - 11) months	199	134		
45	<b>Total reported infant deaths</b>	<b>434</b>	<b>464</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	4		
48	Due to Severe hypertension/fits	2	1		
49	Due to Bleeding	4	7		
50	Due to High fever	0	5		
51	Due to Other Causes (including causes not known)	15	8		
52	<b>Total reported maternal deaths</b>	<b>22</b>	<b>25</b>		

## Aizawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,00,309						
2	Sex Ratio	1,009						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	73						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	3						
6	SDH	1						
7	DH	2						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	8,456	8,484					
9	Expected number of Delivery	7,780	7,806					
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	6,955	82.2	6,788	80.0	ANC Check up in first trimester	82.8	
11	Mothers registered in the first trimester	5,847	84.1	6,097	89.8	At least 4ANC check up	68.5	
12	Mothers who had 4 or more ANC check ups	6,127	88.1	5,204	76.7	Neonatal tetanus received	82.3	
13	PW who got TT 2 / Booster injection	6,248	89.8	5,957	87.8	100 IFA tablets consumed	58.5	
14	PW who consumed 180 IFA tablets	6,650	95.6	5,601	82.5	Home Delivery	2.6	
15	Home Delivery against expected delivery *	32	0.4	33	0.4	Institutional Delivery	97.4	
16	Institutional Delivery Against expected delivery *	7,824	100.6	7,517	96.3	Home Delivery by SBA	0.3	
17	Reported Home Delivery **	32	0.4	33	0.4	PNC within 2days of delivery	73.4	
18	Reported institutional Delivery **	7,824	99.6	7,517	99.6			
19	Total reported Deliveries	7,856		7,550				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	75.0	19	57.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	0.7	9	0.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	7,688		7,713				
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	7,848	102.1	7,504	97.3	Breastfed within 1 hour of birth	58.5	
24	Total Still Birth	71	0.9	49	0.6	BCG	81.6	

25	PC of newborn weighted at birth to live birth	7,839	99.9	7,312	97.4	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	390	5.0	439	6.0	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,775	99.1	6,188	82.5	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,733	87.6	5,809	75.3	Full Immunization	66.4
29	Children who have received BCG	5,875	76.4	3,769	48.9		
30	Children who have received Pentavalent 1	6,748	87.8	6,097	79.0		
31	Children who have received Pentavalent 3	6,839	89.0	5,737	74.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,723	87.5	5,871	76.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,466		1,806			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	24
35	Number of Tubectomies performed	577	465	Spacing	14
36	Number of IUD insertion	399	351	Women using any method	21.6
37	Number of IUD removals	357	294	Women using modern method	21
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	504	928		
39	General OPD cases per 10,000 population ***	10352	12691		
40	Ayush OPD cases per 10,000 population ***	186	273		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	43	44		
42	Neonatal Deaths up to 4 weeks of birth	92	174		
43	<b>Total Neonatal Death</b>	<b>135</b>	<b>218</b>		
44	Deaths between (1 - 11) months	41	28		
45	<b>Total reported infant deaths</b>	<b>176</b>	<b>246</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	3		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	5		
51	Due to Other Causes (including causes not known)	9	2		
52	<b>Total reported maternal deaths</b>	<b>10</b>	<b>12</b>		

## Champhai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,313		1,307			
9	Expected number of Delivery	1,208		1,203			
		HMIS (2020-2021)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,664	126.8	1,752	134.0	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,392	83.7	1,503	85.8	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	967	58.1	1,061	60.6	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,461	87.8	1,606	91.7	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,084	65.1	1,078	61.5	Home Delivery	3.3
15	Home Delivery against expected delivery *	43	3.6	77	6.4	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,530	126.7	1,550	128.9	Home Delivery by SBA	1.6
17	Reported Home Delivery **	43	2.7	77	4.7	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,530	97.3	1,550	95.3		
19	Total reported Deliveries	1,573		1,627			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	32.6	41	53.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36	2.3	5	0.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,193		1,188			
D) Child Immunization :		HMIS (2020-2021)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,549	129.8	1,601	134.7	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	24	2.0	28	2.4	BCG	97.6

25	PC of newborn weighted at birth to live birth	1,545	99.7	1,582	98.8	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	109	7.1	124	7.8	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,536	99.2	1,518	94.8	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,374	115.1	1,272	107.0	Full Immunization	85.3
29	Children who have received BCG	1,617	135.5	1,586	133.5		
30	Children who have received Pentavalent 1	1,494	125.2	1,420	119.5		
31	Children who have received Pentavalent 3	1,426	119.5	1,301	109.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,379	115.5	1,243	104.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	419		555			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	67	73	Spacing	8.3
36	Number of IUD insertion	149	119	Women using any method	50
37	Number of IUD removals	151	127	Women using modern method	49.6
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	711	948		
39	General OPD cases per 10,000 population ***	8258	8774		
40	Ayush OPD cases per 10,000 population ***	170	231		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	6	4		
42	Neonatal Deaths up to 4 weeks of birth	15	30		
43	<b>Total Neonatal Death</b>	<b>21</b>	<b>34</b>		
44	Deaths between (1 - 11) months	16	20		
45	<b>Total reported infant deaths</b>	<b>37</b>	<b>54</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Hnahthial Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011		NA				
2	Sex Ratio		NA				
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)		16				
4	Primary Health Centers (PHC)		5				
5	Community Health Centers (CHC)		0				
6	SDH		0				
7	DH		1				
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	418		415			
9	Expected number of Delivery	385		381			
		HMIS (2020-2021)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	369	88.3	511	123.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	291	78.9	439	85.9	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	278	75.3	345	67.5	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	345	93.5	488	95.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	327	88.6	471	92.2	Home Delivery	NA
15	Home Delivery against expected delivery *	36	9.4	16	4.2	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	280	72.8	295	77.4	Home Delivery by SBA	NA
17	Reported Home Delivery **	36	11.4	16	5.1	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	280	88.6	295	94.9		
19	Total reported Deliveries	316		311			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	66.7	8	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	21.5	98	31.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	380		377			
D) Child Immunization :		HMIS (2020-2021)		HMIS (2021-22)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	316	83.2	309	82.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	6	1.6	BCG	NA

25	PC of newborn weighted at birth to live birth	307	97.2	313	101.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.9	12	3.8	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	299	94.6	306	99.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	374	98.4	492	130.6	Full Immunization	NA
29	Children who have received BCG	298	78.4	287	76.2		
30	Children who have received Pentavalent 1	363	95.5	445	118.1		
31	Children who have received Pentavalent 3	399	105.0	430	114.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	348	91.6	479	127.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	137		140			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	2	0	Spacing	NA
36	Number of IUD insertion	13	13	Women using any method	NA
37	Number of IUD removals	11	19	Women using modern method	NA
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	539	452		
39	General OPD cases per 10,000 population ***	12988	13726		
40	Ayush OPD cases per 10,000 population ***	583	582		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	2	0		
43	<b>Total Neonatal Death</b>	2	2		
44	Deaths between (1 - 11) months	0	5		
45	<b>Total reported infant deaths</b>	2	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	1	0		



## Khawzawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	704	701					
9	Expected number of Delivery	648	645					
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	729	103.5	638	91.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	630	86.4	549	86.1	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	402	55.1	436	68.3	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	641	87.9	582	91.2	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	497	68.2	482	75.5	Home Delivery	NA	
15	Home Delivery against expected delivery *	12	1.9	13	2.0	Institutional Delivery	NA	
16	Institutional Delivery Against expected delivery *	371	57.3	336	52.1	Home Delivery by SBA	NA	
17	Reported Home Delivery **	12	3.1	13	3.7	PNC within 2days of delivery	NA	
18	Reported institutional Delivery **	371	96.9	336	96.3			
19	Total reported Deliveries	383		349				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	25.0	1	7.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	101	26.4	18	5.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	640		638				
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	381	59.5	347	54.4	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	2	0.3	2	0.3	BCG	NA	

25	PC of newborn weighted at birth to live birth	379	99.5	310	89.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	2.6	6	1.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	375	98.4	303	87.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	656	102.4	630	98.8	Full Immunization	NA
29	Children who have received BCG	443	69.2	374	58.7		
30	Children who have received Pentavalent 1	641	100.1	593	93.0		
31	Children who have received Pentavalent 3	655	102.3	573	89.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	657	102.6	611	95.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	340		306			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	1	0	Spacing	NA
36	Number of IUD insertion	51	38	Women using any method	NA
37	Number of IUD removals	48	49	Women using modern method	NA
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	295	241		
39	General OPD cases per 10,000 population ***	6545	6019		
40	Ayush OPD cases per 10,000 population ***	799	877		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths up to 4 weeks of birth	2	2		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>5</b>		
44	Deaths between (1 - 11) months	4	4		
45	<b>Total reported infant deaths</b>	<b>6</b>	<b>9</b>		
II)	Maternal Mortality	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	83,955						
2	Sex Ratio	956						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	26						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	1,486	1,493					
9	Expected number of Delivery	1,367	1,374					
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	1,886	126.9	1,751	117.3	ANC Check up in first trimester	72.7	
11	Mothers registered in the first trimester	1,475	78.2	1,364	77.9	At least 4ANC check up	66.0	
12	Mothers who had 4 or more ANC check ups	1,069	56.7	1,221	69.7	Neonatal tetanus received	76.4	
13	PW who got TT 2 / Booster injection	1,718	91.1	1,693	96.7	100 IFA tablets consumed	67.7	
14	PW who consumed 180 IFA tablets	1,071	56.8	1,211	69.2	Home Delivery	8.6	
15	Home Delivery against expected delivery *	64	4.7	64	4.7	Institutional Delivery	91.4	
16	Institutional Delivery Against expected delivery *	1,226	89.7	1,187	86.4	Home Delivery by SBA	2.7	
17	Reported Home Delivery **	64	5.0	64	5.1	PNC within 2days of delivery	71.5	
18	Reported institutional Delivery **	1,226	95.0	1,187	94.9			
19	Total reported Deliveries	1,290		1,251				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	50.0	34	53.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	992	76.9	20	1.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	1,351		1,358				
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,276	94.5	1,235	91.0	Breastfed within 1 hour of birth	63	
24	Total Still Birth	14	1.0	17	1.3	BCG	88.1	

25	PC of newborn weighted at birth to live birth	1,277	100.1	1,237	100.2	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.8	80	6.5	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,276	100.0	1,228	99.4	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,373	101.7	1,279	94.2	Full Immunization	80.4
29	Children who have received BCG	1,339	99.1	1,291	95.1		
30	Children who have received Pentavalent 1	1,555	115.1	1,517	111.7		
31	Children who have received Pentavalent 3	1,457	107.9	1,409	103.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,363	100.9	1,280	94.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,649		640			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.6
35	Number of Tubectomies performed	99	15	Spacing	11.7
36	Number of IUD insertion	36	37	Women using any method	38.1
37	Number of IUD removals	37	60	Women using modern method	37.9
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	633	533		
39	General OPD cases per 10,000 population ***	8656	6378		
40	Ayush OPD cases per 10,000 population ***	385	248		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	6		
42	Neonatal Deaths up to 4 weeks of birth	4	5		
43	<b>Total Neonatal Death</b>	4	11		
44	Deaths between (1 - 11) months	17	12		
45	<b>Total reported infant deaths</b>	<b>21</b>	<b>23</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Lawngtlai Factsheet

Key Indicators							
<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	2,247		2,277			
9	Expected number of Delivery	2,068		2,095			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 ( 20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,042	135.4	2,638	115.9	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,684	55.4	1,566	59.4	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	809	26.6	856	32.4	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,367	77.8	1,956	74.1	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,668	54.8	1,443	54.7	Home Delivery	46.3
15	Home Delivery against expected delivery *	1,159	56.1	1,000	47.7	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,221	59.1	1,163	55.5	Home Delivery by SBA	9.3
17	Reported Home Delivery **	1,159	48.7	1,000	46.2	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,221	51.3	1,163	53.8		
19	Total reported Deliveries	2,380		2,163			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	7.1	106	10.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	473	19.9	327	15.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	2,043		2,070			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 ( 20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,377	116.3	2,155	104.1	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	30	1.5	18	0.9	BCG	75.6

25	PC of newborn weighted at birth to live birth	1,775	74.7	1,749	81.2	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	3.4	105	6.0	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,166	91.1	1,932	89.7	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,882	92.1	1,665	80.4	Full Immunization	70.2
29	Children who have received BCG	2,461	120.5	2,317	111.9		
30	Children who have received Pentavalent 1	2,663	130.3	2,395	115.7		
31	Children who have received Pentavalent 3	2,408	117.9	1,929	93.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,935	94.7	1,690	81.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,090		775			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	34	60	Spacing	13
36	Number of IUD insertion	77	57	Women using any method	29.7
37	Number of IUD removals	69	65	Women using modern method	29.1
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	448	351		
39	General OPD cases per 10,000 population ***	6566	5765		
40	Ayush OPD cases per 10,000 population ***	113	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	1	5		
42	Neonatal Deaths up to 4 weeks of birth	17	15		
43	<b>Total Neonatal Death</b>	<b>18</b>	<b>20</b>		
44	Deaths between (1 - 11) months	45	16		
45	<b>Total reported infant deaths</b>	<b>63</b>	<b>36</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	1		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	3		
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>6</b>		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,61,428						
2	Sex Ratio	944						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	57						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	2,179	2,162					
9	Expected number of Delivery	2,005	1,989					
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,379	109.2	2,264	104.7	ANC Check up in first trimester	68.8	
11	Mothers registered in the first trimester	1,697	71.3	1,591	70.3	At least 4ANC check up	56.7	
12	Mothers who had 4 or more ANC check ups	1,142	48.0	1,155	51.0	Neonatal tetanus received	79.9	
13	PW who got TT 2 / Booster injection	3,148	132.3	2,643	116.7	100 IFA tablets consumed	64.7	
14	PW who consumed 180 IFA tablets	1,559	65.5	1,844	81.4	Home Delivery	17.3	
15	Home Delivery against expected delivery *	486	24.2	544	27.4	Institutional Delivery	82.7	
16	Institutional Delivery Against expected delivery *	1,850	92.3	1,672	84.1	Home Delivery by SBA	3.9	
17	Reported Home Delivery **	486	20.8	544	24.5	PNC within 2days of delivery	67.1	
18	Reported institutional Delivery **	1,850	79.2	1,672	75.5			
19	Total reported Deliveries	2,336		2,216				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	16.9	69	12.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	990	42.4	4	0.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	1,981		1,965				
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	2,316	116.9	2,220	113.0	Breastfed within 1 hour of birth	63.8	
24	Total Still Birth	30	1.5	22	1.1	BCG	79.3	

25	PC of newborn weighted at birth to live birth	2,287	98.7	2,189	98.6	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	94	4.1	91	4.2	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,105	90.9	2,052	92.4	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,813	91.5	1,754	89.3	Full Immunization	73.8
29	Children who have received BCG	2,163	109.2	2,170	110.4		
30	Children who have received Pentavalent 1	2,084	105.2	1,999	101.7		
31	Children who have received Pentavalent 3	1,972	99.5	1,913	97.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,842	93.0	1,787	90.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	315		296			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.4
35	Number of Tubectomies performed	156	136	Spacing	12.5
36	Number of IUD insertion	87	70	Women using any method	33
37	Number of IUD removals	34	53	Women using modern method	33
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	629	579		
39	General OPD cases per 10,000 population ***	11258	10623		
40	Ayush OPD cases per 10,000 population ***	259	241		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	4	4		
42	Neonatal Deaths up to 4 weeks of birth	13	7		
43	<b>Total Neonatal Death</b>	<b>17</b>	<b>11</b>		
44	Deaths between (1 - 11) months	27	19		
45	<b>Total reported infant deaths</b>	<b>44</b>	<b>30</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	1		
52	<b>Total reported maternal deaths</b>	<b>3</b>	<b>2</b>		



## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	86,364						
2	Sex Ratio	924						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	40						
4	Primary Health Centers (PHC)	10						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	1,634	1,659					
9	Expected number of Delivery	1,503	1,527					
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,196	134.4	1,897	114.3	ANC Check up in first trimester	64.5	
11	Mothers registered in the first trimester	1,615	73.5	1,454	76.6	At least 4ANC check up	52.5	
12	Mothers who had 4 or more ANC check ups	1,112	50.6	1,159	61.1	Neonatal tetanus received	80.7	
13	PW who got TT 2 / Booster injection	1,803	82.1	1,638	86.3	100 IFA tablets consumed	68.8	
14	PW who consumed 180 IFA tablets	1,621	73.8	1,645	86.7	Home Delivery	25.0	
15	Home Delivery against expected delivery *	502	33.4	449	29.4	Institutional Delivery	75.0	
16	Institutional Delivery Against expected delivery *	949	63.1	895	58.6	Home Delivery by SBA	7.1	
17	Reported Home Delivery **	502	34.6	449	33.4	PNC within 2days of delivery	63.9	
18	Reported institutional Delivery **	949	65.4	895	66.6			
19	Total reported Deliveries	1,451		1,344				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	30.7	198	44.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	14.3	116	8.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	1,485		1,508				
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,436	96.7	1,329	88.1	Breastfed within 1 hour of birth	56.8	
24	Total Still Birth	15	1.0	15	1.0	BCG	98.5	

25	PC of newborn weighted at birth to live birth	1,338	93.2	1,242	93.5	3 dose of DPT	95.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	3.1	50	4.0	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,369	95.3	1,270	95.6	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,558	104.9	1,410	93.5	Full Immunization	85.9
29	Children who have received BCG	1,436	96.7	1,362	90.3		
30	Children who have received Pentavalent 1	1,708	115.0	1,680	111.4		
31	Children who have received Pentavalent 3	1,617	108.9	1,417	93.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,564	105.3	1,401	92.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	924		872			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	29	34	Spacing	14
36	Number of IUD insertion	49	24	Women using any method	41.6
37	Number of IUD removals	56	44	Women using modern method	41.3
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	381	360		
39	General OPD cases per 10,000 population ***	8932	9412		
40	Ayush OPD cases per 10,000 population ***	116	39		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	7	2		
42	Neonatal Deaths up to 4 weeks of birth	3	7		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>9</b>		
44	Deaths between (1 - 11) months	13	7		
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>16</b>		
II)	Maternal Mortality	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>		

## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	56,574						
2	Sex Ratio	978						
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	27						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
8	Expected number of PW	1,113	1,111					
9	Expected number of Delivery	1,024	1,023					
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	1,526	137.2	1,395	125.5	ANC Check up in first trimester	60.7	
11	Mothers registered in the first trimester	1,302	85.3	1,192	85.4	At least 4ANC check up	35.5	
12	Mothers who had 4 or more ANC check ups	976	64.0	826	59.2	Neonatal tetanus received	72.6	
13	PW who got TT 2 / Booster injection	1,395	91.4	1,222	87.6	100 IFA tablets consumed	51.4	
14	PW who consumed 180 IFA tablets	1,041	68.2	930	66.7	Home Delivery	26.2	
15	Home Delivery against expected delivery *	239	23.4	229	22.4	Institutional Delivery	73.8	
16	Institutional Delivery Against expected delivery *	1,062	103.8	1,133	110.8	Home Delivery by SBA	10.0	
17	Reported Home Delivery **	239	18.4	229	16.8	PNC within 2days of delivery	59.6	
18	Reported institutional Delivery **	1,062	81.6	1,133	83.2			
19	Total reported Deliveries	1,301		1,362				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	11.7	39	17.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	4.5	69	5.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
22	Expected number of Live Birth	1,011		1,010				
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-22)</b>		<b>NFHS-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,300	128.5	1,345	133.1	Breastfed within 1 hour of birth	46.4	
24	Total Still Birth	11	1.1	26	2.6	BCG	69.9	

25	PC of newborn weighted at birth to live birth	1,300	100.0	1,345	100.0	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.1	41	3.0	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,300	100.0	1,344	99.9	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,220	120.6	1,138	112.6	Full Immunization	60.3
29	Children who have received BCG	1,354	133.9	1,298	128.5		
30	Children who have received Pentavalent 1	1,351	133.6	1,279	126.6		
31	Children who have received Pentavalent 3	1,330	131.5	1,173	116.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,220	120.6	1,138	112.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	304		368			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	22.5
35	Number of Tubectomies performed	121	83	Spacing	15.2
36	Number of IUD insertion	191	145	Women using any method	22.6
37	Number of IUD removals	51	38	Women using modern method	21.7
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	500	525		
39	General OPD cases per 10,000 population ***	7253	8502		
40	Ayush OPD cases per 10,000 population ***	320	442		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	11	7		
43	<b>Total Neonatal Death</b>	<b>12</b>	<b>7</b>		
44	Deaths between (1 - 11) months	27	16		
45	<b>Total reported infant deaths</b>	<b>39</b>	<b>23</b>		
<b>II) Maternal Mortality</b>					
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		

## Saitual Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2020-21)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	907	910				
9	Expected number of Delivery	835	838				
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-22)</b>				<b>NFHS-5 (20119-20)</b>
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	825	90.9	745	81.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	700	84.8	608	81.6	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	504	61.1	511	68.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	732	88.7	699	93.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	706	85.6	603	80.9	Home Delivery	NA
15	Home Delivery against expected delivery *	8	1.0	21	2.5	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	540	64.7	437	52.2	Home Delivery by SBA	NA
17	Reported Home Delivery **	8	1.5	21	4.6	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	540	98.5	437	95.4		
19	Total reported Deliveries	548		458			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	25.0	5	23.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	14.8	83	18.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	825		828			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-22)</b>		<b>NFHS-5 (20119-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	546	66.2	451	54.5	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.2	9	1.1	BCG	NA

25	PC of newborn weighted at birth to live birth	544	99.6	451	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	24	4.4	22	4.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	537	98.4	449	99.6	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	753	91.3	686	82.9	Full Immunization	NA
29	Children who have received BCG	566	68.6	463	55.9		
30	Children who have received Pentavalent 1	761	92.3	680	82.2		
31	Children who have received Pentavalent 3	732	88.7	673	81.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	755	91.5	690	83.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	291		203			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	26	37	Women using any method	NA
37	Number of IUD removals	26	34	Women using modern method	NA
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	494	412		
39	General OPD cases per 10,000 population ***	6911	6694		
40	Ayush OPD cases per 10,000 population ***	320	264		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths up to 4 weeks of birth	3	3		
43	<b>Total Neonatal Death</b>	<b>5</b>	<b>4</b>		
44	Deaths between (1 - 11) months	6	3		
45	<b>Total reported infant deaths</b>	<b>11</b>	<b>7</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Serchhip Factsheet

<b>Key Indicators</b>							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>64,937</b>					
2	Sex Ratio	<b>976</b>					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	<b>24</b>					
4	Primary Health Centers (PHC)	<b>4</b>					
5	Community Health Centers (CHC)	<b>0</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,093		1,091			
9	Expected number of Delivery	1,005		1,004			
		HMIS ( 2020-2021)		HMIS ( 2021-22)		NFHS-5 ( 20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,188	108.7	1,106	101.4	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	945	79.5	952	86.1	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	543	45.7	669	60.5	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,033	87.0	1,010	91.3	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	685	57.7	720	65.1	Home Delivery	3.8
15	Home Delivery against expected delivery *	22	2.2	17	1.7	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	701	69.7	613	61.1	Home Delivery by SBA	0.6
17	Reported Home Delivery **	22	3.0	17	2.7	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	701	97.0	613	97.3		
19	Total reported Deliveries	723		630			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	77.3	12	70.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	2.2	4	0.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	994		992			
D) Child Immunization :		HMIS ( 2020-2021)		HMIS ( 2021-22)		NFHS-5 ( 20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	722	72.7	626	63.1	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	1	0.1	4	0.4	BCG	89.8

25	PC of newborn weighted at birth to live birth	717	99.3	611	97.6	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	27	3.8	19	3.1	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	708	98.1	607	97.0	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	1,010	101.7	966	97.4	Full Immunization	84.7
29	Children who have received BCG	855	86.1	737	74.3		
30	Children who have received Pentavalent 1	1,004	101.1	943	95.1		
31	Children who have received Pentavalent 3	1,025	103.2	920	92.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,010	101.7	966	97.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		379			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.9
35	Number of Tubectomies performed	19	11	Spacing	11.8
36	Number of IUD insertion	54	56	Women using any method	40
37	Number of IUD removals	46	45	Women using modern method	39.4
F) Service delivery		HMIS (2020-2021)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	642	605		
39	General OPD cases per 10,000 population ***	9903	10624		
40	Ayush OPD cases per 10,000 population ***	1004	512		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
41	Neonatal death within 24 hours	5	5		
42	Neonatal Deaths up to 4 weeks of birth	4	4		
43	<b>Total Neonatal Death</b>	<b>9</b>	<b>9</b>		
44	Deaths between (1 - 11) months	3	4		
45	<b>Total reported infant deaths</b>	<b>12</b>	<b>13</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>		