

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,097,206						
2	Sex Ratio	975						
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	370						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	65						
6	Primary Health Centers (PHC)-HWC	4						
7	Community Health Centers (CHC)	9						
8	SDH	2						
9	DH	9						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
10	Expected number of PW	21,551	21,595					
11	Expected number of Delivery	19,827	19,867					
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	22,759	105.6	11,257	52.1	ANC Check up in first trimester	72.7	
13	Mothers registered in the first trimester	17,578	77.2	8,832	78.5	At least 4ANC check up	58.0	
14	Mothers who had 4 or more ANC check ups	13,929	61.2	6,775	60.2	Neonatal tetanus received	80.0	
15	PW who got TT 2 / Booster injection	20,891	91.8	9,987	88.7	100 IFA tablets consumed	61.9	
16	PW who consumed 180 IFA tablets	16,909	74.3	8,827	78.4	Home Delivery	14.2	
17	Home Delivery against expected delivery *	2,603	13.1	1,129	5.7	Institutional Delivery	85.8	
18	Institutional Delivery Against expected delivery *	17,554	88.5	6,895	34.7	Home Delivery by SBA	3.5	
19	Reported Home Delivery **	2,603	12.9	1,129	14.1	PNC within 2days of delivery	68.0	
20	Reported institutional Delivery **	17,554	87.1	6,895	85.9			
21	Total reported Deliveries	20,157		8,024				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	462	17.7	266	23.6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,079	15.3	1,774	22.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	19,592		19,632				
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
25	Total reported live births	20,067	102.4	8,016	40.8	Breastfed within 1 hour of birth	60.1	

26	Total Still Birth	200	1.0	125	0.6	BCG	83.4
27	PC of newborn weighted at birth to live birth	19,308	96.2	7,692	96.0	3 dose of DPT	80.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	883	4.6	413	5.4	Measles First dose	80.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,446	96.9	7,330	91.4	3 doses of penta or hepatitis B vaccine	84.2
30	Children fully immunized	18,746	95.7	8,320	42.4	Full Immunization	72.5
31	Children who have received BCG	18,407	94.0	6,838	34.8		
32	Children who have received Pentavalent 1	20,372	104.0	8,104	41.3		
33	Children who have received Pentavalent 3	19,860	101.4	8,159	41.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	18,796	95.9	8,405	42.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,310		3,476			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-2021)	HMIS (2021-2022) UP TO 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.9
37	Number of Tubectomies performed	1,105	354	Spacing	12.8
38	Number of IUD insertion	1,132	435	Women using any method	31.2
39	Number of IUD removals	886	375	Women using modern method	30.8
F) Service delivery		HMIS (2020-2021)	HMIS (2021-2022) UP TO 2nd QTR		
40	IPD cases per 10,000 population ***	525	222		
41	General OPD cases per 10,000 population ***	9342	4414		
42	Ayush OPD cases per 10,000 population ***	276	120		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-2021)	HMIS (2021-2022) UP TO 2nd QTR		
43	Neonatal death within 24 hours	69	31		
44	Neonatal Deaths up to 4 weeks of birth	166	107		
45	<b>Total Neonatal Death</b>	235	138		
46	Deaths between (1 - 11) months	199	70		
47	<b>Total reported infant deaths</b>	434	208		
II)	Maternal Mortality	HMIS (2020-2021)	HMIS (2021-2022) UP TO 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	2		
50	Due to Severe hypertension/fits	2	1		
51	Due to Bleeding	4	2		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	15	2	
54	<b>Total reported maternal deaths</b>	<b>22</b>	<b>7</b>	

## Aizawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	400,309					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	94					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	18					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	2					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	8,456		8,484			
11	Expected number of Delivery	7,780		7,806			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	6,955	82.2	3,848	45.4	ANC Check up in first trimester	82.8
13	Mothers registered in the first trimester	5,847	84.1	3,145	81.7	At least 4ANC check up	68.5
14	Mothers who had 4 or more ANC check ups	6,127	88.1	2,679	69.6	Neonatal tetanus received	82.3
15	PW who got TT 2 / Booster injection	6,248	89.8	2,993	77.8	100 IFA tablets consumed	58.5
16	PW who consumed 180 IFA tablets	6,650	95.6	3,312	86.1	Home Delivery	2.6
17	Home Delivery against expected delivery *	32	0.4	18	0.2	Institutional Delivery	97.4
18	Institutional Delivery Against expected delivery *	7,824	100.6	2,379	30.5	Home Delivery by SBA	0.3
19	Reported Home Delivery **	32	0.4	18	0.8	PNC within 2days of delivery	73.4
20	Reported institutional Delivery **	7,824	99.6	2,379	99.2		
21	Total reported Deliveries	7,856		2,397			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	75.0	14	77.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	0.7	369	15.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	7,688		7,713			

D) Child Immunization :		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,848	102.1	2,411	31.3	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	71	0.9	53	0.7	BCG	81.6
27	PC of newborn weighted at birth to live birth	7,839	99.9	2,415	100.2	3 dose of DPT	79.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	390	5.0	157	6.5	Measles First dose	77.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,775	99.1	2,020	83.8	3 doses of penta or hepatitis B vaccine	76.4
30	Children fully immunized	6,733	87.6	2,673	34.7	Full Immunization	66.4
31	Children who have received BCG	5,875	76.4	1,616	21.0		
32	Children who have received Pentavalent 1	6,748	87.8	2,438	31.6		
33	Children who have received Pentavalent 3	6,839	89.0	2,530	32.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,723	87.5	2,756	35.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,466		721			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E)Family Planning		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR		NFSH-5 (20119-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	24
37	Number of Tubectomies performed	577		180		Spacing	14
38	Number of IUD insertion	399		119		Women using any method	21.6
39	Number of IUD removals	357		111		Women using modern method	21
F) Service delivery		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR			
40	IPD cases per 10,000 population ***	504		213			
41	General OPD cases per 10,000 population ***	10352		4534			
42	Ayush OPD cases per 10,000 population ***	186		107			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR			
43	Neonatal death within 24 hours	43		19			
44	Neonatal Deaths up to 4 weeks of birth	92		67			
45	<b>Total Neonatal Death</b>	135		86			
46	Deaths between (1 - 11) months	41		12			
47	<b>Total reported infant deaths</b>	176		98			
II)	Maternal Mortality	HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		1			

50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	9	1	
54	<b>Total reported maternal deaths</b>	10	2	

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)								
1	Population 2011	125,745							
2	Sex Ratio	981							
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>							
3	Sub Centers (SC)	59							
4	Sub Centers (SC)- HWC	0							
5	Primary Health Centers (PHC)	11							
6	Primary Health Centers (PHC)-HWC	0							
7	Community Health Centers (CHC)	2							
8	SDH	0							
9	DH	1							
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>						
10	Expected number of PW	1,313	1,307						
11	Expected number of Delivery	1,208	1,203						
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>				
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>				
12	PW register for ANC	1,664	126.8	891	68.2	ANC Check up in first trimester	80.0		
13	Mothers registered in the first trimester	1,392	83.7	767	86.1	At least 4ANC check up	63.4		
14	Mothers who had 4 or more ANC check ups	967	58.1	512	57.5	Neonatal tetanus received	85.9		
15	PW who got TT 2 / Booster injection	1,461	87.8	840	94.3	100 IFA tablets consumed	74.3		
16	PW who consumed 180 IFA tablets	1,084	65.1	528	59.3	Home Delivery	3.3		
17	Home Delivery against expected delivery *	43	3.6	29	2.4	Institutional Delivery	96.7		
18	Institutional Delivery Against expected delivery *	1,530	126.7	757	62.9	Home Delivery by SBA	1.6		
19	Reported Home Delivery **	43	2.7	29	3.7	PNC within 2days of delivery	72.3		
20	Reported institutional Delivery **	1,530	97.3	757	96.3				
21	Total reported Deliveries	1,573		786					
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	32.6	22	75.9				
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36	2.3	21	2.7				

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,193		1,188			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,549	129.8	780	65.6	Breastfed within 1 hour of birth	70.7
26	Total Still Birth	24	2.0	9	0.8	BCG	97.6
27	PC of newborn weighted at birth to live birth	1,545	99.7	783	100.4	3 dose of DPT	90.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	109	7.1	54	6.9	Measles First dose	92.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,536	99.2	776	99.5	3 doses of penta or hepatitis B vaccine	71.4
30	Children fully immunized	1,374	115.1	657	55.3	Full Immunization	85.3
31	Children who have received BCG	1,617	135.5	743	62.5		
32	Children who have received Pentavalent 1	1,494	125.2	655	55.1		
33	Children who have received Pentavalent 3	1,426	119.5	626	52.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,379	115.5	641	53.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	419		271			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	11.2
37	Number of Tubectomies performed	67		23		Spacing	8.3
38	Number of IUD insertion	149		50		Women using any method	50
39	Number of IUD removals	151		54		Women using modern method	49.6

<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
40	IPD cases per 10,000 population ***	711		351			
41	General OPD cases per 10,000 population ***	8258		4458			
42	Ayush OPD cases per 10,000 population ***	170		89			

### G) Mortality Details

<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
43	Neonatal death within 24 hours	6		1			
44	Neonatal Deaths up to 4 weeks of birth	15		11			
45	<b>Total Neonatal Death</b>	21		12			
46	Deaths between (1 - 11) months	16		12			
47	<b>Total reported infant deaths</b>	37		24			

### II) Maternal Mortality

	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-</b>		<b>HMIS ( 2021-2022)</b>			
--	-------------------------------------	---------------------	--	--------------------------	--	--	--

		2021)	UP TO 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	1	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	0	<b>1</b>	

## Hnahthial Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	NA						
4	Sub Centers (SC)- HWC	NA						
5	Primary Health Centers (PHC)	NA						
6	Primary Health Centers (PHC)-HWC	NA						
7	Community Health Centers (CHC)	NA						
8	SDH	NA						
9	DH	NA						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
10	Expected number of PW	418	415					
11	Expected number of Delivery	385	381					
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	369	88.3	263	63.4	ANC Check up in first trimester	NA	
13	Mothers registered in the first trimester	291	78.9	237	90.1	At least 4ANC check up	NA	
14	Mothers who had 4 or more ANC check ups	278	75.3	183	69.6	Neonatal tetanus received	NA	
15	PW who got TT 2 / Booster injection	345	93.5	267	101.5	100 IFA tablets consumed	NA	
16	PW who consumed 180 IFA tablets	327	88.6	292	111.0	Home Delivery	NA	
17	Home Delivery against expected delivery *	36	9.4	11	2.9	Institutional Delivery	NA	
18	Institutional Delivery Against expected delivery *	280	72.8	137	35.9	Home Delivery by SBA	NA	
19	Reported Home Delivery **	36	11.4	11	7.4	PNC within 2days of delivery	NA	
20	Reported institutional Delivery **	280	88.6	137	92.6			
21	Total reported Deliveries	316		148				

22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	66.7	8	72.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	21.5	70	47.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	380		377			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	316	83.2	150	39.8	Breastfed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	6	1.6	BCG	NA
27	PC of newborn weighted at birth to live birth	307	97.2	155	103.3	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.9	7	4.5	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	299	94.6	150	100.0	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	374	98.4	272	72.2	Full Immunization	NA
31	Children who have received BCG	298	78.4	137	36.4		
32	Children who have received Pentavalent 1	363	95.5	204	54.1		
33	Children who have received Pentavalent 3	399	105.0	199	52.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	348	91.6	271	71.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	137		105			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	2		0		Spacing	NA
38	Number of IUD insertion	13		6		Women using any method	NA
39	Number of IUD removals	11		12		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
40	IPD cases per 10,000 population ***	539		255			
41	General OPD cases per 10,000 population ***	12988		8372			
42	Ayush OPD cases per 10,000 population ***	583		268			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	2		1			
45	<b>Total Neonatal Death</b>	2		1			



46	Deaths between (1 - 11) months	0	4	
47	<b>Total reported infant deaths</b>	2	5	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-2021)</b>	<b>HMIS (2021-2022) UP TO 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	1	<b>0</b>	

## Khawzawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	NA						
4	Sub Centers (SC)- HWC	NA						
5	Primary Health Centers (PHC)	NA						
6	Primary Health Centers (PHC)-HWC	NA						
7	Community Health Centers (CHC)	NA						
8	SDH	NA						
9	DH	NA						
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>					
10	Expected number of PW	704	701					
11	Expected number of Delivery	648	645					
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	729	103.5	355	50.6	ANC Check up in first trimester	NA	
13	Mothers registered in the first trimester	630	86.4	308	86.8	At least 4ANC check up	NA	
14	Mothers who had 4 or more ANC check ups	402	55.1	235	66.2	Neonatal tetanus received	NA	
15	PW who got TT 2 / Booster injection	641	87.9	341	96.1	100 IFA tablets consumed	NA	
16	PW who consumed 180 IFA tablets	497	68.2	251	70.7	Home Delivery	NA	
17	Home Delivery against expected delivery *	12	1.9	5	0.8	Institutional Delivery	NA	
18	Institutional Delivery Against expected delivery *	371	57.3	194	30.1	Home Delivery by SBA	NA	
19	Reported Home Delivery **	12	3.1	5	2.5	PNC within 2days of delivery	NA	

20	Reported institutional Delivery **	371	96.9	194	97.5		
21	Total reported Deliveries	383		199			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	25.0	1	20.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	101	26.4	74	37.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	640		638			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	381	59.5	211	33.1	Breastfed within 1 hour of birth	NA
26	Total Still Birth	2	0.3	1	0.2	BCG	NA
27	PC of newborn weighted at birth to live birth	379	99.5	179	84.8	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	2.6	3	1.7	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	375	98.4	183	86.7	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	656	102.4	338	53.0	Full Immunization	NA
31	Children who have received BCG	443	69.2	223	35.0		
32	Children who have received Pentavalent 1	641	100.1	306	48.0		
33	Children who have received Pentavalent 3	655	102.3	319	50.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	657	102.6	328	51.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	340		181			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	NA
37	Number of Tubectomies performed	1		0		Spacing	NA
38	Number of IUD insertion	51		18		Women using any method	NA
39	Number of IUD removals	48		26		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
40	IPD cases per 10,000 population ***	295		136			
41	General OPD cases per 10,000 population ***	6545		3844			
42	Ayush OPD cases per 10,000 population ***	799		544			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			

43	Neonatal death within 24 hours	0	2	
44	Neonatal Deaths up to 4 weeks of birth	2	1	
45	<b>Total Neonatal Death</b>	2	3	
46	Deaths between (1 - 11) months	4	4	
47	<b>Total reported infant deaths</b>	6	7	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	<b>Total reported maternal deaths</b>	1	0	

## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	1,486		1,493			
11	Expected number of Delivery	1,367		1,374			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,886	126.9	913	61.1	ANC Check up in first trimester	72.7
13	Mothers registered in the first trimester	1,475	78.2	700	76.7	At least 4ANC check up	66.0
14	Mothers who had 4 or more ANC check ups	1,069	56.7	588	64.4	Neonatal tetanus received	76.4
15	PW who got TT 2 / Booster injection	1,718	91.1	894	97.9	100 IFA tablets consumed	67.7
16	PW who consumed 180 IFA tablets	1,071	56.8	556	60.9	Home Delivery	8.6
17	Home Delivery against expected delivery *	64	4.7	37	2.7	Institutional Delivery	91.4

18	Institutional Delivery Against expected delivery *	1,226	89.7	598	43.5	Home Delivery by SBA	2.7
19	Reported Home Delivery **	64	5.0	37	5.8	PNC within 2days of delivery	71.5
20	Reported institutional Delivery **	1,226	95.0	598	94.2		
21	Total reported Deliveries	1,290		635			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	50.0	16	43.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	992	76.9	592	93.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,351		1,358			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,276	94.5	610	44.9	Breastfed within 1 hour of birth	63
26	Total Still Birth	14	1.0	7	0.5	BCG	88.1
27	PC of newborn weighted at birth to live birth	1,277	100.1	615	100.8	3 dose of DPT	85.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.8	31	5.0	Measles First dose	83.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,276	100.0	608	99.7	3 doses of penta or hepatitis B vaccine	90.5
30	Children fully immunized	1,373	101.7	667	49.1	Full Immunization	80.4
31	Children who have received BCG	1,339	99.1	624	46.0		
32	Children who have received Pentavalent 1	1,555	115.1	687	50.6		
33	Children who have received Pentavalent 3	1,457	107.9	635	46.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,363	100.9	667	49.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,649		355			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>	<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0	0	Total unmet need	15.6
37	Number of Tubectomies performed	99	0	Spacing	11.7
38	Number of IUD insertion	36	19	Women using any method	38.1
39	Number of IUD removals	37	29	Women using modern method	37.9
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
40	IPD cases per 10,000 population ***	633	241		
41	General OPD cases per 10,000 population ***	8656	3185		
42	Ayush OPD cases per 10,000 population ***	385	137		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR
43	Neonatal death within 24 hours	0		1
44	Neonatal Deaths up to 4 weeks of birth	4		3
45	<b>Total Neonatal Death</b>	4		4
46	Deaths between (1 - 11) months	17		8
47	<b>Total reported infant deaths</b>	21		12
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	0		0
50	Due to Severe hypertension/fits	0		0
51	Due to Bleeding	1		0
52	Due to High fever	0		0
53	Due to Other Causes (including causes not known)	1		0
54	<b>Total reported maternal deaths</b>	2		0

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	2,247		2,277			
11	Expected number of Delivery	2,068		2,095			
		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR		NFSH-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,042	135.4	1,215	53.4	ANC Check up in first trimester	51.5
13	Mothers registered in the first trimester	1,684	55.4	727	59.8	At least 4ANC check up	33.0
14	Mothers who had 4 or more ANC check ups	809	26.6	402	33.1	Neonatal tetanus received	72.3
15	PW who got TT 2 / Booster injection	2,367	77.8	874	71.9	100 IFA tablets consumed	50.7

16	PW who consumed 180 IFA tablets	1,668	54.8	937	77.1	Home Delivery	46.3
17	Home Delivery against expected delivery *	1,159	56.1	422	20.1	Institutional Delivery	53.7
18	Institutional Delivery Against expected delivery *	1,221	59.1	555	26.5	Home Delivery by SBA	9.3
19	Reported Home Delivery **	1,159	48.7	422	43.2	PNC within 2days of delivery	46.2
20	Reported institutional Delivery **	1,221	51.3	555	56.8		
21	Total reported Deliveries	2,380		977			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	7.1	34	8.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	473	19.9	151	15.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	2,043		2,070			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,377	116.3	989	47.8	Breastfed within 1 hour of birth	60.9
26	Total Still Birth	30	1.5	10	0.5	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,775	74.7	757	76.5	3 dose of DPT	74.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	3.4	54	7.1	Measles First dose	76.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,166	91.1	896	90.6	3 doses of penta or hepatitis B vaccine	79.9
30	Children fully immunized	1,882	92.1	790	38.2	Full Immunization	70.2
31	Children who have received BCG	2,461	120.5	785	37.9		
32	Children who have received Pentavalent 1	2,663	130.3	821	39.7		
33	Children who have received Pentavalent 3	2,408	117.9	832	40.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,935	94.7	801	38.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,090		511			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	34		16		Spacing	13
38	Number of IUD insertion	77		29		Women using any method	29.7
39	Number of IUD removals	69		32		Women using modern method	29.1
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			
40	IPD cases per 10,000 population ***	448		166			

41	General OPD cases per 10,000 population ***	6566	2734	
42	Ayush OPD cases per 10,000 population ***	113	29	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>	
43	Neonatal death within 24 hours	1	3	
44	Neonatal Deaths up to 4 weeks of birth	17	8	
45	<b>Total Neonatal Death</b>	18	11	
46	Deaths between (1 - 11) months	45	9	
47	<b>Total reported infant deaths</b>	63	20	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	1	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	2	1	

## Lunglei Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	161,428					
2	Sex Ratio	944					
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
	<b>C) Maternal Health:</b>	<b>2020-21</b>	<b>2021-22</b>				
10	Expected number of PW	2,179	2,162				
11	Expected number of Delivery	2,005	1,989				
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>			<b>NFSH-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	2,379	109.2	1,136	52.6	ANC Check up in first trimester	68.8
13	Mothers registered in the first trimester	1,697	71.3	813	71.6	At least 4ANC check up	56.7

14	Mothers who had 4 or more ANC check ups	1,142	48.0	572	50.4	Neonatal tetanus received	79.9
15	PW who got TT 2 / Booster injection	3,148	132.3	1,418	124.8	100 IFA tablets consumed	64.7
16	PW who consumed 180 IFA tablets	1,559	65.5	859	75.6	Home Delivery	17.3
17	Home Delivery against expected delivery *	486	24.2	237	11.9	Institutional Delivery	82.7
18	Institutional Delivery Against expected delivery *	1,850	92.3	795	40.0	Home Delivery by SBA	3.9
19	Reported Home Delivery **	486	20.8	237	23.0	PNC within 2days of delivery	67.1
20	Reported institutional Delivery **	1,850	79.2	795	77.0		
21	Total reported Deliveries	2,336		1,032			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	16.9	33	13.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	990	42.4	324	31.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,981		1,965			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,316	116.9	1,032	52.5	Breastfed within 1 hour of birth	63.8
26	Total Still Birth	30	1.5	13	0.7	BCG	79.3
27	PC of newborn weighted at birth to live birth	2,287	98.7	1,018	98.6	3 dose of DPT	85
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	94	4.1	44	4.3	Measles First dose	85
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,105	90.9	944	91.5	3 doses of penta or hepatitis B vaccine	72.6
30	Children fully immunized	1,813	91.5	818	41.6	Full Immunization	73.8
31	Children who have received BCG	2,163	109.2	863	43.9		
32	Children who have received Pentavalent 1	2,084	105.2	840	42.7		
33	Children who have received Pentavalent 3	1,972	99.5	913	46.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,842	93.0	831	42.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	315		202			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	156		71		Spacing	12.5
38	Number of IUD insertion	87		53		Women using any method	33
39	Number of IUD removals	34		24		Women using modern method	33



F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR	
40	IPD cases per 10,000 population ***	629	254	
41	General OPD cases per 10,000 population ***	11258	5286	
42	Ayush OPD cases per 10,000 population ***	259	102	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR	
43	Neonatal death within 24 hours	4	0	
44	Neonatal Deaths up to 4 weeks of birth	13	4	
45	<b>Total Neonatal Death</b>	17	4	
46	Deaths between (1 - 11) months	27	10	
47	<b>Total reported infant deaths</b>	44	14	
II)	Maternal Mortality	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	2	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	1	
54	<b>Total reported maternal deaths</b>	3	2	

## Mamit Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)				
1	Population 2011	86,364			
2	Sex Ratio	924			
B) Infrastructure Details (RHS 2018-19)		Numbers			
3	Sub Centers (SC)	33			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	6			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
C) Maternal Health:		2020-21	2021-22		
10	Expected number of PW	1,634	1,659		
11	Expected number of Delivery	1,503	1,527		
		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR		
		Number	PC	Number	PC
					NFSH-5 (20119-20)

12	PW register for ANC	2,196	134.4	983	59.2	ANC Check up in first trimester	64.5
13	Mothers registered in the first trimester	1,615	73.5	741	75.4	At least 4ANC check up	52.5
14	Mothers who had 4 or more ANC check ups	1,112	50.6	588	59.8	Neonatal tetanus received	80.7
15	PW who got TT 2 / Booster injection	1,803	82.1	838	85.2	100 IFA tablets consumed	68.8
16	PW who consumed 180 IFA tablets	1,621	73.8	922	93.8	Home Delivery	25.0
17	Home Delivery against expected delivery *	502	33.4	222	14.5	Institutional Delivery	75.0
18	Institutional Delivery Against expected delivery *	949	63.1	459	30.1	Home Delivery by SBA	7.1
19	Reported Home Delivery **	502	34.6	222	32.6	PNC within 2days of delivery	63.9
20	Reported institutional Delivery **	949	65.4	459	67.4		
21	Total reported Deliveries	1,451		681			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	30.7	97	43.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	14.3	59	8.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,485		1,508			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,436	96.7	673	44.6	Breastfed within 1 hour of birth	56.8
26	Total Still Birth	15	1.0	7	0.5	BCG	98.5
27	PC of newborn weighted at birth to live birth	1,338	93.2	618	91.8	3 dose of DPT	95.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	3.1	20	3.2	Measles First dose	95.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,369	95.3	634	94.2	3 doses of penta or hepatitis B vaccine	85
30	Children fully immunized	1,558	104.9	695	46.1	Full Immunization	85.9
31	Children who have received BCG	1,436	96.7	661	43.8		
32	Children who have received Pentavalent 1	1,708	115.0	760	50.4		
33	Children who have received Pentavalent 3	1,617	108.9	710	47.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,564	105.3	693	45.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	924		584			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	17
37	Number of Tubectomies performed	29		18		Spacing	14

38	Number of IUD insertion	49	17	Women using any method	41.6
39	Number of IUD removals	56	23	Women using modern method	41.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
40	IPD cases per 10,000 population ***	381	191		
41	General OPD cases per 10,000 population ***	8932	5225		
42	Ayush OPD cases per 10,000 population ***	116	15		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
43	Neonatal death within 24 hours	7	1		
44	Neonatal Deaths up to 4 weeks of birth	3	4		
45	<b>Total Neonatal Death</b>	10	5		
46	Deaths between (1 - 11) months	13	1		
47	<b>Total reported infant deaths</b>	23	6		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	1		

## Saiha Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>			
1	Population 2011	<b>56,574</b>		
2	Sex Ratio	<b>978</b>		
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>		
3	Sub Centers (SC)	<b>24</b>		
4	Sub Centers (SC)- HWC	<b>0</b>		
5	Primary Health Centers (PHC)	<b>4</b>		
6	Primary Health Centers (PHC)-HWC	<b>0</b>		
7	Community Health Centers (CHC)	<b>0</b>		
8	SDH	<b>0</b>		
9	DH	<b>1</b>		
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>	
10	Expected number of PW	1,113	1,111	
11	Expected number of Delivery	1,024	1,023	

		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 2nd QTR		NFSH-5 (20119-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,526	137.2	743	66.8	ANC Check up in first trimester	60.7
13	Mothers registered in the first trimester	1,302	85.3	620	83.4	At least 4ANC check up	35.5
14	Mothers who had 4 or more ANC check ups	976	64.0	429	57.7	Neonatal tetanus received	72.6
15	PW who got TT 2 / Booster injection	1,395	91.4	642	86.4	100 IFA tablets consumed	51.4
16	PW who consumed 180 IFA tablets	1,041	68.2	519	69.9	Home Delivery	26.2
17	Home Delivery against expected delivery *	239	23.4	132	12.9	Institutional Delivery	73.8
18	Institutional Delivery Against expected delivery *	1,062	103.8	547	53.5	Home Delivery by SBA	10.0
19	Reported Home Delivery **	239	18.4	132	19.4	PNC within 2days of delivery	59.6
20	Reported institutional Delivery **	1,062	81.6	547	80.6		
21	Total reported Deliveries	1,301		679			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	11.7	30	22.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	4.5	40	5.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	1,011		1,010			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,300	128.5	670	66.3	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	11	1.1	12	1.2	BCG	69.9
27	PC of newborn weighted at birth to live birth	1,300	100.0	670	100.0	3 dose of DPT	60.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.1	21	3.1	Measles First dose	65.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,300	100.0	669	99.9	3 doses of penta or hepatitis B vaccine	91.1
30	Children fully immunized	1,220	120.6	602	59.6	Full Immunization	60.3
31	Children who have received BCG	1,354	133.9	643	63.6		
32	Children who have received Pentavalent 1	1,351	133.6	621	61.5		
33	Children who have received Pentavalent 3	1,330	131.5	601	59.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,220	120.6	602	59.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	304		212			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-</b>		<b>HMIS ( 2021-2022)</b>		<b>NFSH-5 (20119-20)</b>	

		2021)	UP TO 2nd QTR		
36	Number of Vasectomies performed	0	0	Total unmet need	22.5
37	Number of Tubectomies performed	121	39	Spacing	15.2
38	Number of IUD insertion	191	64	Women using any method	22.6
39	Number of IUD removals	51	18	Women using modern method	21.7
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
40	IPD cases per 10,000 population ***	500	244		
41	General OPD cases per 10,000 population ***	7253	4140		
42	Ayush OPD cases per 10,000 population ***	320	166		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
43	Neonatal death within 24 hours	1	0		
44	Neonatal Deaths up to 4 weeks of birth	11	5		
45	<b>Total Neonatal Death</b>	12	5		
46	Deaths between (1 - 11) months	27	5		
47	<b>Total reported infant deaths</b>	39	10		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	<b>Total reported maternal deaths</b>	2	0		

## Saitual Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	NA	
2	Sex Ratio	NA	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	NA	
4	Sub Centers (SC)- HWC	NA	
5	Primary Health Centers (PHC)	NA	
6	Primary Health Centers (PHC)-HWC	NA	
7	Community Health Centers (CHC)	NA	
8	SDH	NA	

9	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	907		910			
11	Expected number of Delivery	835		838			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	825	90.9	329	36.1	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	700	84.8	271	82.4	At least 4ANC check up	NA
14	Mothers who had 4 or more ANC check ups	504	61.1	239	72.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	732	88.7	334	101.5	100 IFA tablets consumed	NA
16	PW who consumed 180 IFA tablets	706	85.6	283	86.0	Home Delivery	NA
17	Home Delivery against expected delivery *	8	1.0	2	0.2	Institutional Delivery	NA
18	Institutional Delivery Against expected delivery *	540	64.7	130	15.5	Home Delivery by SBA	NA
19	Reported Home Delivery **	8	1.5	2	1.5	PNC within 2days of delivery	NA
20	Reported institutional Delivery **	540	98.5	130	98.5		
21	Total reported Deliveries	548		132			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	25.0	2	100.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	14.8	40	30.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	825		828			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	546	66.2	136	16.4	Breastfed within 1 hour of birth	NA
26	Total Still Birth	2	0.2	3	0.4	BCG	NA
27	PC of newborn weighted at birth to live birth	544	99.6	141	103.7	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	24	4.4	6	4.3	Measles First dose	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	537	98.4	139	102.2	3 doses of penta or hepatitis B vaccine	NA
30	Children fully immunized	753	91.3	319	38.5	Full Immunization	NA
31	Children who have received BCG	566	68.6	155	18.7		
32	Children who have received Pentavalent 1	761	92.3	296	35.8		
33	Children who have received Pentavalent 3	732	88.7	309	37.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	755	91.5	321	38.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	291		115			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR	NFHS-5 (20119-20)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	26	21	Women using any method	NA
39	Number of IUD removals	26	20	Women using modern method	NA
F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR		
40	IPD cases per 10,000 population ***	494	118		
41	General OPD cases per 10,000 population ***	6911	3069		
42	Ayush OPD cases per 10,000 population ***	320	82		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR		
43	Neonatal death within 24 hours	2	0		
44	Neonatal Deaths up to 4 weeks of birth	3	0		
45	<b>Total Neonatal Death</b>	5	0		
46	Deaths between (1 - 11) months	6	1		
47	<b>Total reported infant deaths</b>	11	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	64,937	
2	Sex Ratio	976	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	27	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers (PHC)	5	

6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
10	Expected number of PW	1,093		1,091			
11	Expected number of Delivery	1,005		1,004			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,188	108.7	581	53.2	ANC Check up in first trimester	77.6
13	Mothers registered in the first trimester	945	79.5	503	86.6	At least 4ANC check up	60.3
14	Mothers who had 4 or more ANC check ups	543	45.7	348	59.9	Neonatal tetanus received	85.1
15	PW who got TT 2 / Booster injection	1,033	87.0	546	94.0	100 IFA tablets consumed	73.0
16	PW who consumed 180 IFA tablets	685	57.7	368	63.3	Home Delivery	3.8
17	Home Delivery against expected delivery *	22	2.2	14	1.4	Institutional Delivery	96.2
18	Institutional Delivery Against expected delivery *	701	69.7	344	34.3	Home Delivery by SBA	0.6
19	Reported Home Delivery **	22	3.0	14	3.9	PNC within 2days of delivery	86.2
20	Reported institutional Delivery **	701	97.0	344	96.1		
21	Total reported Deliveries	723		358			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	77.3	9	64.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	2.2	34	9.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	994		992			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>		<b>NFSH-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	722	72.7	354	35.7	Breastfed within 1 hour of birth	58.8
26	Total Still Birth	1	0.1	4	0.4	BCG	89.8
27	PC of newborn weighted at birth to live birth	717	99.3	341	96.3	3 dose of DPT	84.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	27	3.8	16	4.7	Measles First dose	85.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	708	98.1	311	87.9	3 doses of penta or hepatitis B vaccine	58.2
30	Children fully immunized	1,010	101.7	489	49.3	Full Immunization	84.7
31	Children who have received BCG	855	86.1	388	39.1		
32	Children who have received Pentavalent 1	1,004	101.1	476	48.0		
33	Children who have received Pentavalent 3	1,025	103.2	485	48.9		



34	Children who have received Measles & Rubella (MR)- 1st Dose	1,010	101.7	494	49.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	375		219			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>	<b>NFSH-5 (2019-20)</b>			
36	Number of Vasectomies performed	0		0		Total unmet need	15.9
37	Number of Tubectomies performed	19		7		Spacing	11.8
38	Number of IUD insertion	54		39		Women using any method	40
39	Number of IUD removals	46		26		Women using modern method	39.4
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>				
40	IPD cases per 10,000 population ***	642		327			
41	General OPD cases per 10,000 population ***	9903		5845			
42	Ayush OPD cases per 10,000 population ***	1004		282			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>				
43	Neonatal death within 24 hours	5		4			
44	Neonatal Deaths up to 4 weeks of birth	4		3			
45	<b>Total Neonatal Death</b>	9		7			
46	Deaths between (1 - 11) months	3		4			
47	<b>Total reported infant deaths</b>	12		11			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 2nd QTR</b>				
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	1		0			
54	<b>Total reported maternal deaths</b>	1		0			