

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	370					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	9					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	21,551		21,595			
9	Expected number of Delivery	19,827		19,867			
		<b>HMIS (2020-2021)</b>		<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,759	105.6	18,594	86.1	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	17,578	77.2	12,598	67.8	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	13,929	61.2	10,403	55.9	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	20,891	91.8	14,357	77.2	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	16,909	74.3	13,344	71.8	Home Delivery	14.2
15	Home Delivery against expected delivery *	2,603	13.1	1,649	8.3	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	17,554	88.5	10,841	54.6	Home Delivery by SBA	3.5
17	Reported Home Delivery **	2,603	12.9	1,649	13.2	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	17,554	87.1	10,841	86.8		
19	Total reported Deliveries	20,157		12,490			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	462	17.7	381	23.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,079	15.3	2,720	21.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	19,592		19,632			
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>		<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	20,067	102.4	12,453	63.4	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	200	1.0	175	0.9	BCG	83.4
25	PC of newborn weighted at birth to live birth	19,308	96.2	11,969	96.1	3 dose of DPT	80.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	883	4.6	646	5.4	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,446	96.9	11,526	92.6	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	18,746	95.7	12,142	61.8	Full Immunization	72.5
29	Children who have received BCG	18,407	94.0	10,291	52.4		
30	Children who have received Pentavalent 1	20,372	104.0	12,441	63.4		
31	Children who have received Pentavalent 3	19,860	101.4	11,889	60.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,796	95.9	12,256	62.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,310		4,552			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	18.9
35	Number of Tubectomies performed	1,105	585	Spacing	12.8
36	Number of IUD insertion	1,132	631	Women using any method	31.2
37	Number of IUD removals	886	570	Women using modern method	30.8
F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
38	IPD cases per 10,000 population ***	525	432		
39	General OPD cases per 10,000 population ***	9342	6712		
40	Ayush OPD cases per 10,000 population ***	276	195		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
41	Neonatal death within 24 hours	69	59		
42	Neonatal Deaths up to 4 weeks of birth	166	175		
43	<b>Total Neonatal Death</b>	235	234		
44	Deaths between (1 - 11) months	199	99		
45	<b>Total reported infant deaths</b>	434	333		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	3		
48	Due to Severe hypertension/fits	2	1		
49	Due to Bleeding	4	3		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	15	5		
52	<b>Total reported maternal deaths</b>	22	13		

## Aizawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	400,309					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	96					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	2					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	8,456		8,484			
9	Expected number of Delivery	7,780		7,806			
		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	6,955	82.2	6,700	79.0	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	5,847	84.1	4,613	68.9	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	6,127	88.1	4,158	62.1	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,248	89.8	4,458	66.5	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	6,650	95.6	5,160	77.0	Home Delivery	2.6
15	Home Delivery against expected delivery *	32	0.4	28	0.4	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	7,824	100.6	3,958	50.7	Home Delivery by SBA	0.3
17	Reported Home Delivery **	32	0.4	28	0.7	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	7,824	99.6	3,958	99.3		
19	Total reported Deliveries	7,856		3,986			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	75.0	18	64.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	57	0.7	621	15.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,688		7,713			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	7,848	102.1	3,975	51.5	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	71	0.9	71	0.9	BCG	81.6

25	PC of newborn weighted at birth to live birth	7,839	99.9	3,915	98.5	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	390	5.0	251	6.4	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,775	99.1	3,511	88.3	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,733	87.6	4,004	51.9	Full Immunization	66.4
29	Children who have received BCG	5,875	76.4	2,084	27.0		
30	Children who have received Pentavalent 1	6,748	87.8	3,897	50.5		
31	Children who have received Pentavalent 3	6,839	89.0	3,763	48.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,723	87.5	4,119	53.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,466		1,145			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	24
35	Number of Tubectomies performed	577	310	Spacing	14
36	Number of IUD insertion	399	204	Women using any method	21.6
37	Number of IUD removals	357	200	Women using modern method	21
F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
38	IPD cases per 10,000 population ***	504	558		
39	General OPD cases per 10,000 population ***	10352	7344		
40	Ayush OPD cases per 10,000 population ***	186	196		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
41	Neonatal death within 24 hours	43	34		
42	Neonatal Deaths up to 4 weeks of birth	92	105		
43	<b>Total Neonatal Death</b>	135	139		
44	Deaths between (1 - 11) months	41	18		
45	<b>Total reported infant deaths</b>	176	157		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	2		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	2		

52	<b>Total reported maternal deaths</b>	10	5	
----	---------------------------------------	----	---	--

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	1,313		1,307			
9	Expected number of Delivery	1,208		1,203			
		<b>HMIS (2020-2021)</b>		<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,664	126.8	1,257	96.2	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,392	83.7	1,078	85.8	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	967	58.1	769	61.2	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,461	87.8	1,198	95.3	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,084	65.1	795	63.2	Home Delivery	3.3
15	Home Delivery against expected delivery *	43	3.6	52	4.3	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,530	126.7	1,165	96.9	Home Delivery by SBA	1.6
17	Reported Home Delivery **	43	2.7	52	4.3	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,530	97.3	1,165	95.7		
19	Total reported Deliveries	1,573		1,217			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	32.6	36	69.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36	2.3	48	3.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,193		1,188			
<b>D) Child Immunization :</b>		<b>HMIS (2020-2021)</b>		<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	

		Number	PC	Number	PC		
23	Total reported live births	1,549	129.8	1,200	101.0	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	24	2.0	19	1.6	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,545	99.7	1,210	100.8	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	109	7.1	88	7.3	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,536	99.2	1,139	94.9	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,374	115.1	928	78.1	Full Immunization	85.3
29	Children who have received BCG	1,617	135.5	1,181	99.4		
30	Children who have received Pentavalent 1	1,494	125.2	994	83.6		
31	Children who have received Pentavalent 3	1,426	119.5	917	77.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,379	115.5	913	76.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	419		372			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	67	37	Spacing	8.3
36	Number of IUD insertion	149	79	Women using any method	50
37	Number of IUD removals	151	85	Women using modern method	49.6
F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
38	IPD cases per 10,000 population ***	711	541		
39	General OPD cases per 10,000 population ***	8258	6749		
40	Ayush OPD cases per 10,000 population ***	170	146		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
41	Neonatal death within 24 hours	6	2		
42	Neonatal Deaths up to 4 weeks of birth	15	25		
43	<b>Total Neonatal Death</b>	21	27		
44	Deaths between (1 - 11) months	16	14		
45	<b>Total reported infant deaths</b>	37	41		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	1		
49	Due to Bleeding	0	0		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	0	<b>1</b>	

## Hnahthial Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	418	415				
9	Expected number of Delivery	385	381				
		<b>HMIS (2020-2021)</b>	<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	369	88.3	363	87.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	291	78.9	319	87.9	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	278	75.3	267	73.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	345	93.5	373	102.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	327	88.6	385	106.1	Home Delivery	NA
15	Home Delivery against expected delivery *	36	9.4	14	3.7	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	280	72.8	224	58.7	Home Delivery by SBA	NA
17	Reported Home Delivery **	36	11.4	14	5.9	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	280	88.6	224	94.1		
19	Total reported Deliveries	316		238			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	66.7	8	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	21.5	120	50.4		

**Note:** In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	380		377			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	316	83.2	240	63.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	6	1.6	BCG	NA
25	PC of newborn weighted at birth to live birth	307	97.2	245	102.1	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	3.9	9	3.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	299	94.6	237	98.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	374	98.4	371	98.5	Full Immunization	NA
29	Children who have received BCG	298	78.4	225	59.7		
30	Children who have received Pentavalent 1	363	95.5	334	88.6		
31	Children who have received Pentavalent 3	399	105.0	311	82.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	348	91.6	371	98.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	137		128			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (20119-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	2		0		Spacing	NA
36	Number of IUD insertion	13		8		Women using any method	NA
37	Number of IUD removals	11		15		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
38	IPD cases per 10,000 population ***	539		356			
39	General OPD cases per 10,000 population ***	12988		11491			
40	Ayush OPD cases per 10,000 population ***	583		416			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
41	Neonatal death within 24 hours	0		1			
42	Neonatal Deaths up to 4 weeks of birth	2		1			
43	<b>Total Neonatal Death</b>	2		2			
44	Deaths between (1 - 11) months	0		5			
45	<b>Total reported infant deaths</b>	2		7			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
46	Due to Abortion	0		0			



47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	1	<b>0</b>	

## Khawzawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
<b>C) Maternal Health:</b>		<b>2020-21</b>		<b>2021-22</b>			
8	Expected number of PW	704		701			
9	Expected number of Delivery	648		645			
		<b>HMIS (2020-2021)</b>		<b>HMIS (2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	729	103.5	481	68.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	630	86.4	416	86.5	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	402	55.1	346	71.9	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	641	87.9	465	96.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	497	68.2	371	77.1	Home Delivery	NA
15	Home Delivery against expected delivery *	12	1.9	9	1.4	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	371	57.3	267	41.4	Home Delivery by SBA	NA
17	Reported Home Delivery **	12	3.1	9	3.3	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	371	96.9	267	96.7		
19	Total reported Deliveries	383		276			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	25.0	1	11.1		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	101	26.4	108	39.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	640		638			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	381	59.5	280	43.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.3	1	0.2	BCG	NA
25	PC of newborn weighted at birth to live birth	379	99.5	250	89.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	2.6	6	2.4	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	375	98.4	252	90.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	656	102.4	474	74.3	Full Immunization	NA
29	Children who have received BCG	443	69.2	303	47.5		
30	Children who have received Pentavalent 1	641	100.1	448	70.3		
31	Children who have received Pentavalent 3	655	102.3	439	68.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	657	102.6	464	72.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	340		233			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	1		0		Spacing	NA
36	Number of IUD insertion	51		26		Women using any method	NA
37	Number of IUD removals	48		34		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
38	IPD cases per 10,000 population ***	295		193			
39	General OPD cases per 10,000 population ***	6545		5089			
40	Ayush OPD cases per 10,000 population ***	799		680			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
41	Neonatal death within 24 hours	0		3			
42	Neonatal Deaths up to 4 weeks of birth	2		1			
43	<b>Total Neonatal Death</b>	2		4			
44	Deaths between (1 - 11) months	4		4			

45	<b>Total reported infant deaths</b>	6	8	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>	

### Kolasib Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>83,955</b>					
2	Sex Ratio	<b>956</b>					
	<b>B) Infrastructure Details (RHS 2019-20)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	<b>26</b>					
4	Primary Health Centers (PHC)	<b>5</b>					
5	Community Health Centers (CHC)	<b>1</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
	<b>C) Maternal Health:</b>	<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	1,486	1,493				
9	Expected number of Delivery	1,367	1,374				
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,886	126.9	1,990	133.3	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,475	78.2	858	43.1	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,069	56.7	813	40.9	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,718	91.1	1,138	57.2	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,071	56.8	801	40.3	Home Delivery	8.6
15	Home Delivery against expected delivery *	64	4.7	39	2.8	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,226	89.7	820	59.7	Home Delivery by SBA	2.7
17	Reported Home Delivery **	64	5.0	39	4.5	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,226	95.0	820	95.5		

19	Total reported Deliveries	1,290		859			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	50.0	17	43.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	992	76.9	814	94.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	1,351		1,358			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,276	94.5	832	61.3	Breastfed within 1 hour of birth	63
24	Total Still Birth	14	1.0	9	0.7	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,277	100.1	834	100.2	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.8	49	5.9	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,276	100.0	825	99.2	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,373	101.7	864	63.6	Full Immunization	80.4
29	Children who have received BCG	1,339	99.1	863	63.6		
30	Children who have received Pentavalent 1	1,555	115.1	938	69.1		
31	Children who have received Pentavalent 3	1,457	107.9	843	62.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,363	100.9	864	63.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,649		401			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	15.6
35	Number of Tubectomies performed	99		15		Spacing	11.7
36	Number of IUD insertion	36		24		Women using any method	38.1
37	Number of IUD removals	37		38		Women using modern method	37.9
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
38	IPD cases per 10,000 population ***	633		352			
39	General OPD cases per 10,000 population ***	8656		4237			
40	Ayush OPD cases per 10,000 population ***	385		189			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
41	Neonatal death within 24 hours	0		5			
42	Neonatal Deaths up to 4 weeks of birth	4		3			

43	<b>Total Neonatal Death</b>	4	8	
44	Deaths between (1 - 11) months	17	9	
45	<b>Total reported infant deaths</b>	21	17	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	<b>Total reported maternal deaths</b>	2	0	

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>117,894</b>					
2	Sex Ratio	<b>945</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>37</b>					
4	Primary Health Centers (PHC)	<b>5</b>					
5	Community Health Centers (CHC)	<b>1</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	2,247	2,277				
9	Expected number of Delivery	2,068	2,095				
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,042	135.4	2,544	111.7	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,684	55.4	1,170	46.0	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	809	26.6	829	32.6	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,367	77.8	1,285	50.5	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,668	54.8	1,495	58.8	Home Delivery	46.3
15	Home Delivery against expected delivery *	1,159	56.1	612	29.2	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,221	59.1	869	41.5	Home Delivery by SBA	9.3

17	Reported Home Delivery **	1,159	48.7	612	41.3	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,221	51.3	869	58.7		
19	Total reported Deliveries	2,380		1,481			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	7.1	57	9.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	473	19.9	262	17.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	2,043		2,070			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,377	116.3	1,496	72.3	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	30	1.5	12	0.6	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,775	74.7	1,191	79.6	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	3.4	82	6.9	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,166	91.1	1,356	90.6	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,882	92.1	1,115	53.9	Full Immunization	70.2
29	Children who have received BCG	2,461	120.5	1,318	63.7		
30	Children who have received Pentavalent 1	2,663	130.3	1,276	61.6		
31	Children who have received Pentavalent 3	2,408	117.9	1,218	58.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,935	94.7	1,116	53.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,090		618			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	34		33		Spacing	13
36	Number of IUD insertion	77		39		Women using any method	29.7
37	Number of IUD removals	69		41		Women using modern method	29.1
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>			
38	IPD cases per 10,000 population ***	448		258			
39	General OPD cases per 10,000 population ***	6566		4259			
40	Ayush OPD cases per 10,000 population ***	113		44			
<b>G) Mortality Details</b>							

I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	
41	Neonatal death within 24 hours	1	4	
42	Neonatal Deaths up to 4 weeks of birth	17	16	
43	<b>Total Neonatal Death</b>	18	20	
44	Deaths between (1 - 11) months	45	10	
45	<b>Total reported infant deaths</b>	63	30	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	1	1	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	1	
52	<b>Total reported maternal deaths</b>	2	2	

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	68					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	2,179	2,162				
9	Expected number of Delivery	2,005	1,989				
		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,379	109.2	1,593	73.7	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,697	71.3	1,129	70.9	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,142	48.0	837	52.5	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	3,148	132.3	2,024	127.1	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	1,559	65.5	1,300	81.6	Home Delivery	17.3

15	Home Delivery against expected delivery *	486	24.2	360	18.1	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	1,850	92.3	1,259	63.3	Home Delivery by SBA	3.9
17	Reported Home Delivery **	486	20.8	360	22.2	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	1,850	79.2	1,259	77.8		
19	Total reported Deliveries	2,336		1,619			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	16.9	47	13.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	990	42.4	474	29.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,981		1,965			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,316	116.9	1,633	83.1	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	30	1.5	20	1.0	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,287	98.7	1,607	98.4	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	94	4.1	62	3.9	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,105	90.9	1,504	92.1	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,813	91.5	1,227	62.4	Full Immunization	73.8
29	Children who have received BCG	2,163	109.2	1,498	76.2		
30	Children who have received Pentavalent 1	2,084	105.2	1,318	67.1		
31	Children who have received Pentavalent 3	1,972	99.5	1,349	68.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,842	93.0	1,256	63.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	315		239			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0	0	Total unmet need	15.4
35	Number of Tubectomies performed	156	104	Spacing	12.5
36	Number of IUD insertion	87	60	Women using any method	33
37	Number of IUD removals	34	35	Women using modern method	33
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
38	IPD cases per 10,000 population ***	629	415		
39	General OPD cases per 10,000 population ***	11258	7957		



40	Ayush OPD cases per 10,000 population ***	259	163	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	
41	Neonatal death within 24 hours	4	4	
42	Neonatal Deaths up to 4 weeks of birth	13	8	
43	<b>Total Neonatal Death</b>	17	12	
44	Deaths between (1 - 11) months	27	16	
45	<b>Total reported infant deaths</b>	44	28	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	2	1	
50	Due to High fever	0	1	
51	Due to Other Causes (including causes not known)	1	1	
52	<b>Total reported maternal deaths</b>	3	3	

## Mamit Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	<b>86,364</b>					
2	Sex Ratio	<b>924</b>					
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>33</b>					
4	Primary Health Centers (PHC)	<b>6</b>					
5	Community Health Centers (CHC)	<b>1</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>				
8	Expected number of PW	1,634	1,659				
9	Expected number of Delivery	1,503	1,527				
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,196	134.4	1,366	82.3	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,615	73.5	1,039	76.1	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,112	50.6	859	62.9	Neonatal tetanus received	80.7

13	PW who got TT 2 / Booster injection	1,803	82.1	1,271	93.0	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,621	73.8	1,288	94.3	Home Delivery	25.0
15	Home Delivery against expected delivery *	502	33.4	337	22.1	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	949	63.1	696	45.6	Home Delivery by SBA	7.1
17	Reported Home Delivery **	502	34.6	337	32.6	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	949	65.4	696	67.4		
19	Total reported Deliveries	1,451		1,033			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	30.7	146	43.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	14.3	96	9.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,485		1,508			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,436	96.7	1,020	67.6	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	15	1.0	12	0.8	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,338	93.2	951	93.2	3 dose of DPT	95.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	3.1	36	3.8	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,369	95.3	972	95.3	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,558	104.9	1,085	71.9	Full Immunization	85.9
29	Children who have received BCG	1,436	96.7	1,003	66.5		
30	Children who have received Pentavalent 1	1,708	115.0	1,187	78.7		
31	Children who have received Pentavalent 3	1,617	108.9	1,034	68.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,564	105.3	1,074	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	924		715			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	17
35	Number of Tubectomies performed	29		28		Spacing	14
36	Number of IUD insertion	49		17		Women using any method	41.6
37	Number of IUD removals	56		32		Women using modern method	41.3
<b>F) Service delivery</b>		<b>HMIS ( 2020-</b>		<b>HMIS ( 2021-2022)</b>			

		2021)	UP TO 3rd QTR	
38	IPD cases per 10,000 population ***	381	285	
39	General OPD cases per 10,000 population ***	8932	7217	
40	Ayush OPD cases per 10,000 population ***	116	20	
<b>G) Mortality Details</b>				
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	
41	Neonatal death within 24 hours	7	1	
42	Neonatal Deaths up to 4 weeks of birth	3	4	
43	<b>Total Neonatal Death</b>	10	5	
44	Deaths between (1 - 11) months	13	7	
45	<b>Total reported infant deaths</b>	23	12	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	<b>Total reported maternal deaths</b>	0	1	

## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	1,113	1,111				
9	Expected number of Delivery	1,024	1,023				
		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,526	137.2	1,005	90.4	ANC Check up in first trimester	60.7

11	Mothers registered in the first trimester	1,302	85.3	854	85.0	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	976	64.0	643	64.0	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,395	91.4	894	89.0	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	1,041	68.2	757	75.3	Home Delivery	26.2
15	Home Delivery against expected delivery *	239	23.4	178	17.4	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	1,062	103.8	863	84.4	Home Delivery by SBA	10.0
17	Reported Home Delivery **	239	18.4	178	17.1	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	1,062	81.6	863	82.9		
19	Total reported Deliveries	1,301		1,041			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	11.7	37	20.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	4.5	50	4.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,011		1,010			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,300	128.5	1,030	101.9	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	11	1.1	16	1.6	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,300	100.0	1,030	100.0	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.1	36	3.5	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,300	100.0	1,029	99.9	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,220	120.6	855	84.6	Full Immunization	60.3
29	Children who have received BCG	1,354	133.9	985	97.5		
30	Children who have received Pentavalent 1	1,351	133.6	901	89.2		
31	Children who have received Pentavalent 3	1,330	131.5	879	87.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,220	120.6	855	84.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	304		279			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet need	22.5
35	Number of Tubectomies performed	121		48		Spacing	15.2
36	Number of IUD insertion	191		92		Women using any method	22.6

37	Number of IUD removals	51	25	Women using modern method	21.7
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
38	IPD cases per 10,000 population ***	500	390		
39	General OPD cases per 10,000 population ***	7253	6551		
40	Ayush OPD cases per 10,000 population ***	320	330		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	11	7		
43	<b>Total Neonatal Death</b>	12	7		
44	Deaths between (1 - 11) months	27	11		
45	<b>Total reported infant deaths</b>	39	18		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	<b>Total reported maternal deaths</b>	2	1		

## Saitual Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>				
1	Population 2011	NA			
2	Sex Ratio	NA			
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	NA			
4	Primary Health Centers (PHC)	NA			
5	Community Health Centers (CHC)	NA			
6	SDH	NA			
7	DH	NA			
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>		
8	Expected number of PW	907	910		
9	Expected number of Delivery	835	838		
		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>	<b>NFHS-5 (20119-20)</b>	

		Number	PC	Number	PC		
10	PW register for ANC	825	90.9	480	52.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	700	84.8	412	85.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	504	61.1	365	76.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	732	88.7	491	102.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	706	85.6	428	89.2	Home Delivery	NA
15	Home Delivery against expected delivery *	8	1.0	5	0.6	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	540	64.7	217	25.9	Home Delivery by SBA	NA
17	Reported Home Delivery **	8	1.5	5	2.3	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	540	98.5	217	97.7		
19	Total reported Deliveries	548		222			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	25.0	4	80.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	14.8	81	36.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
22	Expected number of Live Birth	825		828			
<b>D) Child Immunization :</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (20119-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	546	66.2	232	28.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.2	5	0.6	BCG	NA
25	PC of newborn weighted at birth to live birth	544	99.6	233	100.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	24	4.4	10	4.3	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	537	98.4	229	98.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	753	91.3	485	58.6	Full Immunization	NA
29	Children who have received BCG	566	68.6	234	28.3		
30	Children who have received Pentavalent 1	761	92.3	435	52.6		
31	Children who have received Pentavalent 3	732	88.7	448	54.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	755	91.5	485	58.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	291		149			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS ( 2020-2021)</b>		<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		<b>NFHS-5 (20119-20)</b>	
34	Number of Vasectomies performed	0		0		Total unmet	NA

				need	
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	26	30	Women using any method	NA
37	Number of IUD removals	26	28	Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
38	IPD cases per 10,000 population ***	494	203		
39	General OPD cases per 10,000 population ***	6911	4423		
40	Ayush OPD cases per 10,000 population ***	320	152		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	3	1		
43	<b>Total Neonatal Death</b>	5	1		
44	Deaths between (1 - 11) months	6	1		
45	<b>Total reported infant deaths</b>	11	2		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2020-2021)</b>	<b>HMIS ( 2021-2022) UP TO 3rd QTR</b>		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	<b>Total reported maternal deaths</b>	0	0		

## Serchhip Factsheet

### Key Indicators

<b>SL No</b>	<b>A) Demographic Indicators (Census 2011)</b>			
1	Population 2011	<b>64,937</b>		
2	Sex Ratio	<b>976</b>		
<b>B) Infrastructure Details (RHS 2019-20)</b>		<b>Numbers</b>		
3	Sub Centers (SC)	<b>27</b>		
4	Primary Health Centers (PHC)	<b>5</b>		
5	Community Health Centers (CHC)	<b>1</b>		
6	SDH	<b>0</b>		
7	DH	<b>1</b>		
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-22</b>	
8	Expected number of PW	1,093	1,091	

		1,005		1,004			
		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
9	Expected number of Delivery						
10	PW register for ANC	1,188	108.7	815	74.7	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	945	79.5	710	87.1	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	543	45.7	517	63.4	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,033	87.0	760	93.3	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	685	57.7	564	69.2	Home Delivery	3.8
15	Home Delivery against expected delivery *	22	2.2	15	1.5	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	701	69.7	503	50.1	Home Delivery by SBA	0.6
17	Reported Home Delivery **	22	3.0	15	2.9	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	701	97.0	503	97.1		
19	Total reported Deliveries	723		518			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	77.3	10	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	2.2	46	8.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

		994		992			
		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
22	Expected number of Live Birth						
<b>D) Child Immunization :</b>		HMIS ( 2020-2021)		HMIS ( 2021-2022) UP TO 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	722	72.7	515	51.9	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	1	0.1	4	0.4	BCG	89.8
25	PC of newborn weighted at birth to live birth	717	99.3	503	97.7	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	27	3.8	17	3.4	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	708	98.1	472	91.7	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	1,010	101.7	734	74.0	Full Immunization	84.7
29	Children who have received BCG	855	86.1	597	60.2		
30	Children who have received Pentavalent 1	1,004	101.1	713	71.9		
31	Children who have received Pentavalent 3	1,025	103.2	688	69.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,010	101.7	739	74.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		273			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.



E) Family Planning		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.9
35	Number of Tubectomies performed	19	10	Spacing	11.8
36	Number of IUD insertion	54	52	Women using any method	40
37	Number of IUD removals	46	37	Women using modern method	39.4
F) Service delivery		HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
38	IPD cases per 10,000 population ***	642	474		
39	General OPD cases per 10,000 population ***	9903	8231		
40	Ayush OPD cases per 10,000 population ***	1004	391		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
41	Neonatal death within 24 hours	5	5		
42	Neonatal Deaths up to 4 weeks of birth	4	4		
43	<b>Total Neonatal Death</b>	9	9		
44	Deaths between (1 - 11) months	3	4		
45	<b>Total reported infant deaths</b>	12	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2020-2021)	HMIS ( 2021-2022) UP TO 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	<b>Total reported maternal deaths</b>	1	0		