

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	445					
4	Primary Health Centers (PHC)	138					
5	Community Health Centers (CHC)	21					
6	SDH	0					
7	DH	11					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	34,794	35,145				
9	Expected number of Delivery	32,011	32,333				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	33,105	95.1	34,272	97.5	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	9,118	27.5	9,532	27.8	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	5,124	15.5	6,484	18.9	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	13,459	40.7	15,216	44.4	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	12,473	37.7	14,535	42.4	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,937	12.3	3,579	11.1	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	12,536	39.2	12,985	40.2	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,937	23.9	3,579	21.6	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	12,536	76.1	12,985	78.4		
19	Total reported Deliveries	16,473		16,564			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,354	59.8	2,068	57.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,343	50.6	8,180	49.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,631		31,950			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	16,263	51.4	16,367	51.2	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	284	0.9	237	0.7	BCG	85.5

25	PC of newborn weighted at birth to live birth	15,746	96.8	16,016	97.9	3 dose of DPT	71.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	601	3.8	554	3.5	Measles First dose	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,863	85.2	14,469	88.4	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	15,897	50.3	16,019	50.1	Full Immunization	57.9
29	Children who have received BCG	20,941	66.2	20,482	64.1		
30	Children who have received Pentavalent 1	21,380	67.6	20,958	65.6		
31	Children who have received Pentavalent 3	18,628	58.9	17,847	55.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,942	53.6	16,593	51.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,124		2,355			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1		2		Total unmet need	9.1
35	Number of Tubectomies performed	639		900		Spacing	4.5
36	Number of IUD insertion	2,814		3,534		Women using any method	57.4
37	Number of IUD removals	1,327		1,545		Women using modern method	45.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22)			
38	IPD cases per 10,000 population ***	200		215			
39	General OPD cases per 10,000 population ***	3744		4620			
40	Ayush OPD cases per 10,000 population ***	64		76			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22)			
41	Neonatal death within 24 hours	31		26			
42	Neonatal Deaths up to 4 weeks of birth	64		94			
43	Total Neonatal Death	95		120			
44	Deaths between (1 - 11) months	41		31			
45	Total reported infant deaths	136		151			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	2		2			
49	Due to Bleeding	5		3			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	13		6			
52	Total reported maternal deaths	20		11			

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	53					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	7,088		7,207			
9	Expected number of Delivery	6,521		6,630			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,530	205.0	17,073	236.9	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	4,586	31.6	5,072	29.7	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	2,170	14.9	2,806	16.4	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	4,146	28.5	5,843	34.2	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	4,091	28.2	5,604	32.8	Home Delivery	26.3
15	Home Delivery against expected delivery *	426	6.5	446	6.7	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	4,640	71.2	4,587	69.2	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	426	8.4	446	8.9	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	4,640	91.6	4,587	91.1		
19	Total reported Deliveries	5,066		5,033			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	243	57.0	265	59.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,313	45.7	2,513	49.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,444		6,552			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,985	77.4	4,977	76.0	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	133	2.1	85	1.3	BCG	-85.1

25	PC of newborn weighted at birth to live birth	4,798	96.2	4,914	98.7	3 dose of DPT	-73.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	358	7.5	286	5.8	Measles First dose	-74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,759	75.4	3,620	72.7	3 doses of penta or hepatitis B vaccine	-71.1
28	Children fully immunized	3,920	60.8	4,114	62.8	Full Immunization	-55.9
29	Children who have received BCG	6,458	100.2	6,766	103.3		
30	Children who have received Pentavalent 1	6,323	98.1	6,622	101.1		
31	Children who have received Pentavalent 3	5,202	80.7	5,130	78.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,582	71.1	4,713	71.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	526		590			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	14.3
35	Number of Tubectomies performed	233	178	Spacing	5.8
36	Number of IUD insertion	137	132	Women using any method	46.9
37	Number of IUD removals	124	146	Women using modern method	38.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	470	494		
39	General OPD cases per 10,000 population ***	6218	7761		
40	Ayush OPD cases per 10,000 population ***	54	89		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	6	5		
42	Neonatal Deaths up to 4 weeks of birth	27	33		
43	Total Neonatal Death	33	38		
44	Deaths between (1 - 11) months	22	19		
45	Total reported infant deaths	55	57		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	3		
52	Total reported maternal deaths	10	6		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,195		1,195			
9	Expected number of Delivery	1,099		1,099			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,030	86.2	1,102	92.2	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	330	32.0	345	31.3	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	355	34.5	397	36.0	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	747	72.5	702	63.7	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	430	41.7	487	44.2	Home Delivery	65.2
15	Home Delivery against expected delivery *	168	15.3	194	17.6	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	544	49.5	586	53.3	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	168	23.6	194	24.9	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	544	76.4	586	75.1		
19	Total reported Deliveries	712		780			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	28.6	62	32.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	61.7	339	43.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,086		1,086			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	703	64.7	765	70.4	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	11	1.0	19	1.7	BCG	82.1

25	PC of newborn weighted at birth to live birth	700	99.6	757	99.0	3 dose of DPT	60.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.3	9	1.2	Measles First dose	66.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	702	99.9	763	99.7	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	770	70.9	701	64.5	Full Immunization	42.8
29	Children who have received BCG	921	84.8	850	78.3		
30	Children who have received Pentavalent 1	927	85.4	838	77.2		
31	Children who have received Pentavalent 3	878	80.9	725	66.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	855	78.7	712	65.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	283		234			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	2	3	Spacing	10.2
36	Number of IUD insertion	249	248	Women using any method	42.5
37	Number of IUD removals	137	149	Women using modern method	32.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	132	116		
39	General OPD cases per 10,000 population ***	4302	3893		
40	Ayush OPD cases per 10,000 population ***	67	111		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	6	10		
42	Neonatal Deaths up to 4 weeks of birth	4	7		
43	Total Neonatal Death	10	17		
44	Deaths between (1 - 11) months	4	3		
45	Total reported infant deaths	14	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	0		
52	Total reported maternal deaths	5	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	5,015		5,099			
9	Expected number of Delivery	4,613		4,691			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,147	62.8	3,163	62.0	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	586	18.6	760	24.0	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	666	21.2	1,306	41.3	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,074	34.1	1,314	41.5	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	1,163	37.0	1,418	44.8	Home Delivery	33.1
15	Home Delivery against expected delivery *	122	2.6	148	3.2	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	1,898	41.1	2,278	48.6	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	122	6.0	148	6.1	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	1,898	94.0	2,278	93.9		
19	Total reported Deliveries	2,020		2,426			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61	50.0	79	53.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	525	26.0	709	29.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,559		4,635			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,999	43.9	2,402	51.8	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	22	0.5	25	0.5	BCG	-100

25	PC of newborn weighted at birth to live birth	1,902	95.1	2,353	98.0	3 dose of DPT	-88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	117	6.2	118	5.0	Measles First dose	-86.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,299	65.0	2,264	94.3	3 doses of penta or hepatitis B vaccine	-88.7
28	Children fully immunized	2,081	45.6	2,190	47.2	Full Immunization	-82.8
29	Children who have received BCG	2,564	56.2	2,767	59.7		
30	Children who have received Pentavalent 1	2,451	53.8	2,660	57.4		
31	Children who have received Pentavalent 3	2,343	51.4	2,348	50.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,180	47.8	2,229	48.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	198		302			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	9.1
35	Number of Tubectomies performed	91		265		Spacing	7.2
36	Number of IUD insertion	502		989		Women using any method	60.7
37	Number of IUD removals	176		170		Women using modern method	46.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22)			
38	IPD cases per 10,000 population ***	210		296			
39	General OPD cases per 10,000 population ***	3976		7289			
40	Ayush OPD cases per 10,000 population ***	13		63			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
41	Neonatal death within 24 hours	2		1			
42	Neonatal Deaths up to 4 weeks of birth	10		30			
43	Total Neonatal Death	12		31			
44	Deaths between (1 - 11) months	5		3			
45	Total reported infant deaths	17		34			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		1			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	1		1			
52	Total reported maternal deaths	1		2			

Longleg Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	815	815				
9	Expected number of Delivery	750	750				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	670	82.2	584	71.7	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	179	26.7	180	30.8	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	141	21.0	77	13.2	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	352	52.5	303	51.9	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	352	52.5	404	69.2	Home Delivery	61.3
15	Home Delivery against expected delivery *	85	11.3	66	8.8	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	406	54.2	311	41.5	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	85	17.3	66	17.5	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	406	82.7	311	82.5		
19	Total reported Deliveries	491		377			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	50.6	32	48.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	339	69.0	234	62.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	741		741			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	486	65.6	375	50.6	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	5	0.7	4	0.5	BCG	88.3

25	PC of newborn weighted at birth to live birth	477	98.1	352	93.9	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	3.8	9	2.6	Measles First dose	73.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	480	98.8	346	92.3	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	525	70.9	546	73.7	Full Immunization	53
29	Children who have received BCG	531	71.7	526	71.0		
30	Children who have received Pentavalent 1	570	76.9	600	81.0		
31	Children who have received Pentavalent 3	527	71.1	568	76.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	533	71.9	546	73.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	111		38			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	37	60	Spacing	2.9
36	Number of IUD insertion	207	212	Women using any method	66.5
37	Number of IUD removals	96	93	Women using modern method	56.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	125	119		
39	General OPD cases per 10,000 population ***	4947	4537		
40	Ayush OPD cases per 10,000 population ***	79	238		
G) Mortality Details					
I) Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	1		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	2,983	2,967				
9	Expected number of Delivery	2,744	2,729				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,499	50.2	1,433	48.3	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	573	38.2	653	45.6	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	167	11.1	338	23.6	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	683	45.6	735	51.3	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	311	20.7	388	27.1	Home Delivery	48.5
15	Home Delivery against expected delivery *	180	6.6	174	6.4	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	732	26.7	828	30.3	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	180	19.7	174	17.4	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	732	80.3	828	82.6		
19	Total reported Deliveries	912		1,002			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	161	89.4	146	83.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	742	81.4	799	79.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,712		2,697			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	899	33.2	993	36.8	Breastfed within 1 hour of birth	56.5

24	Total Still Birth	27	1.0	16	0.6	BCG	-96.8
25	PC of newborn weighted at birth to live birth	894	99.4	988	99.5	3 dose of DPT	-99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.6	40	4.0	Measles First dose	-100
27	PC of newborns breastfed within 1 hour to total reported live birth.	820	91.2	986	99.3	3 doses of penta or hepatitis B vaccine	-96
28	Children fully immunized	1,046	38.6	952	35.3	Full Immunization	-92
29	Children who have received BCG	1,073	39.6	1,117	41.4		
30	Children who have received Pentavalent 1	1,159	42.7	1,098	40.7		
31	Children who have received Pentavalent 3	1,082	39.9	970	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,062	39.2	955	35.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	74		84			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	32	51	Spacing	3.4
36	Number of IUD insertion	109	134	Women using any method	66.7
37	Number of IUD removals	77	96	Women using modern method	52.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	235	216		
39	General OPD cases per 10,000 population ***	4334	4335		
40	Ayush OPD cases per 10,000 population ***	115	72		
G) Mortality Details					
I) Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths up to 4 weeks of birth	7	9		
43	Total Neonatal Death	7	12		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	8	14		
II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	4,406		4,449			
9	Expected number of Delivery	4,053		4,093			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,402	99.9	3,704	83.3	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	758	17.2	702	19.0	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	296	6.7	328	8.9	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,031	46.1	2,236	60.4	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,028	46.1	2,294	61.9	Home Delivery	78.6
15	Home Delivery against expected delivery *	1,176	29.0	1,036	25.3	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,115	27.5	1,278	31.2	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	1,176	51.3	1,036	44.8	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,115	48.7	1,278	55.2		
19	Total reported Deliveries	2,291		2,314			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	552	46.9	428	41.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,105	48.2	1,026	44.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,005		4,045			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,260	56.4	2,293	56.7	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	14	0.3	21	0.5	BCG	87.1

25	PC of newborn weighted at birth to live birth	2,197	97.2	2,211	96.4	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	1.5	27	1.2	Measles First dose	83.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,176	96.3	2,161	94.2	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,277	56.9	2,527	62.5	Full Immunization	62.4
29	Children who have received BCG	3,011	75.2	2,964	73.3		
30	Children who have received Pentavalent 1	3,044	76.0	3,024	74.8		
31	Children who have received Pentavalent 3	2,630	65.7	2,747	67.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,311	57.7	2,402	59.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	178		352			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	2	Total unmet need	3.7
35	Number of Tubectomies performed	51	82	Spacing	0.6
36	Number of IUD insertion	716	862	Women using any method	68.7
37	Number of IUD removals	284	290	Women using modern method	55.6
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	72	87		
39	General OPD cases per 10,000 population ***	2139	2395		
40	Ayush OPD cases per 10,000 population ***	83	75		
G) Mortality Details					
I) Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal death within 24 hours	5	0		
42	Neonatal Deaths up to 4 weeks of birth	6	8		
43	Total Neonatal Death	11	8		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	14	11		
II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	0	371				
9	Expected number of Delivery	0	341				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	0	0.0	330	89.0	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	0	0.0	52	15.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	0	0.0	39	11.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	0	0.0	167	50.6	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	0	0.0	223	67.6	Home Delivery	NA
15	Home Delivery against expected delivery *	0	0.0	117	34.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	0	0.0	172	50.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	0	0.0	117	40.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	0	0.0	172	59.5		
19	Total reported Deliveries	0		289			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	95	81.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	158	54.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	0		337			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	0	0.0	288	85.4	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	0.6	BCG	NA

25	PC of newborn weighted at birth to live birth	0	0.0	286	99.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	3	1.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	0	0.0	286	99.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	0	0.0	235	69.7	Full Immunization	NA
29	Children who have received BCG	0	0.0	263	78.0		
30	Children who have received Pentavalent 1	0	0.0	317	94.0		
31	Children who have received Pentavalent 3	0	0.0	261	77.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	0	0.0	228	67.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	0		23			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	0		33		Women using any method	NA
37	Number of IUD removals	0		24		Women using modern method	NA
F) Service delivery		HMIS (2020-21)		HMIS (2021-22)			
38	IPD cases per 10,000 population ***	0		103			
39	General OPD cases per 10,000 population ***	0		4605			
40	Ayush OPD cases per 10,000 population ***	0		0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		0			
52	Total reported maternal deaths	0		0			

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	1,782		1,812			
9	Expected number of Delivery	1,639		1,667			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,483	83.2	1,522	84.0	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	377	25.4	340	22.3	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	237	16.0	220	14.5	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	829	55.9	892	58.6	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	837	56.4	912	59.9	Home Delivery	56.5
15	Home Delivery against expected delivery *	227	13.8	228	13.7	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	520	31.7	492	29.5	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	227	30.4	228	31.7	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	520	69.6	492	68.3		
19	Total reported Deliveries	747		720			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	36.6	90	39.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	273	36.5	207	28.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,620		1,647			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	731	45.1	705	42.8	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	17	1.0	15	0.9	BCG	86.8

25	PC of newborn weighted at birth to live birth	675	92.3	635	90.1	3 dose of DPT	71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.7	12	1.9	Measles First dose	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	652	89.2	667	94.6	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	632	39.0	775	47.1	Full Immunization	63.3
29	Children who have received BCG	982	60.6	977	59.3		
30	Children who have received Pentavalent 1	1,077	66.5	1,085	65.9		
31	Children who have received Pentavalent 3	875	54.0	930	56.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	689	42.5	775	47.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	66		76			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.2
35	Number of Tubectomies performed	0	29	Spacing	4.5
36	Number of IUD insertion	104	107	Women using any method	58.6
37	Number of IUD removals	48	63	Women using modern method	42
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	78	63		
39	General OPD cases per 10,000 population ***	2472	3145		
40	Ayush OPD cases per 10,000 population ***	97	84		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	2		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	4	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,63,418						
2	Sex Ratio	951						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers (SC)	48						
4	Primary Health Centers (PHC)	23						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	2,820	2,842					
9	Expected number of Delivery	2,595	2,615					
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	2,106	74.7	1,968	69.2	ANC Check up in first trimester	50.1	
11	Mothers registered in the first trimester	477	22.6	523	26.6	At least 4ANC check up	9.5	
12	Mothers who had 4 or more ANC check ups	320	15.2	286	14.5	Neonatal tetanus received	83.8	
13	PW who got TT 2 / Booster injection	1,120	53.2	1,032	52.4	100 IFA tablets consumed	13.5	
14	PW who consumed 180 IFA tablets	1,441	68.4	1,260	64.0	Home Delivery	67.8	
15	Home Delivery against expected delivery *	598	23.0	471	18.0	Institutional Delivery	32.2	
16	Institutional Delivery against expected delivery *	744	28.7	672	25.7	Home Delivery by SBA	18.5	
17	Home Delivery against reported delivery **	598	44.6	471	41.2	PNC within 2days of delivery	39.6	
18	Institutional Delivery against reported delivery **	744	55.4	672	58.8			
19	Total reported Deliveries	1,342		1,143				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	494	82.6	352	74.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	714	53.2	563	49.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,564		2,584				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	1,335	52.1	1,130	43.7	Breastfed within 1 hour of birth	64.8	
24	Total Still Birth	14	0.5	18	0.7	BCG	87.6	

25	PC of newborn weighted at birth to live birth	1,267	94.9	1,093	96.7	3 dose of DPT	65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.8	10	0.9	Measles First dose	71.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,306	97.8	1,095	96.9	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,299	50.7	1,173	45.4	Full Immunization	54.6
29	Children who have received BCG	1,493	58.2	1,242	48.1		
30	Children who have received Pentavalent 1	1,601	62.4	1,385	53.6		
31	Children who have received Pentavalent 3	1,401	54.6	1,240	48.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,301	50.7	1,173	45.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	96		104			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.5
35	Number of Tubectomies performed	33	66	Spacing	3.5
36	Number of IUD insertion	253	213	Women using any method	56.3
37	Number of IUD removals	169	186	Women using modern method	47.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	199	180		
39	General OPD cases per 10,000 population ***	3535	3307		
40	Ayush OPD cases per 10,000 population ***	98	70		
G) Mortality Details					
I) Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal death within 24 hours	4	2		
42	Neonatal Deaths up to 4 weeks of birth	6	3		
43	Total Neonatal Death	10	5		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	11	5		
II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	3,173	2,803				
9	Expected number of Delivery	2,919	2,579				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,984	62.5	1,393	49.7	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	361	18.2	203	14.6	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	218	11.0	76	5.5	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	1,132	57.1	792	56.9	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	763	38.5	649	46.6	Home Delivery	65.2
15	Home Delivery against expected delivery *	530	18.2	374	14.5	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	744	25.5	678	26.3	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	530	41.6	374	35.6	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	744	58.4	678	64.4		
19	Total reported Deliveries	1,274		1,052			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	419	79.1	305	81.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	554	43.5	422	40.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,885		2,548			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,256	43.5	1,036	40.7	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	22	0.8	19	0.7	BCG	75.6

25	PC of newborn weighted at birth to live birth	1,249	99.4	1,022	98.6	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	0.7	26	2.5	Measles First dose	53.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,214	96.7	1,025	98.9	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,624	56.3	1,206	47.3	Full Immunization	39.9
29	Children who have received BCG	1,993	69.1	1,337	52.5		
30	Children who have received Pentavalent 1	2,186	75.8	1,516	59.5		
31	Children who have received Pentavalent 3	1,889	65.5	1,278	50.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,660	57.5	1,216	47.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	39		25			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.9
35	Number of Tubectomies performed	70		38		Spacing	5.9
36	Number of IUD insertion	197		185		Women using any method	52.6
37	Number of IUD removals	69		89		Women using modern method	37.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22)			
38	IPD cases per 10,000 population ***	82		67			
39	General OPD cases per 10,000 population ***	1921		1836			
40	Ayush OPD cases per 10,000 population ***	35		16			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
41	Neonatal death within 24 hours	1		1			
42	Neonatal Deaths up to 4 weeks of birth	0		3			
43	Total Neonatal Death	1		4			
44	Deaths between (1 - 11) months	1		1			
45	Total reported infant deaths	2		5			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			
48	Due to Severe hypertension/fits	0		0			
49	Due to Bleeding	0		0			
50	Due to High fever	0		0			
51	Due to Other Causes (including causes not known)	0		0			
52	Total reported maternal deaths	0		0			

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	3,184		3,246			
9	Expected number of Delivery	2,929		2,986			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,073	33.7	991	30.5	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	450	41.9	372	37.5	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	234	21.8	273	27.5	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	696	64.9	619	62.5	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	562	52.4	454	45.8	Home Delivery	56.4
15	Home Delivery against expected delivery *	182	6.2	157	5.3	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	587	20.0	427	14.3	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	182	23.7	157	26.9	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	587	76.3	427	73.1		
19	Total reported Deliveries	769		584			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	19.2	62	39.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	733	95.3	548	93.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,895		2,951			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	768	26.5	587	19.9	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	5	0.2	2	0.1	BCG	-73.3

25	PC of newborn weighted at birth to live birth	764	99.5	583	99.3	3 dose of DPT	-61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	0	0.0	Measles First dose	-66.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	761	99.1	584	99.5	3 doses of penta or hepatitis B vaccine	-55.1
28	Children fully immunized	899	31.1	772	26.2	Full Immunization	-42.8
29	Children who have received BCG	938	32.4	772	26.2		
30	Children who have received Pentavalent 1	953	32.9	784	26.6		
31	Children who have received Pentavalent 3	862	29.8	763	25.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	907	31.3	778	26.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	138		107			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	6	37	Spacing	1.4
36	Number of IUD insertion	89	97	Women using any method	64.6
37	Number of IUD removals	23	33	Women using modern method	50.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	50	60		
39	General OPD cases per 10,000 population ***	2224	2376		
40	Ayush OPD cases per 10,000 population ***	60	80		
G) Mortality Details					
I) Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	2,334		2,341			
9	Expected number of Delivery	2,147		2,154			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,181	50.6	1,009	43.1	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	441	37.3	330	32.7	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	320	27.1	338	33.5	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	649	55.0	581	57.6	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	495	41.9	442	43.8	Home Delivery	65
15	Home Delivery against expected delivery *	243	11.3	168	7.8	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	606	28.2	676	31.4	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	243	28.6	168	19.9	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	606	71.4	676	80.1		
19	Total reported Deliveries	849		844			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	215	88.5	152	90.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	606	71.4	662	78.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,121		2,128			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	841	39.6	816	38.3	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	14	0.7	11	0.5	BCG	-82.2

25	PC of newborn weighted at birth to live birth	823	97.9	822	100.7	3 dose of DPT	-72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	14	1.7	Measles First dose	-76.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	694	82.5	672	82.4	3 doses of penta or hepatitis B vaccine	-72.3
28	Children fully immunized	824	38.8	828	38.9	Full Immunization	-60.7
29	Children who have received BCG	977	46.1	901	42.3		
30	Children who have received Pentavalent 1	1,089	51.3	1,029	48.4		
31	Children who have received Pentavalent 3	939	44.3	887	41.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	862	40.6	866	40.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	415		420			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	84	91	Spacing	0.7
36	Number of IUD insertion	251	322	Women using any method	68.8
37	Number of IUD removals	124	206	Women using modern method	56.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	74	72		
39	General OPD cases per 10,000 population ***	3069	3308		
40	Ayush OPD cases per 10,000 population ***	69	80		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal death within 24 hours	7	2		
42	Neonatal Deaths up to 4 weeks of birth	2	1		
43	Total Neonatal Death	9	3		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	10	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		