

## Nagaland Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,978,502						
2	Sex Ratio	931						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	397						
4	Sub Centers (SC)- HWC	56						
5	Primary Health Centers (PHC)	126						
6	Primary Health Centers (PHC)-HWC	5						
7	Community Health Centers (CHC)	21						
8	SDH	0						
9	DH	11						
C) Maternal Health:		2011-12		2011-12				
10	Expected number of PW	37,433		37,433				
11	Expected number of Delivery	34,439		34,439				
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	33,105	88.4	16,632	44.4	ANC Check up in first trimester	49.5	
13	Mothers registered in the first trimester	9,118	27.5	4,721	28.4	At least 4ANC check up	20.7	
14	Mothers who had 4 or more ANC check ups	5,124	15.5	2,992	18.0	Neonatal tetanus received	81.3	
15	PW who got TT 2 / Booster injection	13,459	40.7	7,347	44.2	100 IFA tablets consumed	10.2	
16	PW who consumed 180 IFA tablets	12,473	37.7	6,682	40.2	Home Delivery	54.3	
17	Home Delivery against expected delivery *	3,937	11.4	1,755	5.1	Institutional Delivery	45.7	
18	Institutional Delivery against expected delivery *	12,536	36.4	5,529	16.1	Home Delivery by SBA	10.4	
19	Home Delivery against reported delivery **	3,937	23.9	1,755	24.1	PNC within 2days of delivery	43.9	
20	Institutional Delivery against reported delivery **	12,536	76.1	5,529	60.3			
21	Total reported Deliveries	16,473		7,284				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,354	59.8	981	55.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,343	50.6	3,399	46.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	34,030		34,030				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
25	Total reported live births	16,263	47.8	7,278	21.4	Breastfed within 1 hour of birth	57.9	

26	Total Still Birth	284	0.8	113	0.3	BCG	85.5
27	PC of newborn weighted at birth to live birth	15,746	96.8	7,105	97.6	3 dose of DPT	71.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	601	3.8	253	3.6	Measles First dose	73.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,863	85.2	6,525	89.7	3 doses of penta or hepatitis B vaccine	66.4
30	Children fully immunized	15,897	46.7	8,493	25.0	Full Immunization	57.9
31	Children who have received BCG	20,941	61.5	9,049	26.6		
32	Children who have received Pentavalent 1	21,380	62.8	8,915	26.2		
33	Children who have received Pentavalent 3	18,628	54.7	8,435	24.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	16,942	49.8	8,768	25.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,124		1,158			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1	0	Total unmet need	9.1
37	Number of Tubectomies performed	639	607	Spacing	4.5
38	Number of IUD insertion	2,814	2,323	Women using any method	57.4
39	Number of IUD removals	1,327	778	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	252	132		
41	General OPD cases per 10,000 population ***	4713	2862		
42	Ayush OPD cases per 10,000 population ***	80	37		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal death within 24 hours	31	9		
44	Neonatal Deaths up to 4 weeks of birth	64	38		
45	<b>Total Neonatal Death</b>	95	47		
46	Deaths between (1 - 11) months	41	12		
47	<b>Total reported infant deaths</b>	136	59		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	2	1		
51	Due to Bleeding	5	3		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	13	4	
54	<b>Total reported maternal deaths</b>	<b>20</b>	<b>8</b>	

## Dimapur Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>378,811</b>					
2	Sex Ratio	<b>916</b>					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	<b>47</b>					
4	Sub Centers (SC)- HWC	<b>6</b>					
5	Primary Health Centers (PHC)	<b>8</b>					
6	Primary Health Centers (PHC)-HWC	<b>2</b>					
7	Community Health Centers (CHC)	<b>2</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	7,167		7,167			
11	Expected number of Delivery	6,594		6,594			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	14,530	202.7	7,881	110.0	ANC Check up in first trimester	71.4
13	Mothers registered in the first trimester	4,586	31.6	2,532	32.1	At least 4ANC check up	50.1
14	Mothers who had 4 or more ANC check ups	2,170	14.9	1,435	18.2	Neonatal tetanus received	86.4
15	PW who got TT 2 / Booster injection	4,146	28.5	2,637	33.5	100 IFA tablets consumed	14.9
16	PW who consumed 180 IFA tablets	4,091	28.2	2,430	30.8	Home Delivery	26.3
17	Home Delivery against expected delivery *	426	6.5	206	3.1	Institutional Delivery	73.7
18	Institutional Delivery against expected delivery *	4,640	70.4	1,822	27.6	Home Delivery by SBA	9.4
19	Home Delivery against reported delivery **	426	8.4	206	10.2	PNC within 2days of delivery	68.7
20	Institutional Delivery against reported delivery **	4,640	91.6	1,822	89.7		
21	Total reported Deliveries	5,066		2,028			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	243	57.0	110	53.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,313	45.7	865	42.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	4,985	76.5	2,066	31.7	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	133	2.0	39	0.6	BCG	-85.1
27	PC of newborn weighted at birth to live birth	4,798	96.2	2,018	97.7	3 dose of DPT	-73.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	358	7.5	128	6.3	Measles First dose	-74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,759	75.4	1,553	75.2	3 doses of penta or hepatitis B vaccine	-71.1
30	Children fully immunized	3,920	60.2	2,121	32.6	Full Immunization	-55.9
31	Children who have received BCG	6,458	99.1	2,846	43.7		
32	Children who have received Pentavalent 1	6,323	97.0	2,495	38.3		
33	Children who have received Pentavalent 3	5,202	79.8	2,215	34.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,582	70.3	2,419	37.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	526		240			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	1	0	Total unmet need	14.3
37	Number of Tubectomies performed	233	119	Spacing	5.8
38	Number of IUD insertion	137	66	Women using any method	46.9
39	Number of IUD removals	124	66	Women using modern method	38.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	630	338		
41	General OPD cases per 10,000 population ***	8329	4786		
42	Ayush OPD cases per 10,000 population ***	73	44		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal death within 24 hours	6	2		
44	Neonatal Deaths up to 4 weeks of birth	27	16		
45	<b>Total Neonatal Death</b>	33	18		
46	Deaths between (1 - 11) months	22	9		
47	<b>Total reported infant deaths</b>	55	27		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	0	2		

52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	9	3	
54	<b>Total reported maternal deaths</b>	10	5	

## Kiphrie Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers (PHC)	2					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	1,400	1,400				
11	Expected number of Delivery	1,288	1,288				
		HMIS (2020-21 )		HMIS (2021-22 ) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,030	73.6	519	37.1	ANC Check up in first trimester	27.2
13	Mothers registered in the first trimester	330	32.0	158	30.4	At least 4ANC check up	5.8
14	Mothers who had 4 or more ANC check ups	355	34.5	201	38.7	Neonatal tetanus received	63
15	PW who got TT 2 / Booster injection	747	72.5	357	68.8	100 IFA tablets consumed	1.6
16	PW who consumed 180 IFA tablets	430	41.7	216	41.6	Home Delivery	65.2
17	Home Delivery against expected delivery *	168	13.0	83	6.4	Institutional Delivery	34.8
18	Institutional Delivery against expected delivery *	544	42.2	290	22.5	Home Delivery by SBA	11.9
19	Home Delivery against reported delivery **	168	23.6	83	22.3	PNC within 2days of delivery	31.9
20	Institutional Delivery against reported delivery **	544	76.4	290	62.2		
21	Total reported Deliveries	712		373			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	28.6	24	28.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	61.7	135	36.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	1,273		1,273			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	703	55.2	366	28.8	Breastfed within 1 hour of birth	55.5
26	Total Still Birth	11	0.9	9	0.7	BCG	82.1
27	PC of newborn weighted at birth to live birth	700	99.6	365	99.7	3 dose of DPT	60.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.3	4	1.1	Measles First dose	66.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	702	99.9	364	99.5	3 doses of penta or hepatitis B vaccine	49.3
30	Children fully immunized	770	60.5	380	29.9	Full Immunization	42.8
31	Children who have received BCG	921	72.4	393	30.9		
32	Children who have received Pentavalent 1	927	72.8	374	29.4		
33	Children who have received Pentavalent 3	878	69.0	337	26.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	855	67.2	387	30.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	283		172			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E)Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	2		3		Spacing	10.2
38	Number of IUD insertion	249		148		Women using any method	42.5
39	Number of IUD removals	137		77		Women using modern method	32.7
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	153		78			
41	General OPD cases per 10,000 population ***	4971		2341			
42	Ayush OPD cases per 10,000 population ***	77		62			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	6		4			
44	Neonatal Deaths up to 4 weeks of birth	4		4			
45	<b>Total Neonatal Death</b>	10		8			
46	Deaths between (1 - 11) months	4		1			
47	<b>Total reported infant deaths</b>	14		9			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
48	Due to Abortion	0		0			

49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	0	0
51	Due to Bleeding	2	0
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	3	0
54	<b>Total reported maternal deaths</b>	<b>5</b>	<b>0</b>

## Kohima Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>267,988</b>					
2	Sex Ratio	<b>927</b>					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>40</b>					
4	Sub Centers (SC)- HWC	<b>10</b>					
5	Primary Health Centers (PHC)	<b>14</b>					
6	Primary Health Centers (PHC)-HWC	<b>1</b>					
7	Community Health Centers (CHC)	<b>3</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
10	Expected number of PW	5,070		5,070			
11	Expected number of Delivery	4,665		4,665			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	3,147	62.1	1,422	28.0	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	586	18.6	358	25.2	At least 4ANC check up	28.3
14	Mothers who had 4 or more ANC check ups	666	21.2	494	34.7	Neonatal tetanus received	94.3
15	PW who got TT 2 / Booster injection	1,074	34.1	677	47.6	100 IFA tablets consumed	17.2
16	PW who consumed 180 IFA tablets	1,163	37.0	536	37.7	Home Delivery	33.1
17	Home Delivery against expected delivery *	122	2.6	80	1.7	Institutional Delivery	66.9
18	Institutional Delivery against expected delivery *	1,898	40.7	1,010	21.7	Home Delivery by SBA	12.2
19	Home Delivery against reported delivery **	122	6.0	80	7.3	PNC within 2days of delivery	58.9
20	Institutional Delivery against reported delivery **	1,898	94.0	1,010	78.3		
21	Total reported Deliveries	2,020		1,090			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61	50.0	50	62.5		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	525	26.0	317	29.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,609		4,609			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,999	43.4	1,079	23.4	Breastfed within 1 hour of birth	60.3
26	Total Still Birth	22	0.5	10	0.2	BCG	-100
27	PC of newborn weighted at birth to live birth	1,902	95.1	1,054	97.7	3 dose of DPT	-88.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	117	6.2	40	3.8	Measles First dose	-86.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,299	65.0	1,043	96.7	3 doses of penta or hepatitis B vaccine	-88.7
30	Children fully immunized	2,081	45.1	1,212	26.3	Full Immunization	-82.8
31	Children who have received BCG	2,564	55.6	1,225	26.6		
32	Children who have received Pentavalent 1	2,451	53.2	1,124	24.4		
33	Children who have received Pentavalent 3	2,343	50.8	1,106	24.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,180	47.3	1,231	26.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	198		123			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	9.1
37	Number of Tubectomies performed	91		203		Spacing	7.2
38	Number of IUD insertion	502		683		Women using any method	60.7
39	Number of IUD removals	176		86		Women using modern method	46.7
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	282		193			
41	General OPD cases per 10,000 population ***	5326		5069			
42	Ayush OPD cases per 10,000 population ***	18		29			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	2		0			
44	Neonatal Deaths up to 4 weeks of birth	10		11			
45	<b>Total Neonatal Death</b>	12		11			
46	Deaths between (1 - 11) months	5		1			
47	<b>Total reported infant deaths</b>	17		12			



II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	0	0
51	Due to Bleeding	0	1
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	1	0
54	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>

## Longleng Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	8					
4	Sub Centers (SC)- HWC	3					
5	Primary Health Centers (PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	955		955			
11	Expected number of Delivery	879		879			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	670	70.1	318	33.3	ANC Check up in first trimester	42.3
13	Mothers registered in the first trimester	179	26.7	95	29.9	At least 4ANC check up	15.4
14	Mothers who had 4 or more ANC check ups	141	21.0	44	13.8	Neonatal tetanus received	75.5
15	PW who got TT 2 / Booster injection	352	52.5	166	52.2	100 IFA tablets consumed	2.6
16	PW who consumed 180 IFA tablets	352	52.5	190	59.7	Home Delivery	61.3
17	Home Delivery against expected delivery *	85	9.7	35	4.0	Institutional Delivery	38.7
18	Institutional Delivery against expected delivery *	406	46.2	131	14.9	Home Delivery by SBA	5.9
19	Home Delivery against reported delivery **	85	17.3	35	21.1	PNC within 2days of delivery	28.5

20	Institutional Delivery against reported delivery **	406	82.7	131	82.7		
21	Total reported Deliveries	491		166			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	50.6	20	57.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	339	69.0	46	27.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	868		868			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	486	56.0	163	18.8	Breastfed within 1 hour of birth	62.3
26	Total Still Birth	5	0.6	4	0.5	BCG	88.3
27	PC of newborn weighted at birth to live birth	477	98.1	153	93.9	3 dose of DPT	64.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	3.8	3	2.0	Measles First dose	73.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	480	98.8	140	85.9	3 doses of penta or hepatitis B vaccine	58.2
30	Children fully immunized	525	60.5	262	30.2	Full Immunization	53
31	Children who have received BCG	531	61.2	268	30.9		
32	Children who have received Pentavalent 1	570	65.6	285	32.8		
33	Children who have received Pentavalent 3	527	60.7	298	34.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	533	61.4	257	29.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	111		19			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	37		57		Spacing	2.9
38	Number of IUD insertion	207		128		Women using any method	66.5
39	Number of IUD removals	96		51		Women using modern method	56.3
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	145		53			
41	General OPD cases per 10,000 population ***	5716		2663			
42	Ayush OPD cases per 10,000 population ***	91		72			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	0		0			

44	Neonatal Deaths up to 4 weeks of birth	1	0
45	<b>Total Neonatal Death</b>	1	0
46	Deaths between (1 - 11) months	0	0
47	<b>Total reported infant deaths</b>	1	0
<b>II) Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	1	1
51	Due to Bleeding	0	0
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	0	0
54	<b>Total reported maternal deaths</b>	1	1

## Mokokchung Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	51					
4	Sub Centers (SC)- HWC	4					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2011-12		2011-12			
10	Expected number of PW	3,682		3,682			
11	Expected number of Delivery	3,388		3,388			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,499	40.7	714	19.4	ANC Check up in first trimester	51.6
13	Mothers registered in the first trimester	573	38.2	281	39.4	At least 4ANC check up	18.2
14	Mothers who had 4 or more ANC check ups	167	11.1	101	14.1	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	683	45.6	345	48.3	100 IFA tablets consumed	12.5
16	PW who consumed 180 IFA tablets	311	20.7	121	16.9	Home Delivery	48.5
17	Home Delivery against expected delivery *	180	5.3	77	2.3	Institutional Delivery	51.5
18	Institutional Delivery against expected delivery *	732	21.6	376	11.1	Home Delivery by SBA	12.2

19	Home Delivery against reported delivery **	180	19.7	77	17.0	PNC within 2days of delivery	47.4
20	Institutional Delivery against reported delivery **	732	80.3	376	72.4		
21	Total reported Deliveries	912		453			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	161	89.4	57	74.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	742	81.4	348	76.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	3,347		3,347			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	899	26.9	453	13.5	Breastfed within 1 hour of birth	56.5
26	Total Still Birth	27	0.8	8	0.2	BCG	-96.8
27	PC of newborn weighted at birth to live birth	894	99.4	449	99.1	3 dose of DPT	-99
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.6	29	6.5	Measles First dose	-100
29	PC of newborns breastfed within 1 hour to total reported live birth.	820	91.2	421	92.9	3 doses of penta or hepatitis B vaccine	-96
30	Children fully immunized	1,046	31.2	460	13.7	Full Immunization	-92
31	Children who have received BCG	1,073	32.1	372	11.1		
32	Children who have received Pentavalent 1	1,159	34.6	451	13.5		
33	Children who have received Pentavalent 3	1,082	32.3	400	11.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,062	31.7	515	15.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	74		47			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	6.4
37	Number of Tubectomies performed	32		22		Spacing	3.4
38	Number of IUD insertion	109		63		Women using any method	66.7
39	Number of IUD removals	77		44		Women using modern method	52.5
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	258		109			
41	General OPD cases per 10,000 population ***	4755		2317			
42	Ayush OPD cases per 10,000 population ***	126		36			
<b>G) Mortality Details</b>							

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
43	Neonatal death within 24 hours	0	0	
44	Neonatal Deaths up to 4 weeks of birth	7	4	
45	<b>Total Neonatal Death</b>	7	4	
46	Deaths between (1 - 11) months	1	1	
47	<b>Total reported infant deaths</b>	8	5	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	1	0	

## Mon Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	250,260				
2	Sex Ratio	898				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers (SC)	50				
4	Sub Centers (SC)- HWC	7				
5	Primary Health Centers (PHC)	15				
6	Primary Health Centers (PHC)-HWC	0				
7	Community Health Centers (CHC)	2				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2011-12	2011-12			
10	Expected number of PW	4,735	4,735			
11	Expected number of Delivery	4,356	4,356			
		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
12	PW register for ANC	4,402	93.0	2,240	47.3	ANC Check up in first trimester 44.6
13	Mothers registered in the first trimester	758	17.2	363	16.2	At least 4ANC check up 9.7
14	Mothers who had 4 or more ANC check ups	296	6.7	143	6.4	Neonatal tetanus received 78
15	PW who got TT 2 / Booster injection	2,031	46.1	1,193	53.3	100 IFA tablets consumed 10.6
16	PW who consumed 180 IFA tablets	2,028	46.1	1,183	52.8	Home Delivery 78.6

17	Home Delivery against expected delivery *	1,176	27.0	499	11.5	Institutional Delivery	21.4
18	Institutional Delivery against expected delivery *	1,115	25.6	542	12.4	Home Delivery by SBA	9.5
19	Home Delivery against reported delivery **	1,176	51.3	499	47.9	PNC within 2days of delivery	25.6
20	Institutional Delivery against reported delivery **	1,115	48.7	542	76.9		
21	Total reported Deliveries	2,291		1,041			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	552	46.9	186	37.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,105	48.2	487	46.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	4,304		4,304			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	2,260	52.5	1,032	24.0	Breastfed within 1 hour of birth	53.1
26	Total Still Birth	14	0.3	9	0.2	BCG	87.1
27	PC of newborn weighted at birth to live birth	2,197	97.2	989	95.8	3 dose of DPT	79.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	1.5	11	1.1	Measles First dose	83.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,176	96.3	972	94.2	3 doses of penta or hepatitis B vaccine	70.9
30	Children fully immunized	2,277	52.9	1,439	33.4	Full Immunization	62.4
31	Children who have received BCG	3,011	70.0	1,405	32.6		
32	Children who have received Pentavalent 1	3,044	70.7	1,407	32.7		
33	Children who have received Pentavalent 3	2,630	61.1	1,471	34.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	2,311	53.7	1,313	30.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	178		178			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	3.7
37	Number of Tubectomies performed	51		38		Spacing	0.6
38	Number of IUD insertion	716		675		Women using any method	68.7
39	Number of IUD removals	284		171		Women using modern method	55.6
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	91		41			
41	General OPD cases per 10,000 population ***	2695		1495			

42	Ayush OPD cases per 10,000 population ***	105	33	
<b>G) Mortality Details</b>				
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>	
43	Neonatal death within 24 hours	5	0	
44	Neonatal Deaths up to 4 weeks of birth	6	1	
45	<b>Total Neonatal Death</b>	11	1	
46	Deaths between (1 - 11) months	3	0	
47	<b>Total reported infant deaths</b>	14	1	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	1	0	

## Phek Factsheet

### Key Indicators

<b>SL NO</b>	<b>A) Demographic Indicators (Census 2011)</b>					
1	Population 2011	<b>163,418</b>				
2	Sex Ratio	<b>951</b>				
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>				
3	Sub Centers (SC)	<b>44</b>				
4	Sub Centers (SC)- HWC	<b>0</b>				
5	Primary Health Centers (PHC)	<b>23</b>				
6	Primary Health Centers (PHC)-HWC	<b>0</b>				
7	Community Health Centers (CHC)	<b>3</b>				
8	SDH	<b>0</b>				
9	DH	<b>1</b>				
	<b>C) Maternal Health:</b>	<b>2011-12</b>	<b>2011-12</b>			
10	Expected number of PW	3,092	3,092			
11	Expected number of Delivery	2,845	2,845			
		<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>	<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
12	PW register for ANC	2,106	68.1	987	31.9	ANC Check up in first trimester 50.1
13	Mothers registered in the first trimester	477	22.6	260	26.3	At least 4ANC check up 9.5
14	Mothers who had 4 or more ANC check ups	320	15.2	148	15.0	Neonatal tetanus received 83.8

15	PW who got TT 2 / Booster injection	1,120	53.2	536	54.3	100 IFA tablets consumed	13.5
16	PW who consumed 180 IFA tablets	1,441	68.4	616	62.4	Home Delivery	67.8
17	Home Delivery against expected delivery *	598	21.0	217	7.6	Institutional Delivery	32.2
18	Institutional Delivery against expected delivery *	744	26.2	318	11.2	Home Delivery by SBA	18.5
19	Home Delivery against reported delivery **	598	44.6	217	40.6	PNC within 2days of delivery	39.6
20	Institutional Delivery against reported delivery **	744	55.4	318	55.2		
21	Total reported Deliveries	1,342		535			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	494	82.6	168	77.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	714	53.2	279	52.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	2,811		2,811			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,335	47.5	530	18.9	Breastfed within 1 hour of birth	64.8
26	Total Still Birth	14	0.5	8	0.3	BCG	87.6
27	PC of newborn weighted at birth to live birth	1,267	94.9	527	99.4	3 dose of DPT	65.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.8	8	1.5	Measles First dose	71.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,306	97.8	528	99.6	3 doses of penta or hepatitis B vaccine	57.3
30	Children fully immunized	1,299	46.2	633	22.5	Full Immunization	54.6
31	Children who have received BCG	1,493	53.1	586	20.8		
32	Children who have received Pentavalent 1	1,601	57.0	653	23.2		
33	Children who have received Pentavalent 3	1,401	49.8	647	23.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,301	46.3	632	22.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	96		71			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E)Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	6.5
37	Number of Tubectomies performed	33		24		Spacing	3.5
38	Number of IUD insertion	253		122		Women using any method	56.3
39	Number of IUD removals	169		85		Women using modern method	47.1
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 )</b>			



		Up to 2nd QTR	
40	IPD cases per 10,000 population ***	246	117
41	General OPD cases per 10,000 population ***	4368	2307
42	Ayush OPD cases per 10,000 population ***	121	36
<b>G) Mortality Details</b>			
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>
43	Neonatal death within 24 hours	4	1
44	Neonatal Deaths up to 4 weeks of birth	6	2
45	<b>Total Neonatal Death</b>	10	3
46	Deaths between (1 - 11) months	1	0
47	<b>Total reported infant deaths</b>	11	3
<b>II)</b>	<b>Maternal Mortality</b>		
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>
48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	0	0
51	Due to Bleeding	0	0
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	0	1
54	<b>Total reported maternal deaths</b>	0	1

Pheren Factsheet					
<b>Key Indicators</b>					
<b>SL NO</b>	<b>A) Demographic Indicators (Census 2011)</b>				
1	Population 2011	95,219			
2	Sex Ratio	917			
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>			
3	Sub Centers (SC)	16			
4	Sub Centers (SC)- HWC	0			
5	Primary Health Centers (PHC)	8			
6	Primary Health Centers (PHC)-HWC	0			
7	Community Health Centers (CHC)	1			
8	SDH	0			
9	DH	1			
<b>C) Maternal Health:</b>		<b>2011-12</b>	<b>2011-12</b>		
10	Expected number of PW	1,802	1,802		
11	Expected number of Delivery	1,657	1,657		
		<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>

12	PW register for ANC	1,483	82.3	732	40.6	ANC Check up in first trimester	45.1
13	Mothers registered in the first trimester	377	25.4	162	22.1	At least 4ANC check up	14.5
14	Mothers who had 4 or more ANC check ups	237	16.0	107	14.6	Neonatal tetanus received	85.1
15	PW who got TT 2 / Booster injection	829	55.9	473	64.6	100 IFA tablets consumed	6.1
16	PW who consumed 180 IFA tablets	837	56.4	551	75.3	Home Delivery	56.5
17	Home Delivery against expected delivery *	227	13.7	131	7.9	Institutional Delivery	43.5
18	Institutional Delivery against expected delivery *	520	31.4	220	13.3	Home Delivery by SBA	9.6
19	Home Delivery against reported delivery **	227	30.4	131	37.3	PNC within 2days of delivery	46.9
20	Institutional Delivery against reported delivery **	520	69.6	220	95.8		
21	Total reported Deliveries	747		351			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	36.6	49	37.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	273	36.5	139	39.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	1,638		1,638			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	731	44.6	354	21.6	Breastfed within 1 hour of birth	58.5
26	Total Still Birth	17	1.0	9	0.5	BCG	86.8
27	PC of newborn weighted at birth to live birth	675	92.3	312	88.1	3 dose of DPT	71.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.7	8	2.6	Measles First dose	74.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	652	89.2	334	94.4	3 doses of penta or hepatitis B vaccine	65.1
30	Children fully immunized	632	38.6	412	25.2	Full Immunization	63.3
31	Children who have received BCG	982	60.0	448	27.4		
32	Children who have received Pentavalent 1	1,077	65.8	490	29.9		
33	Children who have received Pentavalent 3	875	53.4	467	28.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	689	42.1	422	25.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	66		37			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E)Family Planning</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	6.2

37	Number of Tubectomies performed	0	25	Spacing	4.5
38	Number of IUD insertion	104	65	Women using any method	58.6
39	Number of IUD removals	48	25	Women using modern method	42
<b>F) Service delivery</b>		<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>		
40	IPD cases per 10,000 population ***	104	39		
41	General OPD cases per 10,000 population ***	3312	2187		
42	Ayush OPD cases per 10,000 population ***	130	47		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>		
43	Neonatal death within 24 hours	0	1		
44	Neonatal Deaths up to 4 weeks of birth	1	0		
45	<b>Total Neonatal Death</b>	1	1		
46	Deaths between (1 - 11) months	3	0		
47	<b>Total reported infant deaths</b>	4	1		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21 )</b>	<b>HMIS (2021-22 ) Up to 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	1	0		

## Tuensang Factsheet

### Key Indicators

<b>SL NO</b>	<b>A) Demographic Indicators (Census 2011)</b>			
1	Population 2011	<b>196,596</b>		
2	Sex Ratio	<b>930</b>		
	<b>B) Infrastructure Details (RHS 2018-19)</b>	<b>Numbers</b>		
3	Sub Centers (SC)	<b>38</b>		
4	Sub Centers (SC)- HWC	<b>11</b>		
5	Primary Health Centers (PHC)	<b>13</b>		
6	Primary Health Centers (PHC)-HWC	<b>0</b>		
7	Community Health Centers (CHC)	<b>2</b>		
8	SDH	<b>0</b>		
9	DH	<b>1</b>		
	<b>C) Maternal Health:</b>	<b>2011-12</b>	<b>2011-12</b>	
10	Expected number of PW	3,720	3,720	

11	Expected number of Delivery	3,422		3,422			
		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,984	53.3	858	23.1	ANC Check up in first trimester	27.1
13	Mothers registered in the first trimester	361	18.2	143	16.7	At least 4ANC check up	4.4
14	Mothers who had 4 or more ANC check ups	218	11.0	62	7.2	Neonatal tetanus received	69
15	PW who got TT 2 / Booster injection	1,132	57.1	477	55.6	100 IFA tablets consumed	3.3
16	PW who consumed 180 IFA tablets	763	38.5	411	47.9	Home Delivery	65.2
17	Home Delivery against expected delivery *	530	15.5	245	7.2	Institutional Delivery	34.8
18	Institutional Delivery against expected delivery *	744	21.7	350	10.2	Home Delivery by SBA	4.8
19	Home Delivery against reported delivery **	530	41.6	245	41.2	PNC within 2days of delivery	29.5
20	Institutional Delivery against reported delivery **	744	58.4	350	98.6		
21	Total reported Deliveries	1,274		595			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	419	79.1	206	84.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	554	43.5	245	41.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	3,381		3,381			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,256	37.1	605	17.9	Breastfed within 1 hour of birth	69.4
26	Total Still Birth	22	0.7	9	0.3	BCG	75.6
27	PC of newborn weighted at birth to live birth	1,249	99.4	607	100.3	3 dose of DPT	56.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	0.7	11	1.8	Measles First dose	53.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,214	96.7	608	100.5	3 doses of penta or hepatitis B vaccine	49.1
30	Children fully immunized	1,624	48.0	768	22.7	Full Immunization	39.9
31	Children who have received BCG	1,993	58.9	714	21.1		
32	Children who have received Pentavalent 1	2,186	64.6	854	25.3		
33	Children who have received Pentavalent 3	1,889	55.9	751	22.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,660	49.1	769	22.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	39		28			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							

E) Family Planning						HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed			0		0	Total unmet need	12.9	
37	Number of Tubectomies performed			70		28	Spacing	5.9	
38	Number of IUD insertion			197		115	Women using any method	52.6	
39	Number of IUD removals			69		51	Women using modern method	37.4	
F) Service delivery				HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR				
40	IPD cases per 10,000 population ***			95		35			
41	General OPD cases per 10,000 population ***			2220		1236			
42	Ayush OPD cases per 10,000 population ***			40		12			
G) Mortality Details									
I)	Infant Deaths (In Numbers)			HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR				
43	Neonatal death within 24 hours			1	0				
44	Neonatal Deaths up to 4 weeks of birth			0	0				
45	<b>Total Neonatal Death</b>			1	0				
46	Deaths between (1 - 11) months			1	0				
47	<b>Total reported infant deaths</b>			2	0				
II)	Maternal Mortality								
	Maternal Deaths (In Numbers)			HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR				
48	Due to Abortion			0	0				
49	Due to Obstructed/prolonged labour			0	0				
50	Due to Severe hypertension/fits			0	0				
51	Due to Bleeding			0	0				
52	Due to High fever			0	0				
53	Due to Other Causes (including causes not known)			0	0				
54	<b>Total reported maternal deaths</b>			0	0				

## Wokha Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)		
1	Population 2011	166,343	
2	Sex Ratio	969	
B) Infrastructure Details (RHS 2018-19)		Numbers	
3	Sub Centers (SC)	37	
4	Sub Centers (SC)- HWC	0	
5	Primary Health Centers (PHC)	12	
6	Primary Health Centers (PHC)-HWC	0	
7	Community Health Centers (CHC)	2	

8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
10	Expected number of PW	3,147		3,147			
11	Expected number of Delivery	2,895		2,895			
		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,073	34.1	421	13.4	ANC Check up in first trimester	57.8
13	Mothers registered in the first trimester	450	41.9	190	45.1	At least 4ANC check up	34.7
14	Mothers who had 4 or more ANC check ups	234	21.8	96	22.8	Neonatal tetanus received	77.6
15	PW who got TT 2 / Booster injection	696	64.9	223	53.0	100 IFA tablets consumed	12.9
16	PW who consumed 180 IFA tablets	562	52.4	198	47.0	Home Delivery	56.4
17	Home Delivery against expected delivery *	182	6.3	92	3.2	Institutional Delivery	43.6
18	Institutional Delivery against expected delivery *	587	20.3	146	5.0	Home Delivery by SBA	19.9
19	Home Delivery against reported delivery **	182	23.7	92	38.7	PNC within 2days of delivery	50.7
20	Institutional Delivery against reported delivery **	587	76.3	146	84.9		
21	Total reported Deliveries	769		238			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	19.2	34	37.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	733	95.3	214	89.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	2,861		2,861			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21 )</b>		<b>HMIS (2021-22 ) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	768	26.8	235	8.2	Breastfed within 1 hour of birth	48.5
26	Total Still Birth	5	0.2	1	0.0	BCG	-73.3
27	PC of newborn weighted at birth to live birth	764	99.5	232	98.7	3 dose of DPT	-61.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	3	1.3	Measles First dose	-66.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	761	99.1	230	97.9	3 doses of penta or hepatitis B vaccine	-55.1
30	Children fully immunized	899	31.4	378	13.2	Full Immunization	-42.8
31	Children who have received BCG	938	32.8	343	12.0		
32	Children who have received Pentavalent 1	953	33.3	318	11.1		
33	Children who have received Pentavalent 3	862	30.1	318	11.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	907	31.7	380	13.3		

35	Diarrhoea and Dehydration cases reported in children below 5 years	138	32		
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.					
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0	0	Total unmet need	3.2
37	Number of Tubectomies performed	6	21	Spacing	1.4
38	Number of IUD insertion	89	75	Women using any method	64.6
39	Number of IUD removals	23	11	Women using modern method	50.1
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
40	IPD cases per 10,000 population ***	68	30		
41	General OPD cases per 10,000 population ***	3047	1521		
42	Ayush OPD cases per 10,000 population ***	82	47		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
43	Neonatal death within 24 hours	0	0		
44	Neonatal Deaths up to 4 weeks of birth	0	0		
45	<b>Total Neonatal Death</b>	0	0		
46	Deaths between (1 - 11) months	0	0		
47	<b>Total reported infant deaths</b>	0	0		
<b>II)</b>	<b>Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	0		

## Zunheboto Factsheet

### Key Indicators

SL NO	<b>A) Demographic Indicators (Census 2011)</b>		
1	Population 2011	<b>140,757</b>	
2	Sex Ratio	<b>981</b>	
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>	
3	Sub Centers (SC)	<b>47</b>	
4	Sub Centers (SC)- HWC	<b>0</b>	

5	Primary Health Centers (PHC)	13					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
10	Expected number of PW	2,663		2,663			
11	Expected number of Delivery	2,450		2,450			
		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,181	44.3	540	20.3	ANC Check up in first trimester	46.5
13	Mothers registered in the first trimester	441	37.3	179	33.1	At least 4ANC check up	11.2
14	Mothers who had 4 or more ANC check ups	320	27.1	161	29.8	Neonatal tetanus received	81.3
15	PW who got TT 2 / Booster injection	649	55.0	263	48.7	100 IFA tablets consumed	5.5
16	PW who consumed 180 IFA tablets	495	41.9	230	42.6	Home Delivery	65
17	Home Delivery against expected delivery *	243	9.9	90	3.7	Institutional Delivery	35
18	Institutional Delivery against expected delivery *	606	24.7	324	13.2	Home Delivery by SBA	6.3
19	Home Delivery against reported delivery **	243	28.6	90	21.7	PNC within 2days of delivery	24.9
20	Institutional Delivery against reported delivery **	606	71.4	324	92.8		
21	Total reported Deliveries	849		414			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	215	88.5	77	85.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	606	71.4	324	78.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	2,421		2,421			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	841	34.7	395	16.3	Breastfed within 1 hour of birth	38.4
26	Total Still Birth	14	0.6	7	0.3	BCG	-82.2
27	PC of newborn weighted at birth to live birth	823	97.9	399	101.0	3 dose of DPT	-72.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	8	2.0	Measles First dose	-76.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	694	82.5	332	84.1	3 doses of penta or hepatitis B vaccine	-72.3
30	Children fully immunized	824	34.0	428	17.7	Full Immunization	-60.7
31	Children who have received BCG	977	40.4	449	18.5		
32	Children who have received Pentavalent 1	1,089	45.0	464	19.2		



33	Children who have received Pentavalent 3	939	38.8	425	17.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	862	35.6	443	18.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	415		211			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	2.8
37	Number of Tubectomies performed	84		67		Spacing	0.7
38	Number of IUD insertion	251		183		Women using any method	68.8
39	Number of IUD removals	124		111		Women using modern method	56.5
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	88		47			
41	General OPD cases per 10,000 population ***	3642		1970			
42	Ayush OPD cases per 10,000 population ***	82		30			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	7		1			
44	Neonatal Deaths up to 4 weeks of birth	2		0			
45	<b>Total Neonatal Death</b>	9		1			
46	Deaths between (1 - 11) months	1		0			
47	<b>Total reported infant deaths</b>	10		1			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	<b>Total reported maternal deaths</b>	0		0			