

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,978,502					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	415					
4	Primary Health Centers (PHC)	137					
5	Community Health Centers (CHC)	21					
6	SDH	0					
7	DH	11					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	37,433		37,433			
9	Expected number of Delivery	34,439		34,439			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	33,105	88.4	24,609	65.7	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	9,118	27.5	6,913	28.1	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	5,124	15.5	4,624	18.8	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	13,459	40.7	11,345	46.1	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	12,473	37.7	10,135	41.2	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,937	11.4	2,661	7.7	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	12,536	36.4	9,609	27.9	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,937	23.9	2,661	21.7	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	12,536	76.1	9,609	60.3		
19	Total reported Deliveries	16,473		12,270			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,354	59.8	1,520	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,343	50.6	5,688	46.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	34,030		34,030			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	16,263	47.8	12,052	35.4	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	284	0.8	182	0.5	BCG	85.5
25	PC of newborn weighted at birth to live	15,746	96.8	11,852	98.3	3 dose of DPT	71.5

	birth						
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	601	3.8	398	3.4	Measles First dose	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,863	85.2	10,736	89.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	15,897	46.7	11,995	35.2	Full Immunization	57.9
29	Children who have received BCG	20,941	61.5	14,320	42.1		
30	Children who have received Pentavalent 1	21,380	62.8	14,559	42.8		
31	Children who have received Pentavalent 3	18,628	54.7	12,438	36.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,942	49.8	12,610	37.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,124		1,632			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	9.1
35	Number of Tubectomies performed	639	753	Spacing	4.5
36	Number of IUD insertion	2,814	2,839	Women using any method	57.4
37	Number of IUD removals	1,327	1,096	Women using modern method	45.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	252	212		
39	General OPD cases per 10,000 population ***	4713	4372		
40	Ayush OPD cases per 10,000 population ***	80	67		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	31	18		
42	Neonatal Deaths up to 4 weeks of birth	64	74		
43	Total Neonatal Death	95	92		
44	Deaths between (1 - 11) months	41	21		
45	Total reported infant deaths	136	113		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	2	2		
49	Due to Bleeding	5	3		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	13	5		
52	Total reported maternal deaths	20	10		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	7,167		7,167			
9	Expected number of Delivery	6,594		6,594			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,530	202.7	12,294	171.5	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	4,586	31.6	3,773	30.7	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	2,170	14.9	2,123	17.3	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	4,146	28.5	4,311	35.1	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	4,091	28.2	3,712	30.2	Home Delivery	26.3
15	Home Delivery against expected delivery *	426	6.5	354	5.4	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	4,640	70.4	3,425	51.9	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	426	8.4	354	9.4	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	4,640	91.6	3,425	89.7		
19	Total reported Deliveries	5,066		3,779			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	243	57.0	206	58.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,313	45.7	1,589	42.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,985	76.5	3,694	56.7	Breastfed within 1 hour of birth	53.1

24	Total Still Birth	133	2.0	62	1.0	BCG	-85.1
25	PC of newborn weighted at birth to live birth	4,798	96.2	3,632	98.3	3 dose of DPT	-73.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	358	7.5	191	5.3	Measles First dose	-74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,759	75.4	2,729	73.9	3 doses of penta or hepatitis B vaccine	-71.1
28	Children fully immunized	3,920	60.2	2,996	46.0	Full Immunization	-55.9
29	Children who have received BCG	6,458	99.1	4,654	71.4		
30	Children who have received Pentavalent 1	6,323	97.0	4,461	68.5		
31	Children who have received Pentavalent 3	5,202	79.8	3,407	52.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,582	70.3	3,563	54.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	526		354			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	14.3
35	Number of Tubectomies performed	233	160	Spacing	5.8
36	Number of IUD insertion	137	86	Women using any method	46.9
37	Number of IUD removals	124	98	Women using modern method	38.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	630	538		
39	General OPD cases per 10,000 population ***	8329	7601		
40	Ayush OPD cases per 10,000 population ***	73	82		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	6	3		
42	Neonatal Deaths up to 4 weeks of birth	27	26		
43	Total Neonatal Death	33	29		
44	Deaths between (1 - 11) months	22	12		
45	Total reported infant deaths	55	41		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	9	3		

52	Total reported maternal deaths	10	6	
----	---------------------------------------	-----------	----------	--

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,400		1,400			
9	Expected number of Delivery	1,288		1,288			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,030	73.6	788	56.3	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	330	32.0	249	31.6	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	355	34.5	293	37.2	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	747	72.5	512	65.0	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	430	41.7	329	41.8	Home Delivery	65.2
15	Home Delivery against expected delivery *	168	13.0	127	9.9	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	544	42.2	442	34.3	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	168	23.6	127	22.3	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	544	76.4	442	62.2		
19	Total reported Deliveries	712		569			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	28.6	38	29.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	61.7	199	35.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		

23	Total reported live births	703	55.2	556	43.7	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	11	0.9	15	1.2	BCG	82.1
25	PC of newborn weighted at birth to live birth	700	99.6	554	99.6	3 dose of DPT	60.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.3	6	1.1	Measles First dose	66.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	702	99.9	554	99.6	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	770	60.5	520	40.9	Full Immunization	42.8
29	Children who have received BCG	921	72.4	594	46.7		
30	Children who have received Pentavalent 1	927	72.8	592	46.5		
31	Children who have received Pentavalent 3	878	69.0	476	37.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	855	67.2	527	41.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	283		203			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	2	3	Spacing	10.2
36	Number of IUD insertion	249	185	Women using any method	42.5
37	Number of IUD removals	137	103	Women using modern method	32.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	153	109		
39	General OPD cases per 10,000 population ***	4971	3460		
40	Ayush OPD cases per 10,000 population ***	77	105		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	6	8		
42	Neonatal Deaths up to 4 weeks of birth	4	6		
43	Total Neonatal Death	10	14		
44	Deaths between (1 - 11) months	4	2		
45	Total reported infant deaths	14	16		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	2	0		
50	Due to High fever	0	0		

51	Due to Other Causes (including causes not known)	3	0	
52	Total reported maternal deaths	5	0	

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	5,070		5,070			
9	Expected number of Delivery	4,665		4,665			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,147	62.1	2,164	42.7	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	586	18.6	528	24.4	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	666	21.2	810	37.4	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,074	34.1	1,011	46.7	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	1,163	37.0	825	38.1	Home Delivery	33.1
15	Home Delivery against expected delivery *	122	2.6	120	2.6	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	1,898	40.7	1,687	36.2	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	122	6.0	120	6.6	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	1,898	94.0	1,687	78.3		
19	Total reported Deliveries	2,020		1,807			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61	50.0	64	53.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	525	26.0	532	29.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,609		4,609			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
23	Total reported live births	1,999	43.4	1,788	38.8	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	22	0.5	19	0.4	BCG	-100
25	PC of newborn weighted at birth to live birth	1,902	95.1	1,755	98.2	3 dose of DPT	-88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	117	6.2	84	4.8	Measles First dose	-86.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,299	65.0	1,702	95.2	3 doses of penta or hepatitis B vaccine	-88.7
28	Children fully immunized	2,081	45.1	1,714	37.2	Full Immunization	-82.8
29	Children who have received BCG	2,564	55.6	2,033	44.1		
30	Children who have received Pentavalent 1	2,451	53.2	1,877	40.7		
31	Children who have received Pentavalent 3	2,343	50.8	1,647	35.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,180	47.3	1,750	38.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	198		176			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	91	244	Spacing	7.2
36	Number of IUD insertion	502	823	Women using any method	60.7
37	Number of IUD removals	176	119	Women using modern method	46.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	282	303		
39	General OPD cases per 10,000 population ***	5326	7508		
40	Ayush OPD cases per 10,000 population ***	18	57		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	10	23		
43	Total Neonatal Death	12	23		
44	Deaths between (1 - 11) months	5	2		
45	Total reported infant deaths	17	25		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	1	
52	Total reported maternal deaths	1	2	

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	670	70.1	429	44.9	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	179	26.7	126	29.4	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	141	21.0	64	14.9	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	352	52.5	238	55.5	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	352	52.5	263	61.3	Home Delivery	61.3
15	Home Delivery against expected delivery *	85	9.7	46	5.2	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	406	46.2	227	25.8	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	85	17.3	46	16.8	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	406	82.7	227	82.7		
19	Total reported Deliveries	491		273			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	50.6	25	54.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	339	69.0	96	35.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	868		868			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	486	56.0	271	31.2	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	5	0.6	5	0.6	BCG	88.3
25	PC of newborn weighted at birth to live birth	477	98.1	255	94.1	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	3.8	7	2.7	Measles First dose	73.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	480	98.8	234	86.3	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	525	60.5	401	46.2	Full Immunization	53
29	Children who have received BCG	531	61.2	382	44.0		
30	Children who have received Pentavalent 1	570	65.6	430	49.5		
31	Children who have received Pentavalent 3	527	60.7	434	50.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	533	61.4	396	45.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	111		19			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	4.3
35	Number of Tubectomies performed	37		59		Spacing	2.9
36	Number of IUD insertion	207		171		Women using any method	66.5
37	Number of IUD removals	96		81		Women using modern method	56.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	145		99			
39	General OPD cases per 10,000 population ***	5716		4052			
40	Ayush OPD cases per 10,000 population ***	91		191			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	1		0			
43	Total Neonatal Death	1		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	1		0			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
46	Due to Abortion	0		0			
47	Due to Obstructed/prolonged labour	0		0			

48	Due to Severe hypertension/fits	1	1	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	1	

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,499	40.7	999	27.1	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	573	38.2	384	38.4	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	167	11.1	170	17.0	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	683	45.6	523	52.4	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	311	20.7	193	19.3	Home Delivery	48.5
15	Home Delivery against expected delivery *	180	5.3	124	3.7	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	732	21.6	606	17.9	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	180	19.7	124	17.0	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	732	80.3	606	72.4		
19	Total reported Deliveries	912		730			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	161	89.4	96	77.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	742	81.4	570	78.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	3,347		3,347			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	899	26.9	720	21.5	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	27	0.8	12	0.4	BCG	-96.8
25	PC of newborn weighted at birth to live birth	894	99.4	722	100.3	3 dose of DPT	-99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.6	37	5.1	Measles First dose	-100
27	PC of newborns breastfed within 1 hour to total reported live birth.	820	91.2	719	99.9	3 doses of penta or hepatitis B vaccine	-96
28	Children fully immunized	1,046	31.2	653	19.5	Full Immunization	-92
29	Children who have received BCG	1,073	32.1	663	19.8		
30	Children who have received Pentavalent 1	1,159	34.6	750	22.4		
31	Children who have received Pentavalent 3	1,082	32.3	623	18.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,062	31.7	710	21.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	74		56			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	6.4
35	Number of Tubectomies performed	32		25		Spacing	3.4
36	Number of IUD insertion	109		84		Women using any method	66.7
37	Number of IUD removals	77		56		Women using modern method	52.5
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	258		175			
39	General OPD cases per 10,000 population ***	4755		3487			
40	Ayush OPD cases per 10,000 population ***	126		56			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	0		2			
42	Neonatal Deaths up to 4 weeks of birth	7		7			
43	Total Neonatal Death	7		9			
44	Deaths between (1 - 11) months	1		1			
45	Total reported infant deaths	8		10			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
46	Due to Abortion	0		0			

47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	0	

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	4,735		4,735			
9	Expected number of Delivery	4,356		4,356			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,402	93.0	2,796	59.1	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	758	17.2	519	18.6	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	296	6.7	260	9.3	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,031	46.1	1,759	62.9	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,028	46.1	1,733	62.0	Home Delivery	78.6
15	Home Delivery against expected delivery *	1,176	27.0	760	17.4	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,115	25.6	936	21.5	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	1,176	51.3	760	44.8	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,115	48.7	936	76.9		
19	Total reported Deliveries	2,291		1,696			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	552	46.9	293	38.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,105	48.2	778	45.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,260	52.5	1,661	38.6	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	14	0.3	17	0.4	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,197	97.2	1,621	97.6	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	1.5	18	1.1	Measles First dose	83.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,176	96.3	1,574	94.8	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,277	52.9	1,955	45.4	Full Immunization	62.4
29	Children who have received BCG	3,011	70.0	2,111	49.0		
30	Children who have received Pentavalent 1	3,044	70.7	2,135	49.6		
31	Children who have received Pentavalent 3	2,630	61.1	2,025	47.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,311	53.7	1,857	43.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	178		269			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	3.7
35	Number of Tubectomies performed	51		46		Spacing	0.6
36	Number of IUD insertion	716		745		Women using any method	68.7
37	Number of IUD removals	284		222		Women using modern method	55.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	91		81			
39	General OPD cases per 10,000 population ***	2695		2290			
40	Ayush OPD cases per 10,000 population ***	105		65			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	5		0			
42	Neonatal Deaths up to 4 weeks of birth	6		7			
43	Total Neonatal Death	11		7			
44	Deaths between (1 - 11) months	3		3			
45	Total reported infant deaths	14		10			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			

46	Due to Abortion	0	0
47	Due to Obstructed/prolonged labour	0	0
48	Due to Severe hypertension/fits	0	0
49	Due to Bleeding	1	0
50	Due to High fever	0	0
51	Due to Other Causes (including causes not known)	0	0
52	Total reported maternal deaths	1	0

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	46					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	2,845		2,845			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,106	68.1	1,417	45.8	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	477	22.6	380	26.8	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	320	15.2	203	14.3	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,120	53.2	758	53.5	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,441	68.4	960	67.7	Home Delivery	67.8
15	Home Delivery against expected delivery *	598	21.0	337	11.8	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	744	26.2	510	17.9	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	598	44.6	337	39.8	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	744	55.4	510	55.2		
19	Total reported Deliveries	1,342		847			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	494	82.6	253	75.1		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	714	53.2	424	50.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,335	47.5	839	29.8	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	14	0.5	13	0.5	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,267	94.9	834	99.4	3 dose of DPT	65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.8	10	1.2	Measles First dose	71.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,306	97.8	834	99.4	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,299	46.2	900	32.0	Full Immunization	54.6
29	Children who have received BCG	1,493	53.1	883	31.4		
30	Children who have received Pentavalent 1	1,601	57.0	965	34.3		
31	Children who have received Pentavalent 3	1,401	49.8	912	32.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,301	46.3	900	32.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	96		82			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	6.5
35	Number of Tubectomies performed	33		37		Spacing	3.5
36	Number of IUD insertion	253		165		Women using any method	56.3
37	Number of IUD removals	169		131		Women using modern method	47.1
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	246		176			
39	General OPD cases per 10,000 population ***	4368		3231			
40	Ayush OPD cases per 10,000 population ***	121		63			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	4		2			
42	Neonatal Deaths up to 4 weeks of birth	6		3			
43	Total Neonatal Death	10		5			
44	Deaths between (1 - 11) months	1		0			
45	Total reported infant deaths	11		5			

II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR
46	Due to Abortion	0	0
47	Due to Obstructed/prolonged labour	0	0
48	Due to Severe hypertension/fits	0	0
49	Due to Bleeding	0	0
50	Due to High fever	0	0
51	Due to Other Causes (including causes not known)	0	1
52	Total reported maternal deaths	0	1

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,802		1,802			
9	Expected number of Delivery	1,657		1,657			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,483	82.3	1,054	58.5	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	377	25.4	243	23.1	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	237	16.0	164	15.6	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	829	55.9	665	63.1	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	837	56.4	832	78.9	Home Delivery	56.5
15	Home Delivery against expected delivery *	227	13.7	175	10.6	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	520	31.4	355	21.4	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	227	30.4	175	33.0	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	520	69.6	355	95.8		
19	Total reported Deliveries	747		530			

20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	36.6	70	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	273	36.5	172	32.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,638		1,638			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	731	44.6	527	32.2	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	17	1.0	13	0.8	BCG	86.8
25	PC of newborn weighted at birth to live birth	675	92.3	478	90.7	3 dose of DPT	71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.7	12	2.5	Measles First dose	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	652	89.2	503	95.4	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	632	38.6	577	35.2	Full Immunization	63.3
29	Children who have received BCG	982	60.0	678	41.4		
30	Children who have received Pentavalent 1	1,077	65.8	756	46.2		
31	Children who have received Pentavalent 3	875	53.4	665	40.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	689	42.1	588	35.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	66		49			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	6.2
35	Number of Tubectomies performed	0		29		Spacing	4.5
36	Number of IUD insertion	104		88		Women using any method	58.6
37	Number of IUD removals	48		41		Women using modern method	42
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	104		64			
39	General OPD cases per 10,000 population ***	3312		3246			
40	Ayush OPD cases per 10,000 population ***	130		75			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	0		2			
42	Neonatal Deaths up to 4 weeks of birth	1		0			
43	Total Neonatal Death	1		2			

44	Deaths between (1 - 11) months	3	0
45	Total reported infant deaths	4	2
II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR
46	Due to Abortion	0	0
47	Due to Obstructed/prolonged labour	0	0
48	Due to Severe hypertension/fits	0	0
49	Due to Bleeding	1	0
50	Due to High fever	0	0
51	Due to Other Causes (including causes not known)	0	0
52	Total reported maternal deaths	1	0

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,984	53.3	1,214	32.6	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	361	18.2	195	16.1	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	218	11.0	89	7.3	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	1,132	57.1	715	58.9	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	763	38.5	627	51.6	Home Delivery	65.2
15	Home Delivery against expected delivery *	530	15.5	364	10.6	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	744	21.7	589	17.2	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	530	41.6	364	38.2	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	744	58.4	589	98.6		

19	Total reported Deliveries	1,274		953			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	419	79.1	307	84.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	554	43.5	416	43.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,256	37.1	946	28.0	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	22	0.7	16	0.5	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,249	99.4	939	99.3	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	0.7	17	1.8	Measles First dose	53.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,214	96.7	941	99.5	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,624	48.0	1,099	32.5	Full Immunization	39.9
29	Children who have received BCG	1,993	58.9	1,074	31.8		
30	Children who have received Pentavalent 1	2,186	64.6	1,324	39.2		
31	Children who have received Pentavalent 3	1,889	55.9	1,105	32.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,660	49.1	1,106	32.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	39		40			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.9
35	Number of Tubectomies performed	70		34		Spacing	5.9
36	Number of IUD insertion	197		157		Women using any method	52.6
37	Number of IUD removals	69		70		Women using modern method	37.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	95		60			
39	General OPD cases per 10,000 population ***	2220		1881			
40	Ayush OPD cases per 10,000 population ***	40		12			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths up to 4 weeks of birth	0		2			

43	Total Neonatal Death	1	2	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	2	3	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	166,343					
2	Sex Ratio	969					
	B) Infrastructure Details (RHS 2019-20)	Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12		2011-12			
8	Expected number of PW	3,147		3,147			
9	Expected number of Delivery	2,895		2,895			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,073	34.1	713	22.7	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	450	41.9	283	39.7	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	234	21.8	191	26.8	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	696	64.9	439	61.6	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	562	52.4	325	45.6	Home Delivery	56.4
15	Home Delivery against expected delivery *	182	6.3	125	4.3	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	587	20.3	321	11.1	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	182	23.7	125	28.0	PNC within 2days of delivery	50.7

18	Institutional Delivery against reported delivery **	587	76.3	321	84.9		
19	Total reported Deliveries	769		446			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	19.2	53	42.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	733	95.3	408	91.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,861		2,861			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	768	26.8	437	15.3	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	5	0.2	1	0.0	BCG	-73.3
25	PC of newborn weighted at birth to live birth	764	99.5	443	101.4	3 dose of DPT	-61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	3	0.7	Measles First dose	-66.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	761	99.1	441	100.9	3 doses of penta or hepatitis B vaccine	-55.1
28	Children fully immunized	899	31.4	594	20.8	Full Immunization	-42.8
29	Children who have received BCG	938	32.8	602	21.0		
30	Children who have received Pentavalent 1	953	33.3	568	19.9		
31	Children who have received Pentavalent 3	862	30.1	506	17.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	907	31.7	600	21.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	138		57			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	3.2
35	Number of Tubectomies performed	6		35		Spacing	1.4
36	Number of IUD insertion	89		85		Women using any method	64.6
37	Number of IUD removals	23		23		Women using modern method	50.1
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	68		62			
39	General OPD cases per 10,000 population ***	3047		2480			
40	Ayush OPD cases per 10,000 population ***	82		81			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	0		0			

42	Neonatal Deaths up to 4 weeks of birth	0	0
43	Total Neonatal Death	0	0
44	Deaths between (1 - 11) months	0	0
45	Total reported infant deaths	0	0
II) Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR
46	Due to Abortion	0	0
47	Due to Obstructed/prolonged labour	0	0
48	Due to Severe hypertension/fits	0	0
49	Due to Bleeding	0	0
50	Due to High fever	0	0
51	Due to Other Causes (including causes not known)	0	0
52	Total reported maternal deaths	0	0

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	2,663		2,663			
9	Expected number of Delivery	2,450		2,450			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,181	44.3	741	27.8	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	441	37.3	233	31.4	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	320	27.1	257	34.7	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	649	55.0	414	55.9	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	495	41.9	336	45.3	Home Delivery	65
15	Home Delivery against expected delivery *	243	9.9	129	5.3	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	606	24.7	511	20.9	Home Delivery by SBA	6.3

17	Home Delivery against reported delivery **	243	28.6	129	20.2	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	606	71.4	511	92.8		
19	Total reported Deliveries	849		640			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	215	88.5	115	89.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	606	71.4	504	78.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	841	34.7	613	25.3	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	14	0.6	9	0.4	BCG	-82.2
25	PC of newborn weighted at birth to live birth	823	97.9	619	101.0	3 dose of DPT	-72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.9	13	2.1	Measles First dose	-76.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	694	82.5	505	82.4	3 doses of penta or hepatitis B vaccine	-72.3
28	Children fully immunized	824	34.0	586	24.2	Full Immunization	-60.7
29	Children who have received BCG	977	40.4	646	26.7		
30	Children who have received Pentavalent 1	1,089	45.0	701	29.0		
31	Children who have received Pentavalent 3	939	38.8	638	26.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	862	35.6	613	25.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	415		327			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	2.8
35	Number of Tubectomies performed	84		81		Spacing	0.7
36	Number of IUD insertion	251		250		Women using any method	68.8
37	Number of IUD removals	124		152		Women using modern method	56.5
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	88		69			
39	General OPD cases per 10,000 population ***	3642		3033			
40	Ayush OPD cases per 10,000 population ***	82		59			
G) Mortality Details							

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
41	Neonatal death within 24 hours	7	1	
42	Neonatal Deaths up to 4 weeks of birth	2	0	
43	Total Neonatal Death	9	1	
44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	10	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	