

## Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	153					
5	Primary Health Centers (PHC)	26					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	4					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	12,227		12,530			
11	Expected number of Delivery #	11,249		11,528			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,880	64.4	7,678	61.3	ANC Check up in first trimester	63.7
13	Mothers registered in the first trimester	6,366	80.8	6,314	82.2	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	5,904	74.9	5,722	74.5	Neonatal tetanus received	92.0
15	PW who got TT 2 / Booster injection	7,166	90.9	7,081	92.2	100 IFA tablets consumed	54.7
16	PW who consumed 180 IFA tablets	6,418	81.4	8,327	108.5	Home Delivery	5.3
17	Home Delivery against expected delivery *	62	0.6	37	0.3	Institutional Delivery	94.7
18	Institutional Delivery against expected delivery *	7,223	64.2	6,698	58.1	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery **	62	0.9	37	0.5	PNC within 2days of delivery	69.3
20	Institutional Delivery against reported delivery **	7,223	99.1	6,698	99.5		
21	Total reported Deliveries	7,285		6,735			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	41.9	17	45.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,054	83.1	6,974	103.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	11,116		11,391			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,202	64.8	6,715	58.9	Breastfed within 1 hour of birth	33
26	Total Still Birth	146	1.3	90	0.8	BCG	96.6
27	PC of newborn weighted at birth to live birth	7,128	99.0	6,402	95.3	3 dose of DPT	91.4

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	625	8.8	443	6.9	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,029	69.8	5,601	83.4	3 doses of penta or hepatitis B vaccine	89.1
30	Children fully immunized	7,305	65.7	7,145	62.7	Full Immunization	80.6
31	Children who have received BCG	7,009	63.1	6,451	56.6		
32	Children who have received Pentavalent 1	7,439	66.9	6,778	59.5		
33	Children who have received Pentavalent 3	7,497	67.4	6,754	59.3		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,265	65.4	7,108	62.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,109		1,966			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		2		Total unmet need	11.9
37	Number of Tubectomies performed	126		87		Spacing	4.9
38	Number of IUD insertion	245		217		Women using any method	69.1
39	Number of IUD removals	382		324		Women using modern method	54.9
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	295		356			
41	General OPD cases per 10,000 population ***	9112		9161			
42	Ayush OPD cases per 10,000 population ***	160		196			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	16		4			
44	Neonatal Deaths up to 4 weeks of birth	15		27			
45	<b>Total Neonatal Death</b>	<b>31</b>		<b>31</b>			
46	Deaths between (1 - 11) months	49		31			
47	<b>Total reported infant deaths</b>	<b>80</b>		<b>62</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	3		0			
51	Due to Bleeding	1		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	12		15			
54	<b>Total reported maternal deaths</b>	<b>16</b>		<b>15</b>			

## East Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,83,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	54					
5	Primary Health Centers (PHC)	8					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	5,803		5,962			
11	Expected number of Delivery #	5,339		5,485			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,650	62.9	3,687	61.8	ANC Check up in first trimester	53.4
13	Mothers registered in the first trimester	2,624	71.9	2,815	76.3	At least 4ANC check up	43.8
14	Number of PW received 4 or more ANC check ups	2,625	71.9	2,597	70.4	Neonatal tetanus received	90.3
15	PW who got TT 2 / Booster injection	3,127	85.7	3,252	88.2	100 IFA tablets consumed	48.3
16	PW who consumed 180 IFA tablets	2,843	77.9	4,855	300.2	Home Delivery	8.2
17	Home Delivery against expected delivery *	27	0.5	20	0.4	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	4,757	89.1	4,728	86.2	Home Delivery by SBA	3.9
19	Home Delivery against reported delivery **	27	0.6	20	0.4	PNC within 2days of delivery	65.8
20	Institutional Delivery against reported delivery **	4,757	99.4	4,728	99.6		
21	Total reported Deliveries	4,784		4,748			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	51.9	10	50.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,053	63.8	4,417	93.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	5,276		5,420			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,729	89.6	4,714	87.0	Breastfed within 1 hour of birth	27.1
26	Total Still Birth	85	1.6	48	0.9	BCG	*
27	PC of newborn weighted at birth to live birth	4,657	98.5	4,532	96.1	3 dose of DPT	*

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	494	10.6	329	7.3	Measles First dose	*
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,590	54.8	3,786	80.3	3 doses of penta or hepatitis B vaccine	*
30	Children fully immunized	3,596	68.2	3,338	61.6	Full Immunization	*
31	Children who have received BCG	4,554	86.3	4,459	82.3		
32	Children who have received Pentavalent 1	3,585	68.0	3,187	58.8		
33	Children who have received Pentavalent 3	3,631	68.8	3,184	58.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,619	68.6	3,350	61.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	730		526			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		2		Total unmet need	17.7
37	Number of Tubectomies performed	29		15		Spacing	7.2
38	Number of IUD insertion	118		99		Women using any method	54.3
39	Number of IUD removals	104		92		Women using modern method	42.8
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	154		285			
41	General OPD cases per 10,000 population ***	7213		7178			
42	Ayush OPD cases per 10,000 population ***	124		113			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	1		2			
44	Neonatal Deaths up to 4 weeks of birth	5		4			
45	<b>Total Neonatal Death</b>	<b>6</b>		<b>6</b>			
46	Deaths between (1 - 11) months	19		8			
47	<b>Total reported infant deaths</b>	<b>25</b>		<b>14</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	2		0			
51	Due to Bleeding	1		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	10		15			
54	<b>Total reported maternal deaths</b>	<b>13</b>		<b>15</b>			

## North Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	19					
5	Primary Health Centers (PHC)	5					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	825		839			
11	Expected number of Delivery #	759		772			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	525	63.7	505	60.2	ANC Check up in first trimester	66.2
13	Mothers registered in the first trimester	447	85.1	434	85.9	At least 4ANC check up	59.4
14	Number of PW received 4 or more ANC check ups	422	80.4	0	85.3	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	520	99.0	506	100.2	100 IFA tablets consumed	74.0
16	PW who consumed 180 IFA tablets	448	85.3	442	87.5	Home Delivery	2.7
17	Home Delivery against expected delivery *	3	0.4	1	0.1	Institutional Delivery	97.3
18	Institutional Delivery against expected delivery *	118	15.6	123	15.9	Home Delivery by SBA	1.5
19	Home Delivery against reported delivery **	3	2.5	1	0.8	PNC within 2days of delivery	71.3
20	Institutional Delivery against reported delivery **	118	97.5	123	99.2		
21	Total reported Deliveries	121		124			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	364	300.8	304	245.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	750		763			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	142	18.9	123	16.1	Breastfed within 1 hour of birth	26.1
26	Total Still Birth	2	0.3	4	0.5	BCG	100
27	PC of newborn weighted at birth to live birth	142	100.0	96	78.0	3 dose of DPT	100

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	4.2	11	11.5	Measles First dose	96.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	139	97.9	93	75.6	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	442	59.0	477	62.5	Full Immunization	90.8
31	Children who have received BCG	146	19.5	93	12.2		
32	Children who have received Pentavalent 1	479	63.9	432	56.6		
33	Children who have received Pentavalent 3	507	67.6	442	57.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	416	55.5	477	62.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	156		143			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	0	0	Total unmet need	12.8		
37	Number of Tubectomies performed	2	0	Spacing	6.9		
38	Number of IUD insertion	11	17	Women using any method	75.7		
39	Number of IUD removals	35	27	Women using modern method	61		
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
40	IPD cases per 10,000 population ***	294	200				
41	General OPD cases per 10,000 population ***	10728	11745				
42	Ayush OPD cases per 10,000 population ***	0	30				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
43	Neonatal death within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	3	1				
45	<b>Total Neonatal Death</b>	<b>3</b>	<b>1</b>				
46	Deaths between (1 - 11) months	0	4				
47	<b>Total reported infant deaths</b>	<b>3</b>	<b>5</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>				

## South Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	39					
5	Primary Health Centers (PHC)	6					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	2,920		2,990			
11	Expected number of Delivery #	2,687		2,751			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,890	64.7	1,768	59.1	ANC Check up in first trimester	78.1
13	Mothers registered in the first trimester	1,728	91.4	1,572	88.9	At least 4ANC check up	84.5
14	Number of PW received 4 or more ANC check ups	1,358	71.9	1,238	70.0	Neonatal tetanus received	92.3
15	PW who got TT 2 / Booster injection	1,764	93.3	1,614	91.3	100 IFA tablets consumed	71.3
16	PW who consumed 180 IFA tablets	1,563	82.7	1,469	83.1	Home Delivery	2.6
17	Home Delivery against expected delivery *	21	0.8	5	0.2	Institutional Delivery	97.4
18	Institutional Delivery against expected delivery *	1,365	50.8	905	32.9	Home Delivery by SBA	2.0
19	Home Delivery against reported delivery **	21	1.5	5	0.5	PNC within 2days of delivery	83.1
20	Institutional Delivery against reported delivery **	1,365	98.5	905	99.5		
21	Total reported Deliveries	1,386		910			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	33.3	3	60.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,442	104.0	1,179	129.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,655		2,718			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	1,367	51.5	941	34.6	Breastfed within 1 hour of birth	28.2
26	Total Still Birth	29	1.1	19	0.7	BCG	89.5
27	PC of newborn weighted at birth to live birth	1,360	99.5	886	94.2	3 dose of DPT	89.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.4	39	4.4	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,336	97.7	876	93.1	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	1,663	62.6	1,704	62.7	Full Immunization	86.4
31	Children who have received BCG	1,371	51.6	932	34.3		
32	Children who have received Pentavalent 1	1,719	64.8	1,604	59.0		
33	Children who have received Pentavalent 3	1,684	63.4	1,576	58.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,648	62.1	1,678	61.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	426		419			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	0	0	Total unmet need	5.2		
37	Number of Tubectomies performed	95	72	Spacing	2.8		
38	Number of IUD insertion	31	31	Women using any method	85		
39	Number of IUD removals	101	99	Women using modern method	67.6		
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
40	IPD cases per 10,000 population ***	488	465				
41	General OPD cases per 10,000 population ***	10542	10994				
42	Ayush OPD cases per 10,000 population ***	263	428				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
43	Neonatal death within 24 hours	4	2				
44	Neonatal Deaths up to 4 weeks of birth	3	13				
45	<b>Total Neonatal Death</b>	<b>7</b>	<b>15</b>				
46	Deaths between (1 - 11) months	4	7				
47	<b>Total reported infant deaths</b>	<b>11</b>	<b>22</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	1	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	1	0				
54	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>				



## West Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,36,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers (SC)	41					
5	Primary Health Centers (PHC)	7					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	2,690		2,751			
11	Expected number of Delivery #	2,474		2,531			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,815	67.5	1,718	62.4	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	1,567	86.3	1,493	86.9	At least 4ANC check up	70.4
14	Number of PW received 4 or more ANC check ups	1,499	82.6	1,456	84.7	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	1,755	96.7	1,709	99.5	100 IFA tablets consumed	48.6
16	PW who consumed 180 IFA tablets	1,564	86.2	1,561	90.9	Home Delivery	0.7
17	Home Delivery against expected delivery *	11	0.4	11	0.4	Institutional Delivery	99.3
18	Institutional Delivery against expected delivery *	983	39.7	942	37.2	Home Delivery by SBA	0.0
19	Home Delivery against reported delivery **	11	1.1	11	1.2	PNC within 2days of delivery	63.6
20	Institutional Delivery against reported delivery **	983	98.9	942	98.8		
21	Total reported Deliveries	994		953			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	45.5	4	36.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,195	120.2	1,074	112.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth #	2,445		2,501			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	964	39.4	937	37.5	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	30	1.2	19	0.8	BCG	96.9
27	PC of newborn weighted at birth to live birth	969	100.5	888	94.8	3 dose of DPT	98.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	51	5.3	64	7.2	Measles First dose	98.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	964	100.0	846	90.3	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	1,604	65.6	1,626	65.0	Full Immunization	96.9
31	Children who have received BCG	938	38.4	967	38.7		
32	Children who have received Pentavalent 1	1,656	67.7	1,555	62.2		
33	Children who have received Pentavalent 3	1,675	68.5	1,552	62.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,582	64.7	1,603	64.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	797		878			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	0		0		Spacing	1.1
38	Number of IUD insertion	85		70		Women using any method	88.2
39	Number of IUD removals	142		106		Women using modern method	70.8
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	392		438			
41	General OPD cases per 10,000 population ***	11126		10636			
42	Ayush OPD cases per 10,000 population ***	174		176			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	11		0			
44	Neonatal Deaths up to 4 weeks of birth	4		9			
45	<b>Total Neonatal Death</b>	<b>15</b>		<b>9</b>			
46	Deaths between (1 - 11) months	26		12			
47	<b>Total reported infant deaths</b>	<b>41</b>		<b>21</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	1		0			
54	<b>Total reported maternal deaths</b>	<b>1</b>		<b>0</b>			