

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	148					
4	Sub Centers (SC)- HWC	28					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	4					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	12,227		12,530			
11	Expected number of Delivery #	11,249		11,528			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,880	64.4	5,395	43.1	ANC Check up in first trimester	63.7
13	Mothers registered in the first trimester	6,366	80.8	3,622	67.1	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	5,904	74.9	3,090	57.3	Neonatal tetanus received	92.0
15	PW who got TT 2 / Booster injection	7,166	90.9	3,915	72.6	100 IFA tablets consumed	54.7
16	PW who consumed 180 IFA tablets	6,418	81.4	5,724	106.1	Home Delivery	5.3
17	Home Delivery against expected delivery *	62	0.6	12	0.1	Institutional Delivery	94.7
18	Institutional Delivery against expected delivery *	7,223	64.2	3,087	26.8	Home Delivery by SBA	2.6
19	Home Delivery against reported delivery **	62	0.9	12	0.4	PNC within 2days of delivery	69.3
20	Institutional Delivery against reported delivery **	7,223	99.1	3,087	99.6		
21	Total reported Deliveries	7,285		3,099			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	41.9	4	33.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,054	83.1	3,027	97.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth #	11,116		11,391			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	7,202	64.8	3,079	27.0	Breastfed within 1 hour of birth	33

26	Total Still Birth	146	1.3	50	0.4	BCG	96.6
27	PC of newborn weighted at birth to live birth	7,128	99.0	3,035	98.6	3 dose of DPT	91.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	625	8.8	188	6.2	Measles First dose	90.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,029	69.8	2,554	82.9	3 doses of penta or hepatitis B vaccine	89.1
30	Children fully immunized	7,305	65.7	3,930	34.5	Full Immunization	80.6
31	Children who have received BCG	7,009	63.1	2,900	25.5		
32	Children who have received Pentavalent 1	7,439	66.9	2,834	24.9		
33	Children who have received Pentavalent 3	7,497	67.4	3,173	27.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	7,265	65.4	3,913	34.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,109		806			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	1	Total unmet need	11.9
37	Number of Tubectomies performed	126	59	Spacing	4.9
38	Number of IUD insertion	245	87	Women using any method	69.1
39	Number of IUD removals	382	163	Women using modern method	54.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	295	163		
41	General OPD cases per 10,000 population ***	9112	4386		
42	Ayush OPD cases per 10,000 population ***	160	112		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal death within 24 hours	16	1		
44	Neonatal Deaths up to 4 weeks of birth	15	8		
45	<b>Total Neonatal Death</b>	31	9		
46	Deaths between (1 - 11) months	49	24		
47	<b>Total reported infant deaths</b>	80	33		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	3	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		

53	Due to Other Causes (including causes not known)	12	8	
54	<b>Total reported maternal deaths</b>	16	<b>8</b>	

### East Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>283,583</b>					
2	Sex Ratio	<b>872</b>					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	<b>48</b>					
4	Sub Centers (SC)- HWC	<b>0</b>					
5	Primary Health Centers (PHC)	<b>7</b>					
6	Primary Health Centers (PHC)-HWC	<b>0</b>					
7	Community Health Centers (CHC)	<b>1</b>					
8	SDH	<b>0</b>					
9	DH	<b>1</b>					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	5,803		5,962			
11	Expected number of Delivery #	5,339		5,485			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	3,650	62.9	3,291	55.2	ANC Check up in first trimester	53.4
13	Mothers registered in the first trimester	2,624	71.9	1,806	54.9	At least 4ANC check up	43.8
14	Number of PW received 4 or more ANC check ups	2,625	71.9	1,721	52.3	Neonatal tetanus received	90.3
15	PW who got TT 2 / Booster injection	3,127	85.7	1,795	54.5	100 IFA tablets consumed	48.3
16	PW who consumed 180 IFA tablets	2,843	77.9	4,082	282.8	Home Delivery	8.2
17	Home Delivery against expected delivery *	27	0.5	6	0.1	Institutional Delivery	91.8
18	Institutional Delivery against expected delivery *	4,757	89.1	2,102	38.3	Home Delivery by SBA	3.9
19	Home Delivery against reported delivery **	27	0.6	6	0.3	PNC within 2days of delivery	65.8
20	Institutional Delivery against reported delivery **	4,757	99.4	2,102	99.7		
21	Total reported Deliveries	4,784		2,108			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	51.9	3	50.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,053	63.8	1,914	90.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth #	5,276		5,420			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	4,729	89.6	2,063	38.1	Breastfed within 1 hour of birth	27.1
26	Total Still Birth	85	1.6	28	0.5	BCG	*
27	PC of newborn weighted at birth to live birth	4,657	98.5	2,078	100.7	3 dose of DPT	*
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	494	10.6	133	6.4	Measles First dose	*
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,590	54.8	1,614	78.2	3 doses of penta or hepatitis B vaccine	*
30	Children fully immunized	3,596	68.2	1,824	33.7	Full Immunization	*
31	Children who have received BCG	4,554	86.3	1,884	34.8		
32	Children who have received Pentavalent 1	3,585	68.0	1,329	24.5		
33	Children who have received Pentavalent 3	3,631	68.8	1,486	27.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,619	68.6	1,824	33.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	730		239			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0	1	Total unmet need	17.7
37	Number of Tubectomies performed	29	3	Spacing	7.2
38	Number of IUD insertion	118	41	Women using any method	54.3
39	Number of IUD removals	104	42	Women using modern method	42.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	154	115		
41	General OPD cases per 10,000 population ***	7213	3470		
42	Ayush OPD cases per 10,000 population ***	124	85		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal death within 24 hours	1	1		
44	Neonatal Deaths up to 4 weeks of birth	5	2		
45	<b>Total Neonatal Death</b>	6	3		
46	Deaths between (1 - 11) months	19	8		
47	<b>Total reported infant deaths</b>	25	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	2	0		

51	Due to Bleeding	1	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	10	8	
54	<b>Total reported maternal deaths</b>	13	8	

### North Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	19					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW #	825		839			
11	Expected number of Delivery #	759		772			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	525	63.7	274	32.6	ANC Check up in first trimester	66.2
13	Mothers registered in the first trimester	447	85.1	238	86.9	At least 4ANC check up	59.4
14	Number of PW received 4 or more ANC check ups	422	80.4	0	64.6	Neonatal tetanus received	92.5
15	PW who got TT 2 / Booster injection	520	99.0	274	100.0	100 IFA tablets consumed	74.0
16	PW who consumed 180 IFA tablets	448	85.3	191	69.7	Home Delivery	2.7
17	Home Delivery against expected delivery *	3	0.4	0	0.0	Institutional Delivery	97.3
18	Institutional Delivery against expected delivery *	118	15.6	28	3.6	Home Delivery by SBA	1.5
19	Home Delivery against reported delivery **	3	2.5	0	0.0	PNC within 2days of delivery	71.3
20	Institutional Delivery against reported delivery **	118	97.5	28	100.0		
21	Total reported Deliveries	121		28			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	364	300.8	140	500.0		

**Note:** In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth #	750		763			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	142	18.9	42	5.5	Breastfed within 1 hour of birth	26.1
26	Total Still Birth	2	0.3	2	0.3	BCG	100
27	PC of newborn weighted at birth to live birth	142	100.0	41	97.6	3 dose of DPT	100
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	4.2	6	14.6	Measles First dose	96.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	139	97.9	39	92.9	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	442	59.0	252	33.0	Full Immunization	90.8
31	Children who have received BCG	146	19.5	40	5.2		
32	Children who have received Pentavalent 1	479	63.9	175	22.9		
33	Children who have received Pentavalent 3	507	67.6	200	26.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	416	55.5	255	33.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	156		81			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	12.8
37	Number of Tubectomies performed	2		0		Spacing	6.9
38	Number of IUD insertion	11		8		Women using any method	75.7
39	Number of IUD removals	35		13		Women using modern method	61
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	294		88			
41	General OPD cases per 10,000 population ***	10728		5940			
42	Ayush OPD cases per 10,000 population ***	0		51			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	3		1			
45	<b>Total Neonatal Death</b>	3		1			
46	Deaths between (1 - 11) months	0		2			
47	<b>Total reported infant deaths</b>	3		3			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			

48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

### South Sikkim Factsheet

#### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	39					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	3					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21		2021-222			
10	Expected number of PW #	2,920		2,990			
11	Expected number of Delivery #	2,687		2,751			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	1,890	64.7	912	30.5	ANC Check up in first trimester	78.1
13	Mothers registered in the first trimester	1,728	91.4	802	87.9	At least 4ANC check up	84.5
14	Number of PW received 4 or more ANC check ups	1,358	71.9	548	60.1	Neonatal tetanus received	92.3
15	PW who got TT 2 / Booster injection	1,764	93.3	859	94.2	100 IFA tablets consumed	71.3
16	PW who consumed 180 IFA tablets	1,563	82.7	670	73.5	Home Delivery	2.6
17	Home Delivery against expected delivery *	21	0.8	3	0.1	Institutional Delivery	97.4
18	Institutional Delivery against expected delivery *	1,365	50.8	528	19.2	Home Delivery by SBA	2.0
19	Home Delivery against reported delivery **	21	1.5	3	0.6	PNC within 2days of delivery	83.1
20	Institutional Delivery against reported delivery **	1,365	98.5	528	99.4		
21	Total reported Deliveries	1,386		531			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	33.3	1	33.3		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,442	104.0	528	99.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth #	2,655		2,718			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	1,367	51.5	544	20.0	Breastfed within 1 hour of birth	28.2
26	Total Still Birth	29	1.1	10	0.4	BCG	89.5
27	PC of newborn weighted at birth to live birth	1,360	99.5	541	99.4	3 dose of DPT	89.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.4	27	5.0	Measles First dose	86.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,336	97.7	532	97.8	3 doses of penta or hepatitis B vaccine	83.8
30	Children fully immunized	1,663	62.6	927	34.1	Full Immunization	86.4
31	Children who have received BCG	1,371	51.6	568	20.9		
32	Children who have received Pentavalent 1	1,719	64.8	647	23.8		
33	Children who have received Pentavalent 3	1,684	63.4	745	27.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,648	62.1	915	33.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	426		141			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	5.2
37	Number of Tubectomies performed	95		56		Spacing	2.8
38	Number of IUD insertion	31		10		Women using any method	85
39	Number of IUD removals	101		57		Women using modern method	67.6
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	488		221			
41	General OPD cases per 10,000 population ***	10542		5214			
42	Ayush OPD cases per 10,000 population ***	263		211			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
43	Neonatal death within 24 hours	4		0			
44	Neonatal Deaths up to 4 weeks of birth	3		2			
45	<b>Total Neonatal Death</b>	7		2			



46	Deaths between (1 - 11) months	4	3	
47	<b>Total reported infant deaths</b>	11	5	
<b>II) Maternal Mortality</b>				
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	1	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	<b>Total reported maternal deaths</b>	2	0	

## West Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	42					
4	Sub Centers (SC)- HWC	14					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2020-21</b>	<b>2021-222</b>				
10	Expected number of PW #	2,690	2,751				
11	Expected number of Delivery #	2,474	2,531				
		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	1,815	67.5	918	33.4	ANC Check up in first trimester	75.8
13	Mothers registered in the first trimester	1,567	86.3	776	84.5	At least 4ANC check up	70.4
14	Number of PW received 4 or more ANC check ups	1,499	82.6	644	70.2	Neonatal tetanus received	95.9
15	PW who got TT 2 / Booster injection	1,755	96.7	987	107.5	100 IFA tablets consumed	48.6
16	PW who consumed 180 IFA tablets	1,564	86.2	781	85.1	Home Delivery	0.7
17	Home Delivery against expected delivery *	11	0.4	3	0.1	Institutional Delivery	99.3
18	Institutional Delivery against expected delivery *	983	39.7	429	16.9	Home Delivery by SBA	0.0
19	Home Delivery against reported delivery **	11	1.1	3	0.7	PNC within 2days of delivery	63.6
20	Institutional Delivery against reported delivery **	983	98.9	429	99.3		

21	Total reported Deliveries	994		432			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	45.5	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,195	120.2	445	103.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth #	2,445		2,501			
<b>D) Child Immunization :</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
25	Total reported live births	964	39.4	430	17.2	Breastfed within 1 hour of birth	56.2
26	Total Still Birth	30	1.2	10	0.4	BCG	96.9
27	PC of newborn weighted at birth to live birth	969	100.5	375	87.2	3 dose of DPT	98.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	51	5.3	22	5.9	Measles First dose	98.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	964	100.0	369	85.8	3 doses of penta or hepatitis B vaccine	95.3
30	Children fully immunized	1,604	65.6	927	37.1	Full Immunization	96.9
31	Children who have received BCG	938	38.4	408	16.3		
32	Children who have received Pentavalent 1	1,656	67.7	683	27.3		
33	Children who have received Pentavalent 3	1,675	68.5	742	29.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	1,582	64.7	919	36.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	797		345			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.3
37	Number of Tubectomies performed	0		0		Spacing	1.1
38	Number of IUD insertion	85		28		Women using any method	88.2
39	Number of IUD removals	142		51		Women using modern method	70.8
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			
40	IPD cases per 10,000 population ***	392		229			
41	General OPD cases per 10,000 population ***	11126		4979			
42	Ayush OPD cases per 10,000 population ***	174		79			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>		<b>HMIS (2021-22) Up to 2nd QTR</b>			

43	Neonatal death within 24 hours	11	0	
44	Neonatal Deaths up to 4 weeks of birth	4	3	
45	<b>Total Neonatal Death</b>	15	3	
46	Deaths between (1 - 11) months	26	11	
47	<b>Total reported infant deaths</b>	41	14	
<b>II)</b>	<b>Maternal Mortality</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22) Up to 2nd QTR</b>	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	<b>Total reported maternal deaths</b>	1	<b>0</b>	