

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	148					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW #	12,227		12,530			
9	Expected number of Delivery #	11,249		11,528			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,880	64.4	6,865	54.8	ANC Check up in first trimester	63.7
11	Mothers registered in the first trimester	6,366	80.8	4,847	70.6	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,904	74.9	4,627	67.4	Neonatal tetanus received	92.0
13	PW who got TT 2 / Booster injection	7,166	90.9	5,313	77.4	100 IFA tablets consumed	54.7
14	PW who consumed 180 IFA tablets	6,418	81.4	6,599	96.1	Home Delivery	5.3
15	Home Delivery against expected delivery *	62	0.6	23	0.2	Institutional Delivery	94.7
16	Institutional Delivery against expected delivery *	7,223	64.2	4,991	43.3	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	62	0.9	23	0.5	PNC within 2days of delivery	69.3
18	Institutional Delivery against reported delivery **	7,223	99.1	4,991	99.5		
19	Total reported Deliveries	7,285		5,014			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	41.9	12	52.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,054	83.1	5,140	102.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	11,116		11,391			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	7,202	64.8	5,001	43.9	Breastfed within 1 hour of birth	33
24	Total Still Birth	146	1.3	67	0.6	BCG	96.6

25	PC of newborn weighted at birth to live birth	7,128	99.0	4,739	94.8	3 dose of DPT	91.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	625	8.8	329	6.9	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,029	69.8	4,083	81.6	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	7,305	65.7	5,603	49.2	Full Immunization	80.6
29	Children who have received BCG	7,009	63.1	4,803	42.2		
30	Children who have received Pentavalent 1	7,439	66.9	4,714	41.4		
31	Children who have received Pentavalent 3	7,497	67.4	4,743	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,265	65.4	5,587	49.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,109		1,305			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	11.9
35	Number of Tubectomies performed	126	75	Spacing	4.9
36	Number of IUD insertion	245	152	Women using any method	69.1
37	Number of IUD removals	382	244	Women using modern method	54.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	295	251		
39	General OPD cases per 10,000 population ***	9112	6664		
40	Ayush OPD cases per 10,000 population ***	160	153		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	16	4		
42	Neonatal Deaths up to 4 weeks of birth	15	26		
43	Total Neonatal Death	31	30		
44	Deaths between (1 - 11) months	49	30		
45	Total reported infant deaths	80	60		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	3	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	12	13		

52	Total reported maternal deaths	16	13	
----	--------------------------------	----	----	--

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW #	5,803		5,962			
9	Expected number of Delivery #	5,339		5,485			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,650	62.9	3,960	66.4	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	2,624	71.9	2,325	58.7	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	2,625	71.9	2,383	60.2	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	3,127	85.7	2,461	62.1	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	2,843	77.9	4,056	233.5	Home Delivery	8.2
15	Home Delivery against expected delivery *	27	0.5	12	0.2	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	4,757	89.1	3,499	63.8	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	27	0.6	12	0.3	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	4,757	99.4	3,499	99.7		
19	Total reported Deliveries	4,784		3,511			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	51.9	7	58.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,053	63.8	3,299	94.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	5,276		5,420			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		

23	Total reported live births	4,729	89.6	3,481	64.2	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	85	1.6	36	0.7	BCG	*
25	PC of newborn weighted at birth to live birth	4,657	98.5	3,299	94.8	3 dose of DPT	*
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	494	10.6	235	7.1	Measles First dose	*
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,590	54.8	2,667	76.6	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	3,596	68.2	2,620	48.3	Full Immunization	*
29	Children who have received BCG	4,554	86.3	3,254	60.0		
30	Children who have received Pentavalent 1	3,585	68.0	2,255	41.6		
31	Children who have received Pentavalent 3	3,631	68.8	2,277	42.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,619	68.6	2,651	48.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	730		357			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	17.7
35	Number of Tubectomies performed	29	4	Spacing	7.2
36	Number of IUD insertion	118	65	Women using any method	54.3
37	Number of IUD removals	104	64	Women using modern method	42.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	154	169		
39	General OPD cases per 10,000 population ***	7213	5203		
40	Ayush OPD cases per 10,000 population ***	124	89		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	1	2		
42	Neonatal Deaths up to 4 weeks of birth	5	5		
43	Total Neonatal Death	6	7		
44	Deaths between (1 - 11) months	19	9		
45	Total reported infant deaths	25	16		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	2	0		
49	Due to Bleeding	1	0		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	10	13	
52	Total reported maternal deaths	13	13	

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW #	825		839			
9	Expected number of Delivery #	759		772			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	525	63.7	372	44.3	ANC Check up in first trimester	66.2
11	Mothers registered in the first trimester	447	85.1	321	86.3	At least 4ANC check up	59.4
12	Number of PW received 4 or more ANC check ups	422	80.4	0	78.5	Neonatal tetanus received	92.5
13	PW who got TT 2 / Booster injection	520	99.0	381	102.4	100 IFA tablets consumed	74.0
14	PW who consumed 180 IFA tablets	448	85.3	315	84.7	Home Delivery	2.7
15	Home Delivery against expected delivery *	3	0.4	0	0.0	Institutional Delivery	97.3
16	Institutional Delivery against expected delivery *	118	15.6	64	8.3	Home Delivery by SBA	1.5
17	Home Delivery against reported delivery **	3	2.5	0	0.0	PNC within 2days of delivery	71.3
18	Institutional Delivery against reported delivery **	118	97.5	64	100.0		
19	Total reported Deliveries	121		64			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	364	300.8	225	351.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	750		763			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	142	18.9	67	8.8	Breastfed within 1 hour of birth	26.1
24	Total Still Birth	2	0.3	3	0.4	BCG	100
25	PC of newborn weighted at birth to live birth	142	100.0	66	98.5	3 dose of DPT	100
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	4.2	8	12.1	Measles First dose	96.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	139	97.9	64	95.5	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	442	59.0	367	48.1	Full Immunization	90.8
29	Children who have received BCG	146	19.5	67	8.8		
30	Children who have received Pentavalent 1	479	63.9	289	37.9		
31	Children who have received Pentavalent 3	507	67.6	303	39.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	416	55.5	367	48.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	156		121			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.8
35	Number of Tubectomies performed	2		0		Spacing	6.9
36	Number of IUD insertion	11		13		Women using any method	75.7
37	Number of IUD removals	35		24		Women using modern method	61
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	294		164			
39	General OPD cases per 10,000 population ***	10728		9001			
40	Ayush OPD cases per 10,000 population ***	0		51			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths up to 4 weeks of birth	3		1			
43	Total Neonatal Death	3		1			
44	Deaths between (1 - 11) months	0		3			
45	Total reported infant deaths	3		4			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
46	Due to Abortion	0		0			

47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW #	2,920		2,990			
9	Expected number of Delivery #	2,687		2,751			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,890	64.7	1,250	41.8	ANC Check up in first trimester	78.1
11	Mothers registered in the first trimester	1,728	91.4	1,102	88.2	At least 4ANC check up	84.5
12	Number of PW received 4 or more ANC check ups	1,358	71.9	884	70.7	Neonatal tetanus received	92.3
13	PW who got TT 2 / Booster injection	1,764	93.3	1,167	93.4	100 IFA tablets consumed	71.3
14	PW who consumed 180 IFA tablets	1,563	82.7	1,074	85.9	Home Delivery	2.6
15	Home Delivery against expected delivery *	21	0.8	4	0.1	Institutional Delivery	97.4
16	Institutional Delivery against expected delivery *	1,365	50.8	720	26.2	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	21	1.5	4	0.6	PNC within 2days of delivery	83.1
18	Institutional Delivery against reported delivery **	1,365	98.5	720	99.4		
19	Total reported Deliveries	1,386		724			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	33.3	2	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,442	104.0	855	118.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFSH-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,655		2,718			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,367	51.5	746	27.4	Breastfed within 1 hour of birth	28.2
24	Total Still Birth	29	1.1	13	0.5	BCG	89.5
25	PC of newborn weighted at birth to live birth	1,360	99.5	719	96.4	3 dose of DPT	89.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.4	34	4.7	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,336	97.7	708	94.9	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,663	62.6	1,303	47.9	Full Immunization	86.4
29	Children who have received BCG	1,371	51.6	787	29.0		
30	Children who have received Pentavalent 1	1,719	64.8	1,093	40.2		
31	Children who have received Pentavalent 3	1,684	63.4	1,061	39.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,648	62.1	1,267	46.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	426		255			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	5.2
35	Number of Tubectomies performed	95		68		Spacing	2.8
36	Number of IUD insertion	31		22		Women using any method	85
37	Number of IUD removals	101		76		Women using modern method	67.6
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	488		343			
39	General OPD cases per 10,000 population ***	10542		7997			
40	Ayush OPD cases per 10,000 population ***	263		349			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	4		2			
42	Neonatal Deaths up to 4 weeks of birth	3		12			
43	Total Neonatal Death	7		14			
44	Deaths between (1 - 11) months	4		6			
45	Total reported infant deaths	11		20			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	1	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	2	0	

West Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	136,435						
2	Sex Ratio	941						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers (SC)	41						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2020-21	2021-222					
8	Expected number of PW #	2,690	2,751					
9	Expected number of Delivery #	2,474	2,531					
		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,815	67.5	1,283	46.6	ANC Check up in first trimester	75.8	
11	Mothers registered in the first trimester	1,567	86.3	1,099	85.7	At least 4ANC check up	70.4	
12	Number of PW received 4 or more ANC check ups	1,499	82.6	1,068	83.2	Neonatal tetanus received	95.9	
13	PW who got TT 2 / Booster injection	1,755	96.7	1,304	101.6	100 IFA tablets consumed	48.6	
14	PW who consumed 180 IFA tablets	1,564	86.2	1,154	89.9	Home Delivery	0.7	
15	Home Delivery against expected delivery *	11	0.4	7	0.3	Institutional Delivery	99.3	
16	Institutional Delivery against expected delivery *	983	39.7	708	28.0	Home Delivery by SBA	0.0	
17	Home Delivery against reported delivery **	11	1.1	7	1.0	PNC within 2days of delivery	63.6	
18	Institutional Delivery against reported delivery **	983	98.9	708	99.0			
19	Total reported Deliveries	994		715				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	45.5	3	42.9			

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,195	120.2	761	106.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,445		2,501			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	964	39.4	707	28.3	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	30	1.2	15	0.6	BCG	96.9
25	PC of newborn weighted at birth to live birth	969	100.5	655	92.6	3 dose of DPT	98.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	51	5.3	52	7.9	Measles First dose	98.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	964	100.0	644	91.1	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	1,604	65.6	1,313	52.5	Full Immunization	96.9
29	Children who have received BCG	938	38.4	695	27.8		
30	Children who have received Pentavalent 1	1,656	67.7	1,077	43.1		
31	Children who have received Pentavalent 3	1,675	68.5	1,102	44.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,582	64.7	1,302	52.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	797		572			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	4.3
35	Number of Tubectomies performed	0		3		Spacing	1.1
36	Number of IUD insertion	85		52		Women using any method	88.2
37	Number of IUD removals	142		80		Women using modern method	70.8
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	392		355			
39	General OPD cases per 10,000 population ***	11126		7637			
40	Ayush OPD cases per 10,000 population ***	174		110			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	11		0			
42	Neonatal Deaths up to 4 weeks of birth	4		8			
43	Total Neonatal Death	15		8			

44	Deaths between (1 - 11) months	26	12	
45	Total reported infant deaths	41	20	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	1	0	