

## Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>36,73,917</b>					
2	Sex Ratio	<b>1,017</b>					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	<b>999</b>					
5	Primary Health Centers(PHC)	<b>116</b>					
7	Community Health Centers (CHC)	<b>22</b>					
8	SDH	<b>12</b>					
9	DH	<b>7</b>					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	60,773		60,721			
11	Expected number of Delivery	56,353		56,304			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	63,843	105.1	60,110	98.9	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	46,029	72.1	45,254	75.3	At least 4ANC check up	52.8
14	Number of PW received 4 or more ANC check ups	41,555	65.1	47,791	79.5	Neonatal tetanus received	90.2
15	PW who got TT 2 / Booster injection	49,304	77.2	51,151	85.1	100 IFA tablets consumed	18.8
16	PW who consumed 180 IFA tablets	27,028	42.3	41,528	69.1	Home Delivery	12.3
17	Home Delivery against expected delivery *	3,759	6.7	2,750	4.9	Institutional Delivery	87.7
18	Institutional Delivery against expected delivery *	46,234	82.0	47,448	84.3	Home Delivery by SBA	1.1
19	Home Delivery against reported delivery **	3,759	7.5	2,750	5.5	PNC within 2days of delivery	72.1
20	Institutional Delivery against reported delivery **	46,234	92.5	47,448	94.5		
21	Total reported Deliveries	49,993		50,198			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	0.4	53	1.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38,428	76.9	43,308	86.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	55,248		55,200			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	49,442	89.5	49,625	89.9	Breastfed within 1 hour of birth	46.4
26	Total Still Birth	915	1.7	864	1.6	BCG	97.6
27	PC of newborn weighted at birth to live birth	48,965	99.0	49,298	99.3	3 dose of DPT	89.6

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,545	11.3	5,538	11.2	Measles First dose	84.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	46,054	93.1	48,255	97.2	3 doses of penta or hepatitis B vaccine	86.8
30	Children fully immunized	46,263	83.7	48,754	88.3	Full Immunization	70.3
31	Children who have received BCG	44,634	80.8	47,012	85.2		
32	Children who have received Pentavalent 1	51,365	93.0	51,427	93.2		
33	Children who have received Pentavalent 3	47,828	86.6	46,562	84.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	46,429	84.0	48,927	88.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,781		4,966			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>	<b>NFHS-5 (2019-20)</b>			
36	Number of Vasectomies performed	4	22	Total unmet need	15.3		
37	Number of Tubectomies performed	2,147	2,852	Spacing	3.9		
38	Number of IUD insertion	319	383	Women using any method	58.9		
39	Number of IUD removals	205	235	Women using modern method	44.2		
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
40	IPD cases per 10,000 population ***	641	791				
41	General OPD cases per 10,000 population ***	6679	8174				
42	Ayush OPD cases per 10,000 population ***	442	442				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
43	Neonatal death within 24 hours	178	174				
44	Neonatal Deaths up to 4 weeks of birth	348	354				
45	<b>Total Neonatal Death</b>	<b>526</b>	<b>528</b>				
46	Deaths between (1 - 12) months	414	262				
47	<b>Total reported infant deaths</b>	<b>940</b>	<b>790</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2020-21)</b>	<b>HMIS (2021-22)</b>				
48	Due to Abortion	0	1				
49	Due to Obstructed/prolonged labour	1	1				
50	Due to Severe hypertension/fits	1	5				
51	Due to Bleeding	5	11				
52	Due to High fever	1	1				
53	Due to Other Causes (including causes not known)	37	31				
54	<b>Total reported maternal deaths</b>	<b>45</b>	<b>50</b>				

## Dhalai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	121					
5	Primary Health Centers(PHC)	16					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	6,771	6,818				
11	Expected number of Delivery	6,278	6,322				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,529	111.2	7,641	112.9	ANC Check up in first trimester	58.1
13	Mothers registered in the first trimester	4,705	62.5	5,083	66.5	At least 4ANC check up	52.0
14	Number of PW received 4 or more ANC check ups	4,117	54.7	4,561	59.7	Neonatal tetanus received	97.8
15	PW who got TT 2 / Booster injection	6,053	80.4	5,940	77.7	100 IFA tablets consumed	26.0
16	PW who consumed 180 IFA tablets	4,126	54.8	4,748	62.1	Home Delivery	12.7
17	Home Delivery against expected delivery *	740	11.8	564	8.9	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	4,583	73.0	4,753	75.2	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	740	13.9	564	10.6	PNC within 2days of delivery	72.4
20	Institutional Delivery against reported delivery **	4,583	86.1	4,753	89.4		
21	Total reported Deliveries	5,323		5,317			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	1.9	6	1.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,258	42.4	1,748	32.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	6,155		6,198			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,321	86.4	5,256	84.8	Breastfed within 1 hour of birth	44.0
26	Total Still Birth	86	1.4	71	1.1	BCG	97.6
27	PC of newborn weighted at birth to live birth	5,167	97.1	5,173	98.4	3 dose of DPT	89.0

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	515	10.0	492	9.5	Measles First dose	90.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,095	95.8	5,101	97.1	3 doses of penta or hepatitis B vaccine	86.2
30	Children fully immunized	4,401	71.5	5,382	86.8	Full Immunization	73.7
31	Children who have received BCG	4,073	66.2	4,878	78.7		
32	Children who have received Pentavalent 1	5,718	92.9	5,965	96.2		
33	Children who have received Pentavalent 3	4,816	78.2	4,960	80.0		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	72.5	5,486	88.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	459		393			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.0
37	Number of Tubectomies performed	32		17		Spacing	1.8
38	Number of IUD insertion	47		56		Women using any method	80.9
39	Number of IUD removals	62		61		Women using modern method	53.3
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	494		639			
41	General OPD cases per 10,000 population ***	6473		8726			
42	Ayush OPD cases per 10,000 population ***	198		185			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	15		23			
44	Neonatal Deaths up to 4 weeks of birth	22		29			
45	<b>Total Neonatal Death</b>	<b>37</b>		<b>52</b>			
46	Deaths between (1 - 12) months	66		45			
47	<b>Total reported infant deaths</b>	<b>103</b>		<b>97</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		1			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	3		2			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	2		0			
54	<b>Total reported maternal deaths</b>	<b>5</b>		<b>3</b>			

## Gomati Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,36,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	145					
5	Primary Health Centers(PHC)	11					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,181		7,170			
11	Expected number of Delivery	6,659		6,649			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	6,601	91.9	6,493	90.4	ANC Check up in first trimester	54.2
13	Mothers registered in the first trimester	5,466	82.8	5,570	85.8	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	3,905	59.2	4,142	63.8	Neonatal tetanus received	89.4
15	PW who got TT 2 / Booster injection	5,934	89.9	6,000	92.4	100 IFA tablets consumed	29.5
16	PW who consumed 180 IFA tablets	2,290	34.7	4,704	72.4	Home Delivery	10.3
17	Home Delivery against expected delivery *	203	3.0	109	1.6	Institutional Delivery	89.7
18	Institutional Delivery against expected delivery *	5,359	80.5	5,475	82.3	Home Delivery by SBA	0.7
19	Home Delivery against reported delivery **	203	3.6	109	2.0	PNC within 2days of delivery	68.0
20	Institutional Delivery against reported delivery **	5,359	96.4	5,475	98.0		
21	Total reported Deliveries	5,562		5,584			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,081	73.4	6,902	123.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	6,528		6,518			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,502	84.3	5,535	84.9	Breastfed within 1 hour of birth	15.8
26	Total Still Birth	97	1.5	89	1.4	BCG	89.0
27	PC of newborn weighted at birth to live birth	5,477	99.5	5,469	98.8	3 dose of DPT	81.1

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	728	13.3	443	8.1	Measles First dose	83.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,079	92.3	5,055	91.3	3 doses of penta or hepatitis B vaccine	72.7
30	Children fully immunized	5,309	81.3	5,513	84.6	Full Immunization	48.5
31	Children who have received BCG	5,496	84.2	5,526	84.8		
32	Children who have received Pentavalent 1	5,884	90.1	6,044	92.7		
33	Children who have received Pentavalent 3	5,696	87.2	5,509	84.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,318	81.5	5,543	85.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	461		811			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		5		Total unmet need	17.3
37	Number of Tubectomies performed	167		465		Spacing	3.7
38	Number of IUD insertion	8		17		Women using any method	50.7
39	Number of IUD removals	7		9		Women using modern method	40.3
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	579		761			
41	General OPD cases per 10,000 population ***	4788		5513			
42	Ayush OPD cases per 10,000 population ***	293		310			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	27		23			
44	Neonatal Deaths up to 4 weeks of birth	17		15			
45	<b>Total Neonatal Death</b>	<b>44</b>		<b>38</b>			
46	Deaths between (1 - 12) months	25		9			
47	<b>Total reported infant deaths</b>	<b>69</b>		<b>47</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		1			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	1		1			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	4		0			
54	<b>Total reported maternal deaths</b>	<b>5</b>		<b>2</b>			

## Khowai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	104					
5	Primary Health Centers(PHC)	10					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	5,301		5,285			
11	Expected number of Delivery	4,915		4,900			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,396	82.9	4,132	77.9	ANC Check up in first trimester	41.0
13	Mothers registered in the first trimester	3,146	71.6	3,069	74.3	At least 4ANC check up	24.6
14	Number of PW received 4 or more ANC check ups	2,579	58.7	2,467	59.7	Neonatal tetanus received	95.6
15	PW who got TT 2 / Booster injection	3,742	85.1	3,823	92.5	100 IFA tablets consumed	31.6
16	PW who consumed 180 IFA tablets	1,095	24.9	2,035	49.2	Home Delivery	28.5
17	Home Delivery against expected delivery *	128	2.6	94	1.9	Institutional Delivery	71.5
18	Institutional Delivery against expected delivery *	2,870	58.4	2,783	56.8	Home Delivery by SBA	2.9
19	Home Delivery against reported delivery **	128	4.3	94	3.3	PNC within 2days of delivery	44.5
20	Institutional Delivery against reported delivery **	2,870	95.7	2,783	96.7		
21	Total reported Deliveries	2,998		2,877			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1		0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,232	41.1	890	30.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	4,819		4,804			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,978	61.8	2,853	59.4	Breastfed within 1 hour of birth	21.7
26	Total Still Birth	39		34		BCG	85.1
27	PC of newborn weighted at birth to live birth	2,958	99.3	2,811	98.5	3 dose of DPT	78.0

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	429	14.5	345	12.3	Measles First dose	83.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,717	91.2	2,603	91.2	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	3,817	79.2	3,915	81.5	Full Immunization	58.3
31	Children who have received BCG	2,787	57.8	2,541	52.9		
32	Children who have received Pentavalent 1	4,000	83.0	3,799	79.1		
33	Children who have received Pentavalent 3	3,785	78.5	3,504	72.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,814	79.1	3,905	81.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	302		167			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	9.7
37	Number of Tubectomies performed	0		8		Spacing	3.7
38	Number of IUD insertion	20		19		Women using any method	66.8
39	Number of IUD removals	4		1		Women using modern method	40.2
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	479		504			
41	General OPD cases per 10,000 population ***	4651		5362			
42	Ayush OPD cases per 10,000 population ***	464		464			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	8		7			
44	Neonatal Deaths up to 4 weeks of birth	10		4			
45	<b>Total Neonatal Death</b>	<b>18</b>		<b>11</b>			
46	Deaths between (1 - 12) months	21		15			
47	<b>Total reported infant deaths</b>	<b>39</b>		<b>26</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		1			
54	<b>Total reported maternal deaths</b>	<b>0</b>		<b>1</b>			



## North Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	99					
5	Primary Health Centers(PHC)	15					
7	Community Health Centers (CHC)	3					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,062		7,074			
11	Expected number of Delivery	6,549		6,560			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,589	121.6	8,528	120.8	ANC Check up in first trimester	54.0
13	Mothers registered in the first trimester	6,359	74.0	6,614	77.6	At least 4ANC check up	40.6
14	Number of PW received 4 or more ANC check ups	5,823	67.8	5,918	69.4	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	7,274	84.7	7,522	88.2	100 IFA tablets consumed	22.0
16	PW who consumed 180 IFA tablets	3,688	42.9	6,224	73.0	Home Delivery	6.8
17	Home Delivery against expected delivery *	1,281	19.6	1,076	16.4	Institutional Delivery	93.2
18	Institutional Delivery against expected delivery *	4,559	69.6	4,767	72.7	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	1,281	21.9	1,076	18.4	PNC within 2days of delivery	66.3
20	Institutional Delivery against reported delivery **	4,559	78.1	4,767	81.6		
21	Total reported Deliveries	5,840		5,843			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	30	2.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,895	66.7	4,136	70.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	6,420		6,431			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,783	90.1	5,788	90.0	Breastfed within 1 hour of birth	24.8
26	Total Still Birth	91	1.4	81	1.3	BCG	91.8
27	PC of newborn weighted at birth to live birth	5,779	99.9	5,734	99.1	3 dose of DPT	83.9

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	516	8.9	671	11.7	Measles First dose	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,593	96.7	5,697	98.4	3 doses of penta or hepatitis B vaccine	80.6
30	Children fully immunized	6,467	100.7	7,213	112.2	Full Immunization	67.1
31	Children who have received BCG	5,560	86.6	5,893	91.6		
32	Children who have received Pentavalent 1	7,091	110.4	7,282	113.2		
33	Children who have received Pentavalent 3	6,160	95.9	6,475	100.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,498	101.2	7,205	112.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	647		767			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	12.1
37	Number of Tubectomies performed	14		173		Spacing	3.7
38	Number of IUD insertion	1		9		Women using any method	65.5
39	Number of IUD removals	1		0		Women using modern method	48.7
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	507		651			
41	General OPD cases per 10,000 population ***	4331		4622			
42	Ayush OPD cases per 10,000 population ***	237		293			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	11		10			
44	Neonatal Deaths up to 4 weeks of birth	21		14			
45	<b>Total Neonatal Death</b>	<b>32</b>		<b>24</b>			
46	Deaths between (1 - 12) months	47		26			
47	<b>Total reported infant deaths</b>	<b>79</b>		<b>50</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	1		0			
53	Due to Other Causes (including causes not known)	7		4			
54	<b>Total reported maternal deaths</b>	<b>8</b>		<b>4</b>			

## Sipahijala Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	142					
5	Primary Health Centers(PHC)	15					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,840		7,816			
11	Expected number of Delivery	7,270		7,248			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,961	101.5	8,274	105.5	ANC Check up in first trimester	78.7
13	Mothers registered in the first trimester	5,905	74.2	6,330	76.5	At least 4ANC check up	61.2
14	Number of PW received 4 or more ANC check ups	4,977	62.5	4,824	58.3	Neonatal tetanus received	99.3
15	PW who got TT 2 / Booster injection	6,769	85.0	7,384	89.2	100 IFA tablets consumed	31.8
16	PW who consumed 180 IFA tablets	2,464	31.0	5,537	66.9	Home Delivery	4.7
17	Home Delivery against expected delivery *	425	5.8	270	3.7	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	3,494	48.1	3,564	49.2	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	425	10.8	270	7.0	PNC within 2days of delivery	87.7
20	Institutional Delivery against reported delivery **	3,494	89.2	3,564	93.0		
21	Total reported Deliveries	3,919		3,834			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	0.4		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,558	116.3	4,496	117.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	7,128		7,106			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,897	54.7	3,786	53.3	Breastfed within 1 hour of birth	38.0
26	Total Still Birth	43	0.6	42	0.6	BCG	100.0
27	PC of newborn weighted at birth to live birth	3,856	98.9	3,758	99.3	3 dose of DPT	94.1

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	491	12.7	501	13.3	Measles First dose	94.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,847	98.7	3,749	99.0	3 doses of penta or hepatitis B vaccine	91.7
30	Children fully immunized	6,564	92.1	6,726	94.7	Full Immunization	88.4
31	Children who have received BCG	4,480	62.9	4,332	61.0		
32	Children who have received Pentavalent 1	7,367	103.4	7,295	102.7		
33	Children who have received Pentavalent 3	7,064	99.1	6,706	94.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,577	92.3	6,760	95.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	375		421			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	4		6		Total unmet need	2.5
37	Number of Tubectomies performed	104		64		Spacing	0.9
38	Number of IUD insertion	14		7		Women using any method	80.1
39	Number of IUD removals	4		3		Women using modern method	53.9
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	318		443			
41	General OPD cases per 10,000 population ***	4697		5110			
42	Ayush OPD cases per 10,000 population ***	745		811			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	2		0			
44	Neonatal Deaths up to 4 weeks of birth	4		1			
45	<b>Total Neonatal Death</b>	<b>6</b>		<b>1</b>			
46	Deaths between (1 - 12) months	17		3			
47	<b>Total reported infant deaths</b>	<b>23</b>		<b>4</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	<b>Total reported maternal deaths</b>	<b>0</b>		<b>0</b>			

## South Tripura Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,33,737						
2	Sex Ratio	957						
B) Infrastructure Details (RHS 2020-21)		Numbers						
3	Sub Centers(SC)	147						
5	Primary Health Centers(PHC)	18						
7	Community Health Centers (CHC)	5						
8	SDH	2						
9	DH	1						
C) Maternal Health:		2020-21	2021-22					
10	Expected number of PW	7,130	7,119					
11	Expected number of Delivery	6,611	6,601					
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
12	PW register for ANC	6,953	97.5	6,787	95.2	ANC Check up in first trimester	57.2	
13	Mothers registered in the first trimester	5,623	80.9	5,827	85.9	At least 4ANC check up	41.5	
14	Number of PW received 4 or more ANC check ups	4,934	71.0	5,130	75.6	Neonatal tetanus received	96.8	
15	PW who got TT 2 / Booster injection	5,944	85.5	6,006	88.5	100 IFA tablets consumed	38.0	
16	PW who consumed 180 IFA tablets	4,473	64.3	4,868	71.7	Home Delivery	4.3	
17	Home Delivery against expected delivery *	188	2.8	43	0.7	Institutional Delivery	95.7	
18	Institutional Delivery against expected delivery *	4,471	67.6	4,597	69.6	Home Delivery by SBA	1.6	
19	Home Delivery against reported delivery **	188	4.0	43	0.9	PNC within 2days of delivery	59.7	
20	Institutional Delivery against reported delivery **	4,471	96.0	4,597	99.1			
21	Total reported Deliveries	4,659		4,640				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,962	85.0	4,775	102.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>								
24	Expected number of Live Birth	6,482		6,472				
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
25	Total reported live births	4,641	71.6	4,620	71.4	Breastfed within 1 hour of birth	20.9	
26	Total Still Birth	53	0.8	37	0.6	BCG	96.1	
27	PC of newborn weighted at birth to live birth	4,535	97.7	4,619	100.0	3 dose of DPT	87.7	

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	428	9.4	467	10.1	Measles First dose	85.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,511	97.2	4,599	99.5	3 doses of penta or hepatitis B vaccine	85.7
30	Children fully immunized	5,812	89.7	5,783	89.4	Full Immunization	60.7
31	Children who have received BCG	4,628	71.4	4,797	74.1		
32	Children who have received Pentavalent 1	6,082	93.8	6,028	93.1		
33	Children who have received Pentavalent 3	5,877	90.7	5,669	87.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,801	89.5	5,789	89.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	487		565			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	4.1
37	Number of Tubectomies performed	173		232		Spacing	2.2
38	Number of IUD insertion	128		174		Women using any method	79.9
39	Number of IUD removals	80		139		Women using modern method	49.9
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	579		755			
41	General OPD cases per 10,000 population ***	8032		9194			
42	Ayush OPD cases per 10,000 population ***	484		515			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	7		2			
44	Neonatal Deaths up to 4 weeks of birth	14		13			
45	<b>Total Neonatal Death</b>	<b>21</b>		<b>15</b>			
46	Deaths between (1 - 12) months	63		26			
47	<b>Total reported infant deaths</b>	<b>84</b>		<b>41</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	1		1			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	1		0			
54	<b>Total reported maternal deaths</b>	<b>2</b>		<b>1</b>			

## Unakoti Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	70					
5	Primary Health Centers(PHC)	11					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,709	4,717				
11	Expected number of Delivery	4,367	4,374				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,149	109.3	5,137	109.1	ANC Check up in first trimester	63.2
13	Mothers registered in the first trimester	3,689	71.6	3,693	71.9	At least 4ANC check up	52.7
14	Number of PW received 4 or more ANC check ups	3,262	63.4	3,583	69.7	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	4,093	79.5	4,188	81.5	100 IFA tablets consumed	26.7
16	PW who consumed 180 IFA tablets	3,272	63.5	3,854	75.0	Home Delivery	10.8
17	Home Delivery against expected delivery *	585	13.4	488	11.2	Institutional Delivery	89.2
18	Institutional Delivery against expected delivery *	2,956	67.7	3,287	75.2	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	585	16.5	488	12.9	PNC within 2days of delivery	71.9
20	Institutional Delivery against reported delivery **	2,956	83.5	3,287	87.1		
21	Total reported Deliveries	3,541		3,775			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	16	3.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,597	45.1	1,718	45.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	4,281		4,288			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,501	81.8	3,748	87.4	Breastfed within 1 hour of birth	36.4
26	Total Still Birth	65	1.5	50	1.2	BCG	94.7
27	PC of newborn weighted at birth to live birth	3,389	96.8	3,711	99.0	3 dose of DPT	85.9

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	288	8.5	301	8.1	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,255	93.0	3,582	95.6	3 doses of penta or hepatitis B vaccine	82.5
30	Children fully immunized	4,010	93.7	4,084	95.2	Full Immunization	69.5
31	Children who have received BCG	3,267	76.3	3,547	82.7		
32	Children who have received Pentavalent 1	4,245	99.2	4,323	100.8		
33	Children who have received Pentavalent 3	3,901	91.1	3,796	88.5		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,059	94.8	4,077	95.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	796		703			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		7		Total unmet need	8.2
37	Number of Tubectomies performed	88		121		Spacing	2.5
38	Number of IUD insertion	5		2		Women using any method	71.2
39	Number of IUD removals	3		2		Women using modern method	49.1
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	504		665			
41	General OPD cases per 10,000 population ***	5635		5375			
42	Ayush OPD cases per 10,000 population ***	657		514			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	17		9			
44	Neonatal Deaths up to 4 weeks of birth	25		18			
45	<b>Total Neonatal Death</b>	<b>42</b>		<b>27</b>			
46	Deaths between (1 - 12) months	42		18			
47	<b>Total reported infant deaths</b>	<b>84</b>		<b>45</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	6		6			
54	<b>Total reported maternal deaths</b>	<b>6</b>		<b>6</b>			



## West Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2020-21)		Numbers					
3	Sub Centers(SC)	171					
5	Primary Health Centers(PHC)	20					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	14,856	14,811				
11	Expected number of Delivery	13,776	13,733				
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	16,665	112.2	13,118	88.3	ANC Check up in first trimester	75.5
13	Mothers registered in the first trimester	11,136	66.8	9,068	69.1	At least 4ANC check up	67.1
14	Number of PW received 4 or more ANC check ups	11,958	71.8	17,166	130.9	Neonatal tetanus received	95.0
15	PW who got TT 2 / Booster injection	9,495	57.0	10,288	78.4	100 IFA tablets consumed	17.3
16	PW who consumed 180 IFA tablets	5,620	33.7	9,558	72.9	Home Delivery	14.6
17	Home Delivery against expected delivery *	209	1.5	106	0.8	Institutional Delivery	85.4
18	Institutional Delivery against expected delivery *	17,942	130.2	18,222	132.7	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	209	1.2	106	0.6	PNC within 2days of delivery	76.6
20	Institutional Delivery against reported delivery **	17,942	98.8	18,222	99.4		
21	Total reported Deliveries	18,151		18,328			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,845	92.8	18,643	101.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b>							
24	Expected number of Live Birth	13,506		13,464			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	17,819	131.9	18,039	134.0	Breastfed within 1 hour of birth	61.1
26	Total Still Birth	441	3.3	460	3.4	BCG	93.1
27	PC of newborn weighted at birth to live birth	17,804	99.9	18,023	99.9	3 dose of DPT	77.5

28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,150	12.1	2,318	12.9	Measles First dose	74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,957	89.6	17,869	99.1	3 doses of penta or hepatitis B vaccine	74.6
30	Children fully immunized	9,883	73.2	10,138	75.3	Full Immunization	69.6
31	Children who have received BCG	14,343	106.2	15,498	115.1		
32	Children who have received Pentavalent 1	10,978	81.3	10,691	79.4		
33	Children who have received Pentavalent 3	10,529	78.0	9,943	73.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	9,901	73.3	10,162	75.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	254		1,139			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</b>							
<b>E) Family Planning</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>		<b>NFHS-5 (2019-20)</b>	
36	Number of Vasectomies performed	0		4		Total unmet need	6.1
37	Number of Tubectomies performed	1,569		1,772		Spacing	2.5
38	Number of IUD insertion	96		99		Women using any method	78.3
39	Number of IUD removals	44		20		Women using modern method	54.4
<b>F) Service delivery</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
40	IPD cases per 10,000 population ***	1100		1280			
41	General OPD cases per 10,000 population ***	10221		13878			
42	Ayush OPD cases per 10,000 population ***	466		432			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
43	Neonatal death within 24 hours	91		100			
44	Neonatal Deaths up to 4 weeks of birth	235		260			
45	<b>Total Neonatal Death</b>	<b>326</b>		<b>360</b>			
46	Deaths between (1 - 12) months	133		120			
47	<b>Total reported infant deaths</b>	<b>459</b>		<b>480</b>			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2020-21)</b>		<b>HMIS (2021-22)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	1		0			
50	Due to Severe hypertension/fits	1		5			
51	Due to Bleeding	0		7			
52	Due to High fever	0		1			
53	Due to Other Causes (including causes not known)	17		20			
54	<b>Total reported maternal deaths</b>	<b>19</b>		<b>33</b>			