

Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	966					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	82					
6	Primary Health Centers (PHC)-HWC	31					
7	Community Health Centers (CHC)	22					
8	SDH	12					
9	DH	7					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	60,773		60,721			
11	Expected number of Delivery	56,353		56,304			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	63,843	105.1	32,309	53.2	ANC Check up in first trimester	61.9
13	Mothers registered in the first trimester	46,029	72.1	24,241	75.0	At least 4ANC check up	52.8
14	Number of PW received 4 or more ANC check ups	41,555	65.1	22,102	68.4	Neonatal tetanus received	90.2
15	PW who got TT 2 / Booster injection	49,304	77.2	27,094	83.9	100 IFA tablets consumed	18.8
16	PW who consumed 180 IFA tablets	27,028	42.3	20,658	63.9	Home Delivery	12.3
17	Home Delivery against expected delivery *	3,759	6.7	1,444	2.6	Institutional Delivery	87.7
18	Institutional Delivery against expected delivery *	46,234	82.0	21,102	37.5	Home Delivery by SBA	1.1
19	Home Delivery against reported delivery **	3,759	7.5	1,444	6.4	PNC within 2days of delivery	72.1
20	Institutional Delivery against reported delivery **	46,234	92.5	21,102	93.6		
21	Total reported Deliveries	49,993		22,546			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	0.4	18	1.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38,428	76.9	19,095	84.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	55,248		55,200			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	49,442	89.5	22,330	40.5	Breastfed within 1 hour of birth	46.4

26	Total Still Birth	915	1.7	407	0.7	BCG	97.6
27	PC of newborn weighted at birth to live birth	48,965	99.0	22,108	99.0	3 dose of DPT	89.6
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,545	11.3	2,369	10.7	Measles First dose	84.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	46,054	93.1	21,568	96.6	3 doses of penta or hepatitis B vaccine	86.8
30	Children fully immunized	46,263	83.7	22,852	41.4	Full Immunization	70.3
31	Children who have received BCG	44,634	80.8	19,444	35.2		
32	Children who have received Pentavalent 1	51,365	93.0	22,195	40.2		
33	Children who have received Pentavalent 3	47,828	86.6	22,404	40.6		
34	Children who have received Measles & Rubella (MR)- 1st Dose	46,429	84.0	22,949	41.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,781		2,161			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)	
36	Number of Vasectomies performed	4	1	Total unmet need	15.3
37	Number of Tubectomies performed	2,147	1,181	Spacing	3.9
38	Number of IUD insertion	319	165	Women using any method	58.9
39	Number of IUD removals	205	127	Women using modern method	44.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
40	IPD cases per 10,000 population ***	641	379		
41	General OPD cases per 10,000 population ***	6679	3912		
42	Ayush OPD cases per 10,000 population ***	442	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
43	Neonatal death within 24 hours	178	89		
44	Neonatal Deaths up to 4 weeks of birth	348	169		
45	Total Neonatal Death	526	258		
46	Deaths between (1 - 12) months	414	119		
47	Total reported infant deaths	940	377		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	1	1		
51	Due to Bleeding	5	7		
52	Due to High fever	1	0		

53	Due to Other Causes (including causes not known)	37	20	
54	Total reported maternal deaths	45	29	

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	121					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	10					
7	Community Health Centers (CHC)	2					
8	SDH	3					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	6,771		6,818			
11	Expected number of Delivery	6,278		6,322			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	7,529	111.2	4,249	62.8	ANC Check up in first trimester	58.1
13	Mothers registered in the first trimester	4,705	62.5	2,739	64.5	At least 4ANC check up	52.0
14	Number of PW received 4 or more ANC check ups	4,117	54.7	2,231	52.5	Neonatal tetanus received	97.8
15	PW who got TT 2 / Booster injection	6,053	80.4	3,198	75.3	100 IFA tablets consumed	26.0
16	PW who consumed 180 IFA tablets	4,126	54.8	2,536	59.7	Home Delivery	12.7
17	Home Delivery against expected delivery *	740	11.8	323	5.1	Institutional Delivery	87.3
18	Institutional Delivery against expected delivery *	4,583	73.0	2,097	33.2	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	740	13.9	323	13.3	PNC within 2days of delivery	72.4
20	Institutional Delivery against reported delivery **	4,583	86.1	2,097	86.7		
21	Total reported Deliveries	5,323		2,420			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	1.9	7	2.2		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,258	42.4	942	38.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,155		6,198			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	

		Number	PC	Number	PC		
25	Total reported live births	5,321	86.4	2,414	38.9	Breastfed within 1 hour of birth	44.0
26	Total Still Birth	86	1.4	35	0.6	BCG	97.6
27	PC of newborn weighted at birth to live birth	5,167	97.1	2,301	95.3	3 dose of DPT	89.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	515	10.0	205	8.9	Measles First dose	90.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,095	95.8	2,256	93.5	3 doses of penta or hepatitis B vaccine	86.2
30	Children fully immunized	4,401	71.5	2,173	35.1	Full Immunization	73.7
31	Children who have received BCG	4,073	66.2	1,863	30.1		
32	Children who have received Pentavalent 1	5,718	92.9	2,538	40.9		
33	Children who have received Pentavalent 3	4,816	78.2	2,298	37.1		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	72.5	2,216	35.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	459		188			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	NFHS-5 (2019-20)
36	Number of Vasectomies performed	0	0	Total unmet need 4.0
37	Number of Tubectomies performed	32	13	Spacing 1.8
38	Number of IUD insertion	47	17	Women using any method 80.9
39	Number of IUD removals	62	30	Women using modern method 53.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
40	IPD cases per 10,000 population ***	494	306	
41	General OPD cases per 10,000 population ***	6473	4598	
42	Ayush OPD cases per 10,000 population ***	198	106	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
43	Neonatal death within 24 hours	15	14	
44	Neonatal Deaths up to 4 weeks of birth	22	16	
45	Total Neonatal Death	37	30	
46	Deaths between (1 - 12) months	66	21	
47	Total reported infant deaths	103	51	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	1	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	

51	Due to Bleeding	3	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	2	0	
54	Total reported maternal deaths	5	2	

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	147					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,181		7,170			
11	Expected number of Delivery	6,659		6,649			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	6,601	91.9	3,521	49.0	ANC Check up in first trimester	54.2
13	Mothers registered in the first trimester	5,466	82.8	3,017	85.7	At least 4ANC check up	58.4
14	Number of PW received 4 or more ANC check ups	3,905	59.2	1,938	55.0	Neonatal tetanus received	89.4
15	PW who got TT 2 / Booster injection	5,934	89.9	3,253	92.4	100 IFA tablets consumed	29.5
16	PW who consumed 180 IFA tablets	2,290	34.7	2,399	68.1	Home Delivery	10.3
17	Home Delivery against expected delivery *	203	3.0	63	0.9	Institutional Delivery	89.7
18	Institutional Delivery against expected delivery *	5,359	80.5	2,498	37.6	Home Delivery by SBA	0.7
19	Home Delivery against reported delivery **	203	3.6	63	2.5	PNC within 2days of delivery	68.0
20	Institutional Delivery against reported delivery **	5,359	96.4	2,498	97.5		
21	Total reported Deliveries	5,562		2,561			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,081		1,986			

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	6,528		6,518			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,502	84.3	2,558	39.2	Breastfed within 1 hour of birth	15.8
26	Total Still Birth	97	1.5	38	0.6	BCG	89.0
27	PC of newborn weighted at birth to live birth	5,477	99.5	2,508	98.0	3 dose of DPT	81.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	728	13.3	202	8.1	Measles First dose	83.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,079	92.3	2,269	88.7	3 doses of penta or hepatitis B vaccine	72.7
30	Children fully immunized	5,309	81.3	2,549	39.1	Full Immunization	48.5
31	Children who have received BCG	5,496	84.2	2,374	36.4		
32	Children who have received Pentavalent 1	5,884	90.1	2,497	38.3		
33	Children who have received Pentavalent 3	5,696	87.2	2,571	39.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,318	81.5	2,546	39.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	461		309			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	17.3
37	Number of Tubectomies performed	167		140		Spacing	3.7
38	Number of IUD insertion	8		6		Women using any method	50.7
39	Number of IUD removals	7		5		Women using modern method	40.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	579		359			
41	General OPD cases per 10,000 population ***	4788		2613			
42	Ayush OPD cases per 10,000 population ***	293		169			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
43	Neonatal death within 24 hours	27		7			
44	Neonatal Deaths up to 4 weeks of birth	17		11			
45	Total Neonatal Death	44		18			
46	Deaths between (1 - 12) months	25		2			
47	Total reported infant deaths	69		20			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			

48	Due to Abortion	0	0
49	Due to Obstructed/prolonged labour	0	0
50	Due to Severe hypertension/fits	0	0
51	Due to Bleeding	1	0
52	Due to High fever	0	0
53	Due to Other Causes (including causes not known)	4	1
54	Total reported maternal deaths	5	1

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	104					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	5,301		5,285			
11	Expected number of Delivery	4,915		4,900			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	4,396	82.9	2,207	41.6	ANC Check up in first trimester	41.0
13	Mothers registered in the first trimester	3,146	71.6	1,638	74.2	At least 4ANC check up	24.6
14	Number of PW received 4 or more ANC check ups	2,579	58.7	1,198	54.3	Neonatal tetanus received	95.6
15	PW who got TT 2 / Booster injection	3,742	85.1	2,059	93.3	100 IFA tablets consumed	31.6
16	PW who consumed 180 IFA tablets	1,095	24.9	1,066	48.3	Home Delivery	28.5
17	Home Delivery against expected delivery *	128	2.6	47	1.0	Institutional Delivery	71.5
18	Institutional Delivery against expected delivery *	2,870	58.4	1,234	25.2	Home Delivery by SBA	2.9
19	Home Delivery against reported delivery **	128	4.3	47	3.7	PNC within 2days of delivery	44.5
20	Institutional Delivery against reported delivery **	2,870	95.7	1,234	96.3		
21	Total reported Deliveries	2,998		1,281			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.8	0	0.0		

23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,232	41.1	418	32.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,819		4,804			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	2,978	61.8	1,272	26.5	Breastfed within 1 hour of birth	21.7
26	Total Still Birth	39	0.8	21	0.4	BCG	85.1
27	PC of newborn weighted at birth to live birth	2,958	99.3	1,253	98.5	3 dose of DPT	78.0
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	429	14.5	139	11.1	Measles First dose	83.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,717	91.2	1,175	92.4	3 doses of penta or hepatitis B vaccine	74.8
30	Children fully immunized	3,817	79.2	1,677	34.9	Full Immunization	58.3
31	Children who have received BCG	2,787	57.8	1,036	21.6		
32	Children who have received Pentavalent 1	4,000	83.0	1,640	34.1		
33	Children who have received Pentavalent 3	3,785	78.5	1,748	36.4		
34	Children who have received Measles & Rubella (MR)- 1st Dose	3,814	79.1	1,681	35.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	302		59			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	9.7
37	Number of Tubectomies performed	0		0		Spacing	3.7
38	Number of IUD insertion	20		11		Women using any method	66.8
39	Number of IUD removals	4		1		Women using modern method	40.2
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	479		231			
41	General OPD cases per 10,000 population ***	4651		2643			
42	Ayush OPD cases per 10,000 population ***	464		248			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
43	Neonatal death within 24 hours	8		4			
44	Neonatal Deaths up to 4 weeks of birth	10		3			
45	Total Neonatal Death	18		7			
46	Deaths between (1 - 12) months	21		3			

47	Total reported infant deaths	39	10	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	0	0	
54	Total reported maternal deaths	0	0	

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	95					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	14					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,062		7,074			
11	Expected number of Delivery	6,549		6,560			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	8,589	121.6	4,589	65.0	ANC Check up in first trimester	54.0
13	Mothers registered in the first trimester	6,359	74.0	3,615	78.8	At least 4ANC check up	40.6
14	Number of PW received 4 or more ANC check ups	5,823	67.8	2,926	63.8	Neonatal tetanus received	91.7
15	PW who got TT 2 / Booster injection	7,274	84.7	3,965	86.4	100 IFA tablets consumed	22.0
16	PW who consumed 180 IFA tablets	3,688	42.9	3,038	66.2	Home Delivery	6.8
17	Home Delivery against expected delivery *	1,281	19.6	531	8.1	Institutional Delivery	93.2
18	Institutional Delivery against expected delivery *	4,559	69.6	1,979	30.2	Home Delivery by SBA	0.5
19	Home Delivery against reported delivery **	1,281	21.9	531	21.2	PNC within 2days of delivery	66.3
20	Institutional Delivery against reported delivery **	4,559	78.1	1,979	78.8		

21	Total reported Deliveries	5,840		2,510			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	9	1.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,895	66.7	1,889	75.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	6,420		6,431			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	5,783	90.1	2,494	38.8	Breastfed within 1 hour of birth	24.8
26	Total Still Birth	91	1.4	37	0.6	BCG	91.8
27	PC of newborn weighted at birth to live birth	5,779	99.9	2,484	99.6	3 dose of DPT	83.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	516	8.9	197	7.9	Measles First dose	89.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,593	96.7	2,456	98.5	3 doses of penta or hepatitis B vaccine	80.6
30	Children fully immunized	6,467	100.7	3,249	50.5	Full Immunization	67.1
31	Children who have received BCG	5,560	86.6	2,242	34.9		
32	Children who have received Pentavalent 1	7,091	110.4	3,137	48.8		
33	Children who have received Pentavalent 3	6,160	95.9	3,140	48.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,498	101.2	3,241	50.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	647		381			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	12.1
37	Number of Tubectomies performed	14		0		Spacing	3.7
38	Number of IUD insertion	1		7		Women using any method	65.5
39	Number of IUD removals	1		0		Women using modern method	48.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	507		352			
41	General OPD cases per 10,000 population ***	4331		2184			
42	Ayush OPD cases per 10,000 population ***	237		147			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
43	Neonatal death within 24 hours	11		5			

44	Neonatal Deaths up to 4 weeks of birth	21	6	
45	Total Neonatal Death	32	11	
46	Deaths between (1 - 12) months	47	15	
47	Total reported infant deaths	79	26	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	1	0	
53	Due to Other Causes (including causes not known)	7	2	
54	Total reported maternal deaths	8	2	

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	146					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	2					
9	DH	0					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	7,840	7,816				
11	Expected number of Delivery	7,270	7,248				
		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
12	PW register for ANC	7,961	101.5	4,371	55.7	ANC Check up in first trimester	78.7
13	Mothers registered in the first trimester	5,905	74.2	3,246	74.3	At least 4ANC check up	61.2
14	Number of PW received 4 or more ANC check ups	4,977	62.5	2,179	49.9	Neonatal tetanus received	99.3
15	PW who got TT 2 / Booster injection	6,769	85.0	3,813	87.2	100 IFA tablets consumed	31.8
16	PW who consumed 180 IFA tablets	2,464	31.0	2,369	54.2	Home Delivery	4.7
17	Home Delivery against expected delivery *	425	5.8	164	2.3	Institutional Delivery	95.3
18	Institutional Delivery against expected delivery *	3,494	48.1	1,618	22.3	Home Delivery by SBA	1.6

19	Home Delivery against reported delivery **	425	10.8	164	9.2	PNC within 2days of delivery	87.7
20	Institutional Delivery against reported delivery **	3,494	89.2	1,618	90.8		
21	Total reported Deliveries	3,919		1,782			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,558	116.3	1,975	110.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	7,128		7,106			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,897	54.7	1,762	24.8	Breastfed within 1 hour of birth	38.0
26	Total Still Birth	43	0.6	18	0.3	BCG	100.0
27	PC of newborn weighted at birth to live birth	3,856	98.9	1,755	99.6	3 dose of DPT	94.1
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	491	12.7	241	13.7	Measles First dose	94.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,847	98.7	1,755	99.6	3 doses of penta or hepatitis B vaccine	91.7
30	Children fully immunized	6,564	92.1	3,525	49.6	Full Immunization	88.4
31	Children who have received BCG	4,480	62.9	1,848	26.0		
32	Children who have received Pentavalent 1	7,367	103.4	3,176	44.7		
33	Children who have received Pentavalent 3	7,064	99.1	3,263	45.9		
34	Children who have received Measles & Rubella (MR)- 1st Dose	6,577	92.3	3,527	49.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	375		215			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	4		1		Total unmet need	2.5
37	Number of Tubectomies performed	104		26		Spacing	0.9
38	Number of IUD insertion	14		5		Women using any method	80.1
39	Number of IUD removals	4		0		Women using modern method	53.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	318		215			
41	General OPD cases per 10,000 population ***	4697		2051			
42	Ayush OPD cases per 10,000 population ***	745		377			

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR
43	Neonatal death within 24 hours	2		0
44	Neonatal Deaths up to 4 weeks of birth	4		0
45	Total Neonatal Death	6		0
46	Deaths between (1 - 12) months	17		1
47	Total reported infant deaths	23		1
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR
48	Due to Abortion	0		0
49	Due to Obstructed/prolonged labour	0		0
50	Due to Severe hypertension/fits	0		0
51	Due to Bleeding	0		0
52	Due to High fever	0		0
53	Due to Other Causes (including causes not known)	0		0
54	Total reported maternal deaths	0		0

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	110					
4	Sub Centers (SC)- HWC	40					
5	Primary Health Centers(PHC)	7					
6	Primary Health Centers (PHC)-HWC	11					
7	Community Health Centers (CHC)	5					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2020-21		2021-22			
10	Expected number of PW	7,130		7,119			
11	Expected number of Delivery	6,611		6,601			
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	6,953	97.5	3,586	50.3	ANC Check up in first trimester	57.2
13	Mothers registered in the first trimester	5,623	80.9	3,088	86.1	At least 4ANC check up	41.5
14	Number of PW received 4 or more ANC check ups	4,934	71.0	2,375	66.2	Neonatal tetanus received	96.8
15	PW who got TT 2 / Booster injection	5,944	85.5	3,126	87.2	100 IFA tablets consumed	38.0
16	PW who consumed 180 IFA tablets	4,473	64.3	2,396	66.8	Home Delivery	4.3
17	Home Delivery against expected delivery *	188	2.8	23	0.3	Institutional Delivery	95.7

18	Institutional Delivery against expected delivery *	4,471	67.6	2,095	31.7	Home Delivery by SBA	1.6
19	Home Delivery against reported delivery **	188	4.0	23	1.1	PNC within 2days of delivery	59.7
20	Institutional Delivery against reported delivery **	4,471	96.0	2,095	98.9		
21	Total reported Deliveries	4,659		2,118			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,962	85.0	2,268	107.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	6,482		6,472			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	4,641	71.6	2,108	32.6	Breastfed within 1 hour of birth	20.9
26	Total Still Birth	53	0.8	20	0.3	BCG	96.1
27	PC of newborn weighted at birth to live birth	4,535	97.7	2,108	100.0	3 dose of DPT	87.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	428	9.4	188	8.9	Measles First dose	85.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,511	97.2	2,102	99.7	3 doses of penta or hepatitis B vaccine	85.7
30	Children fully immunized	5,812	89.7	2,819	43.6	Full Immunization	60.7
31	Children who have received BCG	4,628	71.4	2,133	33.0		
32	Children who have received Pentavalent 1	6,082	93.8	2,711	41.9		
33	Children who have received Pentavalent 3	5,877	90.7	2,770	42.8		
34	Children who have received Measles & Rubella (MR)- 1st Dose	5,801	89.5	2,822	43.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	487		236			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	4.1
37	Number of Tubectomies performed	173		64		Spacing	2.2
38	Number of IUD insertion	128		87		Women using any method	79.9
39	Number of IUD removals	80		81		Women using modern method	49.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	579		362			
41	General OPD cases per 10,000 population ***	8032		4326			

42	Ayush OPD cases per 10,000 population ***	484	262	
----	--	-----	-----	--

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
43	Neonatal death within 24 hours	7	1	
44	Neonatal Deaths up to 4 weeks of birth	14	8	
45	Total Neonatal Death	21	9	
46	Deaths between (1 - 12) months	63	15	
47	Total reported infant deaths	84	24	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	1	1	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	1	0	
54	Total reported maternal deaths	2	1	

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers(SC)	70					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	6					
6	Primary Health Centers (PHC)-HWC	5					
7	Community Health Centers (CHC)	1					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2020-21	2021-22				
10	Expected number of PW	4,709	4,717				
11	Expected number of Delivery	4,367	4,374				
		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
12	PW register for ANC	5,149	109.3	2,747	58.3	ANC Check up in first trimester	63.2
13	Mothers registered in the first trimester	3,689	71.6	1,947	70.9	At least 4ANC check up	52.7
14	Number of PW received 4 or more ANC check ups	3,262	63.4	1,688	61.4	Neonatal tetanus received	94.9
15	PW who got TT 2 / Booster injection	4,093	79.5	2,194	79.9	100 IFA tablets consumed	26.7
16	PW who consumed 180 IFA tablets	3,272	63.5	1,901	69.2	Home Delivery	10.8

17	Home Delivery against expected delivery *	585	13.4	229	5.2	Institutional Delivery	89.2
18	Institutional Delivery against expected delivery *	2,956	67.7	1,390	31.8	Home Delivery by SBA	1.2
19	Home Delivery against reported delivery **	585	16.5	229	14.1	PNC within 2days of delivery	71.9
20	Institutional Delivery against reported delivery **	2,956	83.5	1,390	85.9		
21	Total reported Deliveries	3,541		1,619			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	2	0.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,597	45.1	726	44.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
24	Expected number of Live Birth	4,281		4,288			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	3,501	81.8	1,607	37.5	Breastfed within 1 hour of birth	36.4
26	Total Still Birth	65	1.5	27	0.6	BCG	94.7
27	PC of newborn weighted at birth to live birth	3,389	96.8	1,594	99.2	3 dose of DPT	85.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	288	8.5	116	7.3	Measles First dose	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,255	93.0	1,555	96.8	3 doses of penta or hepatitis B vaccine	82.5
30	Children fully immunized	4,010	93.7	1,799	42.0	Full Immunization	69.5
31	Children who have received BCG	3,267	76.3	1,379	32.2		
32	Children who have received Pentavalent 1	4,245	99.2	1,984	46.3		
33	Children who have received Pentavalent 3	3,901	91.1	1,874	43.7		
34	Children who have received Measles & Rubella (MR)- 1st Dose	4,059	94.8	1,809	42.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	796		339			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	8.2
37	Number of Tubectomies performed	88		45		Spacing	2.5
38	Number of IUD insertion	5		0		Women using any method	71.2
39	Number of IUD removals	3		1		Women using modern method	49.1
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR			
40	IPD cases per 10,000 population ***	504		314			

41	General OPD cases per 10,000 population ***	5635	2587	
42	Ayush OPD cases per 10,000 population ***	657	301	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
43	Neonatal death within 24 hours	17	7	
44	Neonatal Deaths up to 4 weeks of birth	25	6	
45	Total Neonatal Death	42	13	
46	Deaths between (1 - 12) months	42	6	
47	Total reported infant deaths	84	19	

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	0	0	
50	Due to Severe hypertension/fits	0	0	
51	Due to Bleeding	0	0	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	6	3	
54	Total reported maternal deaths	6	3	

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	917,534				
2	Sex Ratio	964				
B) Infrastructure Details (RHS 2018-19)		Numbers				
3	Sub Centers(SC)	173				
4	Sub Centers (SC)- HWC	0				
5	Primary Health Centers(PHC)	13				
6	Primary Health Centers (PHC)-HWC	5				
7	Community Health Centers (CHC)	3				
8	SDH	0				
9	DH	1				
C) Maternal Health:		2020-21	2021-22			
10	Expected number of PW	14,856	14,811			
11	Expected number of Delivery	13,776	13,733			
		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
12	PW register for ANC	16,665	112.2	7,039	47.4	ANC Check up in first trimester 75.5
13	Mothers registered in the first trimester	11,136	66.8	4,951	70.3	At least 4ANC check up 67.1
14	Number of PW received 4 or more ANC check ups	11,958	71.8	7,567	107.5	Neonatal tetanus received 95.0

15	PW who got TT 2 / Booster injection	9,495	57.0	5,486	77.9	100 IFA tablets consumed	17.3
16	PW who consumed 180 IFA tablets	5,620	33.7	4,953	70.4	Home Delivery	14.6
17	Home Delivery against expected delivery *	209	1.5	64	0.5	Institutional Delivery	85.4
18	Institutional Delivery against expected delivery *	17,942	130.2	8,191	59.6	Home Delivery by SBA	1.3
19	Home Delivery against reported delivery **	209	1.2	64	0.8	PNC within 2days of delivery	76.6
20	Institutional Delivery against reported delivery **	17,942	98.8	8,191	99.2		
21	Total reported Deliveries	18,151		8,255			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,845	92.8	8,891	107.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

24	Expected number of Live Birth	13,506		13,464			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
25	Total reported live births	17,819	131.9	8,115	60.3	Breastfed within 1 hour of birth	61.1
26	Total Still Birth	441	3.3	211	1.6	BCG	93.1
27	PC of newborn weighted at birth to live birth	17,804	99.9	8,105	99.9	3 dose of DPT	77.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,150	12.1	1,081	13.3	Measles First dose	74.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,957	89.6	8,000	98.6	3 doses of penta or hepatitis B vaccine	74.6
30	Children fully immunized	9,883	73.2	5,061	37.6	Full Immunization	69.6
31	Children who have received BCG	14,343	106.2	6,569	48.8		
32	Children who have received Pentavalent 1	10,978	81.3	4,512	33.5		
33	Children who have received Pentavalent 3	10,529	78.0	4,740	35.2		
34	Children who have received Measles & Rubella (MR)- 1st Dose	9,901	73.3	5,107	37.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	254		434			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 2nd QTR		NFHS-5 (2019-20)	
36	Number of Vasectomies performed	0		0		Total unmet need	6.1
37	Number of Tubectomies performed	1,569		893		Spacing	2.5
38	Number of IUD insertion	96		32		Women using any method	78.3
39	Number of IUD removals	44		9		Women using modern method	54.4

F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
40	IPD cases per 10,000 population ***	1100	600	
41	General OPD cases per 10,000 population ***	10221	6687	
42	Ayush OPD cases per 10,000 population ***	466	214	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
43	Neonatal death within 24 hours	91	51	
44	Neonatal Deaths up to 4 weeks of birth	235	119	
45	Total Neonatal Death	326	170	
46	Deaths between (1 - 12) months	133	56	
47	Total reported infant deaths	459	226	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 2nd QTR	
48	Due to Abortion	0	0	
49	Due to Obstructed/prolonged labour	1	0	
50	Due to Severe hypertension/fits	1	1	
51	Due to Bleeding	0	5	
52	Due to High fever	0	0	
53	Due to Other Causes (including causes not known)	17	14	
54	Total reported maternal deaths	19	20	