

Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,673,917						
2	Sex Ratio	1,017						
B) Infrastructure Details (RHS 2019-20)		Numbers						
3	Sub Centers(SC)	1,001						
4	Primary Health Centers(PHC)	112						
5	Community Health Centers (CHC)	22						
6	SDH	12						
7	DH	7						
C) Maternal Health:		2020-21	2021-22					
8	Expected number of PW	60,773	60,721					
9	Expected number of Delivery	56,353	56,304					
		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	63,843	105.1	45,790	75.3	ANC Check up in first trimester	61.9	
11	Mothers registered in the first trimester	46,029	72.1	34,205	74.7	At least 4ANC check up	52.8	
12	Number of PW received 4 or more ANC check ups	41,555	65.1	34,497	75.3	Neonatal tetanus received	90.2	
13	PW who got TT 2 / Booster injection	49,304	77.2	39,219	85.6	100 IFA tablets consumed	18.8	
14	PW who consumed 180 IFA tablets	27,028	42.3	31,052	67.8	Home Delivery	12.3	
15	Home Delivery against expected delivery *	3,759	6.7	2,171	3.9	Institutional Delivery	87.7	
16	Institutional Delivery against expected delivery *	46,234	82.0	35,244	62.6	Home Delivery by SBA	1.1	
17	Home Delivery against reported delivery **	3,759	7.5	2,171	5.8	PNC within 2days of delivery	72.1	
18	Institutional Delivery against reported delivery **	46,234	92.5	35,244	94.2			
19	Total reported Deliveries	49,993		37,415				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	0.4	35	1.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38,428	76.9	32,905	87.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	55,248		55,200				
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	49,442	89.5	37,088	67.2	Breastfed within 1 hour of birth	46.4	
24	Total Still Birth	915	1.7	640	1.2	BCG	97.6	

25	PC of newborn weighted at birth to live birth	48,965	99.0	36,791	99.2	3 dose of DPT	89.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,545	11.3	4,101	11.1	Measles First dose	84.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	46,054	93.1	35,928	96.9	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	46,263	83.7	34,666	62.8	Full Immunization	70.3
29	Children who have received BCG	44,634	80.8	33,329	60.4		
30	Children who have received Pentavalent 1	51,365	93.0	35,852	64.9		
31	Children who have received Pentavalent 3	47,828	86.6	32,978	59.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	46,429	84.0	35,018	63.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,781		3,245			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	22	Total unmet need	15.3
35	Number of Tubectomies performed	2,147	2,055	Spacing	3.9
36	Number of IUD insertion	319	243	Women using any method	58.9
37	Number of IUD removals	205	188	Women using modern method	44.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	641	581		
39	General OPD cases per 10,000 population ***	6679	6178		
40	Ayush OPD cases per 10,000 population ***	442	333		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	178	123		
42	Neonatal Deaths up to 4 weeks of birth	348	250		
43	Total Neonatal Death	526	373		
44	Deaths between (1 - 12) months	414	172		
45	Total reported infant deaths	940	545		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension/fits	1	3		
49	Due to Bleeding	5	9		
50	Due to High fever	1	0		
51	Due to Other Causes (including causes not known)	37	20		

52	Total reported maternal deaths	45	33	
----	--------------------------------	----	----	--

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	121					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	3					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	6,771		6,818			
9	Expected number of Delivery	6,278		6,322			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,529	111.2	5,865	86.6	ANC Check up in first trimester	58.1
11	Mothers registered in the first trimester	4,705	62.5	3,861	65.8	At least 4ANC check up	52.0
12	Number of PW received 4 or more ANC check ups	4,117	54.7	3,455	58.9	Neonatal tetanus received	97.8
13	PW who got TT 2 / Booster injection	6,053	80.4	4,651	79.3	100 IFA tablets consumed	26.0
14	PW who consumed 180 IFA tablets	4,126	54.8	3,645	62.1	Home Delivery	12.7
15	Home Delivery against expected delivery *	740	11.8	469	7.4	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	4,583	73.0	3,569	56.5	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	740	13.9	469	11.6	PNC within 2days of delivery	72.4
18	Institutional Delivery against reported delivery **	4,583	86.1	3,569	88.4		
19	Total reported Deliveries	5,323		4,038			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	1.9	6	1.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,258	42.4	1,408	34.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,155		6,198			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		

23	Total reported live births	5,321	86.4	4,008	64.7	Breastfed within 1 hour of birth	44.0
24	Total Still Birth	86	1.4	48	0.8	BCG	97.6
25	PC of newborn weighted at birth to live birth	5,167	97.1	3,882	96.9	3 dose of DPT	89.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	515	10.0	397	10.2	Measles First dose	90.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,095	95.8	3,810	95.1	3 doses of penta or hepatitis B vaccine	86.2
28	Children fully immunized	4,401	71.5	3,317	53.5	Full Immunization	73.7
29	Children who have received BCG	4,073	66.2	3,256	52.5		
30	Children who have received Pentavalent 1	5,718	92.9	4,120	66.5		
31	Children who have received Pentavalent 3	4,816	78.2	3,391	54.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,461	72.5	3,424	55.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	459		258			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.0
35	Number of Tubectomies performed	32	14	Spacing	1.8
36	Number of IUD insertion	47	35	Women using any method	80.9
37	Number of IUD removals	62	40	Women using modern method	53.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
38	IPD cases per 10,000 population ***	494	492		
39	General OPD cases per 10,000 population ***	6473	6762		
40	Ayush OPD cases per 10,000 population ***	198	151		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
41	Neonatal death within 24 hours	15	20		
42	Neonatal Deaths up to 4 weeks of birth	22	22		
43	Total Neonatal Death	37	42		
44	Deaths between (1 - 12) months	66	36		
45	Total reported infant deaths	103	78		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		
46	Due to Abortion	0	1		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	3	2		

50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	2	0	
52	Total reported maternal deaths	5	3	

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	146					
4	Primary Health Centers(PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	7,181		7,170			
9	Expected number of Delivery	6,659		6,649			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,601	91.9	4,897	68.2	ANC Check up in first trimester	54.2
11	Mothers registered in the first trimester	5,466	82.8	4,206	85.9	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	3,905	59.2	3,093	63.2	Neonatal tetanus received	89.4
13	PW who got TT 2 / Booster injection	5,934	89.9	4,679	95.5	100 IFA tablets consumed	29.5
14	PW who consumed 180 IFA tablets	2,290	34.7	3,980	81.3	Home Delivery	10.3
15	Home Delivery against expected delivery *	203	3.0	96	1.4	Institutional Delivery	89.7
16	Institutional Delivery against expected delivery *	5,359	80.5	4,156	62.5	Home Delivery by SBA	0.7
17	Home Delivery against reported delivery **	203	3.6	96	2.3	PNC within 2days of delivery	68.0
18	Institutional Delivery against reported delivery **	5,359	96.4	4,156	97.7		
19	Total reported Deliveries	5,562		4,252			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0		0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,081	73.4	5,294	124.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,528		6,518			

D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,502	84.3	4,224	64.8	Breastfed within 1 hour of birth	15.8
24	Total Still Birth	97	1.5	64	1.0	BCG	89.0
25	PC of newborn weighted at birth to live birth	5,477	99.5	4,161	98.5	3 dose of DPT	81.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	728	13.3	350	8.4	Measles First dose	83.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,079	92.3	3,818	90.4	3 doses of penta or hepatitis B vaccine	72.7
28	Children fully immunized	5,309	81.3	4,135	63.4	Full Immunization	48.5
29	Children who have received BCG	5,496	84.2	4,035	61.9		
30	Children who have received Pentavalent 1	5,884	90.1	4,282	65.7		
31	Children who have received Pentavalent 3	5,696	87.2	3,971	60.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,318	81.5	4,196	64.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	461		423			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		5		Total unmet need	17.3
35	Number of Tubectomies performed	167		322		Spacing	3.7
36	Number of IUD insertion	8		16		Women using any method	50.7
37	Number of IUD removals	7		6		Women using modern method	40.3
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	579		578			
39	General OPD cases per 10,000 population ***	4788		4018			
40	Ayush OPD cases per 10,000 population ***	293		243			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	27		13			
42	Neonatal Deaths up to 4 weeks of birth	17		11			
43	Total Neonatal Death	44		24			
44	Deaths between (1 - 12) months	25		7			
45	Total reported infant deaths	69		31			
II)	Maternal Mortality	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
46	Due to Abortion	0		0			

47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	4	0	
52	Total reported maternal deaths	5	1	

Khowai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	104					
4	Primary Health Centers(PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	5,301		5,285			
9	Expected number of Delivery	4,915		4,900			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,396	82.9	3,152	59.5	ANC Check up in first trimester	41.0
11	Mothers registered in the first trimester	3,146	71.6	2,338	74.2	At least 4ANC check up	24.6
12	Number of PW received 4 or more ANC check ups	2,579	58.7	1,819	57.7	Neonatal tetanus received	95.6
13	PW who got TT 2 / Booster injection	3,742	85.1	2,938	93.2	100 IFA tablets consumed	31.6
14	PW who consumed 180 IFA tablets	1,095	24.9	1,631	51.7	Home Delivery	28.5
15	Home Delivery against expected delivery *	128	2.6	76	1.6	Institutional Delivery	71.5
16	Institutional Delivery against expected delivery *	2,870	58.4	2,092	42.7	Home Delivery by SBA	2.9
17	Home Delivery against reported delivery **	128	4.3	76	3.5	PNC within 2days of delivery	44.5
18	Institutional Delivery against reported delivery **	2,870	95.7	2,092	96.5		
19	Total reported Deliveries	2,998		2,168			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.8	1	1.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,232	41.1	685	31.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	4,819		4,804			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,978	61.8	2,150	44.8	Breastfed within 1 hour of birth	21.7
24	Total Still Birth	39	0.8	23	0.5	BCG	85.1
25	PC of newborn weighted at birth to live birth	2,958	99.3	2,121	98.7	3 dose of DPT	78.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	429	14.5	251	11.8	Measles First dose	83.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,717	91.2	1,965	91.4	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	3,817	79.2	2,673	55.6	Full Immunization	58.3
29	Children who have received BCG	2,787	57.8	1,786	37.2		
30	Children who have received Pentavalent 1	4,000	83.0	2,621	54.6		
31	Children who have received Pentavalent 3	3,785	78.5	2,499	52.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,814	79.1	2,680	55.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		113			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.</p>							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	9.7
35	Number of Tubectomies performed	0		0		Spacing	3.7
36	Number of IUD insertion	20		15		Women using any method	66.8
37	Number of IUD removals	4		2		Women using modern method	40.2
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	479		379			
39	General OPD cases per 10,000 population ***	4651		4073			
40	Ayush OPD cases per 10,000 population ***	464		347			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	8		5			
42	Neonatal Deaths up to 4 weeks of birth	10		4			
43	Total Neonatal Death	18		9			
44	Deaths between (1 - 12) months	21		5			
45	Total reported infant deaths	39		14			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	94					
4	Primary Health Centers(PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	7,062	7,074				
9	Expected number of Delivery	6,549	6,560				
		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	8,589	121.6	6,424	91.0	ANC Check up in first trimester	54.0
11	Mothers registered in the first trimester	6,359	74.0	4,972	77.4	At least 4ANC check up	40.6
12	Number of PW received 4 or more ANC check ups	5,823	67.8	4,276	66.6	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	7,274	84.7	5,681	88.4	100 IFA tablets consumed	22.0
14	PW who consumed 180 IFA tablets	3,688	42.9	4,513	70.3	Home Delivery	6.8
15	Home Delivery against expected delivery *	1,281	19.6	832	12.7	Institutional Delivery	93.2
16	Institutional Delivery against expected delivery *	4,559	69.6	3,367	51.3	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	1,281	21.9	832	19.8	PNC within 2days of delivery	66.3
18	Institutional Delivery against reported delivery **	4,559	78.1	3,367	80.2		
19	Total reported Deliveries	5,840		4,199			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	19	2.3		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,895	66.7	2,948	70.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,420		6,431			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,783	90.1	4,200	65.3	Breastfed within 1 hour of birth	24.8
24	Total Still Birth	91	1.4	64	1.0	BCG	91.8
25	PC of newborn weighted at birth to live birth	5,779	99.9	4,188	99.7	3 dose of DPT	83.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	516	8.9	423	10.1	Measles First dose	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,593	96.7	4,144	98.7	3 doses of penta or hepatitis B vaccine	80.6
28	Children fully immunized	6,467	100.7	4,887	76.0	Full Immunization	67.1
29	Children who have received BCG	5,560	86.6	3,880	60.3		
30	Children who have received Pentavalent 1	7,091	110.4	4,909	76.3		
31	Children who have received Pentavalent 3	6,160	95.9	4,554	70.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,498	101.2	4,934	76.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	647		531			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.1
35	Number of Tubectomies performed	14		116		Spacing	3.7
36	Number of IUD insertion	1		9		Women using any method	65.5
37	Number of IUD removals	1		0		Women using modern method	48.7
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	507		483			
39	General OPD cases per 10,000 population ***	4331		3363			
40	Ayush OPD cases per 10,000 population ***	237		220			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	11		7			
42	Neonatal Deaths up to 4 weeks of birth	21		9			
43	Total Neonatal Death	32		16			
44	Deaths between (1 - 12) months	47		19			

45	Total reported infant deaths	79	35	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	1	0	
51	Due to Other Causes (including causes not known)	7	3	
52	Total reported maternal deaths	8	3	

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	146					
4	Primary Health Centers(PHC)	15					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	7,840	7,816				
9	Expected number of Delivery	7,270	7,248				
		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	7,961	101.5	6,236	79.5	ANC Check up in first trimester	78.7
11	Mothers registered in the first trimester	5,905	74.2	4,678	75.0	At least 4ANC check up	61.2
12	Number of PW received 4 or more ANC check ups	4,977	62.5	3,526	56.5	Neonatal tetanus received	99.3
13	PW who got TT 2 / Booster injection	6,769	85.0	5,588	89.6	100 IFA tablets consumed	31.8
14	PW who consumed 180 IFA tablets	2,464	31.0	3,805	61.0	Home Delivery	4.7
15	Home Delivery against expected delivery *	425	5.8	224	3.1	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	3,494	48.1	2,664	36.8	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	425	10.8	224	7.8	PNC within 2days of delivery	87.7
18	Institutional Delivery against reported delivery **	3,494	89.2	2,664	92.2		

19	Total reported Deliveries	3,919		2,888			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	0.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,558	116.3	3,366	116.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,128		7,106			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,897	54.7	2,878	40.5	Breastfed within 1 hour of birth	38.0
24	Total Still Birth	43	0.6	29	0.4	BCG	100.0
25	PC of newborn weighted at birth to live birth	3,856	98.9	2,860	99.4	3 dose of DPT	94.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	491	12.7	380	13.3	Measles First dose	94.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,847	98.7	2,858	99.3	3 doses of penta or hepatitis B vaccine	91.7
28	Children fully immunized	6,564	92.1	5,081	71.5	Full Immunization	88.4
29	Children who have received BCG	4,480	62.9	3,091	43.5		
30	Children who have received Pentavalent 1	7,367	103.4	5,051	71.1		
31	Children who have received Pentavalent 3	7,064	99.1	4,739	66.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,577	92.3	5,117	72.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		280			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4		6		Total unmet need	2.5
35	Number of Tubectomies performed	104		36		Spacing	0.9
36	Number of IUD insertion	14		7		Women using any method	80.1
37	Number of IUD removals	4		0		Women using modern method	53.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	318		338			
39	General OPD cases per 10,000 population ***	4697		3623			
40	Ayush OPD cases per 10,000 population ***	745		578			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
41	Neonatal death within 24 hours	2		0			

42	Neonatal Deaths up to 4 weeks of birth	4	0	
43	Total Neonatal Death	6	0	
44	Deaths between (1 - 12) months	17	2	
45	Total reported infant deaths	23	2	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	148					
4	Primary Health Centers(PHC)	18					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	7,130		7,119			
9	Expected number of Delivery	6,611		6,601			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,953	97.5	5,171	72.5	ANC Check up in first trimester	57.2
11	Mothers registered in the first trimester	5,623	80.9	4,404	85.2	At least 4ANC check up	41.5
12	Number of PW received 4 or more ANC check ups	4,934	71.0	3,881	75.1	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	5,944	85.5	4,580	88.6	100 IFA tablets consumed	38.0
14	PW who consumed 180 IFA tablets	4,473	64.3	3,695	71.5	Home Delivery	4.3
15	Home Delivery against expected delivery *	188	2.8	33	0.5	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	4,471	67.6	3,432	52.0	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	188	4.0	33	1.0	PNC within 2days of delivery	59.7

18	Institutional Delivery against reported delivery **	4,471	96.0	3,432	99.0		
19	Total reported Deliveries	4,659		3,465			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,962	85.0	3,652	105.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,482		6,472			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,641	71.6	3,455	53.4	Breastfed within 1 hour of birth	20.9
24	Total Still Birth	53	0.8	27	0.4	BCG	96.1
25	PC of newborn weighted at birth to live birth	4,535	97.7	3,455	100.0	3 dose of DPT	87.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	428	9.4	347	10.0	Measles First dose	85.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,511	97.2	3,439	99.5	3 doses of penta or hepatitis B vaccine	85.7
28	Children fully immunized	5,812	89.7	4,205	65.0	Full Immunization	60.7
29	Children who have received BCG	4,628	71.4	3,531	54.6		
30	Children who have received Pentavalent 1	6,082	93.8	4,312	66.6		
31	Children who have received Pentavalent 3	5,877	90.7	4,095	63.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,801	89.5	4,218	65.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	487		393			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	4.1
35	Number of Tubectomies performed	173		89		Spacing	2.2
36	Number of IUD insertion	128		115		Women using any method	79.9
37	Number of IUD removals	80		124		Women using modern method	49.9
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	579		572			
39	General OPD cases per 10,000 population ***	8032		6694			
40	Ayush OPD cases per 10,000 population ***	484		389			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2020-21)		HMIS (2021-22)			

			Up to 3rd QTR	
41	Neonatal death within 24 hours	7	1	
42	Neonatal Deaths up to 4 weeks of birth	14	14	
43	Total Neonatal Death	21	15	
44	Deaths between (1 - 12) months	63	18	
45	Total reported infant deaths	84	33	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	0	
52	Total reported maternal deaths	2	1	

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	70					
4	Primary Health Centers(PHC)	11					
5	Community Health Centers (CHC)	1					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	4,709	4,717				
9	Expected number of Delivery	4,367	4,374				
		HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	5,149	109.3	3,860	82.0	ANC Check up in first trimester	63.2
11	Mothers registered in the first trimester	3,689	71.6	2,762	71.6	At least 4ANC check up	52.7
12	Number of PW received 4 or more ANC check ups	3,262	63.4	2,637	68.3	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	4,093	79.5	3,221	83.4	100 IFA tablets consumed	26.7
14	PW who consumed 180 IFA tablets	3,272	63.5	2,859	74.1	Home Delivery	10.8
15	Home Delivery against expected delivery *	585	13.4	355	8.1	Institutional Delivery	89.2

16	Institutional Delivery against expected delivery *	2,956	67.7	2,365	54.1	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	585	16.5	355	13.1	PNC within 2days of delivery	71.9
18	Institutional Delivery against reported delivery **	2,956	83.5	2,365	86.9		
19	Total reported Deliveries	3,541		2,720			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	8	2.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,597	45.1	1,168	42.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	4,281		4,288			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,501	81.8	2,706	63.1	Breastfed within 1 hour of birth	36.4
24	Total Still Birth	65	1.5	40	0.9	BCG	94.7
25	PC of newborn weighted at birth to live birth	3,389	96.8	2,672	98.7	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	288	8.5	211	7.9	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,255	93.0	2,568	94.9	3 doses of penta or hepatitis B vaccine	82.5
28	Children fully immunized	4,010	93.7	2,868	66.9	Full Immunization	69.5
29	Children who have received BCG	3,267	76.3	2,452	57.2		
30	Children who have received Pentavalent 1	4,245	99.2	3,060	71.4		
31	Children who have received Pentavalent 3	3,901	91.1	2,757	64.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,059	94.8	2,878	67.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	796		494			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		7		Total unmet need	8.2
35	Number of Tubectomies performed	88		87		Spacing	2.5
36	Number of IUD insertion	5		0		Women using any method	71.2
37	Number of IUD removals	3		1		Women using modern method	49.1
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	504		500			
39	General OPD cases per 10,000 population ***	5635		3977			

40	Ayush OPD cases per 10,000 population ***	657	403	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
41	Neonatal death within 24 hours	17	9	
42	Neonatal Deaths up to 4 weeks of birth	25	12	
43	Total Neonatal Death	42	21	
44	Deaths between (1 - 12) months	42	12	
45	Total reported infant deaths	84	33	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	6	3	
52	Total reported maternal deaths	6	3	

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2019-20)		Numbers					
3	Sub Centers(SC)	172					
4	Primary Health Centers(PHC)	18					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21		2021-22			
8	Expected number of PW	14,856		14,811			
9	Expected number of Delivery	13,776		13,733			
		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,665	112.2	10,185	68.6	ANC Check up in first trimester	75.5
11	Mothers registered in the first trimester	11,136	66.8	6,984	68.6	At least 4ANC check up	67.1
12	Number of PW received 4 or more ANC check ups	11,958	71.8	11,810	116.0	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	9,495	57.0	7,881	77.4	100 IFA tablets consumed	17.3
14	PW who consumed 180 IFA tablets	5,620	33.7	6,924	68.0	Home Delivery	14.6

15	Home Delivery against expected delivery *	209	1.5	86	0.6	Institutional Delivery	85.4
16	Institutional Delivery against expected delivery *	17,942	130.2	13,599	99.0	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	209	1.2	86	0.6	PNC within 2days of delivery	76.6
18	Institutional Delivery against reported delivery **	17,942	98.8	13,599	99.4		
19	Total reported Deliveries	18,151		13,685			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,845	92.8	14,384	105.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	13,506		13,464			
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	17,819	131.9	13,467	100.0	Breastfed within 1 hour of birth	61.1
24	Total Still Birth	441	3.3	345	2.6	BCG	93.1
25	PC of newborn weighted at birth to live birth	17,804	99.9	13,452	99.9	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,150	12.1	1,742	12.9	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,957	89.6	13,326	99.0	3 doses of penta or hepatitis B vaccine	74.6
28	Children fully immunized	9,883	73.2	7,500	55.7	Full Immunization	69.6
29	Children who have received BCG	14,343	106.2	11,298	83.9		
30	Children who have received Pentavalent 1	10,978	81.3	7,497	55.7		
31	Children who have received Pentavalent 3	10,529	78.0	6,972	51.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,901	73.3	7,571	56.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	254		753			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		4		Total unmet need	6.1
35	Number of Tubectomies performed	1,569		1,391		Spacing	2.5
36	Number of IUD insertion	96		46		Women using any method	78.3
37	Number of IUD removals	44		15		Women using modern method	54.4
F) Service delivery		HMIS (2020-21)		HMIS (2021-22) Up to 3rd QTR			
38	IPD cases per 10,000 population ***	1100		896			

39	General OPD cases per 10,000 population ***	10221	10816	
40	Ayush OPD cases per 10,000 population ***	466	328	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
41	Neonatal death within 24 hours	91	68	
42	Neonatal Deaths up to 4 weeks of birth	235	178	
43	Total Neonatal Death	326	246	
44	Deaths between (1 - 12) months	133	73	
45	Total reported infant deaths	459	319	
II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22) Up to 3rd QTR	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	1	0	
48	Due to Severe hypertension/fits	1	3	
49	Due to Bleeding	0	5	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	17	14	
52	Total reported maternal deaths	19	22	